

NRC FORM 591M PART 1
(07-2012)
10 CFR 2.201

U.S. NUCLEAR REGULATORY COMMISSION

SAFETY INSPECTION REPORT AND COMPLIANCE INSPECTION

1. LICENSEE/LOCATION INSPECTED: DOJ/FBP/Federal Medical Center PO Box 1500 Butner, NC 27509 REPORT NUMBER 2016-001		2. NRC/REGIONAL OFFICE U.S. Nuclear Regulatory Commission Region I, 2100 Renaissance Blvd, Suite 100 King of Prussia, Pennsylvania 19406-2713	
3. DOCKET NUMBER 030-36175	4. LICENSE NUMBER 32-25613-01	5. DATE OF INSPECTION December 20, 2016	

LICENSEE:

The inspection was an examination of the activities conducted under your license as they relate to radiation safety and to compliance with the Nuclear Regulatory Commission (NRC) rules and regulations and the conditions of your license. The inspection consisted of selective examinations of procedures and representative records, interviews with personnel, and observations by the inspector. The inspection findings are as follows:

- ☐ 1. Based on the inspection findings, no violations were identified.
- ☐ 2. Previous violation(s) closed.
- ☐ 3. The violation(s), specifically described to you by the inspector as non-cited violations, are not being cited because they were self-identified, non-repetitive, and corrective action was or is being taken, and the remaining criteria in the NRC Enforcement Policy, to exercise discretion, were satisfied.




Non-cited violation(s) were discussed involving the following requirement(s) and corrective action(s):

- ☒ 4. During this inspection, certain of your activities, as described below and/or attached, were in violation of NRC requirements and are being cited in accordance with the NRC Enforcement Policy. This form is a NOTICE OF VIOLATION, which may be subject to posting in accordance with 10 CFR 19.11. (Violations and Corrective Actions)

See Page 2 for details

Statement of Corrective Actions

I hereby state that, within 30 days, the actions described by me to the inspector will be taken to correct the violations identified. This statement of corrective actions is made in accordance with the requirements of 10 CFR 2.201 (corrective steps already taken, corrective steps which will be taken, date when full compliance will be achieved). I understand that no further written response to NRC will be required, unless specifically requested.

Title	Printed Name	Signature	Date
LICENSEE'S REPRESENTATIVE	Amy S. Jacobs, AHBA		1/10/17
NRC INSPECTOR	Shawn W. Seeley		1/5/17
BRANCH CHIEF	James P. Dwyer		1/10/17

*NRC FORM 591M PART 1 (07-2012) (RI Rev. 09/12/2013) G:\WordDocs\Current\Insp Record\32-25613-01.2016.001.591M-Part1.doc

SUNSI Review Completed By:

SSeeley 



Public



Non-Sensitive

This document becomes an NRC Official Agency Record once it is signed by the Branch Chief

NRC FORM 591M PART 2 (07-2012) 10 CFR 2.201		U.S. NUCLEAR REGULATORY COMMISSION	
SAFETY INSPECTION REPORT AND COMPLIANCE INSPECTION			
1. LICENSEE/LOCATION INSPECTED: DOJ/FBP/Federal Medical Center PO Box 1500 Butner, NC 27509 REPORT NUMBER 2016-001		2. NRC/REGIONAL OFFICE U.S. Nuclear Regulatory Commission Region I, 2100 Renaissance Blvd, Suite 100 King of Prussia, Pennsylvania 19406-2713	
3. DOCKET NUMBER 030-36175	4. LICENSE NUMBER 32-25613-01	5. DATE OF INSPECTION December 20, 2016	
<p>(Continued)</p> <p>Condition 14 of NRC License No. 32-25613-01, Amendment No. 8, requires that the licensee conduct its program in accordance with the statements, representations, and procedures contained in the application dated February 5, 2013.</p> <p>Written area survey procedures, require, in part, that at the end of each day surveys for contamination be conducted in those areas where licensed material was used.</p> <p>Contrary to the above, on numerous occasions between November 8, 2016, and December 19, 2016, the licensee did not conduct end of the day area surveys in the Positron Emission Tomography (PET) areas.</p> <p>The licensee committed to setting a reminder in the computer system to remind the PET technicians to conduct the required surveys before they left for the day.</p>			