

February 6, 2017

Mr. Thomas Bergman
Vice President Regulatory Affairs
NuScale Power LLC
1100 NE Circle Blvd., Suite 200
Corvallis, OR 97330

SUBJECT: NOTIFICATION OF RE-CHARACTERIZATION OF FINDINGS IN NRC
INSPECTION REPORTS 99901351/2015-201 AND 9991418/2013-201

Dear Mr. Bergman:

The Nuclear Regulatory Commission (NRC) staff has reevaluated the characterization of the findings documented in Inspection Reports 99901351/2015-201 (Agencywide Documents Access and Management System (ADAMS) Accession No. ML15268A186) and 99901418/2013-201 (ADAMS Accession No. ML13098A338). Subsequent review of the inspection reports and acknowledgement of your status as a pre-applicant for a design certification at the time of inspection, dictates that the resultant violations discussed in the inspection findings and contained in the Notice of Violation (NOV) should have been characterized as nonconformances and documented in a Notice of Nonconformance (NON). Otherwise, the inspection findings remain valid as written. The intent of this notification is to make you aware of the NRC staff's conclusions. No action on your part is required.

Please contact Ms. Kerri Kavanagh at (301) 415-3743 or via electronic mail at kerri.kavanagh@nrc.gov, if you have any questions or need assistance regarding this matter.

Sincerely,

Kerri A. Kavanagh, Chief /RA/
Quality Assurance Vendor Branch-3
Division of Construction Inspection
& Operational Programs
Office of New Reactors

Project No. 0768

Mr. Thomas Bergman
Vice President Regulatory Affairs
NuScale Power LLC
1100 NE Circle Blvd., Suite 200
Corvallis, OR 97330

SUBJECT: NOTIFICATION OF RE-CHARACTERIZATION OF FINDINGS IN NRC
INSPECTION REPORTS 99901351/2015-201 AND 9991418/2013-201

Dear Mr. Bergman:

The Nuclear Regulatory Commission (NRC) staff has reevaluated the characterization of the findings documented in Inspection Reports 99901351/2015-201 (Agencywide Documents Access and Management System (ADAMS) Accession No. ML15268A186) and 99901418/2013-201 (ADAMS Accession No. ML13098A338). Subsequent review of the inspection reports and acknowledgement of your status as a pre-applicant for a design certification at the time of inspection, dictates that the resultant violations discussed in the inspection findings and contained in the Notice of Violation (NOV) should have been characterized as nonconformances and documented in a Notice of Nonconformance (NON). Otherwise, the inspection findings remain valid as written. The intent of this notification is to make you aware of the NRC staff's conclusions. No action on your part is required.

Please contact Ms. Kerri Kavanagh at (301) 415-3743 or via electronic mail at kerri.kavanagh@nrc.gov, if you have any questions or need assistance regarding this matter.

Sincerely,

Kerri A. Kavanagh, Chief /RA/
Quality Assurance Vendor Branch-1
Division of Construction Inspection
& Operational Programs
Office of New Reactors

Project No. 0768

DISTRIBUTION:

SLee
Mirsky, Steven M. STEVEN.M.MIRSKY@saic.com

ADAMS Accession No.:ML17027A267

NRO-002

OFFICE:	NRO/DCIP/QVIB-3	NRO/DCIP/Acting EC	OE	OE/AT
NAME:	PPrescott	SSmith	NHilton	SBernal-Taylor
DATE:	01/31/2017	02/02/2017	02/06/2017	02/06/2017

OFFICIAL RECORD COPY