12177-EK-406A-2



PARTIAL PLAN CONTROL ROOM
ELEVATION 277'-6"



PARTIAL PLAN CONTROL ROOM
ELEVATION 261'-0"



PARTIAL PLAN REACTOR BUILDING
ELEVATION 175'-0"
SCALE: 3/8"=1'-0"

CALLED NORTH

LEGEND:
NWL—NORMAL WATER LEVEL
TL —TANGENT LINE

NOTES:

1. SCALE: 1"=1'-0" UNLESS OTHERWISE NOTED.
2. REFER TO INSTRUMENT BILL OF MATERIAL FOR INSTRUMENT MARK NUMBERS SHOWN.
3. ALL DRAWING NUMBERS ARE TO BE PREFIXED WITH "12177" EXCEPT WHERE A DIFFERENT PREFIX IS SHOWN.
4. REFER TO MANUFACTURER PRINTS FOR CONNECTIONS TO EQUIPMENT.
5. INSCRIBE NWL ON STANDPIPE, ALLIGN WITH NWL MARK ON VESSEL, UNLESS OTHERWISE NOTED.
6. INSTRUMENT PIPING SYMBOLS PER STANDARD MK-1100-1-3 AND MK-1100-2-2
7. ALL STANDPIPES AND ASSOCIATED PIPING SHALL BE INSTALLED AND SUPPORTED BY PIPING CONTRACTOR.
8. SECTIONAL VIEWS HAVE BEEN EXPANDED FOR CLARITY, REFER TO PLANS FOR TRUE ORIENTATION.
9. POSITION INSTRUMENT VALVES ON STANDPIPE KEEPING ACCESS PLATFORM CLEAR FOR EASY ACCESSIBILITY TO ALL INSTRUMENTS AND VALVES.
10. ALL STANDPIPE DIMENSIONS ± 1/16" TOLERANCE.
11. SERVICE PLATFORMS MAY BE CUT AS DETERMINED BY FIELD TO EASE INSTALLATION OR ACCOMODATE STANDPIPE ORIENTATION.

REFERENCES:

INSTR PP LEVEL CONTROLS AND SWITCHES	EK406B&C
HVK PIPING CONTROL BUILDING EL 261'-0"	E8-81A
MACH LOCN PLAN EL 175'-0" REAC & DG	EM-2A
MACH LOCN PLAN EL 328'-10" REAC BLDG	EM-2F
FRAMING PLANS & MISC PLATFORMS	ES-538J
REAC BLDG CLOSED LOOP COOLING WATER	FSK-9-1
CONTROL BLDG CHILLED WATER	FSK-22-12
REAC BLDG FLR DRAINS	FSK-23-6
REAC BLDG EQUIP DRAINS	FSK-32-9



1-1 (C-3) (AS SHOWN) PIPING CLASS 151
ALL VALVE NUMBERS TO BE PREFIXED WITH "2HVK"
SCALE: NONE



2-2 (G-3) (AS SHOWN) PIPING CLASS 151
ALL VALVE NUMBERS TO BE PREFIXED WITH "2HVK"
SCALE: NONE



3-3 (K-3) (AS SHOWN) PIPING CLASS 151
ALL VALVE NUMBERS TO BE PREFIXED WITH "2DFR"
SCALE: NONE



PLAN



PLAN

PLAN



2HVK-004-8-3(A-)
SCALE: NONE



2HVK-004-20-3(B-)
SCALE: NONE



2-DFR-004-59-4
SCALE: NONE

MANUFACTURER'S DRAWINGS:

2HVK* TK 1A&1B	3.200-106-003
2DFR-TK 1	3.382-069-019
2DER-TK 1	3.381-069-013
2DER-TK 2A	3.381-069-016
2DER-TK 2B	3.381-069-017
2CCP-TK 1	3.320-069-004

P.R.C APERTURE CARD

STATE OF NEW YORK — REGISTERED PROFESSIONAL ENGINEER

APPROVED B.Flotnick 57006
LICENSED PROFESSIONAL ENGINEER'S NO.
STATE OF NEW YORK
ALTERATION EXCEPT BY A LICENSED PROFESSIONAL ENGINEER IS ILLEGAL

NUCLEAR SAFETY RELATED
QA CAT I, II

ISSUE 0

INSTRUMENT PIPING
LEVEL CONTROLS & SWITCHES SH 1

NINE MILE POINT NUCLEAR STATION — UNIT 2
NIAGARA MOHAWK POWER CORPORATION
STONE & WEBSTER ENGINEERING CORPORATION
CHERRY HILL, N.J.

CH DRAWING NUMBER 12177-EK-406A-2

DESIGNED BY A.M.LLOYD DR. BY A.M.LLOYD AREAS 1,4 LEVELS — WORK PKG 81C
ORIGN CHKD R.SYLVESTER CHKD BY R.SYLVESTER

HALF-SIZE SCALE

BUSH, STONE & WEBSTER ENGINEER

ISSUED FOR CONSTRUCTION
SEE RECORD OF DWG CHANGES 12177 BCK 406A-2

ORIGINAL ISSUE
FOR MATERIAL & FABRICATION

ISSUE	DESCRIPTION	CHKD	CORRECT	APPR. DATE
6				
5				
4				
3				
2				
1	ORIGINAL ISSUE FOR MATERIAL & FABRICATION			

ISSUE	PCT	ARCH	CIVIL	CONC	STL	L&P	INST	M.O.	P.S.	S.A.	FAC	ELEC	LTG	MATL
6														
5														
4														
3														
2														
1	90	X	X	X	X	X	X							
0	80	X	X	X	X	X	X	X	X	X	X	X	X	X

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40