

## NRC DISTRIBUTION FOR PART 50 DOCKET MATERIAL

FILE NUMBER

TO: G. Lear

FROM: Niagara Mohawk Power Co.  
Syracuse, N.Y.  
G.K. RhodeDATE OF DOCUMENT  
2-27-76DATE RECEIVED  
3-1-76☐ LETTER  
☒ ORIGINAL  
☐ COPY☐ NOTORIZED  
☒ UNCLASSIFIED

PROP

INPUT FORM

NUMBER OF COPIES RECEIVED

1

## DESCRIPTION

Ltr. confirming commitment to implement a  
drywell pressure increase.....

(1 Signed Cy. Received)

## ENCLOSURE

DO NOT REMOVE  
ACKNOWLEDGED

PLANT NAME: Nine Mile Pt. # 1

## SAFETY

## FOR ACTION/INFORMATION

## ENVIRO

SAB 3-5-76

ASSIGNED AD :

ASSIGNED AD :

BRANCH CHIEF :

Lear W/6

BRANCH CHIEF :

PROJECT MANAGER:

PROJECT MANAGER :

LIC. ASST. :

Parrish

LIC. ASST. :

## INTERNAL DISTRIBUTION

~~REG FILE~~

SYSTEMS SAFETY

PLANT SYSTEMS

ENVIRO TECH

NRC PDR

HEINEMAN

TEDESCO

ERNST

I &amp; E (2)

SCHROEDER

BENAROYA

BALLARD

OELD

LAINAS

SPANGLER

GOSSICK &amp; STAFF

ENGINEERING

IPPOLITO

MIPC

MACCARY

SITE TECH

CASE

KNIGHT

OPERATING REACTORS

GAMMILL

HANAUER

SIHWEIL

STELLO

STEPP

HARLESS

PAWLICKI

HULMAN

PROJECT MANAGEMENT

REACTOR SAFETY

EISENHUT

SITE ANALYSIS

BOYD

ROSS

SHAO

VOLLMER

P. COLLINS

NOVAK

BAER

BUNCH

HOUSTON

ROSZTOCZY

SCHWENCER

J. COLLINS

PETERSON

CHECK

GRIMES

KREGER

MELTZ

HELTEMES

AT &amp; I

SITE SAFETY &amp; ENVIRO

SKOVHOLT

SALTZMAN

ANALYSIS

RUTBERG

DENTON &amp; MULLER

## EXTERNAL DISTRIBUTION

## CONTROL NUMBER

LPDR: Oswego, N.Y.

NATL LAB

BROOKHAVEN NATL LAB

TIC

REG. V-IE

ULRIKSON(ORNL)

NSIC

LA PDR

ASLB

CONSULTANTS

ACRS 16 HOURS/SENT

1936

... ..  
... ..  
... ..

... ..  
... ..  
... ..


... ..

... ..  
... ..

NIAGARA MOHAWK POWER CORPORATION

NIAGARA  MOHAWK

300 ERIE BOULEVARD, WEST  
SYRACUSE, N. Y. 13202



February 27, 1976

Director of Nuclear Reactor Regulation  
Attn: Mr. George Lear, Chief  
Branch #3  
U. S. Nuclear Regulatory Commission  
Washington, D. C. 20555




Re: Nine Mile Point Unit 1  
Docket No. 50-220  
DPR-63

Dear Mr. Lear:

This letter is to confirm Niagara Mohawk's commitment, at a February 26, 1976 meeting with the Commission, to implement a drywell pressure increase of one pound per square inch over the suppression chamber pressure at Nine Mile Point Unit 1. This measure is being taken in order to mitigate containment loads in the unlikely event of a Loss-of-Coolant Accident. Nine Mile Point Unit 1 will be in this new mode of operation by 9:00 a.m. on March 1, 1976.

Very truly yours,

NIAGARA MOHAWK POWER CORPORATION

  
GERALD K. RHODE  
Vice President Engineering

