



Region I Office  
Division of Nuclear Materials Safety  
2100 Renaissance Boulevard, Suite 100  
King of Prussia, PA 19406-2713  
(610)337-5000

## Telephone Conversation Record

Date: 1/30/2017

License No. 16-31209-01

Docket No.(no hyphens): 03037380

Mail Control/Report No. 592817

Licensee Name: Rogers Group, Inc.

Participant(s) Name/Title: Roger Askew, RSO

Work Telephone No. (270) 886-3344

Business Cellphone No. (270) 348-3198

NRC Representative Name/Title: Leo Wardrobe, Health Physicist

Subject: Clarification of Application for License Renewal

Discussion: I discussed with Roger Askew 3 items on their application for license renewal:

1. On page B-1 of the application it states activity of the Cs-137 source is 8 mCi and on the SSD for the Troxler gauges it states 9 mCi. The RSO agreed with the SSD and it will be changed to 9 mCi.
2. On page B-1 of the application it states activity of the Am-241 source is 40 mCi and on the SSD for the Troxler gauges it states 44 mCi. The RSO agreed with the SSD and it will be changed to 44 mCi.
3. On page B-7 of the application, section 10.8 the "Non-routine Maintenance" box was not checked off and the RSO replied he misunderstood the wording and the licensee will send gauges back to the manufacturer or an entity licensed to perform non-routine maintenance.

Action Required: None

### SUNSI REVIEW

Document Availability: ☒ Public or ☐ Non-Public

#### Document Sensitivity:

(select "1" value to the right)

- |  |  |
|--|--|
| <input checked="" type="checkbox"/> Non-Sensitive  | <input type="checkbox"/> MD 3.4 Non-Public B.1 (Non-Sensitive)                 |
| <input type="checkbox"/> Non-Sensitive Copyright   | <input type="checkbox"/> MD 3.4 Non-Public A.3 (Sensitive Security Related)    |
| <input type="checkbox"/> Sensitive – Proprietary   | <input type="checkbox"/> MD 3.4 Non-Public A.4 (Sensitive Proprietary)         |
| <input type="checkbox"/> Sensitive – Privacy Act (includes Personally Identifiable Information (PII))        | <input type="checkbox"/> MD 3.4 Non-Public A.5 (Sensitive-Privacy Act)         |
| <input type="checkbox"/> Sensitive – Internal, Periodic Review required (All Other Sensitive Internal Info.) | <input type="checkbox"/> MD 3.4 Non-Public A.6 (Sensitive-Federal, State, etc) |
| <input type="checkbox"/> Sensitive – Security-Related-Periodic Review Required                               | <input type="checkbox"/> MD 3.4 Non-Public A.7 ( Internal)                     |

SUNSI Review Completed by: LWardrobe 1/30/2017