



Region I Office
Division of Nuclear Materials Safety
2100 Renaissance Boulevard, Suite 100
King of Prussia, PA 19406-2713
(610)337-5000

Telephone Conversation Record

Date: 1/30/2017

License No. 31-02102-02

Docket No.(no hyphens): 03000897

Mail Control/Report No. 592508

Licensee Name: Department of the Army

Participant(s) Name/Title: Daniel Schultz, Ph.D., Radiation Safety Officer

Work Telephone No. 845-938-5009

Business Cellphone No. Unknown

NRC Representative Name/Title: Dennis Lawyer/Health Physicist

Subject: RAI, Survey Commitment

Discussion: I asked Dr. Schultz, to send in a commitment letter that they will perform surveys of their subcritical assembly when moving the uranium slugs instead of having a leak test requirement on the sources.

Dr. Schultz said that he would.

Action Required: Dr. Schultz to send in a survey commitment letter.

SUNSI REVIEW

Document Availability: ☒ Public or ☐ Non-Public

Document Sensitivity:

(select "1" value to the right)

- | | |
|--|--|
| <input checked="" type="checkbox"/> Non-Sensitive | <input type="checkbox"/> MD 3.4 Non-Public B.1 (Non-Sensitive) |
| <input type="checkbox"/> Non-Sensitive Copyright | <input type="checkbox"/> MD 3.4 Non-Public A.3 (Sensitive Security Related) |
| <input type="checkbox"/> Sensitive – Proprietary | <input type="checkbox"/> MD 3.4 Non-Public A.4 (Sensitive Proprietary) |
| <input type="checkbox"/> Sensitive – Privacy Act (includes Personally Identifiable Information (PII)) | <input type="checkbox"/> MD 3.4 Non-Public A.5 (Sensitive-Privacy Act) |
| <input type="checkbox"/> Sensitive – Internal, Periodic Review required (All Other Sensitive Internal Info.) | <input type="checkbox"/> MD 3.4 Non-Public A.6 (Sensitive-Federal, State, etc) |
| <input type="checkbox"/> Sensitive – Security-Related-Periodic Review Required | <input type="checkbox"/> MD 3.4 Non-Public A.7 (Internal) |

SUNSI Review Completed by: Dennis Lawyer