



## CONVERSATION RECORD

NAME OF PERSON(S) CONTACTED OR IN CONTACT WITH YOU	DATE OF CONTACT	TYPE OF CONVERSATION	
Jeff Elliott	01/13/2017	<input type="checkbox"/> E-MAIL	<input type="checkbox"/> INCOMING
E-MAIL ADDRESS	TELEPHONE NUMBER	<input checked="" type="checkbox"/> TELEPHONE	<input type="checkbox"/> OUTGOING
	(734) 455-8600		
ORGANIZATION	DOCKET NUMBER(S)		
TTL Associates, Inc.	030-33903		
LICENSE NUMBER(S)	CONTROL NUMBER(S)		
21-26666-01	590763		
SUBJECT			
TTL application for license renewal			
SUMMARY AND ACTION REQUIRED (IF ANY)			
<p>Please submit the following additional information:</p> <ol style="list-style-type: none"><li>1. Provide the model numbers of the sealed sources for each device that will be authorized on your license.</li><li>2. A diagram of the area where gauges will be stored. Include in the diagram, areas that are adjacent to the storage area.</li></ol> <p>Jeff stated that they never possessed Cf-252 sources/gauges and that this material could be removed from the license. Jeff also stated that in December 2005 they removed 1 troxler 3430 gauge (contained Cs-137 and Am-241) that was being stored at the address in Detroit, Michigan, and transferred it to the Plymouth, Michigan address. The gauge had been leak tested on December 1, 2005, before it was transferred, and again on June 1, 2006. Both results were negative. He verified that no licensed material had been stored at the Detroit location since then and that this address could be removed from the license.</p> <p>Mr. Elliott also stated that they only possessed Troxler model 3400 series gauges. and never possessed Troxler model 4640 series gauges. Therefore, he asked that authorization for 4640 series be deleted from the license.</p> <p>I could not match Mr. Elliott's Cd-109 device model number with a sealed source model number in the SS&amp;DR. Mr. Elliot provided me with the source serial number and the manufacturer of the device confirmed that the model number for the Cd-109 source is Isotopes Products Laboratories model number XFB-3. This matches the SS&amp;DR.</p>			
NAME OF PERSON DOCUMENTING CONVERSATION			
Kevin Null			
SIGNATURE		DATE OF SIGNATURE	
		01/13/2017	