

REGULATORY INFORMATION DISTRIBUTION SYSTEM (RIDS)

ACCESSION NBR: 8306140595 DOC. DATE: 83/06/09 NOTARIZED: NO DOCKET #
 FACIL: 50-244 Robert Emmet Ginna Nuclear Plant, Unit 1, Rochester G 05000244
 AUTH. NAME: MAIER, J. E. AUTHOR AFFILIATION: Rochester Gas & Electric Corp.
 RECIP. NAME: CRUTCHFIELD, D. RECIPIENT AFFILIATION: Operating Reactors Branch 5

SUBJECT: Forwards Rev 0 to proprietary "Steam Generator Evaluation,
 Spring 1983 Outage, Strength Testing of Sealable Sleeves
 Explosively Expanded Into Locked Tubes - RE Ginna Station."
 Rept withheld (ref 10CFR2.790).

DISTRIBUTION CODE: A001S COPIES RECEIVED: LTR 1 ENCL 1 SIZE: 1+6
 TITLE: OR Submittal: General Distribution

NOTES: NRR/DL/SEP 1cy.

05000244

	RECIPIENT		COPIES			RECIPIENT		COPIES	
	ID	CODE/NAME	LTTR	ENCL		ID	CODE/NAME	LTTR	ENCL
INTERNAL:	ELD/HDS4		1	0	NRR/DE/MTEB		1	1	
	NRR/DL DIR		1	1	NRR/DL/ORAB		1	0	
	NRR/DSI/METB		1	1	NRR/DSI/RAB		1	1	
	REG FILE	04	1	1	RGN1		1	1	
EXTERNAL:	ACRS	09	6	6	LPDR	03	1	0	
	NRC PDR	02	1	0	NSIC	05	1	0	
	NTIS		1	0					
NOTES:			1	1					

Ltr Only
 PDR
 LPDR
 NSIC
 NTIS

TOTAL NUMBER OF COPIES REQUIRED: LTTR 26 ENCL 24


... of the ...
... of the ...
... of the ...
... of the ...
... of the ...

... of the ...
... of the ...
... of the ...
... of the ...
... of the ...

... of the ...
... of the ...
... of the ...
... of the ...
... of the ...

... of the ...

CONFIDENTIAL		CONFIDENTIAL		CONFIDENTIAL		CONFIDENTIAL	
1	1	1	1	1	1	1	1
2	2	2	2	2	2	2	2
3	3	3	3	3	3	3	3
4	4	4	4	4	4	4	4
5	5	5	5	5	5	5	5
6	6	6	6	6	6	6	6
7	7	7	7	7	7	7	7
8	8	8	8	8	8	8	8
9	9	9	9	9	9	9	9
10	10	10	10	10	10	10	10



ROCHESTER GAS AND ELECTRIC CORPORATION • 89 EAST AVENUE, ROCHESTER, N.Y. 14649

JOHN E. MAIER
Vice President

TELEPHONE
AREA CODE 716 546-2700

June 9, 1983

Director of Nuclear Reactor Regulation
Attention: Mr. Dennis M. Crutchfield, Chief
Operating Reactors Branch No. 5
U.S. Nuclear Regulatory Commission
Washington, D.C. 20555

Subject: Steam Generator Sleaving
R. E. Ginna Nuclear Power Plant
Docket No. 50-244

Dear Mr. Crutchfield:

In our letter dated May 24, 1983, we identified several tests which were being performed to support pretensioning of steam generator tubes for sleaving. The attached report summarizes the tests and results. The tests demonstrate the acceptability of the upper tube sleeve joint and of the thermally pretensioned tube.

The attached report is proprietary to Babcock and Wilcox. Therefore, pursuant to 10 CFR 2.790(b), we request that the attachment be withheld from public disclosure. An affidavit is being prepared and will be forwarded in the next few days.

Very truly yours,


John E. Maier

Attachment

8306140595 830609
PDR ADDCK 05000244
P PDR

ADD 1
1/1
LTR. ONLY TO PDR
LPDR
NSIC
NTIS

