

Enclosure 1

RG&E Procedure ST-89.02

9204150128 920406
PDR ADDCK 05000244
P PDR



ROCHESTER GAS AND ELECTRIC CORPORATION

GINNA STATION

CONTROLLED COPY NUMBER 4

RECEIVED

JUL 5 1990

CENTRAL RECORDS
QA LIFETIME

PROCEDURE NO. ST-89.02

REV. NO. 0

CONTROL BUILDING HEAT GENERATION RATE TESTING

"MASTER"

PCN 90T-101

PCN 90T-109

PCN 90T-117

PCN 90T-125

TECHNICAL REVIEW

PORC REVIEW DATE 2-1-90

Joseph A. Widan
PLANT SUPERINTENDENT

2-5-90
EFFECTIVE DATE

QA X NON-QA CATEGORY 4.22

REVIEWED BY: [Signature]

THIS PROCEDURE CONTAINS 17 PAGES

FOR R & T USE ONLY

Routed To PAUL Date 2-20-90

Routed To Gryfel Date 2-20-90

Master Sched. NA Date NA

Data Trending NA Date NA

Sched. Board (Orange) NA Date NA

Central Records 2 Date 2/25/90

GINNA STATION

START:

DATE 2-5-90

TIS 1017

DATE 2/17/90

TIME 10:15/3



BATTERY RM. RECORDER

ST-89.02 REV 0

RECORDER POINT	WIRE	RECORDER POINT	WIRE
1	16	16	10
2	17	17	47
3	45	18	46
4	38	19	42
5	23	20	41
6	34	21	21
7	15	22	37
8	19	23	40
9	35	24	24
10	39	25	13
11	31	26	26
12	14	27	27
13	9	28	43
14	34	29	8
15	25	30	3

B BATTERY ROOM RECORDER

RECORDER POINT	WIRE	RECORDER POINT	WIRE
1	28	8	30
2	2	9	9
3	20	10	7
4	4	11	11
5	5	12	33
6	29	13	23
7	1	14	44

ST-89.02

CONTROL BUILDING HEAT GENERATION RATE TESTING

1.0 PURPOSE:

1.1 The purpose of this procedure is to provide guidance for determining the heat generated in the following areas of the Control Building:

- a. Control Room
- b. Relay Room
- c. Computer Room
- d. Battery Room 1A
- e. Battery Room 1B

2.0 TEST REQUIREMENTS:

2.1 The objective of this test is to obtain the information necessary to determine the heat generated in the various areas of the Control Building during normal operation. This information will then be used to analyze the thermal environment of the Control Building during Design Basis Accident (DBA), station blackout (SBO), and normal operating conditions.

2.2 Each area of the Control Building is to be tested separately.

2.3 The minimum acceptable test duration for each of the five areas in the Control Building is twenty-four (24) hours. This minimum duration enables room heat fluctuations to be adequately accounted for.

3.0 REFERENCES:

3.1 EWR-4529, "Ventilation System Requirements".

4.0 INITIAL CONDITIONS:

4.1 This test can be performed during any level of power operation. PER

4.2 Temperature recorders and digital temperature readouts have been calibrated:

ST-89.02:2

4.2.1	Component	Serial No.	Date Calibrated
	<u>EXOS NORTHROP 25000</u>	<u>8934-713 820-5</u>	<u>1/90</u>
	<u>EXOS NORTHROP</u>	<u>8550-70865-402-21</u>	<u>1/90</u>
	<u>WAHL C65</u>	<u>6387-16902</u>	<u>1/89 DUE 1/91</u>
	<u>WAHL C65</u>	<u>16122</u>	<u>1/89 DUE 11/91</u>

- 90°-104°
40° TO 90°
PORT
- 4.3 Two (2) multichannel temperature recorders with a hard copy output and a calibrated accuracy of $\pm 2\%$ between (0°F and 100°F) are available at the outset of the test. The temperature recorders should be able to record at a minimum of 10 second intervals.

PEP

- 4.4 Two (2) Wahl or equivalent digital temperature readouts with a calibrated accuracy of $\pm 2\%$ between 0°F and 100°F are available at the outset of the test. One (1) digital temperature readout must be a dual channel instrument to be used for the Control Room test.

PEP

NOTE: Not all temperature elements may be required for each test area.

- 4.5 Fifty (50) temperature elements (i.e., thermocouples) with a minimum of 20 feet lead wire each are available at the outset of the test. The lead wires should be labeled 1 through 50.

PEP

- 4.6 The tests for the Control Building need not be performed in the sequence that they are ordered in Section 6.

PEP

- 4.7 Notify Shift Supervisor at start of test.

PEP

- 4.8 Notify Head Control Operator to log the start of the test.

PEP

5.0 PRECAUTIONS:

- 5.1 The exact location of the temperature elements will be determined at the time of placement. Actual locations of the temperature elements are to be documented via photographs or sketches. Temperature elements should be evenly distributed to the extent possible throughout the room so as to obtain an accurate representation of room and wall temperatures.

ST-89.02:3

- 5.2 Care should be taken to place the temperature elements, temperature recorders, and digital temperature readouts in such a way as not to interfere with Ginna Station personnel in the performance of their normal duties. Consideration should be given for pathways and work locations used by station personnel to eliminate the possibility for creating trip hazards or falling obstacles or "strangulation".
- 5.3 Care should be taken to place the temperature elements, temperature recorders, and digital temperature readouts out of the path of any equipment potentially needed for abnormal or emergency conditions.
- 5.4 Temperature elements and their respective lead wires shall not be run through or over cable trays, etc., allowing potential circuit cross-connection.
- 5.5 The supporting tables for the temperature recorders and digital temperature readouts should be fastened by use of a chain or other means to an immovable object to ensure that they are not moved during the test. IF the table cannot be fastened (e.g. Control Room), then the recorder or digital readout shall be clearly visible and labeled "Test Equipment - Test in Progress, DO NOT DISTURB".
- 5.6 Ensure that all portable test equipment requiring AC power is being supplied through an approved portable ground fault interrupter.
- 5.7 Avoid bumping or affecting any adjacent fire detection instruments when placing the temperature elements in their necessary locations.
- 5.8 Notify Control Room Foreman prior to working inside Main Control Board, Relay Racks or Instrument Cabinets.
- 5.9 Do not breach a fire barrier without proper authorization.
- 5.10 Use extreme care when working above batteries. Do not place or drop items on batteries at any time.
- 5.11 Observe Ginna Station good housekeeping practices at all times.



6.0 INSTRUCTIONS:

90T-109
90T-117
6.1 Connect a minimum of ~~twenty three (23)~~^{PEP} temperature elements to ~~each of the two~~^{PEP} (2) multichannel temperature recorders.

6.2 Connect one (1) temperature element to the single channel digital temperature readout and two (2) temperature elements to the dual channel digital temperature readout.
PEP

6.3 Control Room

CAUTION: Ensure that all temperature elements are placed in such a manner that any adjacent heat sources do not affect measured temperature.

90T-125
6.3.1 Place temperature elements at the following locations within the Control Room, ~~dividing the temperature~~^{PEP} ~~elements being used between the two (2) multichannel~~^{PEP} recorders observing all necessary precautions identified in step 5.0:

6.3.1.1 A minimum of four (4) temperature elements per wall placed on the inside North, South, East and West walls of the Control Room.
PEP

6.3.1.2 A minimum of three (3) temperature elements placed on the floor of the Control Room.
PEP

6.3.1.3 A minimum of two (2) temperature elements placed at the Control Room exhaust (return) register on the West wall of the Control Room.
PEP

CAUTION: The temperature element outside of the Control Room shall not be in contact with any object.

6.3.2 Place a single temperature element and its corresponding digital temperature readout at a location outside of the Control Room door on the Turbine Deck to measure area ambient temperature.
PEP

- 6.3.3 Place the temperature elements associated with the dual channel digital temperature readout in the following locations within the Air Handling Room:

NOTE: This temperature element will be placed near the source for TI-5142.

- 6.3.3.1 One (1) temperature element in the Control Building HVAC ductwork providing outside air. PEP

NOTE: This temperature element will be placed near the source for TI-5137.

- 6.3.3.2 One (1) temperature element in the Control Building HVAC ductwork at a point after outside air has been mixed with return air. PEP

- 6.3.4 Ensure that all temperature elements are being recorded and that the temperature recorders and digital temperature readouts are functioning properly. PEP

- 6.3.5 Initiate test and record time at which test started on Test Data Sheet 1. PEP

- 6.3.6 At start of test and at a minimum of every two (2) hours (one hour if possible) thereafter, record the temperature readings from the following points and transfer to Test Data Sheet 1:

NOTE: The time of the reading shall also be recorded.

- 6.3.6.1 Outside air temperature. PEP

- 6.3.6.2 Control Building HVAC mixed air temperature. PEP

- 6.3.6.3 Turbine Deck area temperature. PEP

- 6.3.7 In the course of the test, document the actual locations of the temperature elements using photographs or sketches and attach to this procedure. PEP

- 6.3.8 In the course of the test, briefly document the actual location of each temperature element on the Control Room Temperature Element Location Sheet. PEP

6.3.9 At least once per shift, ensure that the temperature recording equipment is functioning properly and that the integrity of the temperature element leads have been maintained. PEP

6.3.9.1 Initial appropriate column on Data Sheet 1. PEP

6.3.10 Continue test for a minimum duration of twenty-four (24) hours. PEP

6.3.11 Upon completion of test duration, record stop time on Data Sheet 1, remove temperature elements, temperature recorders, and digital temperature readouts from Control Room, Air Handling Room, and Turbine Deck. PEP

6.4 Relay Room SEE ATTACHMENT PCN 90T-117

CAUTION: Ensure that all temperature elements are placed in such a manner that any adjacent heat sources do not affect measured temperature.

6.4.1 Place temperature elements at the following locations within the Relay Room, dividing the temperature elements being used between the two (2) multichannel recorders observing all necessary precautions identified in Step 5.0:

6.4.1.1 Four (4) temperature elements per wall placed on the inside North, South, East and West walls of the Relay Room. N/A PEP

6.4.1.2 Four (4) temperature elements placed on the floor of the Relay Room. PEP

6.4.1.3 Four (4) temperature elements placed on the ceiling of the Relay Room. PEP

6.4.1.4 One (1) temperature element at the intake of both Relay Room air conditioning units. PEP

6.4.1.5 One (1) temperature element at the outlet of both Relay Room air conditioning units. PEP

6.4.1.6 A minimum of three (3) temperature elements per wall placed on the inside North, South, East and West walls of the Computer Room.

N/A PER

6.4.1.7 Two (2) temperature elements placed on the floor of the Computer Room

6.4.1.8 Two (2) temperature elements placed on the ceiling of the Computer Room.

6.4.1.9 One (1) temperature element at the supply register for the Computer Room.

6.4.1.10 One (1) temperature element at the exhaust register for the Computer Room.

CAUTION: The temperature element outside the Relay Room shall not be in contact with any object.

6.4.2 Place a single temperature element and its corresponding digital temperature readout at a location outside of the Relay Room door in the Turbine Building to measure area temperature.

6.4.3 Ensure that all temperature elements are being recorded and that the temperature recorders and digital temperature readouts are functioning properly.

6.4.4 Initiate test, and record time at which test started on Test Data Sheet 2.

6.4.5 At start of test and at a minimum of every eight (8) hours thereafter, record the temperature reading from the Turbine Building area on Test Data Sheet 2.

NOTE: The time of the reading shall also be recorded.

6.4.6 In the course of the test, document the actual locations of the temperature elements using photographs or sketches and attach to this procedure.

PER

6.4.7 In the course of the test, briefly document the actual location of each temperature element on the Relay Room Temperature Element Location Sheet.

N/A PEP

6.4.8 At least once per shift, ensure that the temperature recording equipment is functioning properly and that the integrity of the temperature element leads have been maintained.

6.4.8.1 Initial appropriate column on Data Sheet 2.

6.4.9 Continue test for a minimum duration of twenty-four (24) hours.

6.4.10 Upon completion of test duration, record stop time on Data Sheet 2, remove temperature elements, temperature recorders, and digital temperature readouts from the Relay Room, Computer Room, and Turbine Building.

PEP

6.5 Battery Rooms 1A and 1B

CAUTION: Ensure that all temperature elements are placed in such a manner that any adjacent heat sources do not affect measured temperature.

6.5.1 Place temperature elements at the following locations within Battery Rooms 1A and 1B, dividing the temperature elements being used between the two (2) multichannel recorders observing all necessary precautions identified in Step 5.0:

6.5.1.1 A minimum of three (3) temperature elements per wall placed on the inside North, South, East and West walls of Battery Room 1A.

PEP

6.5.1.2 ONE (1) PEP
~~Two (2)~~ temperature elements placed on the floor of Battery Room 1A.

901-109

PEP

6.5.1.3 Two (2) temperature elements placed on the ceiling of Battery Room 1A.

PEP

CAUTION: The temperature elements suspended in Battery Room 1A shall not be in contact with any object.

ST-89.02:9

6.5.1.4 A minimum of four (4) temperature elements suspended evenly throughout Battery Room 1A. PEP

6.5.1.5 One (1) temperature element placed at Battery Room 1A air inlet. PEP

6.5.1.6 One (1) temperature element placed at Battery Room 1A air exhaust. PEP

6.5.1.7 A minimum of three (3) temperature elements per wall placed on the inside North, South, East and West walls of Battery Room 1B. PEP

90T-109
6.5.1.8 ~~Two (2)~~ ^{ONE (1) PEP} temperature elements placed on the floor of Battery Room 1B. PEP

6.5.1.9 Two (2) temperature elements placed on the ceiling of Battery Room 1B. PEP

CAUTION: The temperature elements suspended in Battery Room 1B shall not be in contact with any object.

6.5.1.10 A minimum of four (4) temperature elements suspended evenly throughout Battery Room 1B. PEP

6.5.1.11 One (1) temperature element placed at Battery Room 1B air inlet. PEP

6.5.1.12 One (1) temperature element placed at Battery Room 1B air exhaust. PEP

CAUTION: The temperature element outside of the Battery Room Doors shall not be in contact with any object.

6.5.2 Place a single temperature element and its corresponding digital temperature readout at a location outside of the Battery Room doors in the Turbine Building to measure area temperature. PEP



6.5.3 Ensure that all temperature elements are being recorded and that the temperature recorders and digital temperature readouts are functioning properly. PEP

6.5.4 Initiate test, and record time at which test started on Test Data Sheet 3. PEP

6.5.5 At start of test and at a minimum of every eight (8) hours thereafter, record the temperature reading from the Turbine Building area on Test Data Sheet 3. PEP

NOTE: The time of the reading shall also be recorded.

6.5.6 In the course of the test, document the actual locations of the temperature elements using photographs or sketches and attach to this procedure. PEP

6.5.7 In the course of the test, document the actual location of each temperature element on the Battery Room 1A and 1B Temperature Element Location Sheet. PEP

6.5.8 At least once per shift, ensure that the temperature recording equipment is functioning properly and that the integrity of the temperature element leads have been maintained. PEP

6.5.9 Continue test for a minimum duration of twenty-four (24) hours. PEP

6.5.10 Upon completion of test duration, record stop time on Data Sheet 3, remove temperature elements, temperature recorders, and digital temperature readouts from the Battery Rooms and Turbine Building. PEP

6.6 Notify Head Control Operator that testing is complete. PEP

2-12-90

2-17-90



Q #1 pg 13 of 28
ST-89.02:11

COMPLETED BY: P. Phelan

DATE COMPLETED: 2-17-90

HEAD CONTROL OPERATOR: [Signature]

SHIFT SUPERVISOR: [Signature]

RESPONSIBLE SUPERVISOR REVIEW: Robert W Paul R&T DATE 2.20.90

PORC REVIEW DATE: _____

ST-89.02:12

CONTROL ROOM TEST

DATA SHEET 1

Test Start Time: 7:53.3 11/15 Date: 2-15-90
Test Stop Time: 0936 Date: 2-17-90

Control Bldg. HVAC
(Outside Air) (B)

Control Bldg. HVAC
(Mixed Air) (A)

Turbine Deck Area
(Ambient)

[illegible]

Time Shift Equipment Check: (Initial appropriate column)

Sat. / Unsat.
 Sat. PEP / Unsat.
 Sat. PEP / Unsat.
 SAT PEP / UNSAT

0900 SAT. PSP UNSAT. _____
COMMENTS: @TEST START TIME (CHANGED) DUE TO REPAIR OF "WIND" NORMAL MON. 0932
ROOM DOOR.

② HVAC WAS REMOVED FROM SERVICE FOR TESTING RE PT 41.3

③HVAC WAS REINSTITATED AT 11:30.

④ HVAC WAS PUT IN { FIRE MODE } 1315
(ACCIDENT)

⑧ SEE ATTACHED SHEET
FOR REORDER POINT/
WIRE LISTING.

⑤ HVAC WAS REINSTATED AT 1520 TO NORMAL FLOW

⑥ HVAC WAS REMOVED FROM SERVICE AT 0850 2-17-90



ST-89.02:13

CONTROL ROOM TEMPERATURE ELEMENT LOCATION SHEET

Element #	Location Description	Recorder/Readout Serial #
22	EAST WALL SOUTH MIDDLE	7134-113810-5
35	EAST WALL SOUTH CORNER	
19	SOUTH WALL EAST CORNER	
4	SOUTH WALL EAST CENTER	
3	SOUTH WALL WEST CORNER	
20	WEST WALL SOUTH CORNER	
47	SOUTH WEST CORNER FLOOR	
8	SOUTH WALL WEST MIDDLE	
17	WEST WALL NORTH MIDDLE	
16	WEST WALL NORTH CORNER	
34	NORTH WALL WEST CORNER	
2	NORTH WALL WEST MIDDLE	
11	WEST WALL SOUTH MIDDLE	
21	NORTH WALL WEST FLOOR	
25	EXHAUST REGISTER NORTH	
24	EXHAUST REGISTER SOUTH	
36	NORTH WALL EAST MIDDLE	
10	NORTH WALL EAST CORNER	
45	EAST WALL NORTH MIDDLE	
27	EAST WALL NORTH CORNER	
15	NORTH EAST CORNER FLOOR	

COMMENTS:

Att. 1 pg 16 of 28

ST-89.02:14

RELAY ROOM TEST

DATA SHEET 2

Test Start Time: 1600 Date: 2-13-90

Test Stop Time: 1608 Date: 2-14-90

Turbine Bldg. Area
(Ambient Air)

<u>Time</u>	<u>Temperature</u>
<u>2400</u>	<u>89.4</u>
<u>0800</u>	<u>89.0</u>
<u>1600</u>	<u>86.0</u>
<u> </u>	<u> </u>

Time Shift Equipment Check: (Initial appropriate column)

2400 Sat. CP / Unsat.

0800 Sat. PEP / Unsat.

1600 Sat. PEP / Unsat.

COMMENTS:

NONE. ^{PEP} SEE ATTACHED SHEET FOR RECORDED POINT TO WIRE LISTING.

ST-89.02:15

RELAY ROOM TEMPERATURE ELEMENT LOCATION SHEET

Temp. Element #	Location Description	Recorder/Readout Serial #
30	EAST WALL SOUTH CORNER	8934-71-820-5
9	EAST WALL NORTH CORNER	
20	NORTH WALL EAST CORNER	
10	NORTH WALL CENTER EAST	
27	AIR CONDITIONER NORTH EAST CORNER EXHAUST	
40	NORTH WALL CENTER WEST	
PIP 25 43	NORTH WALL WEST CORNER	
11	AIR CONDITIONER NORTHEAST CORNER INLET	
31	AIR CONDITIONER SOUTH WEST CORNER EXHAUST	
46	AIR CONDITIONER SOUTH WEST CORNER INLET	
33	EAST WALL SOUTH CENTER	
7	EAST WALL NORTH CENTER	
5	WEST WALL NORTH CORNER	
PA 44-21	WEST WALL NORTH CENTER	
26	WEST WALL SOUTH CENTER	
28	WEST WALL SOUTH CORNER	
1	SOUTH WALL WEST CORNER	
2	SOUTH WALL WEST CENTER	
44	SOUTH WALL EAST CENTER	
29	SOUTH WALL EAST CORNER	
SR 24 44	CEILING NORTH WEST CORNER	
23	CEILING SOUTH WEST CORNER	
3	CEILING NORTH EAST CORNER	
14	CEILING SOUTH EAST CORNER	
41	FLOOR NORTH WEST CORNER	
39A	FLOOR SOUTH WEST CORNER	
12	FLOOR NORTH EAST CORNER	
36	FLOOR SOUTH EAST CORNER	

COMMENTS:

ST-89.02:16

BATTERY ROOMS 1A & 1B TEST

DATA SHEET 3

Test Start Time: 1700 Date: 2-8-90

Test Stop Time: ~~2300~~^{PEP} 2358 Date: 2-9-90

Turbine Bldg. Area
(Ambient Air)

<u>Time</u>	<u>Temperature</u>
<u>0100</u>	<u>87.4</u>
<u>0900</u>	<u>88.8</u>
<u>1700</u>	<u>88.1</u>
<u>2300</u>	<u>88.2 86.1</u>

Time Shift Equipment Check: (Initial. appropriate column)

0100 Sat. AIM / Unsat.

0900 Sat. / Unsat. PEP

1700 Sat. Je / Unsat.

2300 Sat. Ja / Unsat.

COMMENTS:

RECORDER RIBBON MALFUNCTIONED LOST 6 HRS OF DATA
RECORDER WAS REPAIRED AT 11:00 TEST CONTINUED
TEST WILL CONTINUE AN ADDITIONAL 6 HRS. PEP.

SEE ATTACHED LIST OF RECORDER POINT TO WIRE LISTING.



ST-89.02:17

BATTERY ROOMS 1A & 1B TEMPERATURE ELEMENT
LOCATION SHEET

Temp. Element #	Location Description	Recorder/Readout Serial #
6	EAST WALL CENTER	8934-713820-5
19	EAST WALL NORTH CORNER	
45	NORTH WALL EAST CORNER	
15	NORTH WALL CENTER	
22	NORTH WALL WEST CORNER	
16	WEST WALL NORTH CORNER	
25	WEST WALL CENTER	
24	WEST WALL SOUTH CORNER	
10	SOUTH WALL WEST CORNER	
34A	SOUTH WALL EAST CORNER	
37	SOUTH WALL CENTER	
47	EAST WALL SOUTH CORNER	
17	NORTH END ON FLOOR	
38	NORTH END CEILING	
39	SOUTH END CEILING	
14	SUSPENDED SOUTH (MIDDLE)	8550-70865-402-21
23	SUSPENDED NORTH (MIDDLE)	
20	SUSPENDED NORTH END	
9	SUSPENDED SOUTH END	
1	"A" BATTERY ROOM AIR INLET	
4	"A" BATTERY ROOM AIR EXHAUST	
7	"A" BATTERY ROOM AIR EXHAUST (NORTH WALL)	
	"B" BATTERY ROOM	
3	EAST WALL NORTH CORNER	8934-713820-5
26	NORTH WALL EAST CORNER	
27	NORTH WALL CENTER	
43	NORTH WALL WEST CORNER	
8	WEST WALL NORTH CORNER	
42	EAST WALL CENTER	
25	EAST WALL SOUTH CORNER	
46	SOUTH WALL EAST CORNER	
31	SOUTH WALL CENTER	
34	SOUTH WALL WEST CORNER	
41	WEST WALL SOUTH CORNER	
40	WEST WALL CENTER	
13	NORTH END ON FLOOR	
12	NORTH END CEILING	
14	SOUTH END CEILING	
11	SUSPENDED SOUTH END	
33	SUSPENDED MIDDLE-SOUTH	8550-70865-402-21
28	SUSPENDED MIDDLE-NORTH	
5	SUSPENDED NORTH END	
30	WEST WALL AIR INLET	
29	WEST WALL AIR INLET	
2	NORTH WALL AIR EXHAUST	

COMMENTS:

PCN-90T-117

ST-89.02:6

- 6.3.9 At least once per shift, ensure that the temperature recording equipment is functioning properly and that the integrity of the temperature element leads have been maintained. N/A PEP
- 6.3.9.1 Initial appropriate column on Data Sheet 1. _____
- 6.3.10 Continue test for a minimum duration of twenty-four (24) hours. _____
- 6.3.11 Upon completion of test duration, record stop time on Data Sheet 1, remove temperature elements, temperature recorders, and digital temperature readouts from Control Room, Air Handling Room, and Turbine Deck. _____

6.4

Relay Room - COMPUTER ROOM

CAUTION: Ensure that all temperature elements are placed in such a manner that any adjacent heat sources do not affect measured temperature.

- 6.4.1 Place temperature elements at the following locations within the Relay Room, ~~dividing the temperature elements being used between the two (2) multichannel recorders~~ observing all necessary precautions identified in Step 5.0:
- 6.4.1.1 Four (4) temperature elements per wall placed on the inside North, South, East and West walls of the Relay Room. PEP
- 6.4.1.1 Four (4) temperature elements placed on the floor of the Relay Room. PEP
- 6.4.1.2 Four (4) temperature elements placed on the ceiling of the Relay Room. PEP
- 6.4.1.3 One (1) temperature element at the intake of both Relay Room air conditioning units. PEP
- 6.4.1.4 One (1) temperature element at the outlet of both Relay Room air conditioning units. PEP

PLN 90T-117

CAUTION: The temperature element outside the Relay Room shall not be in contact with any object.

- 6.4.1.5 Place a single temperature element and its corresponding digital temperature readout at a location outside of the Relay Room door in the Turbine Building to measure area temperature. (RELAY ROOM TESTING ONLY) PEP
- 6.4.1.6 Ensure that all temperature elements are being recorded and that the temperature recorders and digital temperature readouts are functioning properly. PEP
- 6.4.1.7 Initiate test, and record time at which test started on Test Data Sheet 2 PEP
- 6.4.1.8 At start of test and at a minimum of every eight (8) hours thereafter, record the temperature reading from the Turbine Building area on Test Data Sheet 2. PEP
- NOTE:** The time of the reading shall also be recorded.
- 6.4.1.9 In the course of the test, document the actual locations of the temperature elements using photographs or sketches and attach to this procedure. PEP
- 6.4.1.10 In the course of the test, briefly document the actual location of each temperature element on the Relay Room Temperature Element Location Sheet. PEP
- 6.4.1.11 At least once per shift, ensure that the temperature recording equipment is functioning properly and that the integrity of the temperature element leads have been maintained. PEP
- 6.4.1.12 Initial appropriate column on Data Sheet 2. PEP
- 6.4.1.13 Continue test for a minimum duration of twenty-four (24) hours. PEP
- 6.4.1.14 Upon completion of test duration, record stop time on Data Sheet 2, remove temperature elements, temperature recorders, and digital temperature readouts from the Relay Room, and Turbine Building. PEP

COMPUTER ROOM

6.4.2 PLACE TEMPERATURE ELEMENTS AT THE FOLLOW LOCATIONS WITHIN THE COMPUTER ROOM, OBSERVING ALL NECESSARY PRECAUTIONS IDENTIFIED IN STEP 5.0.

6.4.2.1 A minimum of three (3) temperature elements per wall placed on the inside North, South, East and West walls of the Computer Room. PEP

6.4.2.2 Two (2) temperature elements placed on the floor of the Computer Room PEP

6.4.2.3 Two (2) temperature elements placed on the ceiling of the Computer Room. PEP

6.4.2.4 One (1) temperature element at the supply register for the Computer Room. PEP

6.4.2.5 One (1) temperature element at the exhaust register for the Computer Room. PEP

6.4.2.6 Ensure that all temperature elements are being recorded and that the temperature recorders and digital temperature readouts are functioning properly. PEP

6.4.2.7 Initiate test, and record time at which test started on Test Data Sheet 2A PEP

NOTE: The time of the reading shall also be recorded.

6.4.2.8 In the course of the test, document the actual locations of the temperature elements using photographs or sketches and attach to this procedure. PEP

6.4.2.9 In the course of the test, briefly document the actual location of each temperature element on the Relay Room Temperature Element Location Sheet. PEP

6.4.2.9 At least once per shift, ensure that the temperature recording equipment is functioning properly and that the integrity of the temperature element leads have been maintained. PEP

6.4.2.10 Initial appropriate column on Data Sheet 2A PEP

6.4.2.11 Continue test for a minimum duration of twenty-four (24) hours. PEP

PEN 90T-117



6.4.2.12

Upon completion of test duration, record stop time on Data Sheet 2, remove temperature elements, temperature recorders, and digital temperature readouts from the Relay Room, Computer Room, and Turbine Building.

per

Att. 1 248 28
PCN 90T-117

COMPUTER ROOM TEST

DATA SHEET 2A

Test Start Time: 1508 Date: 2-12-90
Test Stop Time: 1509 Date: 2-13-90

Time	Shift	Equipment Check: (Initial appropriate column)
<u>1630</u>	Sat. <u>S</u> / Unsat. <u> </u>	
<u>0030</u>	Sat. <u>S</u> / Unsat. <u> </u>	
<u>0830</u>	Sat. <u>PEP</u> / Unsat. <u> </u>	

COMMENTS: NONE PEP

SEE ATTACHED SHEET FOR RECORDER POINT TO WIRE LISTING..



PCN 90T-117

COMMENTS:

CONTROL ROOM

ST-89.02

RECORDER POINT

WIRE

1	17
2	9
3	11
4	21
5	34
6	19
7	24
8	8
9	47
10	25
11	37
12	12
13	16
14	23
15	10
16	45
17	15
18	3
19	38
20	20
21	35

AIR HANDLING ROOM WAHL

A	13
B	41



RELAY ROOM TEST

ST-89.02

RECORDER POINTS	WIRE
1.	5
2.	28
3.	20
4.	21
5.	14
6.	42
7.	7
8	30
9.	9
10	33
11	11
12.	2
13	46
14	12
15	4
16	44
17	1
18	26
19	40
20	43
21	27
22	31
23	3
24	23
25	36
26	18
27	29
28	27



COMPUTER ROOM RECORDER


RECORDER POINT.			WIRE NUMBER
1.		38	
2		34	
3		47	
4		24	
5		17	
6		8	
7		25	
8		39	
9		41	
10		22	
11		45	
12		16	
13		35	
14		9	
15		37	
16		15	
17		19	
18		13	




Enclosure 2

Thermocouple Photographs


ATTACHMENT II




CONTROL ROOM
SOUTH WEST CORNER.



CONTROL ROOM NORTH WALL WEST CORNER




AIR HANDLING ROOM
"OUTSIDE AIR"




CONTROL ROOM
EAST WALL CENTER SOUTH END

22







"COMPUTER ROOM"
NORTH WALL CENTER




OUTSIDE CONTROL (TURBINE BLDG)




CONTROL ROOM EAST WALL NORTH CENTER




CONTROL ROOM SOUTH WALL
CENTER WEST END




COMPUTER ROOM SOUTH WALL



COMPUTER ROOM EAST WALL SOUTH CORNER




"COMPUTER ROOM"
WEST WALL NORTH CORNER




WEST WALL CENTER NORTH END
BEHIND DIGITAL IMPACT MONITORING CABINET







COMPUTER ROOM SOUTH WEST CORNER



COMPUTER ROOM SOUTH WALL
WEST CORNER.




COMPUTER ROOM
EAST END FLOOR




COMPUTER ROOM
NORTH WALL EAST CORNER






FLOOR THERMOCOUPLE


CONTROL ROOM
NORTH WALL EAST CORNER



AIR HANDLING ROOM
MIXED AIR SUPPLY




COMPUTER ROOM SOUTH WALL FLOOR




COMPUTER ROOM SOUTH WALL







CONTROL ROOM
SOUTH EAST CORNER




WEST WALL EXHAUST REGISTER
WEST WALL CENTER SOUTH END
CONTROL ROOM




CONTROL ROOM NORTH WALL CENTER EAST END
*HEAT FROM COMPUTER AFFECTED TEMP.




RELAY ROOM
SOUTH WALL EAST CORNER



RELAY ROOM EAST WALL NORTH CORNER




RELAY ROOM SOUTH EAST CORNER.




RELAY ROOM Ceiling Northeast CORNER.







EAST WALL CENTER NORTH
RELAY ROOM



AIR HANDLING ROOM
"OUTSIDE AIR"




RELAY ROOM EAST WALL CENTER SOUTH




RELAY ROOM SOUTH EAST CORNER FLOOR







RELAY ROOM
NW CEILING



RELAY ROOM
NORTH WALL MIDDLE EAST




RELAY ROOM EAST CORNER
NORTH WALL




RELAY ROOM NORTH WALL
MIDDLE WEST







RELAY ROOM
NORTH WEST FLOOR




RELAY ROOM
NORTH A/C UNIT




RELAY ROOM
NORTH EAST FLOOR




RELAY ROOM
SOUTH A/C UNIT




OUTSIDE
RELAY ROOM




RELAY ROOM SOUTH WEST FLOOR
WEST WALL SOUTH CORNER




RELAY ROOM
SOUTH WEST CORNER




RELAY ROOM WEST WALL
NORTH MIDDLE




RELAY ROOM
WEST WALL SOUTH MIDDLE




RELAY ROOM
NORTH WALL WEST CORNER




RELAY ROOM SOUTH WALL
CENTER WEST




RELAY ROOM
SOUTH WALL CENTER EAST SIDE




"B" BATTERY ROOM RECORDER.




"B" BATTERY ROOM EAST WALL




THERMOCOUPLE IN TURBINE BLDG.




B BATTERY ROOM NORTH WALL




B BATTERY ROOM WEST WALL AND SOUTH WEST CORNER



"B" BATTERY ROOM SOUTH WALL AND SOUTH WEST CORNER




B BATTERY ROOM EAST WALL




"B" BATTERY ROOM SOUTH EAST CORNER







B BATTERY ROOM
SUSPENDED ELEMENTS




A BATTERY ROOM VENT FROM AIR HANDLING
ROOM WEST WALL




B BATTERY ROOM CEILING NORTH END




RECORDER A BATTERY ROOM




FLOOR TEMPERATURE ELEMENT
"A" BATTERY ROOM (NORTH END)




"A" BATTERY ROOM NORTH WALL




"A" BATTERY ROOM VENT TO "B" BATTERY
ROOM EAST WALL




CEILING "A" BATTERY ROOM
SOUTH END




"A" BATTERY ROOM SOUTH WALL



"A" BATTERY ROOM
SUSPENDED ELEMENTS



"A" BATTERY ROOM EAST WALL



"A" BATTERY ROOM WEST WALL

Enclosure 3


Thermocouple Data Sheets

Enclosure 2


Thermocouple Photographs

ATTACHMENT II







CONTROL ROOM
SOUTH WEST CORNER.




CONTROL ROOM NORTH WALL WEST CORNER




AIR HANDLING ROOM
"OUTSIDE AIR"




CONTROL ROOM
EAST WALL CENTER SOUTH END




"COMPUTER ROOM"
NORTH WALL CENTER



OUTSIDE CONTROL (TURBINE BLDG)




CONTROL ROOM EAST WALL NORTH CENTER




CONTROL ROOM SOUTH WALL
CENTER WEST END







COMPUTER ROOM SOUTH WALL




COMPUTER ROOM EAST WALL SOUTH CORNER




"COMPUTER ROOM"
WEST WALL NORTH CORNER




WEST WALL CENTER NORTH END
BEHIND DIGITAL IMPACT MONITORING CABINET




COMPUTER ROOM SOUTH WEST CORNER




COMPUTER ROOM SOUTH WALL
WEST CORNER.



COMPUTER ROOM
EAST END FLOOR




COMPUTER ROOM
NORTH WALL EAST CORNER




FLOOR THERMOCOUPLE


CONTROL ROOM
NORTH WALL EAST CORNER



AIR HANDLING ROOM
MIXED AIR SUPPLY




COMPUTER ROOM SOUTH WALL FLOOR




COMPUTER ROOM SOUTH WALL







CONTROL ROOM
SOUTH EAST CORNER




WEST WALL EXHAUST REGISTER
WEST WALL CENTER SOUTH END
CONTROL ROOM




CONTROL ROOM NORTH WALL CENTER EAST END
*HEAT FROM COMPUTER AFFECTED TEMP.




Relay Room
SOUTH WALL EAST CORNER




RELAY ROOM EAST WALL NORTH CORNER




RELAY ROOM SOUTH EAST CORNER.




RELAY ROOM Ceiling Northeast CORNER.




EAST WALL CENTER NORTH
RELAY ROOM




AIR HANDLING ROOM
"OUTSIDE AIR"




RELAY ROOM EAST WALL CENTER SOUTH




RELAY ROOM SOUTH EAST CORNER FLOOR




RELAY ROOM
NW CEILING



RELAY ROOM
NORTH WALL MIDDLE EAST




RELAY ROOM EAST CORNER
NORTH WALL




RELAY ROOM NORTH WALL
MIDDLE WEST







RELAY ROOM:
NORTH WEST FLOOR




RELAY ROOM:
NORTH A/C UNIT




RELAY ROOM
NORTH EAST FLOOR




RELAY ROOM
SOUTH A/C UNIT




OUTSIDE
RELAY ROOM



RELAY ROOM SOUTH WEST FLOOR
WEST WALL SOUTH CORNER




RELAY ROOM
SOUTH WEST CORNER




RELAY ROOM WEST WALL
NORTH MIDDLE







RELAY ROOM
WEST WALL SOUTH MIDDLE




RELAY ROOM
NORTH WALL WEST CORNER




RELAY ROOM SOUTH WALL
CENTER WEST




RELAY ROOM
SOUTH WALL CENTER EAST SIDE




"B" BATTERY ROOM RECORDER.




"B" BATTERY ROOM EAST WALL



THERMOCOUPLE IN TURBINE BLDG.




B BATTERY ROOM NORTH WALL




B BATTERY ROOM WEST WALL AND SOUTH
WEST CORNER



"B" BATTERY ROOM SOUTH WALL AND
SOUTH WEST CORNER




B BATTERY ROOM EAST WALL




"B" BATTERY ROOM SOUTH EAST CORNER







B BATTERY ROOM
SUSPENDED ELEMENTS




A BATTERY ROOM VENT FROM AIR HANDLING
ROOM WEST WALL




B BATTERY ROOM CEILING NORTH END




RECORDER A BATTERY ROOM




FLOOR TEMPERATURE ELEMENT
"A" BATTERY ROOM (NORTH END)




"A" BATTERY ROOM NORTH WALL




"A" BATTERY ROOM VENT TO "B" BATTERY
ROOM EAST WALL




CEILING "A" BATTERY ROOM
SOUTH END




"A" BATTERY ROOM SOUTH WALL



"A" BATTERY ROOM
SUSPENDED ELEMENTS



"A" BATTERY ROOM EAST WALL



"A" BATTERY ROOM WEST WALL

Enclosure 3

Thermocouple Data Sheets

ATTACHMENT III

CONTROL ROOM DATA SHEETS



NO. 677001

EDS & NORTHROP A UNIT OF GENERAL SIGNAL MADE IN U.S.A.

DATALOG GROUP 1			15 FEB 90			3:30			SAMPLE RATE: 10			MINUTES		
A11	27.0	DEG	A12	68.7	DEG	A13	74.7	DEG	A14	77.3	DEG	A15	76.4	DEG
A13	76.4	DEG	A16	68.7	DEG	A17	76.4	DEG	A18	68.5	DEG	A19	70.4	DEG
A113	76.3	DEG	A110	76.3	DEG	A111	69.9	DEG	A112	80.1	DEG	A113	76.3	DEG
A117	67.2	DEG	A114	68.1	DEG	A115	74.6	DEG	A116	70.3	DEG	A117	67.2	DEG
A121	69.2	DEG	A118	71.1	DEG	A119	89.6	DEG	A120	74.4	DEG	A121	69.2	DEG
A125	SKIP	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG	A125	SKIP	DEG
A129	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG	A129	SKIP	DEG
ALL ACTIVE ALARMS:			NONE											
DATALOG GROUP 1			15 FEB 90			3:30			SAMPLE RATE: 10			MINUTES		
A11	26.2	DEG	A12	68.6	DEG	A13	74.8	DEG	A14	77.1	DEG	A15	76.5	DEG
A13	76.2	DEG	A16	68.1	DEG	A17	76.5	DEG	A18	68.5	DEG	A19	70.4	DEG
A113	76.3	DEG	A110	76.4	DEG	A111	69.9	DEG	A112	80.1	DEG	A113	76.3	DEG
A117	67.2	DEG	A114	68.2	DEG	A115	74.6	DEG	A116	70.3	DEG	A117	67.2	DEG
A121	69.1	DEG	A118	71.1	DEG	A119	89.9	DEG	A120	74.3	DEG	A121	69.1	DEG
A125	SKIP	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG	A125	SKIP	DEG
A129	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG	A129	SKIP	DEG
ALL ACTIVE ALARMS:			NONE											
DATALOG GROUP 1			15 FEB 90			3:20			SAMPLE RATE: 10			MINUTES		
A11	27.1	DEG	A12	68.9	DEG	A13	74.9	DEG	A14	77.5	DEG	A15	76.5	DEG
A13	76.4	DEG	A16	68.4	DEG	A17	76.8	DEG	A18	68.6	DEG	A19	70.4	DEG
A113	76.6	DEG	A110	76.7	DEG	A111	69.7	DEG	A112	80.1	DEG	A113	76.6	DEG
A117	67.3	DEG	A114	68.4	DEG	A115	74.7	DEG	A116	70.4	DEG	A117	67.3	DEG
A121	69.0	DEG	A118	70.9	DEG	A119	89.8	DEG	A120	74.1	DEG	A121	69.0	DEG
A125	SKIP	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG	A125	SKIP	DEG
A129	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG	A129	SKIP	DEG
ALL ACTIVE ALARMS:			NONE											
DATALOG GROUP 1			15 FEB 90			3:10			SAMPLE RATE: 10			MINUTES		
A11	27.0	DEG	A12	69.1	DEG	A13	74.9	DEG	A14	77.3	DEG	A15	76.5	DEG
A13	76.3	DEG	A16	68.4	DEG	A17	76.8	DEG	A18	68.4	DEG	A19	70.4	DEG
A113	76.3	DEG	A110	76.3	DEG	A111	69.7	DEG	A112	80.1	DEG	A113	76.3	DEG
A117	67.2	DEG	A114	68.3	DEG	A115	74.6	DEG	A116	70.3	DEG	A117	67.2	DEG
A121	69.0	DEG	A118	70.8	DEG	A119	89.8	DEG	A120	74.1	DEG	A121	69.0	DEG
A125	SKIP	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG	A125	SKIP	DEG
A129	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG	A129	SKIP	DEG
ALL ACTIVE ALARMS:			NONE											
DATALOG GROUP 1			15 FEB 90			3:00			SAMPLE RATE: 10			MINUTES		
A11	26.9	DEG	A12	69.2	DEG	A13	74.8	DEG	A14	77.2	DEG	A15	76.4	DEG
A13	76.4	DEG	A16	68.1	DEG	A17	76.8	DEG	A18	68.4	DEG	A19	70.4	DEG
A113	76.7	DEG	A110	76.7	DEG	A111	69.7	DEG	A112	80.1	DEG	A113	76.7	DEG
A117	66.9	DEG	A114	68.7	DEG	A115	73.0	DEG	A116	70.3	DEG	A117	66.9	DEG
A121	68.2	DEG	A118	70.6	DEG	A119	89.6	DEG	A120	73.5	DEG	A121	68.2	DEG
A125	SKIP	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG	A125	SKIP	DEG
A129	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG	A129	SKIP	DEG
ALL ACTIVE ALARMS:			NONE											
DATALOG GROUP 1			15 FEB 90			2:50			SAMPLE RATE: 10			MINUTES		
A11	26.8	DEG	A12	69.1	DEG	A13	74.9	DEG	A14	77.1	DEG	A15	76.4	DEG
A13	76.8	DEG	A16	68.7	DEG	A17	76.1	DEG	A18	68.1	DEG	A19	70.3	DEG
A113	76.5	DEG	A110	76.5	DEG	A111	69.9	DEG	A112	79.9	DEG	A113	76.5	DEG
A117	66.3	DEG	A114	68.5	DEG	A115	74.4	DEG	A116	70.3	DEG	A117	66.3	DEG
A121	67.8	DEG	A118	70.4	DEG	A119	89.9	DEG	A120	73.0	DEG	A121	67.8	DEG
A125	SKIP	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG	A125	SKIP	DEG
A129	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG	A129	SKIP	DEG
ALL ACTIVE ALARMS:			NONE											

CONTROL ROOM
DOOR UNDER
MAINTENANCE DOOR
OPEN FOR 45 MIN.
Page 199
8/199



11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

464

11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

NO. 57701 LEADS 3 NORTHUP - A UNIT OF GENERAL SIGNAL MADE IN U.S.A.

DATE: 15 FEB 90 TIME: 4:20 SAMPLE RATE: 10 MINUTES

DATALOG GROUP 1		15 FEB 90	4:20	SAMPLE RATE: 10 MINUTES	
A11	77.8	DEG	A12	69.1	DEG
A13	78.0	DEG	A16	69.0	DEG
A15	77.9	DEG	A110	72.0	DEG
A17	76.7	DEG	A114	68.7	DEG
A19	67.9	DEG	A118	71.5	DEG
A21	69.9	DEG	A122	SKIP	DEG
A23	SKIP	DEG	A126	SKIP	DEG
A25	SKIP	DEG	A130	SKIP	DEG
A27	SKIP	DEG			

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1		15 FEB 90		4:20		SAMPLE RATE: 10 MINUTES	
A11	77.8	DEG	A12	69.1	DEG	A13	78.0
A15	77.9	DEG	A16	69.0	DEG	A17	76.7
A19	67.9	DEG	A110	72.0	DEG	A114	68.7
A21	69.9	DEG	A118	71.5	DEG	A122	SKIP
A23	SKIP	DEG	A126	SKIP	DEG	A130	SKIP
A25	SKIP	DEG					

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1		15 FEB 90		4:10		SAMPLE RATE: 10		MINUTES	
	A11	77.7	DEG		A12	69.1	DEG		
	A13	78.0	DEG		A16	69.0	DEG		
	A15	77.9	DEG		A110	72.0	DEG		
	A17	76.7	DEG		A114	68.7	DEG		
	A19	67.9	DEG		A118	71.5	DEG		
	A21	69.9	DEG		A122	SKIP	DEG		
	A23	SKIP	DEG		A126	SKIP	DEG		
	A25	SKIP	DEG		A130	SKIP	DEG		
	A27	SKIP	DEG						

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1		15 FEB 90		4:00		SAMPLE RATE: 10 MINUTES	
A11	76.3	DEG	A12	68.6	DEG		
A13	77.7	DEG	A16	68.2	DEG		
A15	70.4	DEG	A110	76.5	DEG		
A17	76.5	DEG	A114	68.4	DEG		
A19	67.6	DEG	A118	71.4	DEG		
A21	69.4	DEG	A122	SKIP	DEG		
A23	SKIP	DEG	A126	SKIP	DEG		
A25	SKIP	DEG	A130	SKIP	DEG		
A27	SKIP	DEG					

ALL ACTIVE ALARMS: NONE

DATALOG GROUP		15 FEB 90		3:50		SAMPLE RATE		10 MINUTES			
A11	76.8	DEG	A12	68.3	DEG	A13	77.2	DEG	A16	68.2	DEG
A15	70.4	DEG	A110	76.1	DEG	A17	76.4	DEG	A114	68.3	DEG
A19	67.6	DEG	A118	71.4	DEG	A21	69.0	DEG	A122	SKIP	DEG
A23	SKIP	DEG	A126	SKIP	DEG	A25	SKIP	DEG	A130	SKIP	DEG
A27	SKIP	DEG									

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1	15 FEB 90	3:40	SAMPLE RATE: 10 MINUTES		
A11	77.0	DEG	A12	68.7	DEG
A13	77.3	DEG	A16	68.4	DEG
A15	70.4	DEG	A110	76.3	DEG
A17	76.4	DEG	A114	68.1	DEG
A19	67.6	DEG	A118	71.3	DEG
A21	69.0	DEG	A122	SKIP	DEG
A23	SKIP	DEG	A126	SKIP	DEG
A25	SKIP	DEG	A130	SKIP	DEG
A27	SKIP	DEG			

ALL ACTIVE ALARMS: NONE

DATALOG GROUP	15 FEB 90	3:30	SAMPLE RATE: 10 MINUTE		
1	25.2	DEG	A12	68.6	DEG
A11	76.3	DEG	A16	68.4	DEG
A13	77.2	DEG	A110	76.4	DEG
A15	70.4	DEG	A114	68.2	DEG
A17	76.5	DEG	A118	71.1	DEG
A19	67.6	DEG			
A21	69.0	DEG			
A23	SKIP	DEG			
A25	SKIP	DEG			
A27	SKIP	DEG			

ALL ACTIVE ALARMS: NONE

A17	77.4	DEG	A18	77.8	DEG
A111	78.0	DEG	A112	80.6	DEG
A115	74.9	DEG	A116	70.9	DEG
A119	99.6	DEG	A120	74.8	DEG
A123	SKIP	DEG	A124	SKIP	DEG
A127	SKIP	DEG	A128	SKIP	DEG

A13	74.9	DEG	A14	77.7	DEG
A17	77.4	DEG	A18	69.3	DEG
A111	79.0	DEG	A112	80.6	DEG
A115	75.0	DEG	A116	70.2	DEG
A119	99.8	DEG	A120	74.7	DEG
A123	SKIP	DEG	A124	SKIP	DEG
A127	SKIP	DEG	A128	SKIP	DEG

A13	75.0	DEG	A14	77.9	DEG
A17	75.0	DEG	A18	68.6	DEG
A111	75.0	DEG	A112	80.6	DEG
A115	75.0	DEG	A116	70.4	DEG
A119	99.8	DEG	A120	74.6	DEG
A123	SKIP	DEG	A124	SKIP	DEG
A127	SKIP	DEG	A128	SKIP	DEG

A13	74.8	DEG	A14	77.8	DEG
A17	76.5	DEG	A18	68.6	DEG
A111	70.2	DEG	A112	80.5	DEG
A115	75.0	DEG	A116	70.4	DEG
A119	99.7	DEG	A120	74.5	DEG
A123	SKIP	DEG	A124	SKIP	DEG
A127	SKIP	DEG	A128	SKIP	DEG

A13	74.7	DEG	A14	77.5	DEG
A17	76.2	DEG	A18	69.3	DEG
A111	70.2	DEG	A112	80.3	DEG
A115	75.0	DEG	A116	70.3	DEG
A119	99.8	DEG	A120	74.3	DEG
A123	SKIP	DEG	A124	SKIP	DEG
A127	SKIP	DEG	A128	SKIP	DEG

A13	74.7	DEG	A14	77.2	DEG
A17	76.4	DEG	A18	69.5	DEG
A111	69.9	DEG	A112	80.1	DEG
A115	74.6	DEG	A116	70.3	DEG
A119	99.6	DEG	A120	74.4	DEG
A123	SKIP	DEG	A124	SKIP	DEG
A127	SKIP	DEG	A128	SKIP	DEG

A13	74.8	DEG	A14	77.1	DEG
A17	76.6	DEG	A18	69.3	DEG
A111	74.6	DEG	A112	80.1	DEG
A115	74.8	DEG	A116	70.3	DEG
A119	99.8	DEG	A120	74.3	DEG

TEST STARTED 1615 ST 81.02 YCA

NO. 677001 LEEDS & NORTHROP A UNIT OF GENERAL SIGNAL MADE IN U.S.A.

DATE: 15 FEB 98									
TIME: 5:00									
SAMPLE RATE: 10 MINUTES									
A12	69.1	DEG	A13	75.1	DEG	A14	77.9	DEG	
A16	69.8	DEG	A17	77.4	DEG	A18	68.6	DEG	
A19	70.3	DEG	A111	70.3	DEG	A112	80.7	DEG	
A113	75.1	DEG	A115	75.1	DEG	A116	71.2	DEG	
A119	90.7	DEG	A120	74.9	DEG	A121	74.9	DEG	
A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG	
A127	SKIP	DEG	A128	SKIP	DEG	A129	SKIP	DEG	
ALL ACTIVE ALARMS: NONE									
DATE: 15 FEB 98									
TIME: 4:50									
SAMPLE RATE: 10 MINUTES									
A12	69.1	DEG	A13	75.1	DEG	A14	77.9	DEG	
A16	69.8	DEG	A17	77.4	DEG	A18	68.6	DEG	
A19	70.3	DEG	A111	70.3	DEG	A112	80.7	DEG	
A113	75.1	DEG	A115	75.1	DEG	A116	71.2	DEG	
A119	90.7	DEG	A120	74.9	DEG	A121	74.9	DEG	
A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG	
A127	SKIP	DEG	A128	SKIP	DEG	A129	SKIP	DEG	
ALL ACTIVE ALARMS: NONE									
DATE: 15 FEB 98									
TIME: 4:40									
SAMPLE RATE: 10 MINUTES									
A12	69.1	DEG	A13	75.1	DEG	A14	77.9	DEG	
A16	69.8	DEG	A17	77.4	DEG	A18	68.6	DEG	
A19	70.3	DEG	A111	70.3	DEG	A112	80.7	DEG	
A113	75.1	DEG	A115	75.1	DEG	A116	71.2	DEG	
A119	90.7	DEG	A120	74.9	DEG	A121	74.9	DEG	
A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG	
A127	SKIP	DEG	A128	SKIP	DEG	A129	SKIP	DEG	
ALL ACTIVE ALARMS: NONE									
DATE: 15 FEB 98									
TIME: 4:30									
SAMPLE RATE: 10 MINUTES									
A12	69.1	DEG	A13	75.1	DEG	A14	77.9	DEG	
A16	69.8	DEG	A17	77.4	DEG	A18	68.6	DEG	
A19	70.3	DEG	A111	70.3	DEG	A112	80.7	DEG	
A113	75.1	DEG	A115	75.1	DEG	A116	71.2	DEG	
A119	90.7	DEG	A120	74.9	DEG	A121	74.9	DEG	
A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG	
A127	SKIP	DEG	A128	SKIP	DEG	A129	SKIP	DEG	
ALL ACTIVE ALARMS: NONE									
DATE: 15 FEB 98									
TIME: 4:20									
SAMPLE RATE: 10 MINUTES									
A12	69.1	DEG	A13	75.1	DEG	A14	77.9	DEG	
A16	69.8	DEG	A17	77.4	DEG	A18	68.6	DEG	
A19	70.3	DEG	A111	70.3	DEG	A112	80.7	DEG	
A113	75.1	DEG	A115	75.1	DEG	A116	71.2	DEG	
A119	90.7	DEG	A120	74.9	DEG	A121	74.9	DEG	
A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG	
A127	SKIP	DEG	A128	SKIP	DEG	A129	SKIP	DEG	
ALL ACTIVE ALARMS: NONE									
DATE: 15 FEB 98									
TIME: 4:10									
SAMPLE RATE: 10 MINUTES									
A12	69.1	DEG	A13	75.1	DEG	A14	77.9	DEG	
A16	69.8	DEG	A17	77.4	DEG	A18	68.6	DEG	
A19	70.3	DEG	A111	70.3	DEG	A112	80.7	DEG	
A113	75.1	DEG	A115	75.1	DEG	A116	71.2	DEG	
A119	90.7	DEG	A120	74.9	DEG	A121	74.9	DEG	
A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG	
A127	SKIP	DEG	A128	SKIP	DEG	A129	SKIP	DEG	
ALL ACTIVE ALARMS: NONE									

TEST STARTED
1615 5T81.02
YCA

Att. III Page 5 of 199



11-11-11

NO. 677001 LEEDS

A UNIT OF GENERAL SIGNALS MADE IN U.S.A.

DATALOG GROUP 1 15 FEB 98 5:40 SAMPLE RATE: 10 MINUTES											
A11	77.4	DEG	A12	69.2	DEG	A13	75.2	DEG	A14	77.9	DEG
A12	78.4	DEG	A16	68.8	DEG	A17	77.3	DEG	A18	68.7	DEG
A13	78.5	DEG	A110	76.3	DEG	A111	78.4	DEG	A112	80.8	DEG
A14	78.6	DEG	A114	68.7	DEG	A115	78.4	DEG	A116	71.5	DEG
A15	78.7	DEG	A118	71.3	DEG	A119	92.6	DEG	A120	75.5	DEG
A16	78.8	DEG	A122	91.3	DEG	A123	91.3	DEG	A124	75.5	DEG
A17	78.9	DEG	A126	91.3	DEG	A127	91.3	DEG	A128	75.5	DEG
A18	79.0	DEG	A130	91.3	DEG						
A19	79.1	DEG									
A129	79.2	DEG									
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 15 FEB 98 5:30 SAMPLE RATE: 10 MINUTES											
A11	77.4	DEG	A12	69.2	DEG	A13	75.2	DEG	A14	77.9	DEG
A12	78.4	DEG	A16	68.8	DEG	A17	77.3	DEG	A18	68.7	DEG
A13	78.5	DEG	A110	76.3	DEG	A111	78.4	DEG	A112	80.8	DEG
A14	78.6	DEG	A114	68.7	DEG	A115	78.4	DEG	A116	71.5	DEG
A15	78.7	DEG	A118	71.3	DEG	A119	92.6	DEG	A120	75.5	DEG
A16	78.8	DEG	A122	91.3	DEG	A123	91.3	DEG	A124	75.5	DEG
A17	78.9	DEG	A126	91.3	DEG	A127	91.3	DEG	A128	75.5	DEG
A18	79.0	DEG	A130	91.3	DEG						
A19	79.1	DEG									
A129	79.2	DEG									
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 15 FEB 98 5:20 SAMPLE RATE: 10 MINUTES											
A11	77.4	DEG	A12	69.2	DEG	A13	75.2	DEG	A14	77.9	DEG
A12	78.4	DEG	A16	68.8	DEG	A17	77.3	DEG	A18	68.7	DEG
A13	78.5	DEG	A110	76.3	DEG	A111	78.4	DEG	A112	80.8	DEG
A14	78.6	DEG	A114	68.7	DEG	A115	78.4	DEG	A116	71.5	DEG
A15	78.7	DEG	A118	71.3	DEG	A119	92.6	DEG	A120	75.5	DEG
A16	78.8	DEG	A122	91.3	DEG	A123	91.3	DEG	A124	75.5	DEG
A17	78.9	DEG	A126	91.3	DEG	A127	91.3	DEG	A128	75.5	DEG
A18	79.0	DEG	A130	91.3	DEG						
A19	79.1	DEG									
A129	79.2	DEG									
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 15 FEB 98 5:10 SAMPLE RATE: 10 MINUTES											
A11	77.4	DEG	A12	69.2	DEG	A13	75.2	DEG	A14	77.9	DEG
A12	78.4	DEG	A16	68.8	DEG	A17	77.3	DEG	A18	68.7	DEG
A13	78.5	DEG	A110	76.3	DEG	A111	78.4	DEG	A112	80.8	DEG
A14	78.6	DEG	A114	68.7	DEG	A115	78.4	DEG	A116	71.5	DEG
A15	78.7	DEG	A118	71.3	DEG	A119	92.6	DEG	A120	75.5	DEG
A16	78.8	DEG	A122	91.3	DEG	A123	91.3	DEG	A124	75.5	DEG
A17	78.9	DEG	A126	91.3	DEG	A127	91.3	DEG	A128	75.5	DEG
A18	79.0	DEG	A130	91.3	DEG						
A19	79.1	DEG									
A129	79.2	DEG									
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 15 FEB 98 5:00 SAMPLE RATE: 10 MINUTES											
A11	77.4	DEG	A12	69.2	DEG	A13	75.2	DEG	A14	77.9	DEG
A12	78.4	DEG	A16	68.8	DEG	A17	77.3	DEG	A18	68.7	DEG
A13	78.5	DEG	A110	76.3	DEG	A111	78.4	DEG	A112	80.8	DEG
A14	78.6	DEG	A114	68.7	DEG	A115	78.4	DEG	A116	71.5	DEG
A15	78.7	DEG	A118	71.3	DEG	A119	92.6	DEG	A120	75.5	DEG
A16	78.8	DEG	A122	91.3	DEG	A123	91.3	DEG	A124	75.5	DEG
A17	78.9	DEG	A126	91.3	DEG	A127	91.3	DEG	A128	75.5	DEG
A18	79.0	DEG	A130	91.3	DEG						
A19	79.1	DEG									
A129	79.2	DEG									
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 15 FEB 98 4:50 SAMPLE RATE: 10 MINUTES											
A11	77.4	DEG	A12	69.2	DEG	A13	75.2	DEG	A14	77.9	DEG
A12	78.4	DEG	A16	68.8	DEG	A17	77.3	DEG	A18	68.7	DEG
A13	78.5	DEG	A110	76.3	DEG	A111	78.4	DEG	A112	80.8	DEG
A14	78.6	DEG	A114	68.7	DEG	A115	78.4	DEG	A116	71.5	DEG
A15	78.7	DEG	A118	71.3	DEG	A119	92.6	DEG	A120	75.5	DEG
A16	78.8	DEG	A122	91.3	DEG	A123	91.3	DEG	A124	75.5	DEG
A17	78.9	DEG	A126	91.3	DEG	A127	91.3	DEG	A128	75.5	DEG
A18	79.0	DEG	A130	91.3	DEG						
A19	79.1	DEG									
A129	79.2	DEG									
ALL ACTIVE ALARMS: NONE											

44- III page 6 of 199



DATALOG GROUP 1	15 FEB 90	6:20	SAMPLE RATE: 10 MINUTES	A11	77.3	DEG	A12	69.4	DEG	A13	75.4	DEG	A14	77.9	DEG
				A15	78.1	DEG	A16	68.8	DEG	A17	77.4	DEG	A18	68.7	DEG
				A19	70.4	DEG	A110	77.4	DEG	A111	70.5	DEG	A112	80.8	DEG
				A113	70.4	DEG	A114	68.9	DEG	A115	75.4	DEG	A116	71.6	DEG
				A117	68.9	DEG	A118	71.8	DEG	A119	92.2	DEG	A120	75.1	DEG
				A121	68.9	DEG	A122	68.9	DEG	A123	68.9	DEG	A124	68.9	DEG
				A125	68.9	DEG	A126	68.9	DEG	A127	68.9	DEG	A128	68.9	DEG
				A129	68.9	DEG	A130	68.9	DEG						
ALL ACTIVE ALARMS:	NONE														
DATALOG GROUP 1	15 FEB 90	6:10	SAMPLE RATE: 10 MINUTES	A11	77.3	DEG	A12	69.4	DEG	A13	75.4	DEG	A14	77.9	DEG
				A15	78.1	DEG	A16	68.8	DEG	A17	77.4	DEG	A18	68.7	DEG
				A19	70.4	DEG	A110	77.4	DEG	A111	70.5	DEG	A112	80.8	DEG
				A113	70.4	DEG	A114	68.9	DEG	A115	75.4	DEG	A116	71.6	DEG
				A117	68.9	DEG	A118	71.8	DEG	A119	92.2	DEG	A120	75.1	DEG
				A121	68.9	DEG	A122	68.9	DEG	A123	68.9	DEG	A124	68.9	DEG
				A125	68.9	DEG	A126	68.9	DEG	A127	68.9	DEG	A128	68.9	DEG
				A129	68.9	DEG	A130	68.9	DEG						
ALL ACTIVE ALARMS:	NONE														
DATALOG GROUP 1	15 FEB 90	6:10	SAMPLE RATE: 10 MINUTES	A11	77.3	DEG	A12	69.4	DEG	A13	75.4	DEG	A14	77.9	DEG
				A15	78.1	DEG	A16	68.8	DEG	A17	77.4	DEG	A18	68.7	DEG
				A19	70.4	DEG	A110	77.4	DEG	A111	70.5	DEG	A112	80.8	DEG
				A113	70.4	DEG	A114	68.9	DEG	A115	75.4	DEG	A116	71.6	DEG
				A117	68.9	DEG	A118	71.8	DEG	A119	92.2	DEG	A120	75.1	DEG
				A121	68.9	DEG	A122	68.9	DEG	A123	68.9	DEG	A124	68.9	DEG
				A125	68.9	DEG	A126	68.9	DEG	A127	68.9	DEG	A128	68.9	DEG
				A129	68.9	DEG	A130	68.9	DEG						
ALL ACTIVE ALARMS:	NONE														
DATALOG GROUP 1	15 FEB 90	5:50	SAMPLE RATE: 10 MINUTES	A11	77.3	DEG	A12	69.4	DEG	A13	75.4	DEG	A14	77.9	DEG
				A15	78.1	DEG	A16	68.8	DEG	A17	77.4	DEG	A18	68.7	DEG
				A19	70.4	DEG	A110	77.4	DEG	A111	70.5	DEG	A112	80.8	DEG
				A113	70.4	DEG	A114	68.9	DEG	A115	75.4	DEG	A116	71.6	DEG
				A117	68.9	DEG	A118	71.8	DEG	A119	92.2	DEG	A120	75.1	DEG
				A121	68.9	DEG	A122	68.9	DEG	A123	68.9	DEG	A124	68.9	DEG
				A125	68.9	DEG	A126	68.9	DEG	A127	68.9	DEG	A128	68.9	DEG
				A129	68.9	DEG	A130	68.9	DEG						
ALL ACTIVE ALARMS:	NONE														
DATALOG GROUP 1	15 FEB 90	5:40	SAMPLE RATE: 10 MINUTES	A11	77.3	DEG	A12	69.4	DEG	A13	75.4	DEG	A14	77.9	DEG
				A15	78.1	DEG	A16	68.8	DEG	A17	77.4	DEG	A18	68.7	DEG
				A19	70.4	DEG	A110	77.4	DEG	A111	70.5	DEG	A112	80.8	DEG
				A113	70.4	DEG	A114	68.9	DEG	A115	75.4	DEG	A116	71.6	DEG
				A117	68.9	DEG	A118	71.8	DEG	A119	92.2	DEG	A120	75.1	DEG
				A121	68.9	DEG	A122	68.9	DEG	A123	68.9	DEG	A124	68.9	DEG
				A125	68.9	DEG	A126	68.9	DEG	A127	68.9	DEG	A128	68.9	DEG
				A129	68.9	DEG	A130	68.9	DEG						
ALL ACTIVE ALARMS:	NONE														
DATALOG GROUP 1	15 FEB 90	5:30	SAMPLE RATE: 10 MINUTES	A11	77.3	DEG	A12	69.4	DEG	A13	75.4	DEG	A14	77.9	DEG
				A15	78.1	DEG	A16	68.8	DEG	A17	77.4	DEG	A18	68.7	DEG
				A19	70.4	DEG	A110	77.4	DEG	A111	70.5	DEG	A112	80.8	DEG
				A113	70.4	DEG	A114	68.9	DEG	A115	75.4	DEG	A116	71.6	DEG
				A117	68.9	DEG	A118	71.8	DEG	A119	92.2	DEG	A120	75.1	DEG
				A121	68.9	DEG	A122	68.9	DEG	A123	68.9	DEG	A124	68.9	DEG
				A125	68.9	DEG	A126	68.9	DEG	A127	68.9	DEG	A128	68.9	DEG
				A129	68.9	DEG	A130	68.9	DEG						
ALL ACTIVE ALARMS:	NONE														



MADE IN U.S.

LEADS & NORTHUP A UNIT OF GENERAL SIGNAL

NO. 67700

ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 15 FEB 90 7:00 SAMPLE RATE: 10 MINUTES											
A11	77.9	DEG F	A12	70.0	DEG F	A13	75.8	DEG F	A14	78.4	DEG F
A15	78.6	DEG F	A16	69.9	DEG F	A17	78.4	DEG F	A18	69.1	DEG F
A19	70.2	DEG F	A110	77.7	DEG F	A111	71.1	DEG F	A112	81.1	DEG F
A113	77.0	DEG F	A114	69.6	DEG F	A115	75.8	DEG F	A116	72.5	DEG F
A117	69.2	DEG F	A118	72.2	DEG F	A119	92.4	DEG F	A120	75.4	DEG F
A121	70.6	DEG F	A122	SKIP	DEG F	A123	SKIP	DEG F	A124	SKIP	DEG F
A125	SKIP	DEG F	A126	SKIP	DEG F	A127	SKIP	DEG F	A128	SKIP	DEG F
A129	SKIP	DEG F	A130	SKIP	DEG F						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 15 FEB 90 6:50 SAMPLE RATE: 10 MINUTES											
A11	77.8	DEG F	A12	70.0	DEG F	A13	75.7	DEG F	A14	78.4	DEG F
A15	78.6	DEG F	A16	69.9	DEG F	A17	78.4	DEG F	A18	69.0	DEG F
A19	70.2	DEG F	A110	77.7	DEG F	A111	71.0	DEG F	A112	81.0	DEG F
A113	77.0	DEG F	A114	69.5	DEG F	A115	75.8	DEG F	A116	72.4	DEG F
A117	69.0	DEG F	A118	72.2	DEG F	A119	92.3	DEG F	A120	75.4	DEG F
A121	70.6	DEG F	A122	SKIP	DEG F	A123	SKIP	DEG F	A124	SKIP	DEG F
A125	SKIP	DEG F	A126	SKIP	DEG F	A127	SKIP	DEG F	A128	SKIP	DEG F
A129	SKIP	DEG F	A130	SKIP	DEG F						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 15 FEB 90 6:40 SAMPLE RATE: 10 MINUTES											
A11	77.7	DEG F	A12	69.9	DEG F	A13	75.7	DEG F	A14	78.3	DEG F
A15	78.5	DEG F	A16	69.9	DEG F	A17	78.1	DEG F	A18	68.9	DEG F
A19	70.2	DEG F	A110	77.7	DEG F	A111	70.9	DEG F	A112	81.0	DEG F
A113	77.0	DEG F	A114	69.6	DEG F	A115	75.7	DEG F	A116	72.3	DEG F
A117	69.0	DEG F	A118	72.1	DEG F	A119	92.3	DEG F	A120	75.3	DEG F
A121	70.6	DEG F	A122	SKIP	DEG F	A123	SKIP	DEG F	A124	SKIP	DEG F
A125	SKIP	DEG F	A126	SKIP	DEG F	A127	SKIP	DEG F	A128	SKIP	DEG F
A129	SKIP	DEG F	A130	SKIP	DEG F						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 15 FEB 90 6:30 SAMPLE RATE: 10 MINUTES											
A11	77.6	DEG F	A12	69.8	DEG F	A13	75.6	DEG F	A14	78.3	DEG F
A15	78.4	DEG F	A16	69.9	DEG F	A17	78.0	DEG F	A18	68.9	DEG F
A19	70.2	DEG F	A110	77.7	DEG F	A111	70.8	DEG F	A112	80.9	DEG F
A113	77.0	DEG F	A114	69.5	DEG F	A115	75.6	DEG F	A116	72.3	DEG F
A117	68.8	DEG F	A118	72.0	DEG F	A119	93.1	DEG F	A120	75.3	DEG F
A121	70.6	DEG F	A122	SKIP	DEG F	A123	SKIP	DEG F	A124	SKIP	DEG F
A125	SKIP	DEG F	A126	SKIP	DEG F	A127	SKIP	DEG F	A128	SKIP	DEG F
A129	SKIP	DEG F	A130	SKIP	DEG F						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 15 FEB 90 6:20 SAMPLE RATE: 10 MINUTES											
A11	77.5	DEG F	A12	69.4	DEG F	A13	75.4	DEG F	A14	77.9	DEG F
A15	78.2	DEG F	A16	68.9	DEG F	A17	77.2	DEG F	A18	68.7	DEG F
A19	70.4	DEG F	A110	77.4	DEG F	A111	70.5	DEG F	A112	80.8	DEG F
A113	76.8	DEG F	A114	68.9	DEG F	A115	75.4	DEG F	A116	71.6	DEG F
A117	68.4	DEG F	A118	71.8	DEG F	A119	92.6	DEG F	A120	75.1	DEG F
A121	69.1	DEG F	A122	SKIP	DEG F	A123	SKIP	DEG F	A124	SKIP	DEG F
A125	SKIP	DEG F	A126	SKIP	DEG F	A127	SKIP	DEG F	A128	SKIP	DEG F
A129	SKIP	DEG F	A130	SKIP	DEG F						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 15 FEB 90 6:10 SAMPLE RATE: 10 MINUTES											
A11	77.5	DEG F	A12	69.3	DEG F	A13	75.3	DEG F	A14	77.9	DEG F
A15	78.1	DEG F	A16	69.3	DEG F						



10-11-68
10-11-68
10-11-68
10-11-68

10-11-68
10-11-68
10-11-68

Att. III page 9 of 199





NO. 6700 LEADS & NORTHROP "A UNIT OF GENERAL SIGNAL" MADE IN U.S.A.

ALL ACTIVE ALARMS: NONE		15 FEB 90 9:10		SAMPLE RATE: 10 MINUTES		A129 SKIP DEG F		A130 SKIP DEG F	
DATALOG GROUP 1	GRP	78.2	DEG	A12	70.2	DEG	A13	76.2	DEG
		78.4	DEG	A16	69.9	DEG	A17	78.4	DEG
		72.6	DEG	A110	70.2	DEG	A111	76.1	DEG
		72.9	DEG	A114	70.2	DEG	A115	76.1	DEG
		72.9	DEG	A116	70.2	DEG	A117	76.1	DEG
		72.9	DEG	A120	70.2	DEG	A121	76.1	DEG
		72.9	DEG	A122	70.2	DEG	A123	76.1	DEG
		72.9	DEG	A124	70.2	DEG	A125	76.1	DEG
		72.9	DEG	A126	70.2	DEG	A127	76.1	DEG
		72.9	DEG	A128	70.2	DEG	A129	76.1	DEG
		72.9	DEG	A130	70.2	DEG	A131	76.1	DEG
		72.9	DEG	A132	70.2	DEG	A133	76.1	DEG
		72.9	DEG	A134	70.2	DEG	A135	76.1	DEG
		72.9	DEG	A136	70.2	DEG	A137	76.1	DEG
		72.9	DEG	A138	70.2	DEG	A139	76.1	DEG
		72.9	DEG	A140	70.2	DEG	A141	76.1	DEG
		72.9	DEG	A142	70.2	DEG	A143	76.1	DEG
		72.9	DEG	A144	70.2	DEG	A145	76.1	DEG
		72.9	DEG	A146	70.2	DEG	A147	76.1	DEG
		72.9	DEG	A148	70.2	DEG	A149	76.1	DEG
		72.9	DEG	A150	70.2	DEG	A151	76.1	DEG
		72.9	DEG	A152	70.2	DEG	A153	76.1	DEG
		72.9	DEG	A154	70.2	DEG	A155	76.1	DEG
		72.9	DEG	A156	70.2	DEG	A157	76.1	DEG
		72.9	DEG	A158	70.2	DEG	A159	76.1	DEG
		72.9	DEG	A160	70.2	DEG	A161	76.1	DEG
		72.9	DEG	A162	70.2	DEG	A163	76.1	DEG
		72.9	DEG	A164	70.2	DEG	A165	76.1	DEG
		72.9	DEG	A166	70.2	DEG	A167	76.1	DEG
		72.9	DEG	A168	70.2	DEG	A169	76.1	DEG
		72.9	DEG	A170	70.2	DEG	A171	76.1	DEG
		72.9	DEG	A172	70.2	DEG	A173	76.1	DEG
		72.9	DEG	A174	70.2	DEG	A175	76.1	DEG
		72.9	DEG	A176	70.2	DEG	A177	76.1	DEG
		72.9	DEG	A178	70.2	DEG	A179	76.1	DEG
		72.9	DEG	A180	70.2	DEG	A181	76.1	DEG
		72.9	DEG	A182	70.2	DEG	A183	76.1	DEG
		72.9	DEG	A184	70.2	DEG	A185	76.1	DEG
		72.9	DEG	A186	70.2	DEG	A187	76.1	DEG
		72.9	DEG	A188	70.2	DEG	A189	76.1	DEG
		72.9	DEG	A190	70.2	DEG	A191	76.1	DEG
		72.9	DEG	A192	70.2	DEG	A193	76.1	DEG
		72.9	DEG	A194	70.2	DEG	A195	76.1	DEG
		72.9	DEG	A196	70.2	DEG	A197	76.1	DEG
		72.9	DEG	A198	70.2	DEG	A199	76.1	DEG
		72.9	DEG	A200	70.2	DEG	A201	76.1	DEG
		72.9	DEG	A202	70.2	DEG	A203	76.1	DEG
		72.9	DEG	A204	70.2	DEG	A205	76.1	DEG
		72.9	DEG	A206	70.2	DEG	A207	76.1	DEG
		72.9	DEG	A208	70.2	DEG	A209	76.1	DEG
		72.9	DEG	A210	70.2	DEG	A211	76.1	DEG
		72.9	DEG	A212	70.2	DEG	A213	76.1	DEG
		72.9	DEG	A214	70.2	DEG	A215	76.1	DEG
		72.9	DEG	A216	70.2	DEG	A217	76.1	DEG
		72.9	DEG	A218	70.2	DEG	A219	76.1	DEG
		72.9	DEG	A220	70.2	DEG	A221	76.1	DEG
		72.9	DEG	A222	70.2	DEG	A223	76.1	DEG
		72.9	DEG	A224	70.2	DEG	A225	76.1	DEG
		72.9	DEG	A226	70.2	DEG	A227	76.1	DEG
		72.9	DEG	A228	70.2	DEG	A229	76.1	DEG
		72.9	DEG	A230	70.2	DEG	A231	76.1	DEG
		72.9	DEG	A232	70.2	DEG	A233	76.1	DEG
		72.9	DEG	A234	70.2	DEG	A235	76.1	DEG
		72.9	DEG	A236	70.2	DEG	A237	76.1	DEG
		72.9	DEG	A238	70.2	DEG	A239	76.1	DEG
		72.9	DEG	A240	70.2	DEG	A241	76.1	DEG
		72.9	DEG	A242	70.2	DEG	A243	76.1	DEG
		72.9	DEG	A244	70.2	DEG	A245	76.1	DEG
		72.9	DEG	A246	70.2	DEG	A247	76.1	DEG
		72.9	DEG	A248	70.2	DEG	A249	76.1	DEG
		72.9	DEG	A250	70.2	DEG	A251	76.1	DEG
		72.9	DEG	A252	70.2	DEG	A253	76.1	DEG
		72.9	DEG	A254	70.2	DEG	A255	76.1	DEG
		72.9	DEG	A256	70.2	DEG	A257	76.1	DEG
		72.9	DEG	A258	70.2	DEG	A259	76.1	DEG
		72.9	DEG	A260	70.2	DEG	A261	76.1	DEG
		72.9	DEG	A262	70.2	DEG	A263	76.1	DEG
		72.9	DEG	A264	70.2	DEG	A265	76.1	DEG
		72.9	DEG	A266	70.2	DEG	A267	76.1	DEG
		72.9	DEG	A268	70.2	DEG	A269	76.1	DEG
		72.9	DEG	A270	70.2	DEG	A271	76.1	DEG
		72.9	DEG	A272	70.2	DEG	A273	76.1	DEG
		72.9	DEG	A274	70.2	DEG	A275	76.1	DEG
		72.9	DEG	A276	70.2	DEG	A277	76.1	DEG
		72.9	DEG	A278	70.2	DEG	A279	76.1	DEG
		72.9	DEG	A280	70.2	DEG	A281	76.1	DEG
		72.9	DEG	A282	70.2	DEG	A283	76.1	DEG
		72.9	DEG	A284	70.2	DEG	A285	76.1	DEG
		72.9	DEG	A286	70.2	DEG	A287	76.1	DEG
		72.9	DEG	A288	70.2	DEG	A289	76.1	DEG
		72.9	DEG	A290	70.2	DEG	A291	76.1	DEG
		72.9	DEG	A292	70.2	DEG	A293	76.1	DEG
		72.9	DEG	A294	70.2	DEG	A295	76.1	DEG
		72.9	DEG	A296	70.2	DEG	A297	76.1	DEG
		72.9	DEG	A298	70.2	DEG	A299	76.1	DEG
		72.9	DEG	A300	70.2	DEG	A301	76.1	DEG
		72.9	DEG	A302	70.2	DEG	A303	76.1	DEG
		72.9	DEG	A304	70.2	DEG	A305	76.1	DEG
		72.9	DEG	A306	70.2	DEG	A307	76.1	DEG
		72.9	DEG	A308	70.2	DEG	A309	76.1	DEG
		72.9	DEG	A310	70.2	DEG	A311	76.1	DEG
		72.9	DEG	A312	70.2	DEG	A313	76.1	DEG
		72.9	DEG	A314	70.2	DEG	A315	76.1	DEG
		72.9	DEG	A316	70.2	DEG	A317	76.1	DEG
		72.9	DEG	A318	70.2	DEG	A319	76.1	DEG
		72.9	DEG	A320	70.2	DEG	A321	76.1	DEG
		72.9	DEG	A322	70.2	DEG	A323	76.1	DEG
		72.9	DEG	A324	70.2	DEG	A325	76.1	DEG
		72.9	DEG	A326	70.2	DEG	A327	76.1	DEG
		72.9	DEG	A328	70.2	DEG	A329	76.1	DEG
		72.9	DEG	A330	70.2	DEG	A331	76.1	DEG
		72.9	DEG	A332	70.2	DEG	A333	76.1	DEG
		72.9	DEG	A334	70.2	DEG	A335	76.1	DEG
		72.9	DEG	A336	70.2	DEG	A337	76.1	DEG
		72.9	DEG	A338	70.2	DEG	A339	76.1	DEG
		72.9	DEG	A340	70.2	DEG	A341	76.1	DEG
		72.9	DEG	A342	70.2	DEG	A343	76.1	DEG
		72.9	DEG	A344	70.2	DEG	A345	76.1	DEG
		72.9	DEG	A346	70.2	DEG	A347	76.1	DEG
		72.9	DEG	A348	70.2	DEG	A349	76.1	DEG
		72.9	DEG	A350	70.2	DEG	A351	76.1	DEG
		72.9	DEG	A352	70.2	DEG	A353	76.1	DEG
		72.9	DEG	A354	70.2	DEG	A355	76.1	DEG
		72.9	DEG	A356	70.2	DEG	A357	76.1	DEG
		72.9	DEG	A358	70.2	DEG	A359	76.1	DEG
		72.9	DEG	A360	70.2	DEG	A361	76.1	DEG
		72.9	DEG	A362	70.2	DEG	A363	76.1	DEG
		72.9	DEG	A364	70.2	DEG	A365	76.1	DEG
		72.9	DEG	A366	70.2	DEG	A367	76.1	DEG
		72.9	DEG	A368	70.2	DEG	A369	76.1	DEG
		72.9	DEG	A370	70.2	DEG	A371	76.1	DEG
		72.9	DEG	A372	70.2	DEG	A373	76.1	DEG
		72.9	DEG	A374	70.2	DEG	A375	76.1	DEG
		72.9	DEG	A376	70.2	DEG	A377	76.1	DEG
		72.9	DEG	A378	70.2	DEG	A379	76.1	DEG
		72.9	DEG	A380	70.2	DEG	A381	76.1	DEG
		72.9	DEG	A382	70.2	DEG	A383	76.1	DEG
		72.9	DEG	A384	70.2	DEG	A385	76.1	DEG
		72.9	DEG	A386	70.2	DEG	A387	76.1	DEG
		72.9	DEG	A388	70.2	DEG	A389	76.1	DEG
		72.9	DEG	A390	70.2	DEG	A391	76.1	DEG
		72.9	DEG	A392	70.2	DEG	A393	76.1	DEG
		72.9	DEG	A394	70.2	DEG	A395	76.1	DEG
		72.9	DEG	A396	70.2	DEG	A397	76.1	DEG
		72.9	DEG	A398	70.2	DEG	A399	76.1	DEG
		72.9	DEG	A400	70.2	DEG	A401	76.1	DEG
		72.9	DEG	A402	70.2	DEG	A403	76.1	DEG
		72.9	DEG	A404	70.2	DEG	A405	76.1	DEG
		72.9	DEG	A406	70.2	DEG	A407	76.1	DEG
		72.9	DEG	A408	70.2	DEG	A409	76.1	DEG
		72.9	DEG	A410	70.2	DEG	A411	76.1	DEG
		72.9	DEG	A412	70.2	DEG	A413	76.1	DEG
		72.9	DEG	A414	70.2	DEG	A415	76.1	DEG
		72.9	DEG	A416	70.2	DEG	A417	76.1	DEG
		72.9	DEG	A418	70.2	DEG	A419	76.1	DEG
		72.9	DEG	A420	70.2				



A UNIT OF GENERAL SIGNAL MADE IN U.S.A.

A UNIT OF GENERAL SIGNAL MADE IN U.S.A.

ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 15 FEB 90 9:40 SAMPLE RATE: 10 MINUTES											
A13	78.2	DEG	A12	70.3	DEG	A113	76.2	DEG	A14	78.5	DEG
A15	78.8	DEG	A16	69.8	DEG	A117	78.2	DEG	A18	69.1	DEG
A19	77.2	DEG	A110	77.7	DEG	A111	71.4	DEG	A112	81.4	DEG
A113	76.2	DEG	A114	70.9	DEG	A115	76.8	DEG	A116	72.7	DEG
A121	69.9	DEG	A118	72.2	DEG	A119	93.3	DEG	A120	75.8	DEG
A123	71.1	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 15 FEB 90 9:10 SAMPLE RATE: 10 MINUTES											
A13	78.2	DEG	A12	70.3	DEG	A113	76.2	DEG	A14	78.5	DEG
A15	78.8	DEG	A16	69.8	DEG	A117	78.2	DEG	A18	69.1	DEG
A19	77.2	DEG	A110	77.7	DEG	A111	71.4	DEG	A112	81.4	DEG
A113	76.2	DEG	A114	70.9	DEG	A115	76.8	DEG	A116	72.7	DEG
A121	69.9	DEG	A118	72.2	DEG	A119	93.3	DEG	A120	75.8	DEG
A123	71.1	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 15 FEB 90 9:10 SAMPLE RATE: 10 MINUTES											
A13	78.2	DEG	A12	70.3	DEG	A113	76.2	DEG	A14	78.5	DEG
A15	78.8	DEG	A16	69.8	DEG	A117	78.2	DEG	A18	69.1	DEG
A19	77.2	DEG	A110	77.7	DEG	A111	71.4	DEG	A112	81.4	DEG
A113	76.2	DEG	A114	70.9	DEG	A115	76.8	DEG	A116	72.7	DEG
A121	69.9	DEG	A118	72.2	DEG	A119	93.3	DEG	A120	75.8	DEG
A123	71.1	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 15 FEB 90 9:00 SAMPLE RATE: 10 MINUTES											
A13	78.2	DEG	A12	70.3	DEG	A113	76.2	DEG	A14	78.5	DEG
A15	78.8	DEG	A16	69.8	DEG	A117	78.2	DEG	A18	69.1	DEG
A19	77.2	DEG	A110	77.7	DEG	A111	71.4	DEG	A112	81.4	DEG
A113	76.2	DEG	A114	70.9	DEG	A115	76.8	DEG	A116	72.7	DEG
A121	69.9	DEG	A118	72.2	DEG	A119	93.3	DEG	A120	75.8	DEG
A123	71.1	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 15 FEB 90 8:50 SAMPLE RATE: 10 MINUTES											
A13	78.2	DEG	A12	70.3	DEG	A113	76.2	DEG	A14	78.5	DEG
A15	78.8	DEG	A16	69.8	DEG	A117	78.2	DEG	A18	69.1	DEG
A19	77.2	DEG	A110	77.7	DEG	A111	71.4	DEG	A112	81.4	DEG
A113	76.2	DEG	A114	70.9	DEG	A115	76.8	DEG	A116	72.7	DEG
A121	69.9	DEG	A118	72.2	DEG	A119	93.3	DEG	A120	75.8	DEG
A123	71.1	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											



DATE		TIME		SAMPLE RATE		MINUTES		A123		A126		A127		A128		A129	
15 FEB 90		10:20		SAMPLE RATE: 10		MINUTES		A123		A126		A127		A128		A129	
GROUP 1		GRP						A123		A126		A127		A128		A129	
A123		78.9		DEG				A126		70.2		DEG		A127		76.4	
A126		70.2		DEG				A127		76.4		DEG		A128		78.6	
A127		76.4		DEG				A128		78.6		DEG		A129		70.2	
A128		78.6		DEG				A129		70.2		DEG		A123		78.9	
A129		70.2		DEG				A123		78.9		DEG		A126		70.2	
A123		78.9		DEG				A126		70.2		DEG		A127		76.4	
A126		70.2		DEG				A127		76.4		DEG		A128		78.6	
A127		76.4		DEG				A128		78.6		DEG		A129		70.2	
A128		78.6		DEG				A129		70.2		DEG		A123		78.9	
A129		70.2		DEG				A123		78.9		DEG		A126		70.2	
A123		78.9		DEG				A126		70.2		DEG		A127		76.4	
A126		70.2		DEG				A127		76.4		DEG		A128		78.6	
A127		76.4		DEG				A128		78.6		DEG		A129		70.2	
A128		78.6		DEG				A129		70.2		DEG		A123		78.9	
A129		70.2		DEG				A123		78.9		DEG		A126		70.2	
A123		78.9		DEG				A126		70.2		DEG		A127		76.4	
A126		70.2		DEG				A127		76.4		DEG		A128		78.6	
A127		76.4		DEG				A128		78.6		DEG		A129		70.2	
A128		78.6		DEG				A129		70.2		DEG		A123		78.9	
A129		70.2		DEG				A123		78.9		DEG		A126		70.2	
A123		78.9		DEG				A126		70.2		DEG		A127		76.4	
A126		70.2		DEG				A127		76.4		DEG		A128		78.6	
A127		76.4		DEG				A128		78.6		DEG		A129		70.2	
A128		78.6		DEG				A129		70.2		DEG		A123		78.9	
A129		70.2		DEG				A123		78.9		DEG		A126		70.2	
A123		78.9		DEG				A126		70.2		DEG		A127		76.4	
A126		70.2		DEG				A127		76.4		DEG		A128		78.6	
A127		76.4		DEG				A128		78.6		DEG		A129		70.2	
A128		78.6		DEG				A129		70.2		DEG		A123		78.9	
A129		70.2		DEG				A123		78.9		DEG		A126		70.2	
A123		78.9		DEG				A126		70.2		DEG		A127		76.4	
A126		70.2		DEG				A127		76.4		DEG		A128		78.6	
A127		76.4		DEG													



ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1	15 FEB 98	11:10	SAMPLE RATE: 10 MINUTES								
A1	78.4	DEG	A12	78.2	DEG	A13	76.5	DEG	A14	78.6	DEG
A15	78.8	DEG	A16	69.8	DEG	A17	78.5	DEG	A18	69.1	DEG
A19	78.3	DEG	A110	77.7	DEG	A111	71.5	DEG	A112	81.6	DEG
A113	77.6	DEG	A114	77.7	DEG	A115	75.9	DEG	A116	72.7	DEG
A117	69.3	DEG	A118	72.2	DEG	A119	93.5	DEG	A120	75.8	DEG
A121	70.8	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1	15 FEB 98	11:00	SAMPLE RATE: 10 MINUTES								
A1	78.4	DEG	A12	78.2	DEG	A13	76.4	DEG	A14	78.5	DEG
A15	78.8	DEG	A16	69.5	DEG	A17	78.4	DEG	A18	69.9	DEG
A19	78.2	DEG	A110	77.5	DEG	A111	71.4	DEG	A112	81.2	DEG
A113	77.5	DEG	A114	77.5	DEG	A115	75.8	DEG	A116	72.4	DEG
A117	69.3	DEG	A118	72.1	DEG	A119	93.2	DEG	A120	75.9	DEG
A121	70.8	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1	15 FEB 98	10:50	SAMPLE RATE: 10 MINUTES								
A1	78.4	DEG	A12	78.2	DEG	A13	76.5	DEG	A14	78.6	DEG
A15	78.8	DEG	A16	69.8	DEG	A17	78.5	DEG	A18	69.1	DEG
A19	78.3	DEG	A110	77.7	DEG	A111	71.5	DEG	A112	81.6	DEG
A113	77.6	DEG	A114	77.7	DEG	A115	75.9	DEG	A116	72.7	DEG
A117	69.3	DEG	A118	72.2	DEG	A119	93.5	DEG	A120	75.8	DEG
A121	70.8	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1	15 FEB 98	10:40	SAMPLE RATE: 10 MINUTES								
A1	78.4	DEG	A12	78.2	DEG	A13	76.5	DEG	A14	78.6	DEG
A15	78.9	DEG	A16	69.8	DEG	A17	78.5	DEG	A18	69.1	DEG
A19	78.3	DEG	A110	77.7	DEG	A111	71.5	DEG	A112	81.6	DEG
A113	77.6	DEG	A114	77.7	DEG	A115	75.9	DEG	A116	72.7	DEG
A117	69.3	DEG	A118	72.2	DEG	A119	93.5	DEG	A120	75.8	DEG
A121	70.8	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1	15 FEB 98	10:30	SAMPLE RATE: 10 MINUTES								
A1	78.3	DEG	A12	78.2	DEG	A13	76.4	DEG	A14	78.6	DEG
A15	78.8	DEG	A16	69.5	DEG	A17	78.4	DEG	A18	69.9	DEG
A19	78.2	DEG	A110	77.5	DEG	A111	71.4	DEG	A112	81.2	DEG
A113	77.5	DEG	A114	77.5	DEG	A115	75.8	DEG	A116	72.4	DEG
A117	69.3	DEG	A118	72.1	DEG	A119	93.2	DEG	A120	75.9	DEG
A121	70.8	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1	15 FEB 98	10:20	SAMPLE RATE: 10 MINUTES								
A1	78.4	DEG	A12	78.2	DEG	A13	76.5	DEG	A14	78.8	DEG
A15	78.8	DEG	A16	69.8	DEG	A17	78.5	DEG	A18	69.1	DEG
A19	78.3	DEG	A110	77.7	DEG	A111	71.5	DEG	A112	81.6	DEG
A113	77.6	DEG	A114	77.7	DEG	A115	75.9	DEG	A116	72.7	DEG
A117	69.3	DEG	A118	72.2	DEG	A119	93.5	DEG	A120	75.8	DEG
A121	70.8	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											



DATE/TIME		SAMPLE RATE		MINUTES		ALARM STATUS		ALARM TYPE		ALARM VALUE		ALARM UNIT		
DATALOG GROUP 1	5 FEB 90 11:50	SAMPLE RATE: 10		MINUTES		ALL ACTIVE ALARMS: NONE								
A11	78.0	DEG	A12	78.0	DEG	A13	78.0	DEG	A14	78.0	DEG	A15	78.0	DEG
A16	78.0	DEG	A17	78.0	DEG	A18	78.0	DEG	A19	78.0	DEG	A20	78.0	DEG
A21	78.0	DEG	A22	78.0	DEG	A23	78.0	DEG	A24	78.0	DEG	A25	78.0	DEG
A26	78.0	DEG	A27	78.0	DEG	A28	78.0	DEG	A29	78.0	DEG	A30	78.0	DEG
A31	78.0	DEG	A32	78.0	DEG	A33	78.0	DEG	A34	78.0	DEG	A35	78.0	DEG
A36	78.0	DEG	A37	78.0	DEG	A38	78.0	DEG	A39	78.0	DEG	A40	78.0	DEG
A41	78.0	DEG	A42	78.0	DEG	A43	78.0	DEG	A44	78.0	DEG	A45	78.0	DEG
A46	78.0	DEG	A47	78.0	DEG	A48	78.0	DEG	A49	78.0	DEG	A50	78.0	DEG
A51	78.0	DEG	A52	78.0	DEG	A53	78.0	DEG	A54	78.0	DEG	A55	78.0	DEG
A56	78.0	DEG	A57	78.0	DEG	A58	78.0	DEG	A59	78.0	DEG	A60	78.0	DEG
A61	78.0	DEG	A62	78.0	DEG	A63	78.0	DEG	A64	78.0	DEG	A65	78.0	DEG
A66	78.0	DEG	A67	78.0	DEG	A68	78.0	DEG	A69	78.0	DEG	A70	78.0	DEG
A71	78.0	DEG	A72	78.0	DEG	A73	78.0	DEG	A74	78.0	DEG	A75	78.0	DEG
A76	78.0	DEG	A77	78.0	DEG	A78	78.0	DEG	A79	78.0	DEG	A80	78.0	DEG
A81	78.0	DEG	A82	78.0	DEG	A83	78.0	DEG	A84	78.0	DEG	A85	78.0	DEG
A86	78.0	DEG	A87	78.0	DEG	A88	78.0	DEG	A89	78.0	DEG	A90	78.0	DEG
A91	78.0	DEG	A92	78.0	DEG	A93	78.0	DEG	A94	78.0	DEG	A95	78.0	DEG
A96	78.0	DEG	A97	78.0	DEG	A98	78.0	DEG	A99	78.0	DEG	A100	78.0	DEG
A101	78.0	DEG	A102	78.0	DEG	A103	78.0	DEG	A104	78.0	DEG	A105	78.0	DEG
A106	78.0	DEG	A107	78.0	DEG	A108	78.0	DEG	A109	78.0	DEG	A110	78.0	DEG
A111	78.0	DEG	A112	78.0	DEG	A113	78.0	DEG	A114	78.0	DEG	A115	78.0	DEG
A116	78.0	DEG	A117	78.0	DEG	A118	78.0	DEG	A119	78.0	DEG	A120	78.0	DEG
A121	78.0	DEG	A122	78.0	DEG	A123	78.0	DEG	A124	78.0	DEG	A125	78.0	DEG
A126	78.0	DEG	A127	78.0	DEG	A128	78.0	DEG	A129	78.0	DEG	A130	78.0	DEG
A131	78.0	DEG	A132	78.0	DEG	A133	78.0	DEG	A134	78.0	DEG	A135	78.0	DEG
A136	78.0	DEG	A137	78.0	DEG	A138	78.0	DEG	A139	78.0	DEG	A140	78.0	DEG
A141	78.0	DEG	A142	78.0	DEG	A143	78.0	DEG	A144	78.0	DEG	A145	78.0	DEG
A146	78.0	DEG	A147	78.0	DEG	A148	78.0	DEG	A149	78.0	DEG	A150	78.0	DEG

Att. III, page 15 of
199



GROUP 1	GRP 1	15 FEB 98	12:00	SAMPLE RATE: 10 MINUTES	AI1	77.0	DEG	AI2	69.2	DEG	AI3	75.4	DEG	AI4	76.5	DEG	AI5	76.5	DEG	AI6	77.4	DEG	AI7	76.3	DEG	AI8	76.3	DEG	AI9	76.3	DEG	AI10	76.3	DEG	AI11	76.3	DEG	AI12	76.3	DEG	AI13	76.3	DEG	AI14	76.3	DEG	AI15	76.3	DEG	AI16	76.3	DEG	AI17	76.3	DEG	AI18	76.3	DEG	AI19	76.3	DEG	AI20	76.3	DEG	AI21	76.3	DEG	AI22	76.3	DEG	AI23	76.3	DEG	AI24	76.3	DEG	AI25	76.3	DEG	AI26	76.3	DEG	AI27	76.3	DEG	AI28	76.3	DEG	AI29	76.3	DEG	AI30	76.3	DEG
ALL ACTIVE ALARMS: NONE																																																																																														
DATALOG GROUP 1	GRP 1	15 FEB 98	12:20	SAMPLE RATE: 10 MINUTES	AI1	77.0	DEG	AI2	68.6	DEG	AI3	75.3	DEG	AI4	76.3	DEG	AI5	76.3	DEG	AI6	77.0	DEG	AI7	75.3	DEG	AI8	76.3	DEG	AI9	76.3	DEG	AI10	76.3	DEG	AI11	76.3	DEG	AI12	76.3	DEG	AI13	76.3	DEG	AI14	76.3	DEG	AI15	76.3	DEG	AI16	76.3	DEG	AI17	76.3	DEG	AI18	76.3	DEG	AI19	76.3	DEG	AI20	76.3	DEG	AI21	76.3	DEG	AI22	76.3	DEG	AI23	76.3	DEG	AI24	76.3	DEG	AI25	76.3	DEG	AI26	76.3	DEG	AI27	76.3	DEG	AI28	76.3	DEG	AI29	76.3	DEG	AI30	76.3	DEG
ALL ACTIVE ALARMS: NONE																																																																																														
DATALOG GROUP 1	GRP 1	15 FEB 98	12:10	SAMPLE RATE: 10 MINUTES	AI1	77.0	DEG	AI2	69.2	DEG	AI3	75.4	DEG	AI4	76.5	DEG	AI5	76.5	DEG	AI6	77.4	DEG	AI7	76.3	DEG	AI8	76.3	DEG	AI9	76.3	DEG	AI10	76.3	DEG	AI11	76.3	DEG	AI12	76.3	DEG	AI13	76.3	DEG	AI14	76.3	DEG	AI15	76.3	DEG	AI16	76.3	DEG	AI17	76.3	DEG	AI18	76.3	DEG	AI19	76.3	DEG	AI20	76.3	DEG	AI21	76.3	DEG	AI22	76.3	DEG	AI23	76.3	DEG	AI24	76.3	DEG	AI25	76.3	DEG	AI26	76.3	DEG	AI27	76.3	DEG	AI28	76.3	DEG	AI29	76.3	DEG	AI30	76.3	DEG
ALL ACTIVE ALARMS: NONE																																																																																														
DATALOG GROUP 1	GRP 1	15 FEB 98	12:00	SAMPLE RATE: 10 MINUTES	AI1	77.8	DEG	AI2	69.7	DEG	AI3	76.3	DEG	AI4	76.3	DEG	AI5	76.3	DEG	AI6	77.0	DEG	AI7	75.3	DEG	AI8	76.3	DEG	AI9	76.3	DEG	AI10	76.3	DEG	AI11	76.3	DEG	AI12	76.3	DEG	AI13	76.3	DEG	AI14	76.3	DEG	AI15	76.3	DEG	AI16	76.3	DEG	AI17	76.3	DEG	AI18	76.3	DEG	AI19	76.3	DEG	AI20	76.3	DEG	AI21	76.3	DEG	AI22	76.3	DEG	AI23	76.3	DEG	AI24	76.3	DEG	AI25	76.3	DEG	AI26	76.3	DEG	AI27	76.3	DEG	AI28	76.3	DEG	AI29	76.3	DEG	AI30	76.3	DEG
ALL ACTIVE ALARMS: NONE																																																																																														
DATALOG GROUP 1	GRP 1	15 FEB 98	11:50	SAMPLE RATE: 10 MINUTES	AI1	78.2	DEG	AI2	69.4	DEG	AI3	76.3	DEG	AI4	76.3	DEG	AI5	76.3	DEG	AI6	77.0	DEG	AI7	75.3	DEG	AI8	76.3	DEG	AI9	76.3	DEG	AI10	76.3	DEG	AI11	76.3	DEG	AI12	76.3	DEG	AI13	76.3	DEG	AI14	76.3	DEG	AI15	76.3	DEG	AI16	76.3	DEG	AI17	76.3	DEG	AI18	76.3	DEG	AI19	76.3	DEG	AI20	76.3	DEG	AI21	76.3	DEG	AI22	76.3	DEG	AI23	76.3	DEG	AI24	76.3	DEG	AI25	76.3	DEG	AI26	76.3	DEG	AI27	76.3	DEG	AI28	76.3	DEG	AI29	76.3	DEG	AI30	76.3	DEG
ALL ACTIVE ALARMS: NONE																																																																																														
DATALOG GROUP 1	GRP 1	15 FEB 98	11:40	SAMPLE RATE: 10 MINUTES	AI1	78.0	DEG	AI2	69.2	DEG	AI3	76.4	DEG	AI4	76.3	DEG	AI5	76.3	DEG	AI6	77.0	DEG	AI7	75.3	DEG	AI8	76.3	DEG	AI9	76.3	DEG	AI10	76.3	DEG	AI11	76.3	DEG	AI12	76.3	DEG	AI13	76.3	DEG	AI14	76.3	DEG	AI15	76.3	DEG	AI16	76.3	DEG	AI17	76.3	DEG	AI18	76.3	DEG	AI19	76.3	DEG	AI20	76.3	DEG	AI21	76.3	DEG	AI22	76.3	DEG	AI23	76.3	DEG	AI24	76.3	DEG	AI25	76.3	DEG	AI26	76.3	DEG	AI27	76.3	DEG	AI28	76.3	DEG	AI29	76.3	DEG	AI30	76.3	DEG
ALL ACTIVE ALARMS: NONE																																																																																														



ALL ACTIVE ALARMS: NONE									
DATALOG GROUP	1	5 FEB 90	13:10	SAMPLE RATE: 10	MINUTES				
A125	SKIP	DEG	F	A126	SKIP	DEG	F	A127	SKIP
A129	SKIP	DEG	F	A130	SKIP	DEG	F	A131	SKIP
A132	SKIP	DEG	F	A133	SKIP	DEG	F	A134	SKIP
A135	SKIP	DEG	F	A136	SKIP	DEG	F	A137	SKIP
A138	SKIP	DEG	F	A139	SKIP	DEG	F	A140	SKIP
A141	SKIP	DEG	F	A142	SKIP	DEG	F	A143	SKIP
A144	SKIP	DEG	F	A145	SKIP	DEG	F	A146	SKIP
A147	SKIP	DEG	F	A148	SKIP	DEG	F	A149	SKIP
A150	SKIP	DEG	F	A151	SKIP	DEG	F	A152	SKIP
A153	SKIP	DEG	F	A154	SKIP	DEG	F	A155	SKIP
A156	SKIP	DEG	F	A157	SKIP	DEG	F	A158	SKIP
A159	SKIP	DEG	F	A160	SKIP	DEG	F	A161	SKIP
A162	SKIP	DEG	F	A163	SKIP	DEG	F	A164	SKIP
A165	SKIP	DEG	F	A166	SKIP	DEG	F	A167	SKIP
A168	SKIP	DEG	F	A169	SKIP	DEG	F	A170	SKIP
A171	SKIP	DEG	F	A172	SKIP	DEG	F	A173	SKIP
A174	SKIP	DEG	F	A175	SKIP	DEG	F	A176	SKIP
A177	SKIP	DEG	F	A178	SKIP	DEG	F	A179	SKIP
A180	SKIP	DEG	F	A181	SKIP	DEG	F	A182	SKIP
A183	SKIP	DEG	F	A184	SKIP	DEG	F	A185	SKIP
A186	SKIP	DEG	F	A187	SKIP	DEG	F	A188	SKIP
A189	SKIP	DEG	F	A190	SKIP	DEG	F	A191	SKIP
A192	SKIP	DEG	F	A193	SKIP	DEG	F	A194	SKIP
A195	SKIP	DEG	F	A196	SKIP	DEG	F	A197	SKIP
A198	SKIP	DEG	F	A199	SKIP	DEG	F	A200	SKIP
A201	SKIP	DEG	F	A202	SKIP	DEG	F	A203	SKIP
A204	SKIP	DEG	F	A205	SKIP	DEG	F	A206	SKIP
A207	SKIP	DEG	F	A208	SKIP	DEG	F	A209	SKIP
A210	SKIP	DEG	F	A211	SKIP	DEG	F	A212	SKIP
A213	SKIP	DEG	F	A214	SKIP	DEG	F	A215	SKIP
A216	SKIP	DEG	F	A217	SKIP	DEG	F	A218	SKIP
A219	SKIP	DEG	F	A220	SKIP	DEG	F	A221	SKIP
A222	SKIP	DEG	F	A223	SKIP	DEG	F	A224	SKIP
A225	SKIP	DEG	F	A226	SKIP	DEG	F	A227	SKIP
A228	SKIP	DEG	F	A229	SKIP	DEG	F	A230	SKIP
A231	SKIP	DEG	F	A232	SKIP	DEG	F	A233	SKIP
A234	SKIP	DEG	F	A235	SKIP	DEG	F	A236	SKIP
A237	SKIP	DEG	F	A238	SKIP	DEG	F	A239	SKIP
A240	SKIP	DEG	F	A241	SKIP	DEG	F	A242	SKIP
A243	SKIP	DEG	F	A244	SKIP	DEG	F	A245	SKIP
A246	SKIP	DEG	F	A247	SKIP	DEG	F	A248	SKIP
A249	SKIP	DEG	F	A250	SKIP	DEG	F	A251	SKIP
A252	SKIP	DEG	F	A253	SKIP	DEG	F	A254	SKIP
A255	SKIP	DEG	F	A256	SKIP	DEG	F	A257	SKIP
A258	SKIP	DEG	F	A259	SKIP	DEG	F	A260	SKIP
A261	SKIP	DEG	F	A262	SKIP	DEG	F	A263	SKIP
A264	SKIP	DEG	F	A265	SKIP	DEG	F	A266	SKIP
A267	SKIP	DEG	F	A268	SKIP	DEG	F	A269	SKIP
A270	SKIP	DEG	F	A271	SKIP	DEG	F	A272	SKIP
A273	SKIP	DEG	F	A274	SKIP	DEG	F	A275	SKIP
A276	SKIP	DEG	F	A277	SKIP	DEG	F	A278	SKIP
A279	SKIP	DEG	F	A280	SKIP	DEG	F	A281	SKIP
A282	SKIP	DEG	F	A283	SKIP	DEG	F	A284	SKIP
A285	SKIP	DEG	F	A286	SKIP	DEG	F	A287	SKIP
A288	SKIP	DEG	F	A289	SKIP	DEG	F	A290	SKIP
A291	SKIP	DEG	F	A292	SKIP	DEG	F	A293	SKIP
A294	SKIP	DEG	F	A295	SKIP	DEG	F	A296	SKIP
A297	SKIP	DEG	F	A298	SKIP	DEG	F	A299	SKIP
A300	SKIP	DEG	F	A301	SKIP	DEG	F	A302	SKIP
A303	SKIP	DEG	F	A304	SKIP	DEG	F	A305	SKIP
A306	SKIP	DEG	F	A307	SKIP	DEG	F	A308	SKIP
A309	SKIP	DEG	F	A310	SKIP	DEG	F	A311	SKIP
A312	SKIP	DEG	F	A313	SKIP	DEG	F	A314	SKIP
A315	SKIP	DEG	F	A316	SKIP	DEG	F	A317	SKIP
A318	SKIP	DEG	F	A319	SKIP	DEG	F	A320	SKIP
A321	SKIP	DEG	F	A322	SKIP	DEG	F	A323	SKIP
A324	SKIP	DEG	F	A325	SKIP	DEG	F	A326	SKIP
A327	SKIP	DEG	F	A328	SKIP	DEG	F	A329	SKIP
A330	SKIP	DEG	F	A331	SKIP	DEG	F	A332	SKIP
A333	SKIP	DEG	F	A334	SKIP	DEG	F	A335	SKIP
A336	SKIP	DEG	F	A337	SKIP	DEG	F	A338	SKIP
A339	SKIP	DEG	F	A340	SKIP	DEG	F	A341	SKIP
A342	SKIP	DEG	F	A343	SKIP	DEG	F	A344	SKIP
A345	SKIP	DEG	F	A346	SKIP	DEG	F	A347	SKIP
A348	SKIP	DEG	F	A349	SKIP	DEG	F	A350	SKIP
A351	SKIP	DEG	F	A352	SKIP	DEG	F	A353	SKIP
A354	SKIP	DEG	F	A355	SKIP	DEG	F	A356	SKIP
A357	SKIP	DEG	F	A358	SKIP	DEG	F	A359	SKIP
A360	SKIP	DEG	F	A361	SKIP	DEG	F	A362	SKIP
A363	SKIP	DEG	F	A364	SKIP	DEG	F	A365	SKIP
A366	SKIP	DEG	F	A367	SKIP	DEG	F	A368	SKIP
A369	SKIP	DEG	F	A370	SKIP	DEG	F	A371	SKIP
A372	SKIP	DEG	F	A373	SKIP	DEG	F	A374	SKIP
A375	SKIP	DEG	F	A376	SKIP	DEG	F	A377	SKIP
A378	SKIP	DEG	F	A379	SKIP	DEG	F	A380	SKIP
A381	SKIP	DEG	F	A382	SKIP	DEG	F	A383	SKIP
A384	SKIP	DEG	F	A385	SKIP	DEG	F	A386	SKIP
A387	SKIP	DEG	F	A388	SKIP	DEG	F	A389	SKIP
A390	SKIP	DEG	F	A391	SKIP	DEG	F	A392	SKIP
A393	SKIP	DEG	F	A394	SKIP	DEG	F	A395	SKIP
A396	SKIP	DEG	F	A397	SKIP	DEG	F	A398	SKIP
A399	SKIP	DEG	F	A400	SKIP	DEG	F	A401	SKIP
A402	SKIP	DEG	F	A403	SKIP	DEG	F	A404	SKIP
A405	SKIP	DEG	F	A406	SKIP	DEG	F	A407	SKIP
A408	SKIP	DEG	F	A409	SKIP	DEG	F	A410	SKIP
A411	SKIP	DEG	F	A412	SKIP	DEG	F	A413	SKIP
A414	SKIP	DEG	F	A415	SKIP	DEG	F	A416	SKIP
A417	SKIP	DEG	F	A418	SKIP	DEG	F	A419	SKIP
A420	SKIP	DEG	F	A421	SKIP	DEG	F	A422	SKIP
A423	SKIP	DEG	F	A424	SKIP	DEG	F	A425	SKIP
A426	SKIP	DEG	F	A427	SKIP	DEG	F	A428	SKIP
A429	SKIP	DEG	F	A430	SKIP	DEG	F	A431	SKIP
A432	SKIP	DEG	F	A433	SKIP	DEG	F	A434	SKIP
A435	SKIP	DEG	F	A436	SKIP	DEG	F	A437	SKIP
A438	SKIP	DEG	F	A439	SKIP	DEG	F	A440	SKIP
A441	SKIP	DEG	F	A442	SKIP	DEG	F	A443	SKIP
A444	SKIP	DEG	F	A445	SKIP	DEG	F	A446	SKIP
A447	SKIP	DEG	F	A448	SKIP	DEG	F	A449	SKIP
A450	SKIP	DEG	F	A451	SKIP	DEG	F	A452	SKIP
A453	SKIP	DEG	F	A454	SKIP	DEG	F	A455	SKIP
A456	SKIP	DEG	F	A457	SKIP	DEG	F	A458	SKIP
A459	SKIP	DEG	F	A460	SKIP	DEG	F	A461	SKIP
A462	SKIP	DEG	F	A463	SKIP	DEG	F	A464	SKIP
A465	SKIP	DEG	F	A466	SKIP	DEG	F	A467	SKIP
A468	SKIP	DEG	F	A469	SKIP	DEG	F	A470	SKIP
A471	SKIP	DEG	F	A472	SKIP	DEG	F	A473	SKIP
A474	SKIP	DEG	F	A475	SKIP	DEG	F	A476	SKIP
A477	SKIP	DEG	F	A478	SKIP	DEG	F	A479	SKIP
A480	SKIP	DEG	F	A481	SKIP	DEG	F	A482	SKIP
A483	SKIP	DEG	F	A484	SKIP	DEG	F	A485	SKIP
A486	SKIP	DEG	F	A487	SKIP	DEG	F	A488	SKIP
A489	SKIP	DEG	F	A490	SKIP	DEG	F	A491	SKIP
A492	SKIP	DEG	F	A493	SKIP	DEG	F	A494	SKIP
A495	SKIP	DEG	F	A496	SKIP	DEG	F	A497	SKIP
A498	SKIP	DEG	F	A499	SKIP	DEG	F	A500	SKIP
A501	SKIP	DEG	F	A502	SKIP	DEG	F	A503	SKIP
A504	SKIP	DEG	F	A505	SKIP	DEG	F	A506	SKIP
A507	SKIP	DEG	F	A508	SKIP	DEG	F	A509	SKIP
A510	SKIP	DEG	F	A511	SKIP	DEG	F	A512	SKIP
A513	SKIP	DEG	F	A514	SKIP	DEG	F	A515	SKIP
A516	SKIP	DEG	F	A517	SKIP	DEG	F	A518	SKIP
A519	SKIP	DEG	F	A520	SKIP	DEG	F	A521	SKIP
A522	SKIP	DEG	F	A523	SKIP	DEG	F	A524	SKIP
A525	SKIP	DEG	F	A526	SKIP	DEG	F	A527	SKIP
A528	SKIP	DEG	F	A529	SKIP	DEG	F	A530	SKIP
A531	SKIP	DEG	F	A532	SKIP	DEG	F	A533	SKIP
A534	SKIP	DEG	F	A535	SKIP	DEG	F	A536	SKIP
A537	SKIP	DEG	F	A538	SKIP	DEG	F	A539	SKIP
A540	SKIP	DEG	F	A541	SKIP	DEG	F	A542	SKIP
A543	SKIP	DEG	F	A544	SKIP	DEG	F	A545	SKIP
A546	SKIP	DEG	F	A547	SKIP	DEG	F	A548	SKIP
A549	SKIP	DEG	F	A550	SKIP	DEG	F	A551	SKIP
A552	SKIP	DEG	F	A553	SKIP	DEG	F	A554	SKIP
A555	SKIP	DEG	F	A556	SKIP	DEG	F	A557	SKIP
A558	SKIP	DEG	F	A559	SKIP	DEG	F	A560	SKIP
A561	SKIP	DEG	F	A562	SKIP	DEG	F	A563	SKIP
A564	SKIP	DEG	F	A565	SKIP	DEG	F	A566	SKIP
A567	SKIP	DEG	F	A568	SKIP	DEG	F	A569	SKIP
A570	SKIP	DEG	F	A571	SKIP	DEG	F	A572	SKIP
A573	SKIP	DEG	F	A574	SKIP	DEG	F	A575	SKIP
A576	SKIP	DEG	F	A577	SKIP	DEG	F	A578	SKIP
A579	SKIP	DEG	F	A580	SKIP	DEG	F	A581	SKIP
A582	SKIP	DEG	F	A583	SKIP	DEG	F	A584	SKIP
A585	SKIP	DEG	F	A586	SKIP	DEG	F	A587	SKIP
A588	SKIP	DEG	F	A589	SKIP	DEG	F	A590	SKIP
A591	SKIP	DEG	F	A592	SKIP	DEG	F	A593	SKIP
A594	SKIP	DEG	F	A595	SKIP	DEG	F	A596	SKIP
A597	SKIP	DEG	F	A598	SKIP	DEG	F	A599	SKIP
A600	SKIP	DEG	F	A601	SKIP	DEG	F	A602	SKIP
A603	SKIP	DEG	F	A604	SKIP	DEG	F	A605	SKIP
A606	SKIP	DEG	F	A607	SKIP	DEG	F	A608	SKIP
A609	SKIP	DEG	F	A610	SKIP	DEG	F	A611	SKIP
A612	SKIP	DEG	F	A613	SKIP	DEG	F	A614	SKIP
A615	SKIP	DEG	F	A616	SKIP	DEG	F	A617	SKIP
A618	SKIP	DEG	F	A619	SKIP	DEG	F	A620	SKIP
A621	SKIP	DEG	F	A622	SKIP	DEG	F	A623	SKIP
A624	SKIP	DEG	F	A625	SKIP	DEG	F	A626	SKIP
A627	SKIP	DEG	F	A628	SKIP	DEG	F		



[illegible]



RECEIVED - ATTORNEY GENERAL - DEPT. OF JUSTICE - WASHINGTON, D.C. 20530

ALI	ACTIVE ALARMS:	NONE
DATALOG GROUP 1	5 FEB 98 14:30	SAMPLE RATE: 10 MINUTES
A11	75.7	DEG
A12	67.1	DEG
A13	74.4	DEG
A14	76.0	DEG
A15	76.4	DEG
A16	66.9	DEG
A17	75.6	DEG
A18	79.4	DEG
A19	69.6	DEG
A110	73.2	DEG
A111	73.9	DEG
A112	79.3	DEG
A113	69.2	DEG
A114	74.1	DEG
A115	74.0	DEG
A116	74.0	DEG
A117	67.8	DEG
A118	70.9	DEG
A119	88.6	DEG
A120	74.0	DEG
A121	68.8	DEG
A122	74.0	DEG
A123	74.0	DEG
A124	74.0	DEG
A125	74.0	DEG
A126	74.0	DEG
A127	74.0	DEG
A128	74.0	DEG
A129	74.0	DEG
A130	74.0	DEG
A131	74.0	DEG
A132	74.0	DEG
A133	74.0	DEG
A134	74.0	DEG
A135	74.0	DEG
A136	74.0	DEG
A137	74.0	DEG
A138	74.0	DEG
A139	74.0	DEG
A140	74.0	DEG
A141	74.0	DEG
A142	74.0	DEG
A143	74.0	DEG
A144	74.0	DEG
A145	74.0	DEG
A146	74.0	DEG
A147	74.0	DEG
A148	74.0	DEG
A149	74.0	DEG
A150	74.0	DEG
A151	74.0	DEG
A152	74.0	DEG
A153	74.0	DEG
A154	74.0	DEG
A155	74.0	DEG
A156	74.0	DEG
A157	74.0	DEG
A158	74.0	DEG
A159	74.0	DEG
A160	74.0	DEG
A161	74.0	DEG
A162	74.0	DEG
A163	74.0	DEG
A164	74.0	DEG
A165	74.0	DEG
A166	74.0	DEG
A167	74.0	DEG
A168	74.0	DEG
A169	74.0	DEG
A170	74.0	DEG
A171	74.0	DEG
A172	74.0	DEG
A173	74.0	DEG
A174	74.0	DEG
A175	74.0	DEG
A176	74.0	DEG
A177	74.0	DEG
A178	74.0	DEG
A179	74.0	DEG
A180	74.0	DEG
A181	74.0	DEG
A182	74.0	DEG
A183	74.0	DEG
A184	74.0	DEG
A185	74.0	DEG
A186	74.0	DEG
A187	74.0	DEG
A188	74.0	DEG
A189	74.0	DEG
A190	74.0	DEG
A191	74.0	DEG
A192	74.0	DEG
A193	74.0	DEG
A194	74.0	DEG
A195	74.0	DEG
A196	74.0	DEG
A197	74.0	DEG
A198	74.0	DEG
A199	74.0	DEG
A200	74.0	DEG
A201	74.0	DEG
A202	74.0	DEG
A203	74.0	DEG
A204	74.0	DEG
A205	74.0	DEG
A206	74.0	DEG
A207	74.0	DEG
A208	74.0	DEG
A209	74.0	DEG
A210	74.0	DEG
A211	74.0	DEG
A212	74.0	DEG
A213	74.0	DEG
A214	74.0	DEG
A215	74.0	DEG
A216	74.0	DEG
A217	74.0	DEG
A218	74.0	DEG

Att. III page 19 of 199



ALL	ACTIVE ALARMS:	NONE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	</
-----	----------------	------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	----

Page 28 of 199





A125 SKIP DEG F		A126 SKIP DEG F		A127 SKIP DEG F		A128 SKIP DEG F	
A129 SKIP DEG F		A130 SKIP DEG F		A131 SKIP DEG F		A132 SKIP DEG F	
ALL ACTIVE ALARMS: NONE							
DATALOG GROUP 1		15 FEB 98 16:30		SAMPLE RATE: 10 MINUTES			
A125	75.5	A126	66.6	A127	74.0	A128	75.7
A129	76.1	A130	66.6	A131	74.0	A132	66.7
A113	69.3	A114	74.4	A115	68.5	A116	78.9
A121	73.4	A122	73.4	A123	88.7	A124	68.8
A125	67.7	A126	67.7	A127	88.7	A128	73.7
A129	67.7	A130	67.7	A131	88.7	A132	67.7
ALL ACTIVE ALARMS: NONE							
DATALOG GROUP 1		15 FEB 98 16:20		SAMPLE RATE: 10 MINUTES			
A125	75.5	A126	66.6	A127	74.0	A128	75.8
A129	76.1	A130	66.6	A131	74.0	A132	66.6
A113	69.3	A114	74.4	A115	68.5	A116	79.0
A121	73.4	A122	73.4	A123	88.7	A124	69.0
A125	67.7	A126	67.7	A127	88.7	A128	73.7
A129	67.7	A130	67.7	A131	88.7	A132	67.7
ALL ACTIVE ALARMS: NONE							
DATALOG GROUP 1		15 FEB 98 16:10		SAMPLE RATE: 10 MINUTES			
A125	75.4	A126	66.7	A127	74.1	A128	75.9
A129	76.0	A130	66.7	A131	74.1	A132	66.7
A113	69.3	A114	74.4	A115	68.5	A116	79.0
A121	73.4	A122	73.4	A123	88.7	A124	69.0
A125	67.7	A126	67.7	A127	88.7	A128	73.7
A129	67.7	A130	67.7	A131	88.7	A132	67.7
ALL ACTIVE ALARMS: NONE							
DATALOG GROUP 1		15 FEB 98 16:00		SAMPLE RATE: 10 MINUTES			
A125	75.5	A126	66.6	A127	74.0	A128	75.8
A129	76.1	A130	66.6	A131	74.0	A132	66.6
A113	69.3	A114	74.4	A115	68.5	A116	79.0
A121	73.4	A122	73.4	A123	88.7	A124	69.0
A125	67.7	A126	67.7	A127	88.7	A128	73.7
A129	67.7	A130	67.7	A131	88.7	A132	67.7
ALL ACTIVE ALARMS: NONE							
DATALOG GROUP 1		15 FEB 98 15:50		SAMPLE RATE: 10 MINUTES			
A125	75.5	A126	66.6	A127	74.0	A128	76.0
A129	76.1	A130	66.6	A131	74.0	A132	66.6
A113	69.3	A114	74.4	A115	68.5	A116	79.0
A121	73.4	A122	73.4	A123	88.7	A124	69.0
A125	67.7	A126	67.7	A127	88.7	A128	73.7
A129	67.7	A130	67.7	A131	88.7	A132	67.7
ALL ACTIVE ALARMS: NONE							
DATALOG GROUP 1		15 FEB 98 15:40		SAMPLE RATE: 10 MINUTES			
A125	75.5	A126	66.6	A127	74.0	A128	75.8
A129	76.1	A130	66.6	A131	74.0	A132	66.6
A113	69.3	A114	74.4	A115	68.5	A116	79.0
A121	73.4	A122	73.4	A123	88.7	A124	69.0
A125	67.7	A126	67.7	A127	88.7	A128	73.7
A129	67.7	A130	67.7	A131	88.7	A132	67.7

ATT. III page 22 of 199



24
25
26
27
28

GROUP 1				GROUP 2				GROUP 3				GROUP 4			
A11	75.5	DEG		A12	66.8	DEG		A13	74.0	DEG		A14	75.8	DEG	
A15	76.2	DEG		A16	66.8	DEG		A17	75.1	DEG		A18	66.7	DEG	
A19	69.2	DEG		A110	74.4	DEG		A111	68.4	DEG		A112	79.1	DEG	
A114	73.0	DEG		A115	73.6	DEG		A116	69.0	DEG		A117	73.6	DEG	
A121	67.6	DEG		A122	SKIP	DEG		A123	SKIP	DEG		A124	SKIP	DEG	
A125	SKIP	DEG		A126	SKIP	DEG		A127	SKIP	DEG		A128	SKIP	DEG	
A129	SKIP	DEG		A130	SKIP	DEG									
ALL ACTIVE ALARMS: NONE				ALL ACTIVE ALARMS: NONE				ALL ACTIVE ALARMS: NONE				ALL ACTIVE ALARMS: NONE			
DATALOG GROUP 1 15 FEB 90 17:10 SAMPLE RATE: 10 MINUTES				DATALOG GROUP 1 15 FEB 90 17:00 SAMPLE RATE: 10 MINUTES				DATALOG GROUP 1 15 FEB 90 16:50 SAMPLE RATE: 10 MINUTES				DATALOG GROUP 1 15 FEB 90 16:40 SAMPLE RATE: 10 MINUTES			
A11	75.5	DEG		A12	66.8	DEG		A13	74.0	DEG		A14	75.8	DEG	
A15	76.2	DEG		A16	66.8	DEG		A17	75.1	DEG		A18	66.7	DEG	
A19	69.2	DEG		A110	74.4	DEG		A111	68.4	DEG		A112	79.1	DEG	
A114	73.0	DEG		A115	73.6	DEG		A116	69.0	DEG		A117	73.6	DEG	
A121	67.6	DEG		A122	SKIP	DEG		A123	SKIP	DEG		A124	SKIP	DEG	
A125	SKIP	DEG		A126	SKIP	DEG		A127	SKIP	DEG		A128	SKIP	DEG	
A129	SKIP	DEG		A130	SKIP	DEG									
ALL ACTIVE ALARMS: NONE				ALL ACTIVE ALARMS: NONE				ALL ACTIVE ALARMS: NONE				ALL ACTIVE ALARMS: NONE			
DATALOG GROUP 1 15 FEB 90 16:30 SAMPLE RATE: 10 MINUTES				DATALOG GROUP 1 15 FEB 90 16:20 SAMPLE RATE: 10 MINUTES				DATALOG GROUP 1 15 FEB 90 16:10 SAMPLE RATE: 10 MINUTES				DATALOG GROUP 1 15 FEB 90 16:00 SAMPLE RATE: 10 MINUTES			
A11	75.5	DEG		A12	66.8	DEG		A13	74.0	DEG		A14	75.8	DEG	
A15	76.2	DEG		A16	66.8	DEG		A17	75.1	DEG		A18	66.7	DEG	
A19	69.2	DEG		A110	74.4	DEG		A111	68.4	DEG		A112	79.1	DEG	
A114	73.0	DEG		A115	73.6	DEG		A116	69.0	DEG		A117	73.6	DEG	
A121	67.6	DEG		A122	SKIP	DEG		A123	SKIP	DEG		A124	SKIP	DEG	
A125	SKIP	DEG		A126	SKIP	DEG		A127	SKIP	DEG		A128	SKIP	DEG	
A129	SKIP	DEG		A130	SKIP	DEG									
ALL ACTIVE ALARMS: NONE				ALL ACTIVE ALARMS: NONE				ALL ACTIVE ALARMS: NONE				ALL ACTIVE ALARMS: NONE			

CH. III page 23 of 199

GROUP 1											
15 FEB 98											
17:50											
SAMPLE RATE 10 MINUTES											
A1	75.4	DEG	A12	66.7	DEG	A13	73.9	DEG	A14	75.7	DEG
A15	66.7	DEG	A16	74.9	DEG	A17	74.9	DEG	A18	66.7	DEG
A19	79.1	DEG	A110	74.9	DEG	A111	68.6	DEG	A112	79.1	DEG
A113	69.0	DEG	A114	73.6	DEG	A115	73.6	DEG	A116	69.0	DEG
A117	67.1	DEG	A118	70.2	DEG	A119	88.8	DEG	A120	73.6	DEG
A121	67.1	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	67.1	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	67.1	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
GROUP 1											
15 FEB 98											
17:40											
SAMPLE RATE 10 MINUTES											
A1	75.4	DEG	A12	66.7	DEG	A13	73.9	DEG	A14	75.7	DEG
A15	66.7	DEG	A16	74.9	DEG	A17	74.9	DEG	A18	66.7	DEG
A19	79.1	DEG	A110	74.9	DEG	A111	68.6	DEG	A112	79.1	DEG
A113	69.0	DEG	A114	73.6	DEG	A115	73.6	DEG	A116	69.0	DEG
A117	67.1	DEG	A118	70.2	DEG	A119	88.8	DEG	A120	73.6	DEG
A121	67.1	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	67.1	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	67.1	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
GROUP 1											
15 FEB 98											
17:30											
SAMPLE RATE 10 MINUTES											
A1	75.4	DEG	A12	66.7	DEG	A13	73.9	DEG	A14	75.7	DEG
A15	66.7	DEG	A16	74.9	DEG	A17	74.9	DEG	A18	66.7	DEG
A19	79.1	DEG	A110	74.9	DEG	A111	68.6	DEG	A112	79.1	DEG
A113	69.0	DEG	A114	73.6	DEG	A115	73.6	DEG	A116	69.0	DEG
A117	67.1	DEG	A118	70.2	DEG	A119	88.8	DEG	A120	73.6	DEG
A121	67.1	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	67.1	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	67.1	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
GROUP 1											
15 FEB 98											
17:20											
SAMPLE RATE 10 MINUTES											
A1	75.4	DEG	A12	66.7	DEG	A13	74.0	DEG	A14	75.8	DEG
A15	66.7	DEG	A16	74.9	DEG	A17	74.9	DEG	A18	66.7	DEG
A19	79.1	DEG	A110	74.9	DEG	A111	68.4	DEG	A112	79.1	DEG
A113	69.0	DEG	A114	73.6	DEG	A115	73.6	DEG	A116	69.0	DEG
A117	67.1	DEG	A118	70.2	DEG	A119	88.8	DEG	A120	73.6	DEG
A121	67.1	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	67.1	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	67.1	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
GROUP 1											
15 FEB 98											
17:10											
SAMPLE RATE 10 MINUTES											
A1	75.4	DEG	A12	66.7	DEG	A13	74.0	DEG	A14	75.9	DEG
A15	66.7	DEG	A16	74.9	DEG	A17	74.9	DEG	A18	66.7	DEG
A19	79.1	DEG	A110	74.9	DEG	A111	68.4	DEG	A112	79.1	DEG
A113	69.0	DEG	A114	73.6	DEG	A115	73.6	DEG	A116	69.0	DEG
A117	67.1	DEG	A118	70.2	DEG	A119	88.8	DEG	A120	73.6	DEG
A121	67.1	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	67.1	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	67.1	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
GROUP 1											
15 FEB 98											
17:00											
SAMPLE RATE 10 MINUTES											
A1	75.4	DEG	A12	66.7	DEG	A13	74.0	DEG	A14	75.9	DEG
A15	66.7	DEG	A16	74.9	DEG	A17	74.9	DEG	A18	66.7	DEG
A19	79.1	DEG	A110	74.9	DEG	A111	68.4	DEG	A112	79.1	DEG
A113	69.0	DEG	A114	73.6	DEG	A115	73.6	DEG	A116	69.0	DEG
A117	67.1	DEG	A118	70.2	DEG	A119	88.8	DEG	A120	73.6	DEG
A121	67.1	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	67.1	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	67.1	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											



DATALOG GROUP 1		15 FEB 98		18:40		SAMPLE RATE: 10		MINUTES																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
-----------------	--	-----------	--	-------	--	-----------------	--	---------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

CH. III page 25 of 199



10-10
10-10
10-10
10-10
10-10

DATALOG GROUP 1		15 FEB 98	19:20	SAMPLE RATE: 10 MINUTES																
AI1	75.4	DEG	AI2	66.7	DEG	AI3	74.0	DEG	AI4	75.9	DEG	AI5	76.2	DEG	AI6	66.7	DEG	AI7	74.0	DEG
AI8	76.2	DEG	AI9	66.7	DEG	AI10	74.0	DEG	AI11	76.2	DEG	AI12	76.2	DEG	AI13	66.7	DEG	AI14	74.0	DEG
AI15	76.2	DEG	AI16	66.7	DEG	AI17	74.0	DEG	AI18	76.2	DEG	AI19	76.2	DEG	AI20	66.7	DEG	AI21	74.0	DEG
AI22	76.2	DEG	AI23	66.7	DEG	AI24	74.0	DEG	AI25	76.2	DEG	AI26	76.2	DEG	AI27	66.7	DEG	AI28	74.0	DEG
AI29	76.2	DEG	AI30	66.7	DEG	AI31	74.0	DEG	AI32	76.2	DEG	AI33	76.2	DEG	AI34	66.7	DEG	AI35	74.0	DEG
AI36	76.2	DEG	AI37	66.7	DEG	AI38	74.0	DEG	AI39	76.2	DEG	AI40	76.2	DEG	AI41	66.7	DEG	AI42	74.0	DEG
AI43	76.2	DEG	AI44	66.7	DEG	AI45	74.0	DEG	AI46	76.2	DEG	AI47	76.2	DEG	AI48	66.7	DEG	AI49	74.0	DEG
AI50	76.2	DEG	AI51	66.7	DEG	AI52	74.0	DEG	AI53	76.2	DEG	AI54	76.2	DEG	AI55	66.7	DEG	AI56	74.0	DEG
AI57	76.2	DEG	AI58	66.7	DEG	AI59	74.0	DEG	AI60	76.2	DEG	AI61	76.2	DEG	AI62	66.7	DEG	AI63	74.0	DEG
AI64	76.2	DEG	AI65	66.7	DEG	AI66	74.0	DEG	AI67	76.2	DEG	AI68	76.2	DEG	AI69	66.7	DEG	AI70	74.0	DEG
AI71	76.2	DEG	AI72	66.7	DEG	AI73	74.0	DEG	AI74	76.2	DEG	AI75	76.2	DEG	AI76	66.7	DEG	AI77	74.0	DEG
AI78	76.2	DEG	AI79	66.7	DEG	AI80	74.0	DEG	AI81	76.2	DEG	AI82	76.2	DEG	AI83	66.7	DEG	AI84	74.0	DEG
AI85	76.2	DEG	AI86	66.7	DEG	AI87	74.0	DEG	AI88	76.2	DEG	AI89	76.2	DEG	AI90	66.7	DEG	AI91	74.0	DEG
AI92	76.2	DEG	AI93	66.7	DEG	AI94	74.0	DEG	AI95	76.2	DEG	AI96	76.2	DEG	AI97	66.7	DEG	AI98	74.0	DEG
AI99	76.2	DEG	AI100	66.7	DEG	AI101	74.0	DEG	AI102	76.2	DEG	AI103	76.2	DEG	AI104	66.7	DEG	AI105	74.0	DEG
AI106	76.2	DEG	AI107	66.7	DEG	AI108	74.0	DEG	AI109	76.2	DEG	AI110	76.2	DEG	AI111	66.7	DEG	AI112	74.0	DEG
AI113	76.2	DEG	AI114	66.7	DEG	AI115	74.0	DEG	AI116	76.2	DEG	AI117	76.2	DEG	AI118	66.7	DEG	AI119	74.0	DEG
AI120	76.2	DEG	AI121	66.7	DEG	AI122	74.0	DEG	AI123	76.2	DEG	AI124	76.2	DEG	AI125	66.7	DEG	AI126	74.0	DEG
AI127	76.2	DEG	AI128	66.7	DEG	AI129	74.0	DEG	AI130	76.2	DEG	AI131	76.2	DEG	AI132	66.7	DEG	AI133	74.0	DEG
AI134	76.2	DEG	AI135	66.7	DEG	AI136	74.0	DEG	AI137	76.2	DEG	AI138	76.2	DEG	AI139	66.7	DEG	AI140	74.0	DEG
AI141																				



11
40
100
234
100

11
40
100
234
100

11
40
100
234
100



DATE: 15 FEB 90 TIME: 12:00:00 SAMPLE RATE: 10 MINUTES

GROUP	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
GROUP 1	75.6	76.9	78.3	79.7	81.1	82.5	83.9	85.3	86.7	88.1	89.5	90.9	92.3	93.7	95.1	96.5	97.9	99.3	100.7	102.1	103.5	104.9	106.3	107.7	109.1	110.5	111.9	113.3	114.7	116.1	117.5	118.9	120.3	121.7	123.1	124.5	125.9	127.3	128.7	130.1	131.5	132.9	134.3	135.7	137.1	138.5	139.9	141.3	142.7	144.1	145.5	146.9	148.3	149.7	151.1	152.5	153.9	155.3	156.7	158.1	159.5	160.9	162.3	163.7	165.1	166.5	167.9	169.3	170.7	172.1	173.5	174.9	176.3	177.7	179.1	180.5	181.9	183.3	184.7	186.1	187.5	188.9	190.3	191.7	193.1	194.5	195.9	197.3	198.7	200.1	201.5	202.9	204.3	205.7	207.1	208.5	209.9	211.3	212.7	214.1	215.5	216.9	218.3	219.7	221.1	222.5	223.9	225.3	226.7	228.1	229.5	230.9	232.3	233.7	235.1	236.5	237.9	239.3	240.7	242.1	243.5	244.9	246.3	247.7	249.1	250.5	251.9	253.3	254.7	256.1	257.5	258.9	260.3	261.7	263.1	264.5	265.9	267.3	268.7	270.1	271.5	272.9	274.3	275.7	277.1	278.5	279.9	281.3	282.7	284.1	285.5	286.9	288.3	289.7	291.1	292.5	293.9	295.3	296.7	298.1	299.5	300.9	302.3	303.7	305.1	306.5	307.9	309.3	310.7	312.1	313.5	314.9	316.3	317.7	319.1	320.5	321.9	323.3	324.7	326.1	327.5	328.9	330.3	331.7	333.1	334.5	335.9	337.3	338.7	340.1	341.5	342.9	344.3	345.7	347.1	348.5	349.9	351.3	352.7	354.1	355.5	356.9	358.3	359.7	361.1	362.5	363.9	365.3	366.7	368.1	369.5	370.9	372.3	373.7	375.1	376.5	377.9	379.3	380.7	382.1	383.5	384.9	386.3	387.7	389.1	390.5	391.9	393.3	394.7	396.1	397.5	398.9	400.3	401.7	403.1	404.5	405.9	407.3	408.7	410.1	411.5	412.9	414.3	415.7	417.1	418.5	419.9	421.3	422.7	424.1	425.5	426.9	428.3	429.7	431.1	432.5	433.9	435.3	436.7	438.1	439.5	440.9	442.3	443.7	445.1	446.5	447.9	449.3	450.7	452.1	453.5	454.9	456.3	457.7	459.1	460.5	461.9	463.3	464.7	466.1	467.5	468.9	470.3	471.7	473.1	474.5	475.9	477.3	478.7	480.1	481.5	482.9	484.3	485.7	487.1	488.5	489.9	491.3	492.7	494.1	495.5	496.9	498.3	499.7	501.1	502.5	503.9	505.3	506.7	508.1	509.5	510.9	512.3	513.7	515.1	516.5	517.9	519.3	520.7	522.1	523.5	524.9	526.3	527.7	529.1	530.5	531.9	533.3	534.7	536.1	537.5	538.9	540.3	541.7	543.1	544.5	545.9	547.3	548.7	550.1	551.5	552.9	554.3	555.7	557.1	558.5	559.9	561.3	562.7	564.1	565.5	566.9	568.3	569.7	571.1	572.5	573.9	575.3	576.7	578.1	579.5	580.9	582.3	583.7	585.1	586.5	587.9	589.3	590.7	592.1	593.5	594.9	596.3	597.7	599.1	600.5	601.9	603.3	604.7	606.1	607.5	608.9	610.3	611.7	613.1	614.5	615.9	617.3	618.7	620.1	621.5	622.9	624.3	625.7	627.1	628.5	629.9	631.3	632.7	634.1	635.5	636.9	638.3	639.7	641.1	642.5	643.9	645.3	646.7	648.1	649.5	650.9	652.3	653.7	655.1	656.5	657.9	659.3	660.7	662.1	663.5	664.9	666.3	667.7	669.1	670.5	671.9	673.3	674.7	676.1	677.5	678.9	680.3	681.7	683.1	684.5	685.9	687.3	688.7	690.1	691.5	692.9	694.3	695.7	697.1	698.5	699.9	701.3	702.7	704.1	705.5	706.9	708.3	709.7	711.1	712.5	713.9	715.3	716.7	718.1	719.5	720.9	722.3	723.7	725.1	726.5	727.9	729.3	730.7	732.1	733.5	734.9	736.3	737.7	739.1	740.5	741.9	743.3	744.7	746.1	747.5	748.9	750.3	751.7	753.1	754.5	755.9	757.3	758.7	760.1	761.5	762.9	764.3	765.7	767.1	768.5	769.9	771.3	772.7	774.1	775.5	776.9	778.3	779.7	781.1	782.5	783.9	785.3	786.7	788.1	789.5	790.9	792.3	793.7	795.1	796.5	797.9	799.3	800.7	802.1	803.5	804.9	806.3	807.7	809.1	810.5	811.9	813.3	814.7	816.1	817.5	818.9	820.3	821.7	823.1	824.5	825.9	827.3	828.7	830.1	831.5	832.9	834.3	835.7	837.1	838.5	839.9	841.3	842.7	844.1	845.5	846.9	848.3	849.7	851.1	852.5	853.9	855.3	856.7	858.1	859.5	860.9	862.3	863.7	865.1	866.5	867.9	869.3	870.7	872.1	873.5	874.9	876.3	877.7	879.1	880.5	881.9	883.3	884.7	886.1	887.5	888.9	890.3	891.7	893.1	894.5	895.9	897.3	898.7	900.1	901.5	902.9	904.3	905.7	907.1	908.5	909.9	911.3	912.7	914.1	915.5	916.9	918.3	919.7	921.1	922.5	923.9	925.3	926.7	928.1	929.5	930.9	932.3	933.7	935.1	936.5	937.9	939.3	940.7	942.1	943.5	944.9	946.3	947.7	949.1	950.5	951.9	953.3	954.7	956.1	957.5	958.9	960.3	961.7	963.1	964.5	965.9	967.3	968.7	970.1	971.5	972.9	974.3	975.7	977.1	978.5	979.9	981.3	982.7	984.1	985.5	986.9	988.3	989.7	991.1	992.5	993.9	995.3	996.7	998.1	999.5	1000.9	1002.3	1003.7	1005.1	1006.5	1007.9	1009.3	1010.7	1012.1	1013.5	1014.9	1016.3	1017.7	1019.1	1020.5	1021.9	1023.3	1024.7	1026.1	1027.5	1028.9	1030.3	1031.7	1033.1	1034.5	1035.9	1037.3	1038.7	1040.1	1041.5	1042.9	1044.3	1045.7	1047.1	1048.5	1049.9	1051.3	1052.7	1054.1	1055.5	1056.9	1058.3	1059.7	1061.1	1062.5	1063.9	1065.3	1066.7	1068.1	1069.5	1070.9	1072.3	1073.7	1075.1	1076.5	1077.9	1079.3	1080.7	1082.1	1083.5	1084.9	1086.3	1087.7	1089.1	1090.5	1091.9	1093.3	1094.7	1096.1	1097.5	1098.9	1100.3	1101.7	1103.1	1104.5	1105.9	1107.3	1108.7	1110.1	1111.5	1112.9	1114.3	1115.7	1117.1	1118.5	1119.9	1121.3	1122.7	1124.1	1125.5	1126.9	1128.3	1129.7	1131.1	1132.5	1133.9	1135.3	1136.7	1138.1	1139.5	1140.9	1142.3	1143.7	1145.1	1146.5	1147.9	1149.3	1150.7	1152.1	1153.5	1154.9	1156.3	1157.7	1159.1	1160.5	1161.9	1163.3	1164.7	1166.1	1167.5	1168.9	1170.3	1171.7	1173.1	1174.5	1175.9	1177.3	1178.7	1180.1	1181.5	1182.9	1184.3	1185.7	1187.1	1188.5	1189.9	1191.3	1192.7	1194.1	1195.5	1196.9	1198.3	1199.7	1201.1	1202.5	1203.9	1205.3	1206.7	1208.1	1209.5	1210.9	1212.3	1213.7	1215.1	1216.5	1217.9	1219.3	1220.7	1222.1	1223.5	1224.9	1226.3	1227.7	1229.1	1230.5	1231.9	1233.3	1234.7	1236.1	1237.5	1238.9	1240.3	1241.7	1243.1	1244.5	1245.9	1247.3	1248.7	1250.1	1251.5	1252.9	1254.3	1255.7	1257.1	1258.5	1259.9	1261.3	1262.7	1264.1	1265.5	1266.9	1268.3	1269.7	1271.1	1272.5	1273.9	1275.3	1276.7	1278.1	1279.5	1280.9	1282.3	1283.7	1285.1	1286.5	1287.9	1289.3	1290.7	1292.1	1293.5	1294.9	1296.3	1297.7	1299.1	1300.5	1301.9	1303.3	1304.7	1306.1	1307.5	1308.9	1310.3	1311.7	1313.1	1314.5	1315.9	1317.3	1318.7	1320.1	1321.5	1322.9	1324.3	1325.7	1327.1	1328.5	1329.9	1331.3	1332.7	1334.1	1335.5	1336.9	1338.3	1339.7	1341.1	1342.5	1343.9	1345.3	1346.7	1348.1	1349.5	1350.9	1352.3	1353.7	1355.1	1356.5	1357.9	1359.3	1360.7	1362.1	1363.5	1364.9	1366.3	1367.7	1369.1	1370.5	1371.9	1373.3	1374.7	1376.1	1377.5	1378.9	1380.3	1381.7	1383.1	1384.5	1385.9	1387.3	1388.7	1390.1	1391.5	1392.9	1394.3	1395.7	1397.1	1398.5	1399.9	1401.3	1402.7	1404.1	1405.5	1406.9	1408.3	1409.7	1411.1	1412.5	1413.9	1415.3	1416.7	1418.1	1419.5	1420.9	1422.3	1423.7	1425.1	1426.5	1427.9	1429.3	1430.7	1432.1	1433.5	1434.9	1436.3	1437.7	1439.1	1440.5	1441.9	1443.3	1444.7	1446.1	1447.5	1448.9	1450.3	1451.7	1453.1	1454.5	1455.9	1457.3	1458.7	1460.1	1461.5	1462.9	1464.3	1465.7	1467.1	1468.5	1469.9	1471.3	1472.7	1474.1	1475.5	1476.9	1478.3	1479.7	1481.1	1482.5	1483.9	1485.3	1486.7	1488.1	1489.5	1490.9	1492.3	1493.7	1495.1	1496.5	1497.9	1499.3	1500.7	1502.1	1503.5	1504.9	1506.3	1507.7	1509.1	1510.5	1511.9	1513.3	1514.7	1516.1	1517.5	1518.9	1520.3	1521.7	1523.1	1524.5	1525.9	1527.3	1528.7	1530.1	1531.5	1532.9	1534.3	1535.7	1537.1	1538.5	1539.9	1541.3	1542.7	1544.1	1545.5	1546.9	1548.3	1549.7	1551.1	1552.5	1553.9	1555.3	1556.7	1558.1	1559.5	1560.9	1562.3	1563.7	1565.1	1566.5	1567.9	1569.3	1570.7	1572.1	1573.5	1574.9	1576.3	1577.7	1579.1	1580.5	1581.9	1583.3	1584.7	1586.1	1587.5	1588.9	1590.3	1591.7	1593.1	1594.5	1595.9	1597.3	1598.7	1600.1	1601.5	1602.9	1604.3	1605.7	1607.1	1608.5	1609.9	1611.3	1612.7	1614.1	1615.5	1616.9	1618.3	1619.7	1621.1	1622.5	1623.9	1625.3	162

DATALOG GROUP 1	15 FEB 98	21:20	SAMPLE RATE: 10 MINUTES	A13	74.1	DEG	A14	75.8	DEG		
A15	76.2	DEG	A16	66.9	DEG	A17	73.1	DEG	A18	66.9	DEG
A19	69.3	DEG	A110	72.9	DEG	A111	68.9	DEG	A112	79.0	DEG
A113	74.9	DEG	A114	74.1	DEG	A115	77.7	DEG	A116	68.8	DEG
A117	67.3	DEG	A118	78.1	DEG	A119	88.6	DEG	A120	73.4	DEG
A121	67.4	DEG	A122	70.1	DEG	A123	88.6	DEG	A124	73.4	DEG
A125	67.4	DEG	A126	70.1	DEG	A127	88.6	DEG	A128	73.4	DEG
A129	67.4	DEG	A130	70.1	DEG						
ALL	ACTIVE ALARMS:	NONE									
DATALOG GROUP 1	15 FEB 98	21:10	SAMPLE RATE: 10 MINUTES	A13	74.1	DEG	A14	75.8	DEG		
A15	76.2	DEG	A16	66.9	DEG	A17	73.1	DEG	A18	66.9	DEG
A19	69.3	DEG	A110	72.9	DEG	A111	68.9	DEG	A112	79.0	DEG
A113	74.9	DEG	A114	74.1	DEG	A115	77.7	DEG	A116	68.8	DEG
A117	67.3	DEG	A118	78.1	DEG	A119	88.6	DEG	A120	73.4	DEG
A121	67.4	DEG	A122	70.1	DEG	A123	88.6	DEG	A124	73.4	DEG
A125	67.4	DEG	A126	70.1	DEG	A127	88.6	DEG	A128	73.4	DEG
A129	67.4	DEG	A130	70.1	DEG						
ALL	ACTIVE ALARMS:	NONE									
DATALOG GROUP 1	15 FEB 98	21:00	SAMPLE RATE: 10 MINUTES	A13	74.1	DEG	A14	75.8	DEG		
A15	76.2	DEG	A16	66.9	DEG	A17	73.1	DEG	A18	66.9	DEG
A19	69.3	DEG	A110	72.9	DEG	A111	68.9	DEG	A112	79.0	DEG
A113	74.9	DEG	A114	74.1	DEG	A115	77.7	DEG	A116	68.8	DEG
A117	67.3	DEG	A118	78.1	DEG	A119	88.6	DEG	A120	73.4	DEG
A121	67.4	DEG	A122	70.1	DEG	A123	88.6	DEG	A124	73.4	DEG
A125	67.4	DEG	A126	70.1	DEG	A127	88.6	DEG	A128	73.4	DEG
A129	67.4	DEG	A130	70.1	DEG						
ALL	ACTIVE ALARMS:	NONE									
DATALOG GROUP 1	15 FEB 98	20:50	SAMPLE RATE: 10 MINUTES	A13	74.1	DEG	A14	75.8	DEG		
A15	76.2	DEG	A16	66.9	DEG	A17	73.1	DEG	A18	66.9	DEG
A19	69.3	DEG	A110	72.9	DEG	A111	68.9	DEG	A112	79.0	DEG
A113	74.9	DEG	A114	74.1	DEG	A115	77.7	DEG	A116	68.8	DEG
A117	67.3	DEG	A118	78.1	DEG	A119	88.6	DEG	A120	73.4	DEG
A121	67.4	DEG	A122	70.1	DEG	A123	88.6	DEG	A124	73.4	DEG
A125	67.4	DEG	A126	70.1	DEG	A127	88.6	DEG	A128	73.4	DEG
A129	67.4	DEG	A130	70.1	DEG						
ALL	ACTIVE ALARMS:	NONE									
DATALOG GROUP 1	15 FEB 98	20:40	SAMPLE RATE: 10 MINUTES	A13	74.1	DEG	A14	75.8	DEG		
A15	76.2	DEG	A16	66.9	DEG	A17	73.1	DEG	A18	66.9	DEG
A19	69.3	DEG	A110	72.9	DEG	A111	68.9	DEG	A112	79.0	DEG
A113	74.9	DEG	A114	74.1	DEG	A115	77.7	DEG	A116	68.8	DEG
A117	67.3	DEG	A118	78.1	DEG	A119	88.6	DEG	A120	73.4	DEG
A121	67.4	DEG	A122	70.1	DEG	A123	88.6	DEG	A124	73.4	DEG
A125	67.4	DEG	A126	70.1	DEG	A127	88.6	DEG	A128	73.4	DEG
A129	67.4	DEG	A130	70.1	DEG						
ALL	ACTIVE ALARMS:	NONE									
DATALOG GROUP 1	15 FEB 98	20:30	SAMPLE RATE: 10 MINUTES	A13	74.1	DEG	A14	75.8	DEG		
A15	76.2	DEG	A16	66.9	DEG	A17	73.1	DEG	A18	66.9	DEG
A19	69.3	DEG	A110	72.9	DEG	A111	68.9	DEG	A112	79.0	DEG
A113	74.9	DEG	A114	74.1	DEG	A115	77.7	DEG	A116	68.8	DEG
A117	67.3	DEG	A118	78.1	DEG	A119	88.6	DEG	A120	73.4	DEG
A121	67.4	DEG	A122	70.1	DEG	A123	88.6	DEG	A124	73.4	DEG
A125	67.4	DEG	A126	70.1	DEG	A127	88.6	DEG	A128	73.4	DEG
A129	67.4	DEG	A130	70.1	DEG						
ALL	ACTIVE ALARMS:	NONE									
DATALOG GROUP 1	15 FEB 98	20:20	SAMPLE RATE: 10 MINUTES	A13	74.2	DEG	A14	76.0	DEG		
A15	76.3	DEG	A16	66.9	DEG	A17	73.4	DEG	A18	66.9	DEG
A19	69.3	DEG	A110	72.9	DEG	A111	68.9	DEG	A112	79.0	DEG
A113	74.9	DEG	A114	74.1	DEG	A115	77.7	DEG	A116	68.8	DEG
A117	67.3	DEG	A118	78.1	DEG	A119	88.6	DEG	A120	73.4	DEG
A121	67.4	DEG	A122	70.1	DEG	A123	88.6	DEG	A124	73.4	DEG
A125	67.4	DEG	A126	70.1	DEG	A127	88.6	DEG	A128	73.4	DEG
A129	67.4	DEG	A130	70.1	DEG						
ALL	ACTIVE ALARMS:	NONE									



[illegible]

HYAC. OFF. | PT 47.3
0946

STARTED COOLING
CONTROL RM. DOWN
FOR REMOVAL OF
HVALG

Q11. III page 30 of 199

NO. 677001

NO. 677001

NO. 677001

NO. 677001

NO. 677001

NO. 677001

NO. 677001

NO. 677001

DATALOG 15 FEB 98 21:48 SAMPLE RATE: 10 MINUTES
GROUP 1 ARP DEF F A12 66.6 DEF F

HYAC OFF. PT 47.3
6/4/6

3
N.H. III page 31 of 199



ACTIVE ALARMS (NOTE)												
DATALOG GROUP 1		15 FEB 90		22:00		SAMPLE RATE: 10 MINUTES						
A1	GRP	77.8	DEG	A12	68.8	DEG	A13	76.5	DEG	A14	80.5	DEG
A15	78.8	DEG	A16	69.8	DEG	A17	76.5	DEG	A18	71.7	DEG	
A19	69.8	DEG	A110	79.8	DEG	A111	70.9	DEG	A112	74.4	DEG	
A113	69.8	DEG	A114	68.8	DEG	A115	92.7	DEG	A116	74.4	DEG	
A117	69.8	DEG	A118	21.9	DEG	A119	23.5	DEG	A120	74.4	DEG	
A121	69.8	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG	
A125	69.8	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG	
A129	SKIP	DEG	A130	SKIP	DEG							
ALL ACTIVE ALARMS: NONE												
DATALOG GROUP 1		15 FEB 90		22:40		SAMPLE RATE: 10 MINUTES						
A1	GRP	77.8	DEG	A12	68.8	DEG	A13	76.5	DEG	A14	80.5	DEG
A15	78.8	DEG	A16	69.8	DEG	A17	76.5	DEG	A18	71.7	DEG	
A19	69.8	DEG	A110	79.8	DEG	A111	70.9	DEG	A112	74.4	DEG	
A113	69.8	DEG	A114	68.8	DEG	A115	92.7	DEG	A116	74.4	DEG	
A117	69.8	DEG	A118	21.9	DEG	A119	23.5	DEG	A120	74.4	DEG	
A121	69.8	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG	
A125	69.8	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG	
A129	SKIP	DEG	A130	SKIP	DEG							
ALL ACTIVE ALARMS: NONE												
DATALOG GROUP 1		15 FEB 90		22:30		SAMPLE RATE: 10 MINUTES						
A1	GRP	77.8	DEG	A12	68.8	DEG	A13	76.5	DEG	A14	80.5	DEG
A15	78.8	DEG	A16	69.8	DEG	A17	76.5	DEG	A18	71.7	DEG	
A19	69.8	DEG	A110	79.8	DEG	A111	70.9	DEG	A112	74.4	DEG	
A113	69.8	DEG	A114	68.8	DEG	A115	92.7	DEG	A116	74.4	DEG	
A117	69.8	DEG	A118	21.9	DEG	A119	23.5	DEG	A120	74.4	DEG	
A121	69.8	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG	
A125	69.8	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG	
A129	SKIP	DEG	A130	SKIP	DEG							
ALL ACTIVE ALARMS: NONE												
DATALOG GROUP 1		15 FEB 90		22:20		SAMPLE RATE: 10 MINUTES						
A1	GRP	77.8	DEG	A12	68.8	DEG	A13	76.5	DEG	A14	80.5	DEG
A15	78.8	DEG	A16	69.8	DEG	A17	76.5	DEG	A18	71.7	DEG	
A19	69.8	DEG	A110	79.8	DEG	A111	70.9	DEG	A112	74.4	DEG	
A113	69.8	DEG	A114	68.8	DEG	A115	92.7	DEG	A116	74.4	DEG	
A117	69.8	DEG	A118	21.9	DEG	A119	23.5	DEG	A120	74.4	DEG	
A121	69.8	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG	
A125	69.8	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG	
A129	SKIP	DEG	A130	SKIP	DEG							
ALL ACTIVE ALARMS: NONE												
DATALOG GROUP 1		15 FEB 90		22:10		SAMPLE RATE: 10 MINUTES						
A1	GRP	77.8	DEG	A12	68.8	DEG	A13	76.5	DEG	A14	80.5	DEG
A15	78.8	DEG	A16	69.8	DEG	A17	76.5	DEG	A18	71.7	DEG	
A19	69.8	DEG	A110	79.8	DEG	A111	70.9	DEG	A112	74.4	DEG	
A113	69.8	DEG	A114	68.8	DEG	A115	92.7	DEG	A116	74.4	DEG	
A117	69.8	DEG	A118	21.9	DEG	A119	23.5	DEG	A120	74.4	DEG	
A121	69.8	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG	
A125	69.8	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG	
A129	SKIP	DEG	A130	SKIP	DEG							
ALL ACTIVE ALARMS: NONE												
DATALOG GROUP 1		15 FEB 90		22:00		SAMPLE RATE: 10 MINUTES						
A1	GRP	77.8	DEG	A12	68.8	DEG	A13	76.5	DEG	A14	80.5	DEG
A15	78.8	DEG	A16	69.8	DEG	A17	76.5	DEG	A18	71.7	DEG	
A19	69.8	DEG	A110	79.8	DEG	A111	70.9	DEG	A112	74.4	DEG	
A113	69.8	DEG	A114	68.8	DEG	A115	92.7	DEG	A116	74.4	DEG	
A117	69.8	DEG	A118	21.9	DEG	A119	23.5	DEG	A120	74.4	DEG	
A121	69.8	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG	
A125	69.8	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG	
A129	SKIP	DEG	A130	SKIP	DEG							
ALL ACTIVE ALARMS: NONE												
DATALOG GROUP 1		15 FEB 90		21:50		SAMPLE RATE: 10 MINUTES						
A1	GRP	77.8	DEG	A12	68.8	DEG	A13	76.5	DEG	A14	80.5	DEG
A15	78.8	DEG	A16	69.8	DEG	A17	76.5	DEG	A18	71.7	DEG	
A19	69.8	DEG	A110	79.8	DEG	A111	70.9	DEG	A112	74.4	DEG	
A113	69.8	DEG	A114	68.8	DEG	A115	92.7	DEG	A116	74.4	DEG	
A117	69.8	DEG	A118	21.9	DEG	A119	23.5	DEG	A120	74.4	DEG	
A121	69.8	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG	
A125	69.8	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG	
A129	SKIP	DEG	A130	SKIP	DEG							
ALL ACTIVE ALARMS: NONE												



A121		69.7		DEG		F		A122		SKIP		DEG		F		A123		SKIP		DEG		F		A124		SKIP		DEG		F													
A125		SKIP		DEG		F		A126		SKIP		DEG		F		A127		SKIP		DEG		F		A128		SKIP		DEG		F													
A129		SKIP		DEG		F		A130		SKIP		DEG		F		A131		SKIP		DEG		F		A132		SKIP		DEG		F													
ACTIVE ALARMS:				NONE																																							
15 FEB 90				23:30				SAMPLE RATE: 10 MINUTES																																			
78.7				DEG				A12				69.5				DEG				A13				76.5				DEG				A14				79.2				DEG			
79.7				DEG				A16				70.7				DEG				A17				77.5				DEG				A18				80.7				DEG			
79.9				DEG				A110				80.9				DEG				A111				77.9				DEG				A112				81.9				DEG			
79.9				DEG				A114				81.9				DEG				A115				78.9				DEG				A116				82.9				DEG			
79.9				DEG				A118				82.9				DEG				A119				79.9				DEG				A120				83.9				DEG			
79.9				DEG				A122				83.9				DEG				A123				80.9				DEG				A124				84.9				DEG			
79.9				DEG				A126				84.9				DEG				A127				81.9				DEG				A128				85.9				DEG			
79.9				DEG				A130				85.9				DEG				A131				82.9				DEG				A132				86.9				DEG			

HVAC WAS REINSTATED
AT 11:30

117.

ACTIVE ALARMS: NONE																	
LOG	15 FEB 90		23:20		SAMPLE RATE: 10 MINUTES												
A1	78.5	DEG F	A12	69.0	DEG F	A13	76.5	DEG F	A14	79.2	DEG F	A15	78.8	DEG F	A16	79.5	
A17	79.9	DEG F	A18	79.5	DEG F	A19	80.0	DEG F	A20	81.2	DEG F	A21	82.5	DEG F	A22	83.8	DEG F
A23	84.1	DEG F	A24	85.5	DEG F	A25	86.8	DEG F	A26	88.2	DEG F	A27	89.5	DEG F	A28	90.8	DEG F
A29	92.1	DEG F	A30	93.5	DEG F	A31	94.8	DEG F	A32	96.2	DEG F	A33	97.5	DEG F	A34	98.8	DEG F
A35	100.1	DEG F	A36	101.5	DEG F	A37	102.8	DEG F	A38	104.2	DEG F	A39	105.5	DEG F	A40	106.8	DEG F
A41	108.1	DEG F	A42	109.5	DEG F	A43	110.8	DEG F	A44	112.2	DEG F	A45	113.5	DEG F	A46	114.8	DEG F
A47	116.1	DEG F	A48	117.5	DEG F	A49	118.8	DEG F	A50	120.2	DEG F	A51	121.5	DEG F	A52	122.8	DEG F
A53	124.1	DEG F	A54	125.5	DEG F	A55	126.8	DEG F	A56	128.2	DEG F	A57	129.5	DEG F	A58	130.8	DEG F
A59	132.1	DEG F	A60	133.5	DEG F	A61	134.8	DEG F	A62	136.2	DEG F	A63	137.5	DEG F	A64	138.8	DEG F
A65	140.1	DEG F	A66	141.5	DEG F	A67	142.8	DEG F	A68	144.2	DEG F	A69	145.5	DEG F	A70	146.8	DEG F
A71	148.1	DEG F	A72	149.5	DEG F	A73	150.8	DEG F	A74	152.2	DEG F	A75	153.5	DEG F	A76	154.8	DEG F
A77	156.1	DEG F	A78	157.5	DEG F	A79	158.8	DEG F	A80	160.2	DEG F	A81	161.5	DEG F	A82	162.8	DEG F
A83	164.1	DEG F	A84	165.5	DEG F	A85	166.8	DEG F	A86	168.2	DEG F	A87	169.5	DEG F	A88	170.8	DEG F
A89	172.1	DEG F	A90	173.5	DEG F	A91	174.8	DEG F	A92	176.2	DEG F	A93	177.5	DEG F	A94	178.8	DEG F
A95	180.1	DEG F	A96	181.5	DEG F	A97	182.8	DEG F	A98	184.2	DEG F	A99	185.5	DEG F	A100	186.8	DEG F
A101	188.1	DEG F	A102	189.5	DEG F	A103	190.8	DEG F	A104	192.2	DEG F	A105	193.5	DEG F	A106	194.8	DEG F
A107	196.1	DEG F	A108	197.5	DEG F	A109	198.8	DEG F	A110	200.2	DEG F	A111	201.5	DEG F	A112	202.8	DEG F
A113	204.1	DEG F	A114	205.5	DEG F	A115	206.8	DEG F	A116	208.2	DEG F	A117	209.5	DEG F	A118	210.8	DEG F
A119	212.1	DEG F	A120	213.5	DEG F	A121	214.8	DEG F	A122	216.2	DEG F	A123	217.5	DEG F	A124	218.8	DEG F
A125	220.1	DEG F	A126	221.5	DEG F	A127	222.8	DEG F	A128	224.2	DEG F	A129	225.5	DEG F	A130	226.8	DEG F
A131	228.1	DEG F	A132	229.5	DEG F	A133	230.8	DEG F	A134	232.2	DEG F	A135	233.5	DEG F	A136	234.8	DEG F
A137	236.1	DEG F	A138	237.5	DEG F	A139	238.8	DEG F	A140	240.2	DEG F	A141	241.5	DEG F	A142	242.8	DEG F
A143	244.1	DEG F	A144	245.5	DEG F	A145	246.8	DEG F	A146	248.2	DEG F	A147	249.5	DEG F			

Patient

[illegible]

ALL ACTIVE ALARMS: 1 NONE

DATA OF
GROUP

[illegible]

ALL ACTIVE ALARMS: NONE

DATA LOG GROUP

[illegible]

ALL ACTIVE ALARMS: NONE

DATA LOG
GROUP

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476	477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493	494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510	511	512	513	514	515	516	517	518	519	520	521	522	523	524	5
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	---

ALL ACTIVE ALERTS: NONE

Att. III page 33 of 199

ALL	ACTIVE ALARMS:	NONE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
-----	----------------	------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

HVAC WAS REINSTATED
AT 11:30

Att. III page 34 of 199

NO. 67700 LEEDS & NORTHRUP A UNIT OF GENERAL SIGNAL MADE IN U.S.A.

ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 16 FEB 90 0:30 SAMPLE RATE: 10 MINUTES											
A13	76.9	DEG	A12	67.7	DEG	A13	74.9	DEG	A14	77.2	DEG
A19	77.1	DEG	A16	67.6	DEG	A17	73.7	DEG	A18	67.9	DEG
A11	69.9	DEG	A10	75.8	DEG	A11	69.8	DEG	A12	80.5	DEG
A13	76.3	DEG	A14	68.1	DEG	A15	74.9	DEG	A16	70.0	DEG
A17	68.5	DEG	A18	71.6	DEG	A19	89.4	DEG	A120	74.5	DEG
A21	68.1	DEG	A22	SKIP	DEG	A23	SKIP	DEG	A24	SKIP	DEG
A25	SKIP	DEG	A26	SKIP	DEG	A27	SKIP	DEG	A28	SKIP	DEG
A29	SKIP	DEG	A30	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 16 FEB 90 0:20 SAMPLE RATE: 10 MINUTES											
A13	77.4	DEG	A12	68.0	DEG	A13	73.9	DEG	A14	77.4	DEG
A19	77.4	DEG	A16	67.9	DEG	A17	73.9	DEG	A18	69.9	DEG
A11	69.9	DEG	A10	75.9	DEG	A11	73.9	DEG	A12	80.5	DEG
A13	76.2	DEG	A14	68.1	DEG	A15	73.9	DEG	A16	70.0	DEG
A17	68.7	DEG	A18	71.8	DEG	A19	89.8	DEG	A120	74.6	DEG
A21	68.0	DEG	A22	SKIP	DEG	A23	SKIP	DEG	A24	SKIP	DEG
A25	SKIP	DEG	A26	SKIP	DEG	A27	SKIP	DEG	A28	SKIP	DEG
A29	SKIP	DEG	A30	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 16 FEB 90 0:10 SAMPLE RATE: 10 MINUTES											
A13	77.5	DEG	A12	68.0	DEG	A13	75.4	DEG	A14	77.2	DEG
A19	77.6	DEG	A16	68.0	DEG	A17	76.0	DEG	A18	69.9	DEG
A11	70.1	DEG	A10	76.0	DEG	A11	76.0	DEG	A12	80.5	DEG
A13	77.1	DEG	A14	68.1	DEG	A15	75.4	DEG	A16	70.0	DEG
A17	68.8	DEG	A18	71.9	DEG	A19	90.4	DEG	A120	74.8	DEG
A21	68.2	DEG	A22	SKIP	DEG	A23	SKIP	DEG	A24	SKIP	DEG
A25	SKIP	DEG	A26	SKIP	DEG	A27	SKIP	DEG	A28	SKIP	DEG
A29	SKIP	DEG	A30	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 16 FEB 90 0:00 SAMPLE RATE: 10 MINUTES											
A13	77.8	DEG	A12	68.0	DEG	A13	75.5	DEG	A14	77.2	DEG
A19	77.9	DEG	A16	68.0	DEG	A17	76.1	DEG	A18	69.9	DEG
A11	70.1	DEG	A10	76.0	DEG	A11	76.1	DEG	A12	80.5	DEG
A13	77.4	DEG	A14	68.1	DEG	A15	75.5	DEG	A16	70.0	DEG
A17	68.9	DEG	A18	72.1	DEG	A19	91.1	DEG	A120	74.9	DEG
A21	68.5	DEG	A22	SKIP	DEG	A23	SKIP	DEG	A24	SKIP	DEG
A25	SKIP	DEG	A26	SKIP	DEG	A27	SKIP	DEG	A28	SKIP	DEG
A29	SKIP	DEG	A30	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 15 FEB 90 23:50 SAMPLE RATE: 10 MINUTES											
A13	78.1	DEG	A12	68.7	DEG	A13	73.5	DEG	A14	78.0	DEG
A19	78.1	DEG	A16	68.6	DEG	A17	71.0	DEG	A18	68.6	DEG
A11	70.6	DEG	A10	77.6	DEG	A11	71.0	DEG	A12	81.1	DEG
A13	79.9	DEG	A14	68.6	DEG	A15	71.0	DEG	A16	75.0	DEG
A17	69.9	DEG	A18	72.2	DEG	A19	91.9	DEG	A120	75.0	DEG
A21	69.7	DEG	A22	SKIP	DEG	A23	SKIP	DEG	A24	SKIP	DEG
A25	SKIP	DEG	A26	SKIP	DEG	A27	SKIP	DEG	A28	SKIP	DEG
A29	SKIP	DEG	A30	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 15 FEB 90 23:40 SAMPLE RATE: 10 MINUTES											
A13	78.4	DEG	A12	69.1	DEG	A13	73.8	DEG	A14	78.0	DEG
A19	78.4	DEG	A16	69.0	DEG	A17	71.0	DEG	A18	68.6	DEG
A11	70.6	DEG	A10	77.6	DEG	A11	71.0	DEG	A12	81.1	DEG
A13	79.9	DEG	A14	68.6	DEG	A15	71.0	DEG	A16	75.0	DEG
A17	69.9	DEG	A18	72.2	DEG	A19	91.9	DEG	A120	75.0	DEG
A21	69.7	DEG	A22	SKIP	DEG	A23	SKIP	DEG	A24	SKIP	DEG
A25	SKIP	DEG	A26	SKIP	DEG	A27	SKIP	DEG	A28	SKIP	DEG
A29	SKIP	DEG	A30	SKIP	DEG						

DATALOG GROUP 1 16 FEB 90 1:10

SAMPLE RATE: 10 MINUTES

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 16 FEB 90 1:00

SAMPLE RATE: 10 MINUTES

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 16 FEB 90 0:50

SAMPLE RATE: 10 MINUTES

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 16 FEB 90 0:40

SAMPLE RATE: 10 MINUTES

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 16 FEB 90 0:30

SAMPLE RATE: 10 MINUTES

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 16 FEB 90 0:20

SAMPLE RATE: 10 MINUTES

ALL ACTIVE ALARMS: NONE

1315 100

Att. III page 36 of 199



NO. 87001 LEADS & NORTHROP A UNIT OF GENERAL SIGNAL MADE IN U.S.A.

ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 16 FEB 90 2:30 SAMPLE RATE: 10 MINUTES											
A1	76.4	DEG	A12	67.4	DEG	A13	74.2	DEG	A14	76.8	DEG
A15	76.5	DEG	A16	67.4	DEG	A17	74.2	DEG	A18	76.8	DEG
A19	69.7	DEG	A110	67.5	DEG	A111	74.4	DEG	A112	76.6	DEG
A113	73.3	DEG	A114	68.2	DEG	A115	74.4	DEG	A116	79.8	DEG
A117	68.2	DEG	A118	70.6	DEG	A119	88.4	DEG	A120	73.9	DEG
A121	68.9	DEG	A122	67.4	DEG	A123	88.4	DEG	A124	73.9	DEG
A125	68.9	DEG	A126	67.4	DEG	A127	88.4	DEG	A128	73.9	DEG
A129	68.9	DEG	A130	67.4	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 16 FEB 90 2:20 SAMPLE RATE: 10 MINUTES											
A1	76.4	DEG	A12	67.4	DEG	A13	74.2	DEG	A14	76.8	DEG
A15	76.5	DEG	A16	67.4	DEG	A17	74.2	DEG	A18	76.8	DEG
A19	69.7	DEG	A110	67.5	DEG	A111	74.4	DEG	A112	76.6	DEG
A113	73.3	DEG	A114	68.2	DEG	A115	74.4	DEG	A116	79.8	DEG
A117	68.2	DEG	A118	70.6	DEG	A119	88.4	DEG	A120	73.9	DEG
A121	68.9	DEG	A122	67.4	DEG	A123	88.4	DEG	A124	73.9	DEG
A125	68.9	DEG	A126	67.4	DEG	A127	88.4	DEG	A128	73.9	DEG
A129	68.9	DEG	A130	67.4	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 16 FEB 90 2:10 SAMPLE RATE: 10 MINUTES											
A1	76.4	DEG	A12	67.4	DEG	A13	74.2	DEG	A14	76.8	DEG
A15	76.5	DEG	A16	67.4	DEG	A17	74.2	DEG	A18	76.8	DEG
A19	69.7	DEG	A110	67.5	DEG	A111	74.4	DEG	A112	76.6	DEG
A113	73.3	DEG	A114	68.2	DEG	A115	74.4	DEG	A116	79.8	DEG
A117	68.2	DEG	A118	70.6	DEG	A119	88.4	DEG	A120	73.9	DEG
A121	68.9	DEG	A122	67.4	DEG	A123	88.4	DEG	A124	73.9	DEG
A125	68.9	DEG	A126	67.4	DEG	A127	88.4	DEG	A128	73.9	DEG
A129	68.9	DEG	A130	67.4	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 16 FEB 90 2:00 SAMPLE RATE: 10 MINUTES											
A1	76.4	DEG	A12	67.4	DEG	A13	74.2	DEG	A14	76.8	DEG
A15	76.5	DEG	A16	67.4	DEG	A17	74.2	DEG	A18	76.8	DEG
A19	69.7	DEG	A110	67.5	DEG	A111	74.4	DEG	A112	76.6	DEG
A113	73.3	DEG	A114	68.2	DEG	A115	74.4	DEG	A116	79.8	DEG
A117	68.2	DEG	A118	70.6	DEG	A119	88.4	DEG	A120	73.9	DEG
A121	68.9	DEG	A122	67.4	DEG	A123	88.4	DEG	A124	73.9	DEG
A125	68.9	DEG	A126	67.4	DEG	A127	88.4	DEG	A128	73.9	DEG
A129	68.9	DEG	A130	67.4	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 16 FEB 90 1:50 SAMPLE RATE: 10 MINUTES											
A1	76.4	DEG	A12	67.4	DEG	A13	74.2	DEG	A14	76.8	DEG
A15	76.5	DEG	A16	67.4	DEG	A17	74.2	DEG	A18	76.8	DEG
A19	69.7	DEG	A110	67.5	DEG	A111	74.4	DEG	A112	76.6	DEG
A113	73.3	DEG	A114	68.2	DEG	A115	74.4	DEG	A116	79.8	DEG
A117	68.2	DEG	A118	70.6	DEG	A119	88.4	DEG	A120	73.9	DEG
A121	68.9	DEG	A122	67.4	DEG	A123	88.4	DEG	A124	73.9	DEG
A125	68.9	DEG	A126	67.4	DEG	A127	88.4	DEG	A128	73.9	DEG
A129	68.9	DEG	A130	67.4	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 16 FEB 90 1:40 SAMPLE RATE: 10 MINUTES											
A1	76.4	DEG	A12	67.4	DEG	A13	74.2	DEG	A14	76.8	DEG
A15	76.5	DEG	A16	67.4	DEG	A17	74.2	DEG	A18	76.8	DEG
A19	69.7	DEG	A110	67.5	DEG	A111	74.4	DEG	A112	76.6	DEG
A113	73.3	DEG	A114	68.2	DEG	A115	74.4	DEG	A116	79.8	DEG
A117	68.2	DEG	A118	70.6	DEG	A119	88.4	DEG	A120	73.9	DEG
A121	68.9	DEG	A122	67.4	DEG	A123	88.4	DEG	A124	73.9	DEG
A125	68.9	DEG	A126	67.4	DEG	A127	88.4	DEG	A128	73.9	DEG
A129	68.9	DEG	A130	67.4	DEG						

CH. III page 38 of 199

DATE: 16 FEB 90 TIME: 13:10 SAMPLE RATE: 10 MINUTES

A11	75.9	DEG	A12	67.4	DEG	A13	74.0	DEG	A14	76.8	DEG
A15	76.1	DEG	A16	67.2	DEG	A17	73.9	DEG	A18	76.8	DEG
A19	76.1	DEG	A110	67.4	DEG	A111	69.3	DEG	A112	76.8	DEG
A113	75.3	DEG	A114	74.9	DEG	A115	73.8	DEG	A116	76.8	DEG
A117	68.0	DEG	A118	70.5	DEG	A119	88.4	DEG	A120	73.7	DEG
A121	68.6	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	73.7	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	73.7	DEG
A129	SKIP	DEG	A130	SKIP	DEG						

ALL ACTIVE ALARMS: NONE

DATE: 16 FEB 90 TIME: 13:10 SAMPLE RATE: 10 MINUTES

A11	75.9	DEG	A12	67.4	DEG	A13	74.0	DEG	A14	76.6	DEG
A15	76.1	DEG	A16	67.0	DEG	A17	73.2	DEG	A18	76.6	DEG
A19	76.1	DEG	A110	67.4	DEG	A111	69.3	DEG	A112	76.6	DEG
A113	75.3	DEG	A114	74.9	DEG	A115	73.8	DEG	A116	76.6	DEG
A117	68.0	DEG	A118	70.5	DEG	A119	88.4	DEG	A120	73.8	DEG
A121	68.6	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	73.8	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	73.8	DEG
A129	SKIP	DEG	A130	SKIP	DEG						

ALL ACTIVE ALARMS: NONE

DATE: 16 FEB 90 TIME: 13:00 SAMPLE RATE: 10 MINUTES

A11	76.8	DEG	A12	67.0	DEG	A13	74.1	DEG	A14	76.6	DEG
A15	76.1	DEG	A16	67.0	DEG	A17	73.2	DEG	A18	76.6	DEG
A19	76.1	DEG	A110	67.4	DEG	A111	69.3	DEG	A112	76.6	DEG
A113	75.3	DEG	A114	74.9	DEG	A115	73.8	DEG	A116	76.6	DEG
A117	68.0	DEG	A118	70.5	DEG	A119	88.4	DEG	A120	73.8	DEG
A121	68.6	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	73.8	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	73.8	DEG
A129	SKIP	DEG	A130	SKIP	DEG						

ALL ACTIVE ALARMS: NONE

DATE: 16 FEB 90 TIME: 12:50 SAMPLE RATE: 10 MINUTES

A11	76.1	DEG	A12	67.1	DEG	A13	74.1	DEG	A14	76.7	DEG
A15	76.2	DEG	A16	67.1	DEG	A17	73.2	DEG	A18	76.7	DEG
A19	76.2	DEG	A110	67.4	DEG	A111	69.3	DEG	A112	76.7	DEG
A113	75.4	DEG	A114	74.9	DEG	A115	73.9	DEG	A116	76.7	DEG
A117	68.1	DEG	A118	70.6	DEG	A119	88.4	DEG	A120	73.8	DEG
A121	68.0	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	73.8	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	73.8	DEG
A129	SKIP	DEG	A130	SKIP	DEG						

ALL ACTIVE ALARMS: NONE

DATE: 16 FEB 90 TIME: 12:40 SAMPLE RATE: 10 MINUTES

A11	76.2	DEG	A12	67.1	DEG	A13	74.1	DEG	A14	76.7	DEG
A15	76.2	DEG	A16	67.1	DEG	A17	73.2	DEG	A18	76.7	DEG
A19	76.2	DEG	A110	67.4	DEG	A111	69.3	DEG	A112	76.7	DEG
A113	75.4	DEG	A114	74.9	DEG	A115	73.9	DEG	A116	76.7	DEG
A117	68.1	DEG	A118	70.6	DEG	A119	88.4	DEG	A120	73.8	DEG
A121	68.0	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	73.8	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	73.8	DEG
A129	SKIP	DEG	A130	SKIP	DEG						

ALL ACTIVE ALARMS: NONE

DATE: 16 FEB 90 TIME: 12:30 SAMPLE RATE: 10 MINUTES

A11	76.4	DEG	A12	67.3	DEG	A13	74.2	DEG	A14	76.8	DEG
A15	76.4	DEG	A16	67.3	DEG	A17	73.5	DEG	A18	76.8	DEG
A19	76.4	DEG	A110	67.4	DEG	A111	69.4	DEG	A112	76.8	DEG
A113	75.6	DEG	A114	75.1	DEG	A115	74.4	DEG	A116	76.8	DEG
A117	68.2	DEG	A118	70.6	DEG	A119	88.4	DEG	A120	73.9	DEG
A121	68.0	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	73.9	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	73.9	DEG
A129	SKIP	DEG	A130	SKIP	DEG						

ALL ACTIVE ALARMS: NONE

DATE: 16 FEB 90 TIME: 12:20 SAMPLE RATE: 10 MINUTES

A11	76.4	DEG	A12	67.3	DEG	A13	74.2	DEG	A14	76.8	DEG
A15	76.4	DEG	A16	67.3	DEG	A17	73.5	DEG	A18	76.8	DEG
A19	76.4	DEG	A110	67.4	DEG	A111	69.4	DEG	A112	76.8	DEG
A113	75.6	DEG	A114	75.1	DEG	A115	74.4	DEG	A116	76.8	DEG
A117	68.2	DEG	A118	70.6	DEG	A119	88.4	DEG	A120	73.9	DEG
A121	68.0	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	73.9	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	73.9	DEG
A129	SKIP	DEG	A130	SKIP	DEG						

HYAC-114
RESTORED
1520



UNIT OF GENERAL SIGNAL MADE IN U.S.A.

NO. 67700 LEEDS & NORTHROP

ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 16 FEB 90 3:50 SAMPLE RATE: 10 MINUTES											
A15	76.2	DEG	A12	67.8	DEG	A13	74.3	DEG	A14	77.3	DEG
A19	76.6	DEG	A16	67.9	DEG	A17	76.2	DEG	A18	67.8	DEG
A13	69.5	DEG	A110	75.6	DEG	A111	69.7	DEG	A112	79.1	DEG
A17	68.4	DEG	A114	68.6	DEG	A115	74.1	DEG	A116	70.5	DEG
A121	69.1	DEG	A118	70.8	DEG	A119	89.2	DEG	A120	73.9	DEG
A125	SKIP	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A129	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 16 FEB 90 3:50 SAMPLE RATE: 10 MINUTES											
A15	76.1	DEG	A12	67.8	DEG	A13	74.4	DEG	A14	77.3	DEG
A19	76.6	DEG	A16	67.8	DEG	A17	76.4	DEG	A18	67.8	DEG
A13	69.5	DEG	A110	75.7	DEG	A111	69.7	DEG	A112	79.1	DEG
A17	68.5	DEG	A114	68.6	DEG	A115	74.2	DEG	A116	70.5	DEG
A121	69.1	DEG	A118	70.8	DEG	A119	89.1	DEG	A120	73.9	DEG
A125	SKIP	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A129	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 16 FEB 90 3:40 SAMPLE RATE: 10 MINUTES											
A15	76.0	DEG	A12	67.7	DEG	A13	74.3	DEG	A14	77.2	DEG
A19	76.4	DEG	A16	67.6	DEG	A17	76.4	DEG	A18	67.1	DEG
A13	69.1	DEG	A110	75.8	DEG	A111	69.4	DEG	A112	79.0	DEG
A17	68.3	DEG	A114	68.5	DEG	A115	74.0	DEG	A116	70.0	DEG
A121	68.9	DEG	A118	70.7	DEG	A119	88.7	DEG	A120	73.8	DEG
A125	SKIP	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A129	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 16 FEB 90 3:30 SAMPLE RATE: 10 MINUTES											
A15	75.9	DEG	A12	67.6	DEG	A13	74.3	DEG	A14	77.1	DEG
A19	76.4	DEG	A16	67.9	DEG	A17	76.3	DEG	A18	67.1	DEG
A13	69.3	DEG	A110	75.7	DEG	A111	69.4	DEG	A112	79.1	DEG
A17	68.4	DEG	A114	68.5	DEG	A115	74.0	DEG	A116	70.0	DEG
A121	68.9	DEG	A118	70.8	DEG	A119	88.0	DEG	A120	73.8	DEG
A125	SKIP	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A129	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 16 FEB 90 3:20 SAMPLE RATE: 10 MINUTES											
A15	75.8	DEG	A12	67.4	DEG	A13	74.0	DEG	A14	76.8	DEG
A19	76.1	DEG	A16	67.2	DEG	A17	75.9	DEG	A18	67.0	DEG
A13	69.2	DEG	A110	75.3	DEG	A111	69.3	DEG	A112	79.0	DEG
A17	68.1	DEG	A114	68.3	DEG	A115	73.9	DEG	A116	69.7	DEG
A121	68.6	DEG	A118	70.6	DEG	A119	88.4	DEG	A120	73.7	DEG
A125	SKIP	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A129	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 16 FEB 90 3:10 SAMPLE RATE: 10 MINUTES											
A15	75.2	DEG	A12	67.1	DEG	A13	74.0	DEG	A14	76.6	DEG
A19	76.0	DEG	A16	67.0	DEG	A17	75.3	DEG	A18	67.0	DEG
A13	69.3	DEG	A110	74.8	DEG	A111	69.2	DEG	A112	79.1	DEG
A17	68.0	DEG	A114	68.1	DEG	A115	73.8	DEG	A116	69.5	DEG
A121	68.0	DEG	A118	70.6	DEG	A119	88.2	DEG	A120	73.9	DEG
A125	SKIP	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A129	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 16 FEB 90 3:00 SAMPLE RATE: 10 MINUTES											
A15	76.0	DEG	A12	67.0	DEG	A13	74.1	DEG	A14	76.6	DEG
A19	76.1	DEG	A16	67.0	DEG	A17	75.2	DEG	A18	67.1	DEG

HYAC WAS
RESTORED TO NORMAL
1520

CAT. III page 40 of 198

NO. 677001 LEEDS & NORTHROP A UNIT OF GENERAL SIGNAL MADE IN U.S.A.

ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1			16 FEB 90	4:40	SAMPLE RATE: 10 MINUTES						
A13	76.4	DEG	A12	67.8	DEG	A13	74.5	DEG	A14	72.4	DEG
A19	76.6	DEG	A16	67.9	DEG	A17	76.3	DEG	A18	67.3	DEG
A19	69.2	DEG	A10	75.9	DEG	A11	69.8	DEG	A12	79.1	DEG
A13	73.6	DEG	A14	68.3	DEG	A15	74.2	DEG	A16	70.8	DEG
A121	68.4	DEG	A18	70.9	DEG	A119	89.3	DEG	A120	74.1	DEG
A121	69.1	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1			16 FEB 90	4:30	SAMPLE RATE: 10 MINUTES						
A13	76.4	DEG	A12	67.8	DEG	A13	74.5	DEG	A14	72.4	DEG
A19	76.6	DEG	A16	67.9	DEG	A17	76.3	DEG	A18	67.3	DEG
A19	69.2	DEG	A10	75.9	DEG	A11	69.8	DEG	A12	79.1	DEG
A13	73.6	DEG	A14	68.3	DEG	A15	74.2	DEG	A16	70.8	DEG
A121	68.4	DEG	A18	70.9	DEG	A119	89.3	DEG	A120	74.1	DEG
A121	69.1	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1			16 FEB 90	4:20	SAMPLE RATE: 10 MINUTES						
A13	76.4	DEG	A12	67.8	DEG	A13	74.5	DEG	A14	72.4	DEG
A19	76.6	DEG	A16	67.9	DEG	A17	76.3	DEG	A18	67.3	DEG
A19	69.2	DEG	A10	75.9	DEG	A11	69.8	DEG	A12	79.1	DEG
A13	73.6	DEG	A14	68.3	DEG	A15	74.2	DEG	A16	70.8	DEG
A121	68.4	DEG	A18	70.9	DEG	A119	89.3	DEG	A120	74.1	DEG
A121	69.1	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1			16 FEB 90	4:10	SAMPLE RATE: 10 MINUTES						
A13	76.4	DEG	A12	67.8	DEG	A13	74.5	DEG	A14	72.4	DEG
A19	76.6	DEG	A16	67.9	DEG	A17	76.3	DEG	A18	67.3	DEG
A19	69.2	DEG	A10	75.9	DEG	A11	69.8	DEG	A12	79.1	DEG
A13	73.6	DEG	A14	68.3	DEG	A15	74.2	DEG	A16	70.8	DEG
A121	68.4	DEG	A18	70.9	DEG	A119	89.3	DEG	A120	74.1	DEG
A121	69.1	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1			16 FEB 90	4:00	SAMPLE RATE: 10 MINUTES						
A13	76.4	DEG	A12	67.8	DEG	A13	74.5	DEG	A14	72.4	DEG
A19	76.6	DEG	A16	67.9	DEG	A17	76.3	DEG	A18	67.3	DEG
A19	69.2	DEG	A10	75.9	DEG	A11	69.8	DEG	A12	79.1	DEG
A13	73.6	DEG	A14	68.3	DEG	A15	74.2	DEG	A16	70.8	DEG
A121	68.4	DEG	A18	70.9	DEG	A119	89.3	DEG	A120	74.1	DEG
A121	69.1	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1			16 FEB 90	3:50	SAMPLE RATE: 10 MINUTES						
A13	76.4	DEG	A12	67.8	DEG	A13	74.5	DEG	A14	72.4	DEG
A19	76.6	DEG	A16	67.9	DEG	A17	76.3	DEG	A18	67.3	DEG
A19	69.2	DEG	A10	75.9	DEG	A11	69.8	DEG	A12	79.1	DEG
A13	73.6	DEG	A14	68.3	DEG	A15	74.2	DEG	A16	70.8	DEG
A121	68.4	DEG	A18	70.9	DEG	A119	89.3	DEG	A120	74.1	DEG
A121	69.1	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1			16 FEB 90	3:40	SAMPLE RATE: 10 MINUTES						
A13	76.4	DEG	A12	67.8	DEG	A13	74.5	DEG	A14	72.4	DEG
A19	76.6	DEG	A16	67.9	DEG	A17	76.3	DEG	A18	67.3	DEG
A19	69.2	DEG	A10	75.9	DEG	A11	69.8	DEG	A12	79.1	DEG
A13	73.6	DEG	A14	68.3	DEG	A15	74.2	DEG	A16	70.8	DEG
A121	68.4	DEG	A18	70.9	DEG	A119	89.3	DEG	A120	74.1	DEG
A121	69.1	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											

CH. III page 11 of 19

ALL ACTIVE ALARMS - NONE

~~ALL ACTIVE ALARMS: NONE~~

ALL ACTIVE GLASS: NONE

ALL ACTIVE ALARMS: NONE

ALL ACTIVE ALARMS: NONE

ALL ACTIVE ALARMS: NONE

[illegible]



ALL	ACTIVE ALARMS:	NONE
DATALOG GROUP 1	14 FEB 98	5:50
GRP		SAMPLE RATE: 10 MINUTES
A1	76.3	DEG
A12	68.0	DEG
A16	68.1	DEG
A110	68.1	DEG
A114	68.0	DEG
A118	71.1	DEG
A122	SKIP	DEG
A126	SKIP	DEG
A130	SKIP	DEG
A17	74.6	DEG
A111	76.4	DEG
A115	69.8	DEG
A119	90.8	DEG
A123	SKIP	DEG
A127	SKIP	DEG
A14	77.3	DEG
A18	67.3	DEG
A112	79.3	DEG
A116	70.7	DEG
A120	74.3	DEG
A124	SKIP	DEG
A128	SKIP	DEG
ALL	ACTIVE ALARMS:	NONE
DATALOG GROUP 1	16 FEB 90	5:40
GRP		SAMPLE RATE: 10 MINUTES
A1	76.3	DEG
A12	68.0	DEG
A16	68.0	DEG
A110	68.0	DEG
A114	68.0	DEG
A118	71.1	DEG
A122	SKIP	DEG
A126	SKIP	DEG
A130	SKIP	DEG
A17	74.6	DEG
A111	76.4	DEG
A115	69.8	DEG
A119	90.8	DEG
A123	SKIP	DEG
A127	SKIP	DEG
A14	77.3	DEG
A18	67.3	DEG
A112	79.3	DEG
A116	70.7	DEG
A120	74.3	DEG
A124	SKIP	DEG
A128	SKIP	DEG
ALL	ACTIVE ALARMS:	NONE
DATALOG GROUP 1	16 FEB 90	5:30
GRP		SAMPLE RATE: 10 MINUTES
A1	76.3	DEG
A12	67.8	DEG
A16	68.0	DEG
A110	68.0	DEG
A114	68.0	DEG
A118	71.1	DEG
A122	SKIP	DEG
A126	SKIP	DEG
A130	SKIP	DEG
A17	74.4	DEG
A111	76.6	DEG
A115	73.8	DEG
A119	89.1	DEG
A123	SKIP	DEG
A127	SKIP	DEG
A14	77.2	DEG
A18	67.3	DEG
A112	79.3	DEG
A116	70.4	DEG
A120	74.3	DEG
A124	SKIP	DEG
A128	SKIP	DEG
ALL	ACTIVE ALARMS:	NONE
DATALOG GROUP 1	16 FEB 90	5:20
GRP		SAMPLE RATE: 10 MINUTES
A1	76.3	DEG
A12	67.8	DEG
A16	68.0	DEG
A110	68.0	DEG
A114	68.0	DEG
A118	71.1	DEG
A122	SKIP	DEG
A126	SKIP	DEG
A130	SKIP	DEG
A17	74.4	DEG
A111	76.6	DEG
A115	73.8	DEG
A119	89.1	DEG
A123	SKIP	DEG
A127	SKIP	DEG
A14	77.2	DEG
A18	67.3	DEG
A112	79.3	DEG
A116	70.4	DEG
A120	74.3	DEG
A124	SKIP	DEG
A128	SKIP	DEG
ALL	ACTIVE ALARMS:	NONE
DATALOG GROUP 1	16 FEB 90	5:10
GRP		SAMPLE RATE: 10 MINUTES
A1	76.3	DEG
A12	67.8	DEG
A16	68.0	DEG
A110	68.0	DEG
A114	68.0	DEG
A118	71.1	DEG
A122	SKIP	DEG
A126	SKIP	DEG
A130	SKIP	DEG
A17	74.4	DEG
A111	76.6	DEG
A115	73.8	DEG
A119	89.1	DEG
A123	SKIP	DEG
A127	SKIP	DEG
A14	77.2	DEG
A18	67.3	DEG
A112	79.3	DEG
A116	70.4	DEG
A120	74.3	DEG
A124	SKIP	DEG
A128	SKIP	DEG
ALL	ACTIVE ALARMS:	NONE
DATALOG GROUP 1	16 FEB 90	5:00
GRP		SAMPLE RATE: 10 MINUTES
A1	76.3	DEG
A12	67.8	DEG
A16	68.0	DEG
A110	68.0	DEG
A111	69.9	DEG
A17	74.5	DEG
A111	76.7	DEG
A18	77.2	DEG
A112	67.3	DEG



[illegible]



GROUP 1 16 FEB 90 7:10 SAMPLE RATE: 10 MINUTES											
A1	76.3	DEG	A12	67.9	DEG	A13	74.6	DEG	A14	77.3	DEG
A19	69.2	DEG	A16	69.2	DEG	A17	76.8	DEG	A18	67.3	DEG
A13	75.3	DEG	A110	75.4	DEG	A111	69.7	DEG	A112	78.7	DEG
A17	68.4	DEG	A114	68.5	DEG	A115	73.4	DEG	A116	70.9	DEG
A121	69.4	DEG	A118	71.5	DEG	A119	89.3	DEG	A120	74.4	DEG
A125	69.3	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A129	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 16 FEB 90 7:10 SAMPLE RATE: 10 MINUTES											
A1	76.3	DEG	A12	67.9	DEG	A13	74.6	DEG	A14	77.3	DEG
A19	69.2	DEG	A16	69.2	DEG	A17	76.8	DEG	A18	67.3	DEG
A13	75.3	DEG	A110	75.4	DEG	A111	69.7	DEG	A112	78.7	DEG
A17	68.4	DEG	A114	68.5	DEG	A115	73.4	DEG	A116	70.9	DEG
A121	69.4	DEG	A118	71.5	DEG	A119	89.3	DEG	A120	74.4	DEG
A125	69.3	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A129	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 16 FEB 90 7:00 SAMPLE RATE: 10 MINUTES											
A1	76.3	DEG	A12	67.9	DEG	A13	74.6	DEG	A14	77.3	DEG
A19	69.2	DEG	A16	69.2	DEG	A17	76.8	DEG	A18	67.3	DEG
A13	75.3	DEG	A110	75.4	DEG	A111	69.7	DEG	A112	78.7	DEG
A17	68.4	DEG	A114	68.5	DEG	A115	73.4	DEG	A116	70.9	DEG
A121	69.4	DEG	A118	71.5	DEG	A119	89.3	DEG	A120	74.4	DEG
A125	69.3	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A129	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 16 FEB 90 6:50 SAMPLE RATE: 10 MINUTES											
A1	76.3	DEG	A12	67.9	DEG	A13	74.6	DEG	A14	77.3	DEG
A19	69.2	DEG	A16	69.2	DEG	A17	76.8	DEG	A18	67.3	DEG
A13	75.3	DEG	A110	75.4	DEG	A111	69.7	DEG	A112	78.7	DEG
A17	68.4	DEG	A114	68.5	DEG	A115	73.4	DEG	A116	70.9	DEG
A121	69.4	DEG	A118	71.5	DEG	A119	89.3	DEG	A120	74.4	DEG
A125	69.3	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A129	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 16 FEB 90 6:40 SAMPLE RATE: 10 MINUTES											
A1	76.3	DEG	A12	67.9	DEG	A13	74.5	DEG	A14	77.3	DEG
A19	69.2	DEG	A16	68.1	DEG	A17	76.7	DEG	A18	67.3	DEG
A13	75.3	DEG	A110	75.4	DEG	A111	69.6	DEG	A112	78.7	DEG
A17	68.4	DEG	A114	68.4	DEG	A115	73.5	DEG	A116	70.8	DEG
A121	69.3	DEG	A118	71.1	DEG	A119	89.3	DEG	A120	74.3	DEG
A125	69.3	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A129	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 16 FEB 90 6:30 SAMPLE RATE: 10 MINUTES											
A1	76.3	DEG	A12	67.8	DEG	A13	74.5	DEG	A14	77.3	DEG
A19	69.2	DEG	A16	68.1	DEG	A17	76.7	DEG	A18	67.3	DEG
A13	75.2	DEG	A110	75.1	DEG	A111	69.6	DEG	A112	78.7	DEG
A17	68.4	DEG	A114	68.4	DEG	A115	73.5	DEG	A116	70.8	DEG
A121	69.3	DEG	A118	71.1	DEG	A119	89.3	DEG	A120	74.3	DEG
A125	69.3	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A129	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 16 FEB 90 6:20 SAMPLE RATE: 10 MINUTES											
A1	76.3	DEG	A12	67.9	DEG	A13	74.6	DEG	A14	77.3	DEG
A19	69.2	DEG	A16	68.1	DEG	A17	76.7	DEG	A18	67.3	DEG
A13	75.2	DEG	A110	75.1	DEG	A111	69.6	DEG	A112	78.7	DEG
A17	68.4	DEG	A114	68.4	DEG	A115	73.5	DEG	A116	70.8	DEG
A121	69.3	DEG	A118	71.1	DEG	A119	89.3	DEG	A120	74.3	DEG
A125	69.3	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A129	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
ALL ACTIVE ALARMS: NONE											

Att. III page 45 of 199



NO. 67700

A UNIT OF GENERAL SIGNAL MADE IN U.S.A.

DATE: 16 FEB 90 TIME: 7:50 SAMPLE RATE: 10 MINUTES

GROUP 1	A1	26.4	DEG	A12	67.8	DEG	A13	74.6	DEG	A14	77.4	DEG
	A15	76.8	DEG	A16	68.9	DEG	A17	76.8	DEG	A18	67.3	DEG
	A19	69.2	DEG	A110	75.5	DEG	A111	69.9	DEG	A112	78.9	DEG
	A113	75.6	DEG	A114	68.9	DEG	A115	73.7	DEG	A116	78.8	DEG
	A117	68.4	DEG	A118	71.2	DEG	A119	90.2	DEG	A120	74.4	DEG
	A121	69.2	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
	A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
	A129	SKIP	DEG	A130	SKIP	DEG						

ALL ACTIVE ALARMS: NONE

DATE: 16 FEB 90 TIME: 7:40 SAMPLE RATE: 10 MINUTES

GROUP 1	A1	26.4	DEG	A12	67.9	DEG	A13	74.6	DEG	A14	77.4	DEG
	A15	76.8	DEG	A16	68.9	DEG	A17	76.8	DEG	A18	67.3	DEG
	A19	69.2	DEG	A110	75.5	DEG	A111	69.9	DEG	A112	78.9	DEG
	A113	75.6	DEG	A114	68.9	DEG	A115	73.7	DEG	A116	78.8	DEG
	A117	68.4	DEG	A118	71.2	DEG	A119	90.2	DEG	A120	74.4	DEG
	A121	69.2	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
	A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
	A129	SKIP	DEG	A130	SKIP	DEG						

ALL ACTIVE ALARMS: NONE

DATE: 16 FEB 90 TIME: 7:30 SAMPLE RATE: 10 MINUTES

GROUP 1	A1	26.4	DEG	A12	67.9	DEG	A13	74.6	DEG	A14	77.4	DEG
	A15	76.8	DEG	A16	68.9	DEG	A17	76.8	DEG	A18	67.3	DEG
	A19	69.2	DEG	A110	75.5	DEG	A111	69.9	DEG	A112	78.9	DEG
	A113	75.6	DEG	A114	68.9	DEG	A115	73.7	DEG	A116	78.8	DEG
	A117	68.4	DEG	A118	71.2	DEG	A119	90.2	DEG	A120	74.4	DEG
	A121	69.2	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
	A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
	A129	SKIP	DEG	A130	SKIP	DEG						

ALL ACTIVE ALARMS: NONE

DATE: 16 FEB 90 TIME: 7:20 SAMPLE RATE: 10 MINUTES

GROUP 1	A1	26.4	DEG	A12	68.9	DEG	A13	74.6	DEG	A14	77.4	DEG
	A15	76.8	DEG	A16	68.9	DEG	A17	76.8	DEG	A18	67.3	DEG
	A19	69.2	DEG	A110	75.5	DEG	A111	69.9	DEG	A112	78.9	DEG
	A113	75.6	DEG	A114	68.9	DEG	A115	73.7	DEG	A116	78.8	DEG
	A117	68.4	DEG	A118	71.2	DEG	A119	90.2	DEG	A120	74.4	DEG
	A121	69.2	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
	A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
	A129	SKIP	DEG	A130	SKIP	DEG						

ALL ACTIVE ALARMS: NONE

DATE: 16 FEB 90 TIME: 7:10 SAMPLE RATE: 10 MINUTES

GROUP 1	A1	26.4	DEG	A12	67.8	DEG	A13	74.6	DEG	A14	77.4	DEG
	A15	76.8	DEG	A16	68.9	DEG	A17	76.8	DEG	A18	67.3	DEG
	A19	69.2	DEG	A110	75.5	DEG	A111	69.9	DEG	A112	78.9	DEG
	A113	75.6	DEG	A114	68.9	DEG	A115	73.7	DEG	A116	78.8	DEG
	A117	68.4	DEG	A118	71.2	DEG	A119	90.2	DEG	A120	74.4	DEG
	A121	69.2	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
	A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
	A129	SKIP	DEG	A130	SKIP	DEG						

ALL ACTIVE ALARMS: NONE

DATE: 16 FEB 90 TIME: 7:00 SAMPLE RATE: 10 MINUTES

GROUP 1	A1	26.4	DEG	A12	67.9	DEG	A13	74.6	DEG	A14	77.4	DEG
	A15	76.8	DEG	A16	68.9	DEG	A17	76.8	DEG	A18	67.3	DEG
	A19	69.2	DEG	A110	75.5	DEG	A111	69.9	DEG	A112	78.9	DEG
	A113	75.6	DEG	A114	68.9	DEG	A115	73.7	DEG	A116	78.8	DEG
	A117	68.4	DEG	A118	71.2	DEG	A119	90.2	DEG	A120	74.4	DEG
	A121	69.2	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
	A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
	A129	SKIP	DEG	A130	SKIP	DEG						

ALL ACTIVE ALARMS: NONE

ATT. III page 46 of 199

LEDS & NORTRUP A UNIT OF GENERAL SIGNAL MADE IN U.S.A.

NO. 67700

DATE			SAMPLE RATE			MINUTES		
16 FEB 90			10			10		
GROUP			GRP			GRP		
A11	26.0	DEG	A12	67.9	DEG	A13	74.6	DEG
A14	76.0	DEG	A16	68.2	DEG	A17	76.6	DEG
A18	76.0	DEG	A19	75.5	DEG	A11	69.6	DEG
A110	76.0	DEG	A114	68.5	DEG	A111	69.6	DEG
A118	76.0	DEG	A118	71.1	DEG	A112	70.8	DEG
A122	76.0	DEG	A122	SKIP	DEG	A116	74.4	DEG
A126	76.0	DEG	A126	SKIP	DEG	A120	74.4	DEG
A130	76.0	DEG	A130	SKIP	DEG	A124	74.4	DEG
ALL ACTIVE ALARMS: NONE			ALL ACTIVE ALARMS: NONE			ALL ACTIVE ALARMS: NONE		
16 FEB 90			8:30			SAMPLE RATE: 10		
GROUP			GRP			GRP		
A11	26.0	DEG	A12	67.9	DEG	A13	74.6	DEG
A14	76.0	DEG	A16	68.2	DEG	A17	76.6	DEG
A18	76.0	DEG	A19	75.5	DEG	A11	69.6	DEG
A110	76.0	DEG	A114	68.5	DEG	A111	69.6	DEG
A118	76.0	DEG	A118	71.1	DEG	A112	70.8	DEG
A122	76.0	DEG	A122	SKIP	DEG	A116	74.4	DEG
A126	76.0	DEG	A126	SKIP	DEG	A120	74.4	DEG
A130	76.0	DEG	A130	SKIP	DEG	A124	74.4	DEG
ALL ACTIVE ALARMS: NONE			ALL ACTIVE ALARMS: NONE			ALL ACTIVE ALARMS: NONE		
16 FEB 90			8:20			SAMPLE RATE: 10		
GROUP			GRP			GRP		
A11	26.0	DEG	A12	67.9	DEG	A13	74.6	DEG
A14	76.0	DEG	A16	68.2	DEG	A17	76.6	DEG
A18	76.0	DEG	A19	75.5	DEG	A11	69.6	DEG
A110	76.0	DEG	A114	68.5	DEG	A111	69.6	DEG
A118	76.0	DEG	A118	71.1	DEG	A112	70.8	DEG
A122	76.0	DEG	A122	SKIP	DEG	A116	74.4	DEG
A126	76.0	DEG	A126	SKIP	DEG	A120	74.4	DEG
A130	76.0	DEG	A130	SKIP	DEG	A124	74.4	DEG
ALL ACTIVE ALARMS: NONE			ALL ACTIVE ALARMS: NONE			ALL ACTIVE ALARMS: NONE		
16 FEB 90			8:10			SAMPLE RATE: 10		
GROUP			GRP			GRP		
A11	26.0	DEG	A12	67.9	DEG	A13	74.6	DEG
A14	76.0	DEG	A16	68.2	DEG	A17	76.6	DEG
A18	76.0	DEG	A19	75.5	DEG	A11	69.6	DEG
A110	76.0	DEG	A114	68.5	DEG	A111	69.6	DEG
A118	76.0	DEG	A118	71.1	DEG	A112	70.8	DEG
A122	76.0	DEG	A122	SKIP	DEG	A116	74.4	DEG
A126	76.0	DEG	A126	SKIP	DEG	A120	74.4	DEG
A130	76.0	DEG	A130	SKIP	DEG	A124	74.4	DEG
ALL ACTIVE ALARMS: NONE			ALL ACTIVE ALARMS: NONE			ALL ACTIVE ALARMS: NONE		
16 FEB 90			8:00			SAMPLE RATE: 10		
GROUP			GRP			GRP		
A11	26.0	DEG	A12	67.9	DEG	A13	74.6	DEG
A14	76.0	DEG	A16	68.2	DEG	A17	76.6	DEG
A18	76.0	DEG	A19	75.5	DEG	A11	69.6	DEG
A110	76.0	DEG	A114	68.5	DEG	A111	69.6	DEG
A118	76.0	DEG	A118	71.1	DEG	A112	70.8	DEG
A122	76.0	DEG	A122	SKIP	DEG	A116	74.4	DEG
A126	76.0	DEG	A126	SKIP	DEG	A120	74.4	DEG
A130	76.0	DEG	A130	SKIP	DEG	A124	74.4	DEG
ALL ACTIVE ALARMS: NONE			ALL ACTIVE ALARMS: NONE			ALL ACTIVE ALARMS: NONE		
16 FEB 90			7:50			SAMPLE RATE: 10		
GROUP			GRP			GRP		
A11	26.0	DEG	A12	67.9	DEG	A13	74.6	DEG
A14	76.0	DEG	A16	68.2	DEG	A17	76.6	DEG
A18	76.0	DEG	A19	75.5	DEG	A11	69.6	DEG
A110	76.0	DEG	A114	68.5	DEG	A111	69.6	DEG
A118	76.0	DEG	A118	71.1	DEG	A112	70.8	DEG
A122	76.0	DEG	A122	SKIP	DEG	A116	74.4	DEG
A126	76.0	DEG	A126	SKIP	DEG	A120	74.4	DEG
A130	76.0	DEG	A130	SKIP	DEG	A124	74.4	DEG
ALL ACTIVE ALARMS: NONE			ALL ACTIVE ALARMS: NONE			ALL ACTIVE ALARMS: NONE		
16 FEB 90			7:40			SAMPLE RATE: 10		
GROUP			GRP			GRP		
A11	26.0	DEG	A12	67.9	DEG	A13	74.6	DEG
A14	76.0	DEG	A16	68.2	DEG	A17	76.6	DEG
A18	76.0	DEG	A19	75.5	DEG	A11	69.6	DEG
A110	76.0	DEG	A114	68.5	DEG	A111	69.6	DEG
A118	76.0	DEG	A118	71.1	DEG	A112	70.8	DEG
A122	76.0	DEG	A122	SKIP	DEG	A116	74.4	DEG
A126	76.0	DEG	A126	SKIP	DEG	A120	74.4	DEG
A130	76.0	DEG	A130	SKIP	DEG	A124	74.4	DEG
ALL ACTIVE ALARMS: NONE			ALL ACTIVE ALARMS: NONE			ALL ACTIVE ALARMS: NONE		

CH. III page 47 of 199

NO 67001 LEADS & CRITICALLY A UNIT OF GENERAL SIGNAL MADE IN U.S.A.

ALL ACTIVE ALARMS: NONE									
DATALOG GROUP	1	16 FEB 90	9:20	SAMPLE RATE: 10 MINUTES					
A1	26.3	DEG		A12	67.9	DEG		A1	74.1
A16	68.1	DEG		A16	68.1	DEG		A16	76.1
A110	68.1	DEG		A110	68.1	DEG		A110	76.1
A114	68.1	DEG		A114	68.1	DEG		A114	76.1
A118	68.1	DEG		A118	68.1	DEG		A118	76.1
A122	68.1	DEG		A122	68.1	DEG		A122	76.1
A126	68.1	DEG		A126	68.1	DEG		A126	76.1
A130	68.1	DEG		A130	68.1	DEG		A130	76.1
ALL ACTIVE ALARMS: NONE									
DATALOG GROUP	1	16 FEB 90	9:40	SAMPLE RATE: 10 MINUTES					
A1	26.3	DEG		A12	67.9	DEG		A1	74.1
A16	68.1	DEG		A16	68.1	DEG		A16	76.1
A110	68.1	DEG		A110	68.1	DEG		A110	76.1
A114	68.1	DEG		A114	68.1	DEG		A114	76.1
A118	68.1	DEG		A118	68.1	DEG		A118	76.1
A122	68.1	DEG		A122	68.1	DEG		A122	76.1
A126	68.1	DEG		A126	68.1	DEG		A126	76.1
A130	68.1	DEG		A130	68.1	DEG		A130	76.1
ALL ACTIVE ALARMS: NONE									
DATALOG GROUP	1	16 FEB 90	9:00	SAMPLE RATE: 10 MINUTES					
A1	26.3	DEG		A12	68.0	DEG		A1	74.1
A16	68.1	DEG		A16	68.1	DEG		A16	76.1
A110	68.1	DEG		A110	68.1	DEG		A110	76.1
A114	68.1	DEG		A114	68.1	DEG		A114	76.1
A118	68.1	DEG		A118	68.1	DEG		A118	76.1
A122	68.1	DEG		A122	68.1	DEG		A122	76.1
A126	68.1	DEG		A126	68.1	DEG		A126	76.1
A130	68.1	DEG		A130	68.1	DEG		A130	76.1
ALL ACTIVE ALARMS: NONE									
DATALOG GROUP	1	16 FEB 90	8:50	SAMPLE RATE: 10 MINUTES					
A1	26.3	DEG		A12	68.0	DEG		A1	74.1
A16	68.1	DEG		A16	68.1	DEG		A16	76.1
A110	68.1	DEG		A110	68.1	DEG		A110	76.1
A114	68.1	DEG		A114	68.1	DEG		A114	76.1
A118	68.1	DEG		A118	68.1	DEG		A118	76.1
A122	68.1	DEG		A122	68.1	DEG		A122	76.1
A126	68.1	DEG		A126	68.1	DEG		A126	76.1
A130	68.1	DEG		A130	68.1	DEG		A130	76.1
ALL ACTIVE ALARMS: NONE									
DATALOG GROUP	1	16 FEB 90	8:40	SAMPLE RATE: 10 MINUTES					
A1	26.3	DEG		A12	68.0	DEG		A1	74.1
A16	68.1	DEG		A16	68.1	DEG		A16	76.1
A110	68.1	DEG		A110	68.1	DEG		A110	76.1
A114	68.1	DEG		A114	68.1	DEG		A114	76.1
A118	68.1	DEG		A118	68.1	DEG		A118	76.1
A122	68.1	DEG		A122	68.1	DEG		A122	76.1
A126	68.1	DEG		A126	68.1	DEG		A126	76.1
A130	68.1	DEG		A130	68.1	DEG		A130	76.1
ALL ACTIVE ALARMS: NONE									
DATALOG GROUP	1	16 FEB 90	8:30	SAMPLE RATE: 10 MINUTES					
A1	26.3	DEG		A12	67.9	DEG		A1	74.1
A16	68.1	DEG		A16	68.1	DEG		A16	76.1
A110	68.1	DEG		A110	68.1	DEG		A110	76.1
A114	68.1	DEG		A114	68.1	DEG		A114	76.1
A118	68.1	DEG		A118	68.1	DEG		A118	76.1
A122	68.1	DEG		A122	68.1	DEG		A122	76.1
A126	68.1	DEG		A126	68.1	DEG		A126	76.1
A130	68.1	DEG		A130	68.1	DEG		A130	76.1
ALL ACTIVE ALARMS: NONE									
DATALOG GROUP	1	16 FEB 90	8:20	SAMPLE RATE: 10 MINUTES					
A1	26.3	DEG		A12	67.9	DEG		A1	74.1
A16	68.1	DEG		A16	68.1	DEG		A16	76.1
A110	68.1	DEG		A110	68.1	DEG		A110	76.1
A114	68.1	DEG		A114	68.1	DEG		A114	76.1
A118	68.1	DEG		A118	68.1	DEG		A118	76.1
A122	68.1	DEG		A122	68.1	DEG		A122	76.1
A126	68.1	DEG		A126	68.1	DEG		A126	76.1
A130	68.1	DEG		A130	68.1	DEG		A130	76.1

Att. III page 48 of 199

A UNIT OF SEVERAL SQUAD MADE IN U.S.A.

LEADS C-NORTHUP

NO 67700

DATE: 16 FEB 98 TIME: 10:00 SAMPLE RATE: 10 MINUTES									
ALL ACTIVE ALARMS: NONE									
DATE: 16 FEB 98 TIME: 9:50 SAMPLE RATE: 10 MINUTES									
ALL ACTIVE ALARMS: NONE									
DATE: 16 FEB 98 TIME: 9:40 SAMPLE RATE: 10 MINUTES									
ALL ACTIVE ALARMS: NONE									
DATE: 16 FEB 98 TIME: 9:30 SAMPLE RATE: 10 MINUTES									
ALL ACTIVE ALARMS: NONE									
DATE: 16 FEB 98 TIME: 9:20 SAMPLE RATE: 10 MINUTES									
ALL ACTIVE ALARMS: NONE									
DATE: 16 FEB 98 TIME: 9:10 SAMPLE RATE: 10 MINUTES									
ALL ACTIVE ALARMS: NONE									
DATE: 16 FEB 98 TIME: 9:00 SAMPLE RATE: 10 MINUTES									
ALL ACTIVE ALARMS: NONE									

Att. III page 49 of 199



ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 16 FEB 98 10:40 SAMPLE RATE: 10 MINUTES											
A11	76.4	DEG	A12	67.9	DEG	A13	74.7	DEG	A14	77.2	DEG
A15	76.4	DEG	A16	68.0	DEG	A17	76.7	DEG	A18	77.2	DEG
A19	69.2	DEG	A110	75.5	DEG	A111	76.7	DEG	A112	79.2	DEG
A113	75.3	DEG	A114	68.6	DEG	A115	70.3	DEG	A116	70.5	DEG
A117	68.3	DEG	A118	70.9	DEG	A119	80.8	DEG	A120	74.2	DEG
A121	69.4	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 16 FEB 98 10:30 SAMPLE RATE: 10 MINUTES											
A11	76.4	DEG	A12	67.9	DEG	A13	74.7	DEG	A14	77.2	DEG
A15	76.4	DEG	A16	68.0	DEG	A17	76.7	DEG	A18	77.2	DEG
A19	69.2	DEG	A110	75.5	DEG	A111	76.7	DEG	A112	79.2	DEG
A113	75.3	DEG	A114	68.6	DEG	A115	70.3	DEG	A116	70.5	DEG
A117	68.3	DEG	A118	70.9	DEG	A119	80.8	DEG	A120	74.2	DEG
A121	69.4	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 16 FEB 98 10:20 SAMPLE RATE: 10 MINUTES											
A11	76.4	DEG	A12	67.9	DEG	A13	74.7	DEG	A14	77.2	DEG
A15	76.4	DEG	A16	68.0	DEG	A17	76.7	DEG	A18	77.2	DEG
A19	69.2	DEG	A110	75.5	DEG	A111	76.7	DEG	A112	79.2	DEG
A113	75.3	DEG	A114	68.6	DEG	A115	70.3	DEG	A116	70.5	DEG
A117	68.3	DEG	A118	70.9	DEG	A119	80.8	DEG	A120	74.2	DEG
A121	69.4	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 16 FEB 98 10:10 SAMPLE RATE: 10 MINUTES											
A11	76.4	DEG	A12	67.9	DEG	A13	74.7	DEG	A14	77.2	DEG
A15	76.4	DEG	A16	68.0	DEG	A17	76.7	DEG	A18	77.2	DEG
A19	69.2	DEG	A110	75.5	DEG	A111	76.7	DEG	A112	79.2	DEG
A113	75.3	DEG	A114	68.6	DEG	A115	70.3	DEG	A116	70.5	DEG
A117	68.3	DEG	A118	70.9	DEG	A119	80.8	DEG	A120	74.2	DEG
A121	69.4	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 16 FEB 98 10:00 SAMPLE RATE: 10 MINUTES											
A11	76.4	DEG	A12	67.9	DEG	A13	74.7	DEG	A14	77.2	DEG
A15	76.4	DEG	A16	68.0	DEG	A17	76.7	DEG	A18	77.2	DEG
A19	69.2	DEG	A110	75.5	DEG	A111	76.7	DEG	A112	79.2	DEG
A113	75.3	DEG	A114	68.6	DEG	A115	70.3	DEG	A116	70.5	DEG
A117	68.3	DEG	A118	70.9	DEG	A119	80.8	DEG	A120	74.2	DEG
A121	69.4	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 16 FEB 98 9:50 SAMPLE RATE: 10 MINUTES											
A11	76.4	DEG	A12	67.9	DEG	A13	74.7	DEG	A14	77.2	DEG
A15	76.4	DEG	A16	68.0	DEG	A17	76.7	DEG	A18	77.2	DEG
A19	69.2	DEG	A110	75.5	DEG	A111	76.7	DEG	A112	79.2	DEG
A113	75.3	DEG	A114	68.6	DEG	A115	70.3	DEG	A116	70.5	DEG
A117	68.3	DEG	A118	70.9	DEG	A119	80.8	DEG	A120	74.2	DEG
A121	69.4	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 16 FEB 98 9:40 SAMPLE RATE: 10 MINUTES											
A11	76.4	DEG	A12	67.9	DEG	A13	74.7	DEG	A14	77.2	DEG
A15	76.4	DEG	A16	68.0	DEG	A17	76.7	DEG	A18	77.2	DEG
A19	69.2	DEG	A110	75.5	DEG	A111	76.7	DEG	A112	79.2	DEG
A113	75.3	DEG	A114	68.6	DEG	A115	70.3	DEG	A116	70.5	DEG
A117	68.3	DEG	A118	70.9	DEG	A119	80.8	DEG	A120	74.2	DEG
A121	69.4	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						



DATE: 16 FEB 90 TIME: 11:10 SAMPLE RATE: 10 MINUTES

ALL	ACTIVE ALARMS:	NONE
-----	----------------	------

DATALOG GROUP 1 16 FEB 90 11:10 SAMPLE RATE: 10 MINUTES

A12	76.4	DEG	A12	67.9	DEG	A12	74.7	DEG	A12	77.4	DEG
A16	76.4	DEG	A16	67.9	DEG	A16	74.7	DEG	A16	77.4	DEG
A18	76.4	DEG	A18	67.9	DEG	A18	74.7	DEG	A18	77.4	DEG
A122	76.4	DEG	A122	67.9	DEG	A122	74.7	DEG	A122	77.4	DEG
A126	76.4	DEG	A126	67.9	DEG	A126	74.7	DEG	A126	77.4	DEG
A130	76.4	DEG	A130	67.9	DEG	A130	74.7	DEG	A130	77.4	DEG

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 16 FEB 90 11:00 SAMPLE RATE: 10 MINUTES

A12	76.4	DEG	A12	67.9	DEG	A12	74.7	DEG	A12	77.4	DEG
A16	76.4	DEG	A16	67.9	DEG	A16	74.7	DEG	A16	77.4	DEG
A18	76.4	DEG	A18	67.9	DEG	A18	74.7	DEG	A18	77.4	DEG
A122	76.4	DEG	A122	67.9	DEG	A122	74.7	DEG	A122	77.4	DEG
A126	76.4	DEG	A126	67.9	DEG	A126	74.7	DEG	A126	77.4	DEG
A130	76.4	DEG	A130	67.9	DEG	A130	74.7	DEG	A130	77.4	DEG

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 16 FEB 90 10:50 SAMPLE RATE: 10 MINUTES

A12	76.4	DEG	A12	67.9	DEG	A12	74.7	DEG	A12	77.4	DEG
A16	76.4	DEG	A16	67.9	DEG	A16	74.7	DEG	A16	77.4	DEG
A18	76.4	DEG	A18	67.9	DEG	A18	74.7	DEG	A18	77.4	DEG
A122	76.4	DEG	A122	67.9	DEG	A122	74.7	DEG	A122	77.4	DEG
A126	76.4	DEG	A126	67.9	DEG	A126	74.7	DEG	A126	77.4	DEG
A130	76.4	DEG	A130	67.9	DEG	A130	74.7	DEG	A130	77.4	DEG

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 16 FEB 90 10:40 SAMPLE RATE: 10 MINUTES

A12	76.4	DEG	A12	67.9	DEG	A12	74.7	DEG	A12	77.4	DEG
A16	76.4	DEG	A16	67.9	DEG	A16	74.7	DEG	A16	77.4	DEG
A18	76.4	DEG	A18	67.9	DEG	A18	74.7	DEG	A18	77.4	DEG
A122	76.4	DEG	A122	67.9	DEG	A122	74.7	DEG	A122	77.4	DEG
A126	76.4	DEG	A126	67.9	DEG	A126	74.7	DEG	A126	77.4	DEG
A130	76.4	DEG	A130	67.9	DEG	A130	74.7	DEG	A130	77.4	DEG

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 16 FEB 90 10:30 SAMPLE RATE: 10 MINUTES

A12	76.4	DEG	A12	67.9	DEG	A12	74.7	DEG	A12	77.4	DEG
A16	76.4	DEG	A16	67.9	DEG	A16	74.7	DEG	A16	77.4	DEG
A18	76.4	DEG	A18	67.9	DEG	A18	74.7	DEG	A18	77.4	DEG
A122	76.4	DEG	A122	67.9	DEG	A122	74.7	DEG	A122	77.4	DEG
A126	76.4	DEG	A126	67.9	DEG	A126	74.7	DEG	A126	77.4	DEG
A130	76.4	DEG	A130	67.9	DEG	A130	74.7	DEG	A130	77.4	DEG

ALL ACTIVE ALARMS: NONE

Att. III page 51 of 199





11



12





ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 16 FEB 90 13:28 SAMPLE RATE: 10 MINUTES											
A1	76.3	DEG	A12	67.8	DEG	A13	74.5	DEG	A14	72.2	DEG
A15	69.9	DEG	A16	69.0	DEG	A17	76.2	DEG	A18	67.4	DEG
A19	75.4	DEG	A110	75.4	DEG	A111	69.9	DEG	A112	79.4	DEG
A113	71.0	DEG	A114	68.7	DEG	A115	74.2	DEG	A116	70.5	DEG
A117	68.8	DEG	A118	71.0	DEG	A119	90.0	DEG	A120	74.1	DEG
A121	68.8	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	68.8	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 16 FEB 90 13:10 SAMPLE RATE: 10 MINUTES											
A1	76.3	DEG	A12	67.8	DEG	A13	74.6	DEG	A14	72.2	DEG
A15	69.9	DEG	A16	69.0	DEG	A17	76.2	DEG	A18	67.4	DEG
A19	75.4	DEG	A110	75.4	DEG	A111	69.9	DEG	A112	79.4	DEG
A113	71.0	DEG	A114	68.7	DEG	A115	74.2	DEG	A116	70.5	DEG
A117	68.8	DEG	A118	71.0	DEG	A119	90.0	DEG	A120	74.1	DEG
A121	68.8	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	68.8	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 16 FEB 90 13:00 SAMPLE RATE: 10 MINUTES											
A1	76.4	DEG	A12	67.8	DEG	A13	74.6	DEG	A14	72.3	DEG
A15	69.9	DEG	A16	69.0	DEG	A17	76.2	DEG	A18	67.4	DEG
A19	75.4	DEG	A110	75.4	DEG	A111	69.9	DEG	A112	79.4	DEG
A113	71.0	DEG	A114	68.7	DEG	A115	74.2	DEG	A116	70.5	DEG
A117	68.8	DEG	A118	71.0	DEG	A119	90.0	DEG	A120	74.1	DEG
A121	68.8	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	68.8	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 16 FEB 90 12:50 SAMPLE RATE: 10 MINUTES											
A1	76.4	DEG	A12	67.8	DEG	A13	74.6	DEG	A14	72.3	DEG
A15	69.9	DEG	A16	69.0	DEG	A17	76.2	DEG	A18	67.4	DEG
A19	75.4	DEG	A110	75.4	DEG	A111	69.9	DEG	A112	79.4	DEG
A113	71.0	DEG	A114	68.7	DEG	A115	74.2	DEG	A116	70.5	DEG
A117	68.8	DEG	A118	71.0	DEG	A119	90.0	DEG	A120	74.1	DEG
A121	68.8	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	68.8	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 16 FEB 90 12:40 SAMPLE RATE: 10 MINUTES											
A1	76.4	DEG	A12	67.8	DEG	A13	74.6	DEG	A14	72.3	DEG
A15	69.9	DEG	A16	69.0	DEG	A17	76.2	DEG	A18	67.4	DEG
A19	75.4	DEG	A110	75.4	DEG	A111	69.9	DEG	A112	79.4	DEG
A113	71.0	DEG	A114	68.7	DEG	A115	74.2	DEG	A116	70.5	DEG
A117	68.8	DEG	A118	71.0	DEG	A119	90.0	DEG	A120	74.1	DEG
A121	68.8	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	68.8	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 16 FEB 90 12:30 SAMPLE RATE: 10 MINUTES											
A1	76.4	DEG	A12	67.8	DEG	A13	74.5	DEG	A14	72.3	DEG
A15	69.9	DEG	A16	69.0	DEG	A17	76.2	DEG	A18	67.4	DEG
A19	75.4	DEG	A110	75.4	DEG	A111	69.9	DEG	A112	79.4	DEG
A113	71.0	DEG	A114	68.7	DEG	A115	74.2	DEG	A116	70.5	DEG
A117	68.8	DEG	A118	71.0	DEG	A119	90.0	DEG	A120	74.1	DEG
A121	68.8	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	68.8	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						



LEEDS & NORITROP

NO. 57700

3F GENERAL SIGNAL MADE IN U.S.A.

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 16 FEB 90 14:00 SAMPLE RATE: 10 MINUTES

A1	76.3	DEG	A12	67.7	DEG	A13	74.3	DEG	A14	77.2	DEG
A15	76.3	DEG	A16	67.7	DEG	A17	76.3	DEG	A18	67.7	DEG
A19	76.3	DEG	A110	67.7	DEG	A111	76.3	DEG	A112	67.7	DEG
A113	76.3	DEG	A114	67.7	DEG	A115	76.3	DEG	A116	67.7	DEG
A117	76.3	DEG	A118	67.7	DEG	A119	76.3	DEG	A120	67.7	DEG
A121	76.3	DEG	A122	67.7	DEG	A123	76.3	DEG	A124	67.7	DEG
A125	76.3	DEG	A126	67.7	DEG	A127	76.3	DEG	A128	67.7	DEG
A129	76.3	DEG	A130	67.7	DEG	A131	76.3	DEG	A132	67.7	DEG

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 16 FEB 90 13:50 SAMPLE RATE: 10 MINUTES

A1	76.3	DEG	A12	67.7	DEG	A13	74.3	DEG	A14	77.2	DEG
A15	76.3	DEG	A16	67.7	DEG	A17	76.3	DEG	A18	67.7	DEG
A19	76.3	DEG	A110	67.7	DEG	A111	76.3	DEG	A112	67.7	DEG
A113	76.3	DEG	A114	67.7	DEG	A115	76.3	DEG	A116	67.7	DEG
A117	76.3	DEG	A118	67.7	DEG	A119	76.3	DEG	A120	67.7	DEG
A121	76.3	DEG	A122	67.7	DEG	A123	76.3	DEG	A124	67.7	DEG
A125	76.3	DEG	A126	67.7	DEG	A127	76.3	DEG	A128	67.7	DEG
A129	76.3	DEG	A130	67.7	DEG	A131	76.3	DEG	A132	67.7	DEG

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 16 FEB 90 13:40 SAMPLE RATE: 10 MINUTES

A1	76.3	DEG	A12	67.7	DEG	A13	74.3	DEG	A14	77.2	DEG
A15	76.3	DEG	A16	67.7	DEG	A17	76.3	DEG	A18	67.7	DEG
A19	76.3	DEG	A110	67.7	DEG	A111	76.3	DEG	A112	67.7	DEG
A113	76.3	DEG	A114	67.7	DEG	A115	76.3	DEG	A116	67.7	DEG
A117	76.3	DEG	A118	67.7	DEG	A119	76.3	DEG	A120	67.7	DEG
A121	76.3	DEG	A122	67.7	DEG	A123	76.3	DEG	A124	67.7	DEG
A125	76.3	DEG	A126	67.7	DEG	A127	76.3	DEG	A128	67.7	DEG
A129	76.3	DEG	A130	67.7	DEG	A131	76.3	DEG	A132	67.7	DEG

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 16 FEB 90 13:30 SAMPLE RATE: 10 MINUTES

A1	76.3	DEG	A12	67.7	DEG	A13	74.3	DEG	A14	77.2	DEG
A15	76.3	DEG	A16	67.7	DEG	A17	76.3	DEG	A18	67.7	DEG
A19	76.3	DEG	A110	67.7	DEG	A111	76.3	DEG	A112	67.7	DEG
A113	76.3	DEG	A114	67.7	DEG	A115	76.3	DEG	A116	67.7	DEG
A117	76.3	DEG	A118	67.7	DEG	A119	76.3	DEG	A120	67.7	DEG
A121	76.3	DEG	A122	67.7	DEG	A123	76.3	DEG	A124	67.7	DEG
A125	76.3	DEG	A126	67.7	DEG	A127	76.3	DEG	A128	67.7	DEG
A129	76.3	DEG	A130	67.7	DEG	A131	76.3	DEG	A132	67.7	DEG

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 16 FEB 90 13:20 SAMPLE RATE: 10 MINUTES

A1	76.3	DEG	A12	67.7	DEG	A13	74.3	DEG	A14	77.2	DEG
A15	76.3	DEG	A16	67.7	DEG	A17	76.3	DEG	A18	67.7	DEG
A19	76.3	DEG	A110	67.7	DEG	A111	76.3	DEG	A112	67.7	DEG
A113	76.3	DEG	A114	67.7	DEG	A115	76.3	DEG	A116	67.7	DEG
A117	76.3	DEG	A118	67.7	DEG	A119	76.3	DEG	A120	67.7	DEG
A121	76.3	DEG	A122	67.7	DEG	A123	76.3	DEG	A124	67.7	DEG
A125	76.3	DEG	A126	67.7	DEG	A127	76.3	DEG	A128	67.7	DEG
A129	76.3	DEG	A130	67.7	DEG	A131	76.3	DEG	A132	67.7	DEG

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 16 FEB 90 13:10 SAMPLE RATE: 10 MINUTES

A1	76.3	DEG	A12	67.7	DEG	A13	74.3	DEG	A14	77.2	DEG
A15	76.3	DEG	A16	67.7	DEG	A17	76.3	DEG	A18	67.7	DEG
A19	76.3	DEG	A110	67.7	DEG	A111	76.3	DEG	A112	67.7	DEG
A113	76.3	DEG	A114	67.7	DEG	A115	76.3	DEG	A116	67.7	DEG
A117	76.3	DEG	A118	67.7	DEG	A119	76.3	DEG	A120	67.7	DEG
A121	76.3	DEG	A122	67.7	DEG	A123	76.3	DEG	A124	67.7	DEG
A125	76.3	DEG	A126	67.7	DEG	A127	76.3	DEG	A128	67.7	DEG
A129	76.3	DEG	A130	67.7	DEG	A131	76.3	DEG	A132	67.7	DEG

ATT. III page 55 of 199



NO. 67700 LEEDS & NORTHROP A UNIT OF GENERAL SIGNAL MADE IN U.S.A.

ALL ACTIVE ALARMS: NONE			16 FEB 90 14:40 SAMPLE RATE: 10 MINUTES			16 FEB 90 14:40 SAMPLE RATE: 10 MINUTES			16 FEB 90 14:20 SAMPLE RATE: 10 MINUTES			16 FEB 90 14:10 SAMPLE RATE: 10 MINUTES			16 FEB 90 14:00 SAMPLE RATE: 10 MINUTES		
DATALOG GROUP 1			DATALOG GROUP 1			DATALOG GROUP 1			DATALOG GROUP 1			DATALOG GROUP 1			DATALOG GROUP 1		
A11	76.3	DEG	A12	67.9	DEG	A13	74.5	DEG	A14	77.2	DEG	A15	76.3	DEG	A16	76.3	DEG
A19	76.3	DEG	A110	75.9	DEG	A111	75.9	DEG	A112	76.3	DEG	A113	76.3	DEG	A114	76.3	DEG
A117	68.2	DEG	A118	71.0	DEG	A119	74.3	DEG	A120	70.4	DEG	A121	68.2	DEG	A122	68.2	DEG
A121	68.2	DEG	A122	68.2	DEG	A123	90.0	DEG	A124	74.1	DEG	A125	68.2	DEG	A126	68.2	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG	A129	SKIP	DEG	A130	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG												

Att. III page 56 of 199

TALOG	16 FEB 90
GROUP	GRP:1

SAMPLE RATE: 10 MINUTES

TALOG	16 FEB 90
GROUP	GRP

SAMPLE RATE: 10 MINUTES

ITALOG 16 FEB 90
GRON 16 FEB 90

SAMPLE RATE: 10 MINUTES

16 FEB 1980

SAMPLE RATE: 10 MINUTES

16 FEB 90

SAMPLE RATE: 10 MINUTES

26 FEB 1980

SAMPLE RATE: 10 MINUTES



NO. 67700 LEEDS & NORRUP AUC

ALL SIGNAL MADE IN U.S.A.

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 16 FEB 90 16:00

SAMPLE RATE: 10 MINUTES

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 16 FEB 90 15:50

SAMPLE RATE: 10 MINUTES

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 16 FEB 90 15:40

SAMPLE RATE: 10 MINUTES

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 16 FEB 90 15:30

SAMPLE RATE: 10 MINUTES

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 16 FEB 90 15:20

SAMPLE RATE: 10 MINUTES

ATT. III page 58 of 199



NO. 67700 LEEDS & NORTHUP A UNIT OF GENERAL SIGNAL MADE IN U.S.A.

ATALOS GROUP 1 16 FEB 90 16:50 SAMPLE RATE: 10 MINUTES									
A12	67.4	DEG	A13	74.9	DEG	A14	77.8	DEG	
A16	67.4	DEG	A17	74.9	DEG	A18	66.9	DEG	
A10	76.6	DEG	A11	69.3	DEG	A12	79.7	DEG	
A14	68.4	DEG	A15	74.8	DEG	A16	69.4	DEG	
A18	70.8	DEG	A19	89.1	DEG	A20	73.8	DEG	
A22	67.8	DEG	A23	89.1	DEG	A24	73.8	DEG	
A26	SKIP	DEG	A27	SKIP	DEG	A28	SKIP	DEG	
A30	SKIP	DEG							
ALL ACTIVE ALARMS: NONE									
ATALOS GROUP 1 16 FEB 90 16:40 SAMPLE RATE: 10 MINUTES									
A12	67.4	DEG	A13	74.9	DEG	A14	77.8	DEG	
A16	67.4	DEG	A17	74.9	DEG	A18	66.9	DEG	
A10	76.6	DEG	A11	69.3	DEG	A12	79.7	DEG	
A14	68.4	DEG	A15	74.8	DEG	A16	69.4	DEG	
A18	70.8	DEG	A19	89.1	DEG	A20	73.8	DEG	
A22	67.8	DEG	A23	89.1	DEG	A24	73.8	DEG	
A26	SKIP	DEG	A27	SKIP	DEG	A28	SKIP	DEG	
A30	SKIP	DEG							
ALL ACTIVE ALARMS: NONE									
ATALOS GROUP 1 16 FEB 90 16:30 SAMPLE RATE: 10 MINUTES									
A12	67.4	DEG	A13	74.9	DEG	A14	77.1	DEG	
A16	67.4	DEG	A17	74.9	DEG	A18	66.9	DEG	
A10	76.6	DEG	A11	69.3	DEG	A12	79.7	DEG	
A14	68.4	DEG	A15	74.8	DEG	A16	69.4	DEG	
A18	70.8	DEG	A19	89.1	DEG	A20	73.8	DEG	
A22	67.8	DEG	A23	89.1	DEG	A24	73.8	DEG	
A26	SKIP	DEG	A27	SKIP	DEG	A28	SKIP	DEG	
A30	SKIP	DEG							
ALL ACTIVE ALARMS: NONE									
ATALOS GROUP 1 16 FEB 90 16:20 SAMPLE RATE: 10 MINUTES									
A12	67.6	DEG	A13	73.8	DEG	A14	77.1	DEG	
A16	67.6	DEG	A17	76.6	DEG	A18	67.8	DEG	
A10	76.6	DEG	A11	69.3	DEG	A12	79.7	DEG	
A14	68.4	DEG	A15	74.8	DEG	A16	69.4	DEG	
A18	70.8	DEG	A19	89.1	DEG	A20	73.8	DEG	
A22	67.8	DEG	A23	89.1	DEG	A24	73.8	DEG	
A26	SKIP	DEG	A27	SKIP	DEG	A28	SKIP	DEG	
A30	SKIP	DEG							
ALL ACTIVE ALARMS: NONE									
ATALOS GROUP 1 16 FEB 90 16:10 SAMPLE RATE: 10 MINUTES									
A12	67.3	DEG	A13	74.9	DEG	A14	77.1	DEG	
A16	67.3	DEG	A17	74.9	DEG	A18	67.8	DEG	
A10	76.6	DEG	A11	69.3	DEG	A12	79.7	DEG	
A14	68.4	DEG	A15	74.8	DEG	A16	69.4	DEG	
A18	70.8	DEG	A19	89.1	DEG	A20	73.8	DEG	
A22	67.8	DEG	A23	89.1	DEG	A24	73.8	DEG	
A26	SKIP	DEG	A27	SKIP	DEG	A28	SKIP	DEG	
A30	SKIP	DEG							
ALL ACTIVE ALARMS: NONE									
ATALOS GROUP 1 16 FEB 90 16:00 SAMPLE RATE: 10 MINUTES									
A12	67.7	DEG	A13	74.9	DEG	A14	77.2	DEG	
A16	67.7	DEG	A17	76.6	DEG	A18	67.8	DEG	
A10	76.6	DEG	A11	69.3	DEG	A12	79.7	DEG	
A14	68.4	DEG	A15	74.8	DEG	A16	69.4	DEG	
A18	70.8	DEG	A19	89.1	DEG	A20	73.8	DEG	
A22	67.8	DEG	A23	89.1	DEG	A24	73.8	DEG	
A26	SKIP	DEG	A27	SKIP	DEG	A28	SKIP	DEG	
A30	SKIP	DEG							
ALL ACTIVE ALARMS: NONE									
ATALOS GROUP 1 16 FEB 90 15:50 SAMPLE RATE: 10 MINUTES									
A12	67.8	DEG	A13	74.8	DEG	A14	77.1	DEG	
A16	67.8	DEG	A17	76.6	DEG	A18	67.8	DEG	
A10	76.6	DEG	A11	69.3	DEG	A12	79.7	DEG	
A14	68.4	DEG	A15	74.8	DEG	A16	69.4	DEG	
A18	70.8	DEG	A19	89.1	DEG	A20	73.8	DEG	
A22	67.8	DEG	A23	89.1	DEG	A24	73.8	DEG	
A26	SKIP	DEG	A27	SKIP	DEG	A28	SKIP	DEG	
A30	SKIP	DEG							

Att. III page 59 of 199

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 16 FEB 90 17:30 SAMPLE RATE: 10 MINUTES

A11	76.5	DEG	A12	67.2	DEG	A13	74.9	DEG	A14	77.8	DEG
A13	76.2	DEG	A16	67.4	DEG	A17	73.9	DEG	A18	66.9	DEG
A19	69.1	DEG	A110	76.4	DEG	A111	68.9	DEG	A112	79.3	DEG
A113	76.1	DEG	A114	68.2	DEG	A115	73.9	DEG	A116	69.5	DEG
A117	67.8	DEG	A118	70.3	DEG	A119	89.1	DEG	A120	73.8	DEG
A121	68.3	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 16 FEB 90 17:20 SAMPLE RATE: 10 MINUTES

A11	76.5	DEG	A12	67.2	DEG	A13	74.8	DEG	A14	77.1	DEG
A13	76.2	DEG	A16	67.4	DEG	A17	73.9	DEG	A18	67.8	DEG
A19	69.1	DEG	A110	76.4	DEG	A111	68.9	DEG	A112	79.3	DEG
A113	76.1	DEG	A114	68.2	DEG	A115	73.9	DEG	A116	69.5	DEG
A117	67.8	DEG	A118	70.3	DEG	A119	89.1	DEG	A120	73.8	DEG
A121	68.3	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 16 FEB 90 17:10 SAMPLE RATE: 10 MINUTES

A11	76.5	DEG	A12	67.2	DEG	A13	74.9	DEG	A14	77.8	DEG
A13	76.2	DEG	A16	67.4	DEG	A17	73.9	DEG	A18	66.9	DEG
A19	69.1	DEG	A110	76.4	DEG	A111	68.9	DEG	A112	79.3	DEG
A113	76.1	DEG	A114	68.2	DEG	A115	73.9	DEG	A116	69.5	DEG
A117	67.8	DEG	A118	70.3	DEG	A119	89.1	DEG	A120	73.8	DEG
A121	68.3	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 16 FEB 90 17:00 SAMPLE RATE: 10 MINUTES

A11	76.5	DEG	A12	67.2	DEG	A13	73.8	DEG	A14	77.8	DEG
A13	76.2	DEG	A16	67.4	DEG	A17	73.5	DEG	A18	66.9	DEG
A19	69.1	DEG	A110	76.4	DEG	A111	68.9	DEG	A112	79.3	DEG
A113	76.1	DEG	A114	68.2	DEG	A115	73.9	DEG	A116	69.5	DEG
A117	67.8	DEG	A118	70.3	DEG	A119	89.1	DEG	A120	73.8	DEG
A121	68.3	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						

ALL ACTIVE ALARMS: NONE

X DATALOG GROUP 1 16 FEB 90 16:50 SAMPLE RATE: 10 MINUTES

A11	76.5	DEG	A12	67.2	DEG	A13	74.9	DEG	A14	77.8	DEG
A13	76.2	DEG	A16	67.4	DEG	A17	73.9	DEG	A18	66.9	DEG
A19	69.1	DEG	A110	76.4	DEG	A111	68.9	DEG	A112	79.3	DEG
A113	76.1	DEG	A114	68.2	DEG	A115	73.9	DEG	A116	69.5	DEG
A117	67.8	DEG	A118	70.3	DEG	A119	89.1	DEG	A120	73.8	DEG
A121	68.3	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 16 FEB 90 16:40 SAMPLE RATE: 10 MINUTES

A11	76.5	DEG	A12	67.2	DEG	A13	74.9	DEG	A14	77.8	DEG
A13	76.2	DEG	A16	67.4	DEG	A17	73.9	DEG	A18	66.9	DEG
A19	69.1	DEG	A110	76.4	DEG	A111	68.9	DEG	A112	79.3	DEG
A113	76.1	DEG	A114	68.2	DEG	A115	73.9	DEG	A116	69.5	DEG
A117	67.8	DEG	A118	70.3	DEG	A119	89.1	DEG	A120	73.8	DEG
A121	68.3	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 16 FEB 90 16:30 SAMPLE RATE: 10 MINUTES

NO. 39700
UNIT OF GENERAL SIG-
EEDS T. NORTH

ALL ACTIVE ALARMS:		NONE									
DATALOG GROUP 1		16 FEB 90	18:10	SAMPLE RATE: 10 MINUTES							
A12	67.2	DEG	A13	74.8	DEG	A14	81.2	77.1	DEG		
A16	67.4	DEG	A17	74.8	DEG	A18	12	67.8	DEG		
A110	67.4	DEG	A111	74.8	DEG	A112	69.3	79.3	DEG		
A114	68.2	DEG	A115	74.1	DEG	A116	69.4	69.4	DEG		
A118	70.5	DEG	A119	89.3	DEG	A120	73.6	73.6	DEG		
A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	SKIP	DEG		
A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	SKIP	DEG		
A130	SKIP	DEG									
ALL ACTIVE ALARMS:		NONE									
DATALOG GROUP 1		16 FEB 90	18:00	SAMPLE RATE: 10 MINUTES							
A12	67.8	DEG	A13	75.0	DEG	A14	81.2	77.1	DEG		
A16	67.8	DEG	A17	74.9	DEG	A18	12	67.8	DEG		
A110	67.8	DEG	A111	74.9	DEG	A112	69.3	79.3	DEG		
A114	68.9	DEG	A115	74.4	DEG	A116	69.4	69.4	DEG		
A118	70.5	DEG	A119	89.3	DEG	A120	73.6	73.6	DEG		
A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	SKIP	DEG		
A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	SKIP	DEG		
A130	SKIP	DEG									
ALL ACTIVE ALARMS:		NONE									
DATALOG GROUP 1		16 FEB 90	17:50	SAMPLE RATE: 10 MINUTES							
A12	67.2	DEG	A13	74.8	DEG	A14	81.2	77.8	DEG		
A16	67.4	DEG	A17	74.8	DEG	A18	12	67.8	DEG		
A110	67.4	DEG	A111	74.8	DEG	A112	69.3	79.3	DEG		
A114	68.2	DEG	A115	74.1	DEG	A116	69.4	69.4	DEG		
A118	70.5	DEG	A119	89.3	DEG	A120	73.6	73.6	DEG		
A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	SKIP	DEG		
A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	SKIP	DEG		
A130	SKIP	DEG									
ALL ACTIVE ALARMS:		NONE									
DATALOG GROUP 1		16 FEB 90	17:40	SAMPLE RATE: 10 MINUTES							
A12	67.3	DEG	A13	74.8	DEG	A14	81.2	77.1	DEG		
A16	67.4	DEG	A17	74.8	DEG	A18	12	67.8	DEG		
A110	67.4	DEG	A111	74.8	DEG	A112	69.3	79.3	DEG		
A114	68.2	DEG	A115	74.1	DEG	A116	69.4	69.4	DEG		
A118	70.5	DEG	A119	89.3	DEG	A120	73.6	73.6	DEG		
A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	SKIP	DEG		
A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	SKIP	DEG		
A130	SKIP	DEG									
ALL ACTIVE ALARMS:		NONE									
DATALOG GROUP 1		16 FEB 90	17:30	SAMPLE RATE: 10 MINUTES							
A12	67.2	DEG	A13	74.8	DEG	A14	81.2	77.8	DEG		
A16	67.4	DEG	A17	74.8	DEG	A18	12	67.8	DEG		
A110	67.4	DEG	A111	74.8	DEG	A112	69.3	79.3	DEG		
A114	68.2	DEG	A115	74.1	DEG	A116	69.4	69.4	DEG		
A118	70.5	DEG	A119	89.3	DEG	A120	73.6	73.6	DEG		
A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	SKIP	DEG		
A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	SKIP	DEG		
A130	SKIP	DEG									
ALL ACTIVE ALARMS:		NONE									
DATALOG GROUP 1		16 FEB 90	17:20	SAMPLE RATE: 10 MINUTES							
A12	67.3	DEG	A13	74.8	DEG	A14	81.2	77.1	DEG		
A16	67.4	DEG	A17	74.8	DEG	A18	12	67.8	DEG		
A110	67.4	DEG	A111	74.8	DEG	A112	69.3	79.3	DEG		
A114	68.2	DEG	A115	74.1	DEG	A116	69.4	69.4	DEG		
A118	70.5	DEG	A119	89.3	DEG	A120	73.6	73.6	DEG		
A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	SKIP	DEG		
A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	SKIP	DEG		
A130	SKIP	DEG									

Att. III page 61 of 199



ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 16 FEB 90 19:00 SAMPLE RATE: 10 MINUTES											
A1	77.3	DEG	A12	67.8	DEG	A13	74.8	DEG	A14	77.1	DEG
A5	76.8	DEG	A16	67.1	DEG	A17	73.8	DEG	A18	67.4	DEG
A9	69.2	DEG	A110	77.3	DEG	A111	69.8	DEG	A112	69.4	DEG
A13	67.6	DEG	A114	67.8	DEG	A115	69.8	DEG	A116	69.5	DEG
A17	67.7	DEG	A118	70.6	DEG	A119	89.1	DEG	A120	73.7	DEG
A21	68.1	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A25	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A29	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 16 FEB 90 18:50 SAMPLE RATE: 10 MINUTES											
A1	77.3	DEG	A12	66.9	DEG	A13	74.8	DEG	A14	77.1	DEG
A5	76.8	DEG	A16	67.1	DEG	A17	73.8	DEG	A18	67.4	DEG
A9	69.2	DEG	A110	77.3	DEG	A111	69.8	DEG	A112	69.4	DEG
A13	67.6	DEG	A114	67.8	DEG	A115	69.8	DEG	A116	69.5	DEG
A17	67.7	DEG	A118	70.6	DEG	A119	89.1	DEG	A120	73.7	DEG
A21	68.1	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A25	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A29	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 16 FEB 90 18:40 SAMPLE RATE: 10 MINUTES											
A1	77.3	DEG	A12	67.8	DEG	A13	74.8	DEG	A14	77.1	DEG
A5	76.8	DEG	A16	67.1	DEG	A17	73.8	DEG	A18	67.4	DEG
A9	69.2	DEG	A110	77.3	DEG	A111	69.8	DEG	A112	69.4	DEG
A13	67.6	DEG	A114	67.8	DEG	A115	69.8	DEG	A116	69.5	DEG
A17	67.7	DEG	A118	70.6	DEG	A119	89.1	DEG	A120	73.7	DEG
A21	68.1	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A25	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A29	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 16 FEB 90 18:30 SAMPLE RATE: 10 MINUTES											
A1	77.3	DEG	A12	67.8	DEG	A13	74.8	DEG	A14	77.1	DEG
A5	76.8	DEG	A16	67.1	DEG	A17	73.8	DEG	A18	67.4	DEG
A9	69.2	DEG	A110	77.3	DEG	A111	69.8	DEG	A112	69.4	DEG
A13	67.6	DEG	A114	67.8	DEG	A115	69.8	DEG	A116	69.5	DEG
A17	67.7	DEG	A118	70.6	DEG	A119	89.1	DEG	A120	73.7	DEG
A21	68.1	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A25	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A29	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 16 FEB 90 18:20 SAMPLE RATE: 10 MINUTES											
A1	77.3	DEG	A12	67.1	DEG	A13	74.8	DEG	A14	77.1	DEG
A5	76.8	DEG	A16	67.1	DEG	A17	73.8	DEG	A18	67.4	DEG
A9	69.2	DEG	A110	77.3	DEG	A111	69.8	DEG	A112	69.4	DEG
A13	67.6	DEG	A114	67.8	DEG	A115	69.8	DEG	A116	69.5	DEG
A17	67.7	DEG	A118	70.6	DEG	A119	89.1	DEG	A120	73.7	DEG
A21	68.1	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A25	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A29	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 16 FEB 90 18:10 SAMPLE RATE: 10 MINUTES											
A1	77.3	DEG	A12	67.1	DEG	A13	74.8	DEG	A14	77.1	DEG
A5	76.8	DEG	A16	67.1	DEG	A17	73.8	DEG	A18	67.4	DEG
A9	69.2	DEG	A110	77.3	DEG	A111	69.8	DEG	A112	69.4	DEG
A13	67.6	DEG	A114	67.8	DEG	A115	69.8	DEG	A116	69.5	DEG
A17	67.7	DEG	A118	70.6	DEG	A119	89.1	DEG	A120	73.7	DEG
A21	68.1	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A25	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A29	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 16 FEB 90 18:00 SAMPLE RATE: 10 MINUTES											
A1	76.7	DEG	A12	67.2	DEG	A13	75.0	DEG	A14	77.1	DEG

NO. 677001 LEEDS & NORTHROP, SA UNIT OF GENERAL SCIENCE, MADE IN U.S.A.

DATALOG GROUP 1 16 FEB 90 19:40 SAMPLE RATE: 10 MINUTES

A11	76.9	DEG	A12	67.0	DEG	A13	74.0	DEG	A14	76.9	DEG
A15	79.3	DEG	A16	67.1	DEG	A17	74.6	DEG	A18	67.0	DEG
A19	76.0	DEG	A110	76.2	DEG	A111	73.7	DEG	A112	79.3	DEG
A113	67.4	DEG	A114	67.0	DEG	A115	73.0	DEG	A116	69.0	DEG
A117	70.6	DEG	A118	70.6	DEG	A119	88.9	DEG	A120	73.6	DEG
A121	68.0	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 16 FEB 90 19:30 SAMPLE RATE: 10 MINUTES

A11	77.0	DEG	A12	67.0	DEG	A13	74.0	DEG	A14	77.1	DEG
A15	79.3	DEG	A16	67.1	DEG	A17	74.6	DEG	A18	67.0	DEG
A19	76.0	DEG	A110	76.2	DEG	A111	73.7	DEG	A112	79.3	DEG
A113	67.4	DEG	A114	67.0	DEG	A115	73.0	DEG	A116	69.0	DEG
A117	70.6	DEG	A118	70.6	DEG	A119	88.9	DEG	A120	73.6	DEG
A121	68.0	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 16 FEB 90 19:20 SAMPLE RATE: 10 MINUTES

A11	77.0	DEG	A12	66.9	DEG	A13	74.9	DEG	A14	77.1	DEG
A15	79.3	DEG	A16	67.1	DEG	A17	74.6	DEG	A18	67.0	DEG
A19	76.0	DEG	A110	76.2	DEG	A111	73.7	DEG	A112	79.3	DEG
A113	67.4	DEG	A114	67.9	DEG	A115	74.0	DEG	A116	69.0	DEG
A117	70.6	DEG	A118	70.8	DEG	A119	88.9	DEG	A120	73.6	DEG
A121	68.0	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 16 FEB 90 19:10 SAMPLE RATE: 10 MINUTES

A11	77.0	DEG	A12	66.9	DEG	A13	74.9	DEG	A14	77.0	DEG
A15	79.3	DEG	A16	67.2	DEG	A17	73.7	DEG	A18	67.0	DEG
A19	76.0	DEG	A110	76.0	DEG	A111	73.0	DEG	A112	79.3	DEG
A113	67.4	DEG	A114	68.0	DEG	A115	74.1	DEG	A116	69.0	DEG
A117	70.6	DEG	A118	70.6	DEG	A119	88.9	DEG	A120	73.6	DEG
A121	68.0	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 16 FEB 90 19:00 SAMPLE RATE: 10 MINUTES

A11	77.0	DEG	A12	67.0	DEG	A13	74.9	DEG	A14	77.0	DEG
A15	79.3	DEG	A16	67.1	DEG	A17	73.7	DEG	A18	67.0	DEG
A19	76.0	DEG	A110	76.2	DEG	A111	73.0	DEG	A112	79.3	DEG
A113	67.4	DEG	A114	67.0	DEG	A115	74.0	DEG	A116	69.0	DEG
A117	70.6	DEG	A118	70.6	DEG	A119	88.9	DEG	A120	73.6	DEG
A121	68.0	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 16 FEB 90 18:50 SAMPLE RATE: 10 MINUTES

A11	77.2	DEG	A12	66.9	DEG	A13	74.9	DEG	A14	77.1	DEG
A15	79.3	DEG	A16	67.0	DEG	A17	73.7	DEG	A18	67.0	DEG
A19	76.0	DEG	A110	77.2	DEG	A111	73.0	DEG	A112	79.3	DEG
A113	67.4	DEG	A114	67.8	DEG	A115	74.0	DEG	A116	69.0	DEG
A117	70.6	DEG	A118	70.8	DEG	A119	88.9	DEG	A120	73.6	DEG
A121	68.0	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 16 FEB 90 18:40 SAMPLE RATE: 10 MINUTES

A11	77.2	DEG	A12	67.0	DEG	A13	74.0	DEG	A14	77.1	DEG
A15	79.3	DEG	A16	67.2	DEG	A17	73.6	DEG	A18	67.0	DEG
A19	76.0	DEG	A110	77.0	DEG	A111	73.0	DEG	A112	79.3	DEG
A113	67.4	DEG	A114	67.8	DEG	A115	74.1	DEG	A116	69.0	DEG

ATT. III page 63 of 199



1125			1130			1135			1140			1145			1150			1155			1200			1205			1210			1215			1220			1225			1230			1235			1240			1245			1250			1255			1300			1305			1310			1315			1320			1325			1330			1335			1340			1345			1350			1355			1400			1405			1410			1415			1420			1425			1430			1435			1440			1445			1450			1455			1500			1505			1510			1515			1520			1525			1530			1535			1540			1545			1550			1555			1600			1605			1610			1615			1620			1625			1630			1635			1640			1645			1650			1655			1700			1705			1710			1715			1720			1725			1730			1735			1740			1745			1750			1755			1800			1805			1810			1815			1820			1825			1830			1835			1840			1845			1850			1855			1900			1905			1910			1915			1920			1925			1930			1935			1940			1945			1950			1955			2000			2005			2010			2015			2020			2025			2030			2035			2040			2045			2050			2055			2100			2105			2110			2115			2120			2125			2130			2135			2140			2145			2150			2155			2200			2205			2210			2215			2220			2225			2230			2235			2240			2245			2250			2255			2300			2305			2310			2315			2320			2325			2330			2335			2340			2345			2350			2355			2400			2405			2410			2415			2420			2425			2430			2435			2440			2445			2450			2455			2500			2505			2510			2515			2520			2525			2530			2535			2540			2545			2550			2555			2600			2605			2610			2615			2620			2625			2630			2635			2640			2645			2650			2655			2700			2705			2710			2715			2720			2725			2730			2735			2740			2745			2750			2755			2800			2805			2810			2815			2820			2825			2830			2835			2840			2845			2850			2855			2900			2905			2910			2915			2920			2925			2930			2935			2940			2945			2950			2955			3000			3005			3010			3015			3020			3025			3030			3035			3040			3045			3050			3055			3100			3105			3110			3115			3120			3125			3130			3135			3140			3145			3150			3155			3200			3205			3210			3215			3220			3225			3230			3235			3240			3245			3250			3255			3300			3305			3310			3315			3320			3325			3330			3335			3340			3345			3350			3355			3400			3405			3410			3415			3420			3425			3430			3435			3440			3445			3450			3455			3500			3505			3510			3515			3520			3525			3530			3535			3540			3545			3550			3555			3600			3605			3610			3615			3620			3625			3630			3635			3640			3645			3650			3655			3700			3705			3710			3715			3720			3725			3730			3735			3740			3745			3750			3755			3800			3805			3810			3815			3820			3825			3830			3835			3840			3845			3850			3855			3900			3905			3910			3915			3920			3925			3930			3935			3940			3945			3950			3955			4000			4005			4010			4015			4020			4025			4030			4035		
------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--	------	--	--



Q114. III page 66 of 199

[illegible]

BATTERY ROOM DATA SHEETS

[illegible]

244. III page 68 & 199



[illegible]



64
6



DATALOG GROUP 1		8 FEB 98		8:33		SAMPLE RATE: 10 MINUTES									
A1	77.0	DEG	F	A12	74.5	DEG	F	A13	83.5	DEG	F	A14	77.5	DEG	F
A11	76.9	DEG	F	A16	78.9	DEG	F	A17	83.6	DEG	F	A18	78.2	DEG	F
A12	76.7	DEG	F	A110	78.9	DEG	F	A111	83.6	DEG	F	A112	78.2	DEG	F
A113	76.7	DEG	F	A114	78.9	DEG	F	A115	83.6	DEG	F	A116	78.2	DEG	F
A117	76.7	DEG	F	A118	78.9	DEG	F	A119	83.6	DEG	F	A120	78.2	DEG	F
A121	76.7	DEG	F	A122	78.9	DEG	F	A123	83.6	DEG	F	A124	78.2	DEG	F
A125	76.7	DEG	F	A126	78.9	DEG	F	A127	83.6	DEG	F	A128	78.2	DEG	F
A129	76.7	DEG	F	A130	78.9	DEG	F								
ALL ACTIVE ALARMS: NONE															
DATALOG GROUP 1		8 FEB 98		8:23		SAMPLE RATE: 10 MINUTES									
A1	76.9	DEG	F	A12	74.5	DEG	F	A13	83.6	DEG	F	A14	77.5	DEG	F
A11	76.9	DEG	F	A16	78.9	DEG	F	A17	83.6	DEG	F	A18	78.2	DEG	F
A12	76.7	DEG	F	A110	78.9	DEG	F	A111	83.6	DEG	F	A112	78.2	DEG	F
A113	76.7	DEG	F	A114	78.9	DEG	F	A115	83.6	DEG	F	A116	78.2	DEG	F
A117	76.7	DEG	F	A118	78.9	DEG	F	A119	83.6	DEG	F	A120	78.2	DEG	F
A121	76.7	DEG	F	A122	78.9	DEG	F	A123	83.6	DEG	F	A124	78.2	DEG	F
A125	76.7	DEG	F	A126	78.9	DEG	F	A127	83.6	DEG	F	A128	78.2	DEG	F
A129	76.7	DEG	F	A130	78.9	DEG	F								
ALL ACTIVE ALARMS: NONE															
DATALOG GROUP 1		8 FEB 98		8:13		SAMPLE RATE: 10 MINUTES									
A1	76.9	DEG	F	A12	74.5	DEG	F	A13	83.6	DEG	F	A14	77.4	DEG	F
A11	76.9	DEG	F	A16	78.9	DEG	F	A17	83.6	DEG	F	A18	78.2	DEG	F
A12	76.7	DEG	F	A110	78.9	DEG	F	A111	83.6	DEG	F	A112	78.2	DEG	F
A113	76.7	DEG	F	A114	78.9	DEG	F	A115	83.6	DEG	F	A116	78.2	DEG	F
A117	76.7	DEG	F	A118	78.9	DEG	F	A119	83.6	DEG	F	A120	78.2	DEG	F
A121	76.7	DEG	F	A122	78.9	DEG	F	A123	83.6	DEG	F	A124	78.2	DEG	F
A125	76.7	DEG	F	A126	78.9	DEG	F	A127	83.6	DEG	F	A128	78.2	DEG	F
A129	76.7	DEG	F	A130	78.9	DEG	F								
ALL ACTIVE ALARMS: NONE															
DATALOG GROUP 1		8 FEB 98		8:03		SAMPLE RATE: 10 MINUTES									
A1	76.9	DEG	F	A12	74.5	DEG	F	A13	83.8	DEG	F	A14	77.4	DEG	F
A11	76.9	DEG	F	A16	78.9	DEG	F	A17	83.8	DEG	F	A18	78.2	DEG	F
A12	76.7	DEG	F	A110	78.9	DEG	F	A111	83.8	DEG	F	A112	78.2	DEG	F
A113	76.7	DEG	F	A114	78.9	DEG	F	A115	83.8	DEG	F	A116	78.2	DEG	F
A117	76.7	DEG	F	A118	78.9	DEG	F	A119	83.8	DEG	F	A120	78.2	DEG	F
A121	76.7	DEG	F	A122	78.9	DEG	F	A123	83.8	DEG	F	A124	78.2	DEG	F
A125	76.7	DEG	F	A126	78.9	DEG	F	A127	83.8	DEG	F	A128	78.2	DEG	F
A129	76.7	DEG	F	A130	78.9	DEG	F								
ALL ACTIVE ALARMS: NONE															
DATALOG GROUP 1		8 FEB 98		7:53		SAMPLE RATE: 10 MINUTES									
A1	76.9	DEG	F	A12	74.5	DEG	F	A13	83.8	DEG	F	A14	77.4	DEG	F





[illegible]

[illegible]



66199
of 199
III page 77

CRM

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 8 FEB 90 11:23 SAMPLE RATE: 10 MINUTES

A13	77.1	DEG F	A14	77.5	DEG F
A15	77.5	DEG F	A16	77.5	DEG F
A17	77.5	DEG F	A18	77.5	DEG F
A19	77.5	DEG F	A20	77.5	DEG F
A21	77.5	DEG F	A22	77.5	DEG F
A23	77.5	DEG F	A24	77.5	DEG F
A25	77.5	DEG F	A26	77.5	DEG F
A27	77.5	DEG F	A28	77.5	DEG F
A29	77.5	DEG F	A30	77.5	DEG F

ALL ACTIVE ALARMS: NONE

GROUP 1 GRP

A13	77.1	DEG F	A14	77.5	DEG F
A15	77.5	DEG F	A16	77.5	DEG F
A17	77.5	DEG F	A18	77.5	DEG F
A19	77.5	DEG F	A20	77.5	DEG F
A21	77.5	DEG F	A22	77.5	DEG F
A23	77.5	DEG F	A24	77.5	DEG F
A25	77.5	DEG F	A26	77.5	DEG F
A27	77.5	DEG F	A28	77.5	DEG F
A29	77.5	DEG F	A30	77.5	DEG F

ALL ACTIVE ALARMS: NONE

GROUP 1 GRP

A13	77.1	DEG F	A14	77.5	DEG F
A15	77.5	DEG F	A16	77.5	DEG F
A17	77.5	DEG F	A18	77.5	DEG F
A19	77.5	DEG F	A20	77.5	DEG F
A21	77.5	DEG F	A22	77.5	DEG F
A23	77.5	DEG F	A24	77.5	DEG F
A25	77.5	DEG F	A26	77.5	DEG F
A27	77.5	DEG F	A28	77.5	DEG F
A29	77.5	DEG F	A30	77.5	DEG F

ALL ACTIVE ALARMS: NONE

GROUP 1 GRP

A13	77.1	DEG F	A14	77.5	DEG F
A15	77.5	DEG F	A16	77.5	DEG F
A17	77.5	DEG F	A18	77.5	DEG F
A19	77.5	DEG F	A20	77.5	DEG F
A21	77.5	DEG F	A22	77.5	DEG F
A23	77.5	DEG F	A24	77.5	DEG F
A25	77.5	DEG F	A26	77.5	DEG F
A27	77.5	DEG F	A28	77.5	DEG F
A29	77.5	DEG F	A30	77.5	DEG F

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 8 FEB 90 16:43 SAMPLE RATE: 10 MINUTES

A13	77.2	DEG F	A14	77.5	DEG F
A15	77.5	DEG F	A16	77.5	DEG F
A17	77.5	DEG F	A18	77.5	DEG F
A19	77.5	DEG F	A20	77.5	DEG F
A21	77.5	DEG F	A22	77.5	DEG F
A23	77.5	DEG F	A24	77.5	DEG F
A25	77.5	DEG F	A26	77.5	DEG F
A27	77.5	DEG F	A28	77.5	DEG F
A29	77.5	DEG F	A30	77.5	DEG F

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 8 FEB 90 16:43 SAMPLE RATE: 10 MINUTES

A13	77.2	DEG F	A14	77.5	DEG F
-----	------	-------	-----	------	-------



[illegible]

ALTERNATIVE PLANS:

HR	77.2	DEC
----	------	-----

ALL ACTIVE ALIENS: NONE

CATAL.DC 11 FEB 93 12:43 SAMPLE RATE: 10 MINUTES

ALL ACTIVE A (M)S: 16.9%

ALL ACTIVE ALARMS: NONE

Expend.

ALI ACTIVE ALARM: 1012

ALL ACTIVE AGENS: 00000

DATALOG	8	FEB 98	12:03	SAMPLE RATE: 10 MINUTES
---------	---	--------	-------	-------------------------

ALL ACTIVE ALARMS: 00.

Att. II page 80
66199

ACTIVE ALARMS: NONE

ALI ACTIVE ALARMS: NONE

ALI ACTIVE ALARMS: NONE

ALI ACTIVE ALARMS: NONE

ALI ACTIVE ALARMS: NONE

ALI ACTIVE ALARMS: NONE

DATALOG FEB 98 12:43 SAMPLE RATE: 10 MINUTES

ALI ACTIVE ALARMS: NONE

12



44:III page 81 of 199

ALL ACTIVE ALARMS: NONE													
DATALOG GROUP 1 6 FEB 90 14:00 SAMPLE RATE: 10 MINUTES													
A15	77.7	DEG	F	A12	77.7	DEG	F	A13	77.7	DEG	F	A14	77.7
A16	77.7	DEG	F	A17	77.7	DEG	F	A18	77.7	DEG	F	A19	77.7
A20	77.7	DEG	F	A21	77.7	DEG	F	A22	77.7	DEG	F	A23	77.7
A24	77.7	DEG	F	A25	77.7	DEG	F	A26	77.7	DEG	F	A27	77.7
A28	77.7	DEG	F	A29	77.7	DEG	F	A30	77.7	DEG	F	A31	77.7
A32	77.7	DEG	F	A33	77.7	DEG	F	A34	77.7	DEG	F	A35	77.7
A36	77.7	DEG	F	A37	77.7	DEG	F	A38	77.7	DEG	F	A39	77.7
A40	77.7	DEG	F	A41	77.7	DEG	F	A42	77.7	DEG	F	A43	77.7
A44	77.7	DEG	F	A45	77.7	DEG	F	A46	77.7	DEG	F	A47	77.7
A48	77.7	DEG	F	A49	77.7	DEG	F	A50	77.7	DEG	F	A51	77.7
A52	77.7	DEG	F	A53	77.7	DEG	F	A54	77.7	DEG	F	A55	77.7
A56	77.7	DEG	F	A57	77.7	DEG	F	A58	77.7	DEG	F	A59	77.7
A60	77.7	DEG	F	A61	77.7	DEG	F	A62	77.7	DEG	F	A63	77.7
A64	77.7	DEG	F	A65	77.7	DEG	F	A66	77.7	DEG	F	A67	77.7
A68	77.7	DEG	F	A69	77.7	DEG	F	A70	77.7	DEG	F	A71	77.7
A72	77.7	DEG	F	A73	77.7	DEG	F	A74	77.7	DEG	F	A75	77.7
A76	77.7	DEG	F	A77	77.7	DEG	F	A78	77.7	DEG	F	A79	77.7
A80	77.7	DEG	F	A81	77.7	DEG	F	A82	77.7	DEG	F	A83	77.7
A84	77.7	DEG	F	A85	77.7	DEG	F	A86	77.7	DEG	F	A87	77.7
A88	77.7	DEG	F	A89	77.7	DEG	F	A90	77.7	DEG	F	A91	77.7
A92	77.7	DEG	F	A93	77.7	DEG	F	A94	77.7	DEG	F	A95	77.7
A96	77.7	DEG	F	A97	77.7	DEG	F	A98	77.7	DEG	F	A99	77.7
A100	77.7	DEG	F	A101	77.7	DEG	F	A102	77.7	DEG	F	A103	77.7
A104	77.7	DEG	F	A105	77.7	DEG	F	A106	77.7	DEG	F	A107	77.7
A108	77.7	DEG	F	A109	77.7	DEG	F	A110	77.7	DEG	F	A111	77.7
A112	77.7	DEG	F	A113	77.7	DEG	F	A114	77.7	DEG	F	A115	77.7
A116	77.7	DEG	F	A117	77.7	DEG	F	A118	77.7	DEG	F	A119	77.7
A120	77.7	DEG	F	A121	77.7	DEG	F	A122	77.7	DEG	F	A123	77.7
A124	77.7	DEG	F	A125	77.7	DEG	F	A126	77.7	DEG	F	A127	77.7
A128	77.7	DEG	F	A129	77.7	DEG	F	A130	77.7	DEG	F	A131	77.7
A132	77.7	DEG	F	A133	77.7	DEG	F	A134	77.7	DEG	F	A135	77.7
A136	77.7	DEG	F	A137	77.7	DEG	F	A138	77.7	DEG	F	A139	77.7
A140	77.7	DEG	F	A141	77.7	DEG	F	A142	77.7	DEG	F		

ATT. III page
23 of 199

GROUP 1

ALL

ACTIVE ALARMS:

NONE

DATALOG GROUP 1

8 FEB 98

14:03

SAMPLE RATE: 10 MINUTES

ALL

ACTIVE ALARMS:

NONE

DATALOG GROUP 1

8 FEB 98

14:03

SAMPLE RATE: 10 MINUTES

ALL

ACTIVE ALARMS:

NONE

DATALOG GROUP 1

8 FEB 98

14:03

SAMPLE RATE: 10 MINUTES

ALL

ACTIVE ALARMS:

NONE

DATALOG GROUP 1

8 FEB 98

14:03

SAMPLE RATE: 10 MINUTES

ALL

ACTIVE ALARMS:

NONE

DATALOG GROUP 1

8 FEB 98

14:03

SAMPLE RATE: 10 MINUTES

ALL

ACTIVE ALARMS:

NONE

DATALOG GROUP 1

8 FEB 98

14:03

SAMPLE RATE: 10 MINUTES







64.51

AL

CELESTIAL
GROUP

Al

Dr. John J. GROU

Al

'DATAU

fi

A

Enina.

ALL ACTIVE ALARMS: NONE

: ALL ACTIVE ALPHAS: 1010

ALL	ACTIVITY	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
-----	----------	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

ALI	ACT	RE	54	200	2	0000
-----	-----	----	----	-----	---	------

ALI ACTIVE ALARMS: NON

DATA:
GROU



III
page 88 of 199

ALL ACTIVE ALARMS: NONE

ALL ACTIVE ALARMS: NONE

ALL ACTIVE ALARMS: NONE

ALL ACTIVE ALARMS: NONE

ALL ACTIVE ALARMS: NONE

ALL ACTIVE ALARMS: NONE

ALARM	TYPE	STATUS	VALUE	UNIT	ALARM	TYPE	STATUS	VALUE	UNIT
A11	DEG	F	78.4	DEG	A14	DEG	F	78.4	DEG
A12	DEG	F	69.2	DEG	A15	DEG	F	69.2	DEG
A13	DEG	F	70.3	DEG	A16	DEG	F	70.3	DEG
A17	DEG	F	72.2	DEG	A18	DEG	F	72.2	DEG
A19	DEG	F	77.9	DEG	A20	DEG	F	77.9	DEG

Att. III
page 890

[illegible]

661
 9006 Recd III HTF

A125	77.2	DEG F	A134	75.2	DEG F	A14	73.9	DEG F	A126	72.1	DEG F
ALL ACTIVE ALARMS: NONE											

DATALOG 8 FEB 90 210

A125	77.2	DEG F	A134	75.2	DEG F	A14	73.9	DEG F	A126	72.1	DEG F
ALL ACTIVE ALARMS: NONE											
A125	77.2	DEG F	A134	75.2	DEG F	A14	73.9	DEG F	A126	72.1	DEG F
ALL ACTIVE ALARMS: NONE											

DATALOG 8 FEB 90 2105 SYMBOL RATE: 10 MINUTES

A125	77.2	DEG F	A134	75.2	DEG F	A17	81.9	DEG F	A18	79.6	DEG F
A17	74.8	DEG F	A18	73.7	DEG F	A19	73.7	DEG F	A120	72.3	DEG F
A129	77.2	DEG F	A130	75.2	DEG F						

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 8 FEB 90 2110

A125	77.2	DEG F	A134	75.2	DEG F	A17	81.9	DEG F	A18	79.6	DEG F
A17	74.8	DEG F	A18	73.7	DEG F	A19	73.7	DEG F	A120	72.3	DEG F
A129	77.2	DEG F	A130	75.2	DEG F						

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 8 FEB 90 2115 SYMBOL RATE: 10 MINUTES

A125	77.2	DEG F	A134	75.2	DEG F	A17	81.9	DEG F	A18	79.6	DEG F
A17	74.8	DEG F	A18	73.7	DEG F	A19	73.7	DEG F	A120	72.3	DEG F
A129	77.2	DEG F	A130	75.2	DEG F						

ALL ACTIVE ALARMS: NONE

Att. III page 66 of 99

[illegible]



CM	DATA LOG GROUP	DI	DO	HEI	DATA LOG GROUP	DI	DO	HEI
CM1	1	DI1	DO1	HEI1	CM1	1	DI1	DO1
CM2	2	DI2	DO2	HEI2	CM2	2	DI2	DO2
CM3	3	DI3	DO3	HEI3	CM3	3	DI3	DO3
CM4	4	DI4	DO4	HEI4	CM4	4	DI4	DO4
CM5	5	DI5	DO5	HEI5	CM5	5	DI5	DO5
CM6	6	DI6	DO6	HEI6	CM6	6	DI6	DO6
CM7	7	DI7	DO7	HEI7	CM7	7	DI7	DO7
CM8	8	DI8	DO8	HEI8	CM8	8	DI8	DO8
CM9	9	DI9	DO9	HEI9	CM9	9	DI9	DO9
CM10	10	DI10	DO10	HEI10	CM10	10	DI10	DO10
CM11	11	DI11	DO11	HEI11	CM11	11	DI11	DO11
CM12	12	DI12	DO12	HEI12	CM12	12	DI12	DO12
CM13	13	DI13	DO13	HEI13	CM13	13	DI13	DO13
CM14	14	DI14	DO14	HEI14	CM14	14	DI14	DO14
CM15	15	DI15	DO15	HEI15	CM15	15	DI15	DO15
CM16	16	DI16	DO16	HEI16	CM16	16	DI16	DO16
CM17	17	DI17	DO17	HEI17	CM17	17	DI17	DO17
CM18	18	DI18	DO18	HEI18	CM18	18	DI18	DO18
CM19	19	DI19	DO19	HEI19	CM19	19	DI19	DO19
CM20	20	DI20	DO20	HEI20	CM20	20	DI20	DO20
CM21	21	DI21	DO21	HEI21	CM21	21	DI21	DO21
CM22	22	DI22	DO22	HEI22	CM22	22	DI22	DO22
CM23	23	DI23	DO23	HEI23	CM23	23	DI23	DO23
CM24	24	DI24	DO24	HEI24	CM24	24	DI24	DO24
CM25	25	DI25	DO25	HEI25	CM25	25	DI25	DO25
CM26	26	DI26	DO26	HEI26	CM26	26	DI26	DO26
CM27	27	DI27	DO27	HEI27	CM27	27	DI27	DO27
CM28	28	DI28	DO28	HEI28	CM28	28	DI28	DO28
CM29	29	DI29	DO29	HEI29	CM29	29	DI29	DO29
CM30	30	DI30	DO30	HEI30	CM30	30	DI30	DO30
CM31	31	DI31	DO31	HEI31	CM31	31	DI31	DO31
CM32	32	DI32	DO32	HEI32	CM32	32	DI32	DO32
CM33	33	DI33	DO33	HEI33	CM33	33	DI33	DO33
CM34	34	DI34	DO34	HEI34	CM34	34	DI34	DO34
CM35	35	DI35	DO35	HEI35	CM35	35	DI35	DO35
CM36	36	DI36	DO36	HEI36	CM36	36	DI36	DO36
CM37	37	DI37	DO37	HEI37	CM37	37	DI37	DO37
CM38	38	DI38	DO38	HEI38	CM38	38	DI38	DO38
CM39	39	DI39	DO39	HEI39	CM39	39	DI39	DO39
CM40	40	DI40	DO40	HEI40	CM40	40	DI40	DO40
CM41	41	DI41	DO41	HEI41	CM41	41	DI41	DO41
CM42	42	DI42	DO42	HEI42	CM42	42	DI42	DO42
CM43	43	DI43	DO43	HEI43	CM43	43	DI43	DO43
CM44	44	DI44	DO44	HEI44	CM44	44	DI44	DO44
CM45	45	DI45	DO45	HEI45	CM45	45	DI45	DO45
CM46	46	DI46	DO46	HEI46	CM46	46	DI46	DO46
CM47	47	DI47	DO47	HEI47	CM47	47	DI47	DO47

ATT. III page 93 of 199

A UNIT OF GENERAL SIGNAL MADE IN U.S.A.

NO. 677001 LEEDS & NORTHROP

X

DATALOG GROUP 1

8 FEB 98 23:22 SAMPLE RATE: 10 MINUTES

AI1	79.4	DEG	AI14	78.4	DEG
AI2	79.4	DEG	AI15	78.4	DEG
AI3	79.4	DEG	AI16	78.4	DEG
AI4	79.4	DEG	AI17	78.4	DEG
AI5	79.4	DEG	AI18	78.4	DEG
AI6	79.4	DEG	AI19	78.4	DEG
AI7	79.4	DEG	AI20	78.4	DEG
AI8	79.4	DEG	AI21	78.4	DEG
AI9	79.4	DEG	AI22	78.4	DEG
AI10	79.4	DEG	AI23	78.4	DEG
AI11	79.4	DEG	AI24	78.4	DEG
AI12	79.4	DEG	AI25	78.4	DEG
AI13	79.4	DEG	AI26	78.4	DEG
AI14	79.4	DEG	AI27	78.4	DEG
AI15	79.4	DEG	AI28	78.4	DEG

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1

8 FEB 98 23:12 SAMPLE RATE: 10 MINUTES

AI1	79.4	DEG	AI14	78.4	DEG
AI2	79.4	DEG	AI15	78.4	DEG
AI3	79.4	DEG	AI16	78.4	DEG
AI4	79.4	DEG	AI17	78.4	DEG
AI5	79.4	DEG	AI18	78.4	DEG
AI6	79.4	DEG	AI19	78.4	DEG
AI7	79.4	DEG	AI20	78.4	DEG
AI8	79.4	DEG	AI21	78.4	DEG
AI9	79.4	DEG	AI22	78.4	DEG
AI10	79.4	DEG	AI23	78.4	DEG
AI11	79.4	DEG	AI24	78.4	DEG
AI12	79.4	DEG	AI25	78.4	DEG
AI13	79.4	DEG	AI26	78.4	DEG
AI14	79.4	DEG	AI27	78.4	DEG
AI15	79.4	DEG	AI28	78.4	DEG

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1

8 FEB 98 23:02 SAMPLE RATE: 10 MINUTES

AI1	79.4	DEG	AI14	78.4	DEG
AI2	79.4	DEG	AI15	78.4	DEG
AI3	79.4	DEG	AI16	78.4	DEG
AI4	79.4	DEG	AI17	78.4	DEG
AI5	79.4	DEG	AI18	78.4	DEG
AI6	79.4	DEG	AI19	78.4	DEG
AI7	79.4	DEG	AI20	78.4	DEG
AI8	79.4	DEG	AI21	78.4	DEG
AI9	79.4	DEG	AI22	78.4	DEG
AI10	79.4	DEG	AI23	78.4	DEG
AI11	79.4	DEG	AI24	78.4	DEG
AI12	79.4	DEG	AI25	78.4	DEG
AI13	79.4	DEG	AI26	78.4	DEG
AI14	79.4	DEG	AI27	78.4	DEG
AI15	79.4	DEG	AI28	78.4	DEG

ALL ACTIVE ALARMS: NONE

DATALOG AI

8 FEB 98 23:02 SAMPLE RATE: 10 MINUTES

AI1	79.4	DEG	AI14	78.4	DEG
AI2	79.4	DEG	AI15	78.4	DEG
AI3	79.4	DEG	AI16	78.4	DEG
AI4	79.4	DEG	AI17	78.4	DEG
AI5	79.4	DEG	AI18	78.4	DEG
AI6	79.4	DEG	AI19	78.4	DEG
AI7	79.4	DEG	AI20	78.4	DEG
AI8	79.4	DEG	AI21	78.4	DEG
AI9	79.4	DEG	AI22	78.4	DEG
AI10	79.4	DEG	AI23	78.4	DEG
AI11	79.4	DEG	AI24	78.4	DEG
AI12	79.4	DEG	AI25	78.4	DEG
AI13	79.4	DEG	AI26	78.4	DEG
AI14	79.4	DEG	AI27	78.4	DEG
AI15	79.4	DEG	AI28	78.4	DEG

CN

CN1	0.0000	CN14	0.0000
CN2	0.0000	CN15	0.0000
CN3	0.0000	CN16	0.0000
CN4	0.0000	CN17	0.0000
CN5	0.0000	CN18	0.0000
CN6	0.0000	CN19	0.0000
CN7	0.0000	CN20	0.0000
CN8	0.0000	CN21	0.0000
CN9	0.0000	CN22	0.0000
CN10	0.0000	CN23	0.0000
CN11	0.0000	CN24	0.0000
CN12	0.0000	CN25	0.0000
CN13	0.0000	CN26	0.0000
CN14	0.0000	CN27	0.0000
CN15	0.0000	CN28	0.0000
CN16	0.0000	CN29	0.0000
CN17	0.0000	CN30	0.0000
CN18	0.0000	CN31	0.0000
CN19	0.0000	CN32	0.0000
CN20	0.0000	CN33	0.0000
CN21	0.0000	CN34	0.0000
CN22	0.0000	CN35	0.0000
CN23	0.0000	CN36	0.0000
CN24	0.0000	CN37	0.0000
CN25	0.0000	CN38	0.0000
CN26	0.0000	CN39	0.0000
CN27	0.0000	CN40	0.0000
CN28	0.0000	CN41	0.0000
CN29	0.0000	CN42	0.0000
CN30	0.0000	CN43	0.0000
CN31	0.0000	CN44	0.0000
CN32	0.0000	CN45	0.0000
CN33	0.0000	CN46	0.0000
CN34	0.0000	CN47	0.0000
CN35	0.0000	CN48	0.0000

DI

DI139	OFF	DI140	OFF	DI141	OFF	DI142	OFF
DI143	OFF	DI144	OFF	DI145	OFF	DI146	OFF

DO

DO31	OFF	DO32	OFF	DO33	OFF	DO34	OFF
DO35	OFF	DO36	OFF	DO37	OFF	DO38	OFF

ALL ACTIVE ALARMS: NONE

DATALOG AI

8 FEB 98 22:50 SAMPLE RATE: 10 MINUTES

AI1	79.4	DEG	AI14	78.4	DEG
AI2	79.4	DEG	AI15	78.4	DEG
AI3	79.4	DEG	AI16	78.4	DEG
AI4	79.4	DEG	AI17	78.4	DEG
AI5	79.4	DEG	AI18	78.4	DEG
AI6	79.4	DEG	AI19	78.4	DEG
AI7	79.4	DEG	AI20	78.4	DEG
AI8	79.4	DEG	AI21	78.4	DEG
AI9	79.4	DEG	AI22	78.4	DEG
AI10	79.4	DEG	AI23	78.4	DEG
AI11	79.4	DEG	AI24	78.4	DEG
AI12	79.4	DEG	AI25	78.4	DEG
AI13	79.4	DEG	AI26	78.4	DEG
AI14	79.4	DEG	AI27	78.4	DEG
AI15	79.4	DEG	AI28	78.4	DEG

ALL DATA LOG GROUP 1				8 FEB 90				23:52				SAMPLE RATE: 10 MINUTES				DEC F			
ALL DATA LOG GROUP 1				8 FEB 90				23:42				SAMPLE RATE: 10 MINUTES				DEC F			
ALL DATA LOG GROUP 1				8 FEB 90				23:32				SAMPLE RATE: 10 MINUTES				DEC F			
ALL DATA LOG GROUP 1				8 FEB 90				23:22				SAMPLE RATE: 10 MINUTES				DEC F			
ALL DATA LOG GROUP 1				8 FEB 90				23:12				SAMPLE RATE: 10 MINUTES				DEC F			
ALL DATA LOG GROUP 1				8 FEB 90				23:02				SAMPLE RATE: 10 MINUTES				DEC F			
ALL DATA LOG GROUP 1				8 FEB 90				23:00				SAMPLE RATE: 10 MINUTES				DEC F			

X

HH III page
94 of 199



661 of 199
-Att. III page.

[illegible]



Page III
100 of 199

DATALOG GROUP 1

DATALOG GROUP 1

DATALOG GROUP 1

DATALOG GROUP 1

DATALOG GROUP 1

DATALOG GROUP 1

DATALOG GROUP 1

9 FEB 90 3:10

9 FEB 90 3:20

9 FEB 90 3:30

9 FEB 90 3:40

9 FEB 90 3:50

9 FEB 90 4:00

9 FEB 90 4:10

AI12
AI16
AI18
AI22

AI12
AI16
AI18
AI22

AI12
AI16
AI18
AI22

AI12
AI16
AI18
AI22

AI12
AI16
AI18
AI22

AI12
AI16
AI18
AI22

AI12
AI16
AI18
AI22

79.2
79.4
79.6
79.8

79.2
79.4
79.6
79.8

79.2
79.4
79.6
79.8

79.2
79.4
79.6
79.8

79.2
79.4
79.6
79.8

79.2
79.4
79.6
79.8

79.2
79.4
79.6
79.8

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0





Att. III page 661
183 of 199

[illegible]

ATT. III page
186 of 199

X		DATALOG GROUP	9 FEB 90	8:10	SAMPLE RATE: 10 MINUTES	A12	76.8	DEG	A13	84.1	DEG	A14	79.7	DEG
						A16	67.9	DEG				A18	80.2	DEG
						A110	80.9	DEG				A112	70.8	DEG
						A114	66.6	DEG				A116	73.4	DEG
						A118	66.6	DEG				A120	73.1	DEG
						A122	74.7	DEG				A124	79.1	DEG
						A126	80.9	DEG				A128	78.6	DEG
						A130	75.3	DEG						
		ALL ACTIVE ALARMS:	NONE											
X		DATALOG GROUP	9 FEB 90	7:50	SAMPLE RATE: 10 MINUTES	A12	76.8	DEG	A13	84.1	DEG	A14	79.7	DEG
						A16	67.9	DEG				A18	80.2	DEG
						A110	80.9	DEG				A112	70.8	DEG
						A114	66.6	DEG				A116	73.4	DEG
						A118	66.6	DEG				A120	73.1	DEG
						A122	74.7	DEG				A124	79.1	DEG
						A126	80.9	DEG				A128	78.6	DEG
						A130	75.3	DEG						
		ALL ACTIVE ALARMS:	NONE											
X		DATALOG GROUP	9 FEB 90	7:40	SAMPLE RATE: 10 MINUTES	A12	76.8	DEG	A13	84.1	DEG	A14	79.7	DEG
						A16	67.9	DEG				A18	80.2	DEG
						A110	80.9	DEG				A112	70.8	DEG
						A114	66.6	DEG				A116	73.4	DEG
						A118	66.6	DEG				A120	73.1	DEG
						A122	74.7	DEG				A124	79.1	DEG
						A126	80.9	DEG				A128	78.6	DEG
						A130	75.3	DEG						
		ALL ACTIVE ALARMS:	NONE											
X		DATALOG GROUP	9 FEB 90	7:30	SAMPLE RATE: 10 MINUTES	A12	76.8	DEG	A13	84.1	DEG	A14	79.7	DEG
						A16	67.9	DEG				A18	80.2	DEG
						A110	80.9	DEG				A112	70.8	DEG
						A114	66.6	DEG				A116	73.4	DEG
						A118	66.6	DEG				A120	73.1	DEG
						A122	74.7	DEG				A124	79.1	DEG
						A126	80.9	DEG				A128	78.6	DEG
						A130	75.3	DEG						
		ALL ACTIVE ALARMS:	NONE											
X		DATALOG GROUP	9 FEB 90	7:20	SAMPLE RATE: 10 MINUTES	A12	76.8	DEG	A13	84.1	DEG	A14	79.7	DEG
						A16	67.9	DEG				A18	80.2	DEG
						A110	80.9	DEG				A112	70.8	DEG
						A114	66.6	DEG				A116	73.4	DEG
						A118	66.6	DEG				A120	73.1	DEG
						A122	74.7	DEG				A124	79.1	DEG
						A126	80.9	DEG				A128	78.6	DEG
						A130	75.3	DEG						
		ALL ACTIVE ALARMS:	NONE											
X		DATALOG GROUP	9 FEB 90	7:10	SAMPLE RATE: 10 MINUTES	A12	76.8	DEG	A13	84.1	DEG	A14	79.7	DEG
						A16	67.9	DEG				A18	80.2	DEG
						A110	80.9	DEG				A112	70.8	DEG

Att. III page
108 of 199

ALL	DATALOG GROUP 1	9 FEB 90	9:00	SAMPLE RATE: 10 MINUTES	A12	76.8	DEG	A13	84.3	DEG	A14	79.7	DEG
					A16	68.0	DEG	A17	82.2	DEG	A18	80.2	DEG
					A110	80.9	DEG						
					A114	71.8	DEG						
					A118	66.4	DEG						
					A122	74.4	DEG						
					A126	80.1	DEG						
					A130	75.2	DEG						
ALL	ACTIVE ALARMS:	NONE											
X	DATALOG GROUP 1	9 FEB 90	9:20	SAMPLE RATE: 10 MINUTES	A12	76.8	DEG	A13	84.3	DEG	A14	79.7	DEG
					A16	68.0	DEG	A17	82.2	DEG	A18	80.2	DEG
					A110	80.9	DEG						
					A114	71.8	DEG						
					A118	66.4	DEG						
					A122	74.4	DEG						
					A126	80.1	DEG						
					A130	75.2	DEG						
ALL	ACTIVE ALARMS:	NONE											
	DATALOG GROUP 1	9 FEB 90	9:40	SAMPLE RATE: 10 MINUTES	A12	76.8	DEG	A13	84.3	DEG	A14	79.7	DEG
					A16	68.0	DEG	A17	82.2	DEG	A18	80.2	DEG
					A110	80.9	DEG						
					A114	71.8	DEG						
					A118	66.4	DEG						
					A122	74.4	DEG						
					A126	80.1	DEG						
					A130	75.2	DEG						
ALL	ACTIVE ALARMS:	NONE											
	DATALOG GROUP 1	9 FEB 90	9:00	SAMPLE RATE: 10 MINUTES	A12	76.8	DEG	A13	84.3	DEG	A14	79.7	DEG
					A16	68.0	DEG	A17	82.2	DEG	A18	80.2	DEG
					A110	80.9	DEG						
					A114	71.8	DEG						
					A118	66.4	DEG						
					A122	74.4	DEG						
					A126	80.1	DEG						
					A130	75.2	DEG						
ALL	ACTIVE ALARMS:	NONE											
	DATALOG GROUP 1	9 FEB 90	8:00	SAMPLE RATE: 10 MINUTES	A12	76.8	DEG	A13	84.3	DEG	A14	79.7	DEG
					A16	68.0	DEG	A17	82.2	DEG	A18	80.2	DEG
					A110	80.9	DEG						
					A114	71.8	DEG						
					A118	66.4	DEG						
					A122	74.4	DEG						
					A126	80.1	DEG						
					A130	75.2	DEG						
ALL	ACTIVE ALARMS:	NONE											
	DATALOG GROUP 1	9 FEB 90	8:40	SAMPLE RATE: 10 MINUTES	A12	76.8	DEG	A13	84.3	DEG	A14	79.7	DEG
					A16	68.0	DEG	A17	82.2	DEG	A18	80.2	DEG
					A110	80.9	DEG						
					A114	71.8	DEG						
					A118	66.4	DEG						
					A122	74.4	DEG						
					A126	80.1	DEG						
					A130	75.2	DEG						
ALL	ACTIVE ALARMS:	NONE											
	DATALOG GROUP 1	9 FEB 90	0:30	SAMPLE RATE: 10 MINUTES	A12	76.8	DEG	A13	84.3	DEG	A14	79.7	DEG
					A16	68.0	DEG	A17	82.2	DEG	A18	80.2	DEG



[illegible]

DATALOG GROUP		S	FEB 90	18:00	SAMPLE RATE: 10 MINUTES																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
---------------	--	---	--------	-------	-------------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

ALL ACTIVE ALARMS:		NOTE	
DATALOG GROUP	9 FEB 90	9:50	SAMPLE RATE: 10 MINUTES
1	00000000	00000000	00000000
2	00000000	00000000	00000000
3	00000000	00000000	00000000
4	00000000	00000000	00000000
5	00000000	00000000	00000000
6	00000000	00000000	00000000
7	00000000	00000000	00000000
8	00000000	00000000	00000000
9	00000000	00000000	00000000
10	00000000	00000000	00000000
11	00000000	00000000	00000000
12	00000000	00000000	00000000
13	00000000	00000000	00000000
14	00000000	00000000	00000000
15	00000000	00000000	00000000
16	00000000	00000000	00000000
17	00000000	00000000	00000000
18	00000000	00000000	00000000
19	00000000	00000000	00000000
20	00000000	00000000	00000000
21	00000000	00000000	00000000
22	00000000	00000000	00000000
23	00000000	00000000	00000000
24	00000000	00000000	00000000
25	00000000	00000000	00000000
26	00000000	00000000	00000000
27	00000000	00000000	00000000
28	00000000	00000000	00000000
29	00000000	00000000	00000000
30	00000000	00000000	00000000
31	00000000	00000000	00000000
32	00000000	00000000	00000000
33	00000000	00000000	00000000
34	00000000	00000000	00000000
35	00000000	00000000	00000000
36	00000000	00000000	00000000
37	00000000	00000000	00000000
38	00000000	00000000	00000000
39	00000000	00000000	00000000
40	00000000	00000000	00000000
41	00000000	00000000	00000000
42	00000000	00000000	00000000
43	00000000	00000000	00000000
44	00000000	00000000	00000000
45	00000000	00000000	00000000
46	00000000	00000000	00000000
47	00000000	00000000	00000000
48	00000000	00000000	00000000
49	00000000	00000000	00000000
50	00000000	00000000	00000000
51	00000000	00000000	00000000
52	00000000	00000000	00000000
53	00000000	00000000	00000000
54	00000000	00000000	00000000
55	00000000	00000000	00000000
56	00000000	00000000	00000000
57	00000000	00000000	00000000
58	00000000	00000000	00000000
59	00000000	00000000	00000000
60	00000000	00000000	00000000
61	00000000	00000000	00000000
62	00000000	00000000	00000000
63	00000000	00000000	00000000
64	00000000	00000000	00000000
65	00000000	00000000	00000000
66	00000000	00000000	00000000
67	00000000	00000000	00000000
68	00000000	00000000	00000000
69	00000000	00000000	00000000
70	00000000	00000000	00000000
71	00000000	00000000	00000000
72	00000000	00000000	00000000
73	00000000	00000000	00000000
74	00000000	00000000	00000000
75	00000000	00000000	00000000
76	00000000	00000000	00000000
77	00000000	00000000	00000000
78	00000000	00000000	00000000
79	00000000	00000000	00000000
80	00000000	00000000	00000000
81	00000000	00000000	00000000
82	00000000	00000000	00000000
83	00000000	00000000	00000000
84	00000000	00000000	00000000
85	00000000	00000000	00000000
86	00000000	00000000	00000000
87	00000000	00000000	00000000
88	00000000	00000000	00000000
89	00000000	00000000	00000000
90	00000000	00000000	00000000
91	00000000	00000000	00000000
92	00000000	00000000	00000000
93	00000000	00000000	00000000
94	00000000	00000000	00000000
95	00000000	00000000	00000000
96	00000000	00000000	00000000
97	00000000	00000000	00000000
98	00000000	00000000	00000000
99	00000000	00000000	00000000
100	00000000	00000000	00000000

[illegible][illegible][illegible]

ALL ACTIVE ALARMS: NONE									
DATELOG GROUP 1		9 FEB 90		9110		SAMPLE RATE: 10 MINUTES			
AIR		79.1 DEG F		AT2		76.8 DEG F		AT3 84.6 DEG F	
								AT4 79.7 DEG F	

DATALOG GROUP 1 9 FEB 98 11:52 SAMPLE RATE: 10 MINUTES

A12	76.8	DEG	A13	84.2	DEG	A14	79.6	DEG
A16	68.0	DEG	A17	82.2	DEG	A18	80.0	DEG
A114	71.1	DEG	A115	70.1	DEG	A116	71.0	DEG
A118	66.6	DEG	A119	74.4	DEG	A120	73.4	DEG
A122	74.5	DEG	A123	77.1	DEG	A124	78.0	DEG
A126	80.1	DEG	A127	79.4	DEG	A128	78.4	DEG
A130	75.1	DEG						

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 9 FEB 98 11:20 SAMPLE RATE: 10 MINUTES

A12	76.8	DEG	A13	84.2	DEG	A14	79.6	DEG
A16	68.0	DEG	A17	82.2	DEG	A18	80.0	DEG
A110	70.9	DEG	A111	70.1	DEG	A112	71.0	DEG
A114	72.0	DEG	A115	70.1	DEG	A116	73.4	DEG
A118	66.6	DEG	A119	74.4	DEG	A120	73.4	DEG
A122	74.5	DEG	A123	77.1	DEG	A124	79.0	DEG
A126	80.1	DEG	A127	79.4	DEG	A128	78.5	DEG
A130	75.2	DEG						

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 9 FEB 98 11:10 SAMPLE RATE: 10 MINUTES

A12	76.8	DEG	A13	84.2	DEG	A14	79.6	DEG
A16	68.0	DEG	A17	82.2	DEG	A18	80.0	DEG
A110	70.9	DEG	A111	70.1	DEG	A112	71.0	DEG
A114	72.0	DEG	A115	70.1	DEG	A116	73.4	DEG
A118	66.6	DEG	A119	74.4	DEG	A120	73.4	DEG
A122	74.5	DEG	A123	77.1	DEG	A124	79.0	DEG
A126	80.1	DEG	A127	79.4	DEG	A128	78.5	DEG
A130	75.0	DEG						

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 9 FEB 98 11:00 SAMPLE RATE: 10 MINUTES

A12	76.8	DEG	A13	84.2	DEG	A14	79.6	DEG
A16	68.0	DEG	A17	82.2	DEG	A18	80.0	DEG
A110	70.9	DEG	A111	70.1	DEG	A112	71.0	DEG
A114	72.0	DEG	A115	70.1	DEG	A116	73.4	DEG
A118	66.6	DEG	A119	74.4	DEG	A120	73.4	DEG
A122	74.5	DEG	A123	77.1	DEG	A124	79.0	DEG
A126	80.1	DEG	A127	79.4	DEG	A128	78.5	DEG
A130	75.2	DEG						

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 9 FEB 98 10:50 SAMPLE RATE: 10 MINUTES

A12	76.8	DEG	A13	84.2	DEG	A14	79.6	DEG
A16	68.0	DEG	A17	82.2	DEG	A18	80.0	DEG
A110	70.9	DEG	A111	70.1	DEG	A112	71.0	DEG
A114	72.0	DEG	A115	70.1	DEG	A116	73.4	DEG
A118	66.6	DEG	A119	74.4	DEG	A120	73.4	DEG
A122	74.5	DEG	A123	77.1	DEG	A124	79.0	DEG
A126	80.1	DEG	A127	79.4	DEG	A128	78.5	DEG
A130	75.0	DEG						

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 9 FEB 98 10:40 SAMPLE RATE: 10 MINUTES

A12	76.8	DEG	A13	84.2	DEG	A14	79.6	DEG
A16	68.0	DEG	A17	82.2	DEG	A18	80.0	DEG
A110	70.9	DEG	A111	70.1	DEG	A112	71.0	DEG
A114	72.0	DEG	A115	70.1	DEG	A116	73.4	DEG
A118	66.6	DEG	A119	74.4	DEG	A120	73.4	DEG
A122	74.5	DEG	A123	77.1	DEG	A124	79.0	DEG
A126	80.1	DEG	A127	79.4	DEG	A128	78.5	DEG
A130	75.1	DEG						

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 9 FEB 98 10:30 SAMPLE RATE: 10 MINUTES

DATALOG GROUP 1 9 FEB 90 11:15 SAMPLE RATE: 10 MINUTES

A12	76.8	0.000
A16	76.8	0.000
A110	76.8	0.000
A114	76.8	0.000
A118	76.8	0.000
A122	76.8	0.000
A126	76.8	0.000
A130	76.8	0.000

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 9 FEB 90 11:10 SAMPLE RATE: 10 MINUTES

A12	76.8	0.000
A16	76.8	0.000
A110	76.8	0.000
A114	76.8	0.000
A118	76.8	0.000
A122	76.8	0.000
A126	76.8	0.000
A130	76.8	0.000

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 9 FEB 90 11:05 SAMPLE RATE: 10 MINUTES

A12	76.8	0.000
A16	76.8	0.000
A110	76.8	0.000
A114	76.8	0.000
A118	76.8	0.000
A122	76.8	0.000
A126	76.8	0.000
A130	76.8	0.000

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 9 FEB 90 11:20 SAMPLE RATE: 10 MINUTES


A12	76.8	0.000
A16	76.8	0.000
A110	76.8	0.000
A114	76.8	0.000
A118	76.8	0.000
A122	76.8	0.000
A126	76.8	0.000
A130	76.8	0.000

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 9 FEB 90 11:10 SAMPLE RATE: 10 MINUTES


A12	76.8	0.000
A16	76.8	0.000
A110	76.8	0.000
A114	76.8	0.000
A118	76.8	0.000
A122	76.8	0.000
A126	76.8	0.000
A130	76.8	0.000

TEST STOPPED
AT 2358 2-9-90
ST 89.02 A.F.B. BATTERY RM





661 Po hi - good III 4th



Handwritten text in Devanagari script, likely a title or heading.

10-10-68
10-10-68
10-10-68

10-10-68
10-10-68
10-10-68

10-10-68
10-10-68
10-10-68

10-10-68
10-10-68
10-10-68

10-10-68
10-10-68
10-10-68


10-10-68
10-10-68
10-10-68

10-10-68
10-10-68
10-10-68

10-10-68

Att. III page 115 of 199

NO 545001 LEADS & NORTHROP • A UNIT OF GENERAL SIGNAL MADE



UNITED STATES GOVERNMENT PRINTING OFFICE: 1964 O - 345-001

100
100
100

100
100
100

100
100
100

100
100
100

100
100
100

100
100
100


100
100
100
100
100

100
100
100
100
100

100
100
100
100
100

Att. III page 116 of 199

UNIT OF GENERAL SIGNAL MADE IN U.S.A.



116 of 199

21
d

21
d

21
d

21
d

21
d

21
d



661 861 11 2600 III 440

03

02

01

00

23

22

21

20

0

10

20

30

40

60

80

90

100

0

10

20

30

40

60

80

90

100

0

10

20

30

40


60

80

90

100

NO 545001 LEADS & NORTHROP • A UNIT OF GENERAL STALL, MADE IN U.S.A.






5
11
22







LEADS & NORTHROP - A UNIT OF GENERAL SIGNAL MAKE :









Handwritten text in Hebrew, likely a title or description of the document, running vertically along the right edge.

[illegible]











RELAY ROOM DATA SHEETS



Att. III page
129 of 199

MADE IN U.S.A.

ALL ACTIVE ALARMS: 101111

[illegible][illegible][illegible][illegible][illegible]

NO. 67001 LEADS & HIGHLIGHT A UNIT OF GENERAL SIGNAL CODE IN U.S.

Att. 111 page 131 of 134

DATE: 13 FEB 90											
TIME: 7:07											
SAMPLE RATE: 10 MINUTES											
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1											
A11	71.2	DEG	A12	70.2	DEG	A13	76.8	DEG	A14	76.9	DEG
A13	72.2	DEG	A16	73.7	DEG	A17	71.7	DEG	A18	66.8	DEG
A19	74.9	DEG	A110	71.7	DEG	A111	75.3	DEG	A112	66.3	DEG
A113	73.5	DEG	A114	72.3	DEG	A115	65.3	DEG	A116	75.3	DEG
A117	62.1	DEG	A118	74.5	DEG	A119	77.8	DEG	A120	76.7	DEG
A121	66.8	DEG	A122	72.0	DEG	A123	75.0	DEG	A124	76.2	DEG
A125	69.8	DEG	A126	78.3	DEG	A127	64.5	DEG	A128	68.5	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1											
A11	71.1	DEG	A12	70.2	DEG	A13	76.8	DEG	A14	76.8	DEG
A13	72.0	DEG	A16	73.7	DEG	A17	71.5	DEG	A18	66.4	DEG
A19	74.8	DEG	A110	71.2	DEG	A111	75.1	DEG	A112	66.4	DEG
A113	73.5	DEG	A114	72.3	DEG	A115	65.3	DEG	A116	75.3	DEG
A117	62.1	DEG	A118	74.5	DEG	A119	77.8	DEG	A120	76.6	DEG
A121	66.8	DEG	A122	72.0	DEG	A123	75.0	DEG	A124	76.8	DEG
A125	69.8	DEG	A126	78.3	DEG	A127	64.5	DEG	A128	68.8	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1											
A11	71.1	DEG	A12	70.3	DEG	A13	76.7	DEG	A14	76.7	DEG
A13	72.0	DEG	A16	73.7	DEG	A17	71.5	DEG	A18	66.3	DEG
A19	74.8	DEG	A110	71.4	DEG	A111	76.0	DEG	A112	66.4	DEG
A113	73.5	DEG	A114	72.3	DEG	A115	65.3	DEG	A116	75.4	DEG
A117	62.1	DEG	A118	74.5	DEG	A119	77.7	DEG	A120	76.6	DEG
A121	66.8	DEG	A122	73.0	DEG	A123	75.0	DEG	A124	76.8	DEG
A125	69.8	DEG	A126	78.2	DEG	A127	64.6	DEG	A128	68.8	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1											
A11	71.0	DEG	A12	70.3	DEG	A13	76.8	DEG	A14	76.6	DEG
A13	72.0	DEG	A16	73.7	DEG	A17	71.7	DEG	A18	66.4	DEG
A19	74.8	DEG	A110	71.4	DEG	A111	76.0	DEG	A112	66.4	DEG
A113	73.5	DEG	A114	72.3	DEG	A115	65.3	DEG	A116	75.4	DEG
A117	62.1	DEG	A118	74.4	DEG	A119	77.7	DEG	A120	76.6	DEG
A121	66.8	DEG	A122	73.0	DEG	A123	74.9	DEG	A124	76.6	DEG
A125	69.7	DEG	A126	78.2	DEG	A127	64.6	DEG	A128	68.6	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1											
A11	71.1	DEG	A12	70.4	DEG	A13	76.9	DEG	A14	76.5	DEG
A13	72.0	DEG	A16	73.4	DEG	A17	71.8	DEG	A18	66.8	DEG
A19	74.7	DEG	A110	71.5	DEG	A111	76.0	DEG	A112	66.1	DEG
A113	73.3	DEG	A114	72.2	DEG	A115	64.9	DEG	A116	75.1	DEG
A117	61.8	DEG	A118	74.3	DEG	A119	77.8	DEG	A120	76.5	DEG
A121	66.4	DEG	A122	70.9	DEG	A123	74.7	DEG	A124	76.4	DEG
A125	69.4	DEG	A126	78.0	DEG	A127	64.5	DEG	A128	68.5	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1											
A11	71.1	DEG	A12	70.3	DEG	A13	76.9	DEG	A14	76.5	DEG
A13	73.8	DEG	A16	73.9	DEG	A17	72.1	DEG	A18	66.8	DEG
A19	74.9	DEG	A110	72.7	DEG	A111	76.6	DEG	A112	65.9	DEG
A113	72.9	DEG	A114	76.9	DEG	A115	64.7	DEG	A116	75.3	DEG
A117	61.7	DEG	A118	74.4	DEG	A119	77.8	DEG	A120	76.5	DEG
A121	74.4	DEG	A122	74.4	DEG						

ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1		13 FEB 98 7:42		SAMPLE RATE: 10 MINUTES							
A13	71.4	DEG	A12	70.4	DEG	A13	76.8	DEG	A14	77.1	DEG
A15	73.8	DEG	A16	73.8	DEG	A17	71.9	DEG	A18	66.2	DEG
A19	74.4	DEG	A110	71.2	DEG	A111	75.4	DEG	A112	66.4	DEG
A121	74.4	DEG	A114	77.7	DEG	A115	65.4	DEG	A116	75.9	DEG
A123	74.4	DEG	A118	74.4	DEG	A119	78.8	DEG	A120	76.8	DEG
A125	74.4	DEG	A122	73.1	DEG	A123	75.8	DEG	A124	76.7	DEG
A129	74.4	DEG	A130	78.8	DEG	A127	64.9	DEG	A128	68.8	DEG
A129	SKIP		A130	SKIP							
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1		13 FEB 98 7:37		SAMPLE RATE: 10 MINUTES							
A13	71.4	DEG	A12	70.5	DEG	A13	76.8	DEG	A14	77.0	DEG
A15	72.4	DEG	A16	73.8	DEG	A17	71.7	DEG	A18	66.4	DEG
A19	74.4	DEG	A110	71.2	DEG	A111	75.4	DEG	A112	66.4	DEG
A121	74.4	DEG	A114	77.7	DEG	A115	65.4	DEG	A116	75.8	DEG
A123	74.4	DEG	A118	74.4	DEG	A119	78.8	DEG	A120	76.8	DEG
A125	74.4	DEG	A122	73.1	DEG	A123	75.8	DEG	A124	76.8	DEG
A129	74.4	DEG	A130	78.8	DEG	A127	64.9	DEG	A128	68.8	DEG
A129	SKIP		A130	SKIP							
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1		13 FEB 98 7:27		SAMPLE RATE: 10 MINUTES							
A13	71.4	DEG	A12	70.3	DEG	A13	72.3	DEG	A14	77.0	DEG
A15	73.8	DEG	A16	73.8	DEG	A17	72.1	DEG	A18	65.8	DEG
A19	74.4	DEG	A110	71.2	DEG	A111	76.4	DEG	A112	66.4	DEG
A121	74.4	DEG	A114	77.7	DEG	A115	65.4	DEG	A116	75.8	DEG
A123	74.4	DEG	A118	74.4	DEG	A119	78.8	DEG	A120	76.8	DEG
A125	74.4	DEG	A122	73.1	DEG	A123	74.9	DEG	A124	76.6	DEG
A129	74.4	DEG	A130	78.8	DEG	A127	64.4	DEG	A128	68.6	DEG
A129	SKIP		A130	SKIP							
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1		13 FEB 98 7:17		SAMPLE RATE: 10 MINUTES							
A13	71.4	DEG	A12	70.1	DEG	A13	72.1	DEG	A14	77.0	DEG
A15	73.8	DEG	A16	73.8	DEG	A17	71.7	DEG	A18	65.8	DEG
A19	74.4	DEG	A110	71.2	DEG	A111	75.4	DEG	A112	66.4	DEG
A121	74.4	DEG	A114	77.7	DEG	A115	65.4	DEG	A116	75.8	DEG
A123	74.4	DEG	A118	74.4	DEG	A119	78.8	DEG	A120	76.8	DEG
A125	74.4	DEG	A122	73.1	DEG	A123	75.8	DEG	A124	76.7	DEG
A129	74.4	DEG	A130	78.8	DEG	A127	64.3	DEG	A128	68.6	DEG
A129	SKIP		A130	SKIP							
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1		13 FEB 98 7:07		SAMPLE RATE: 10 MINUTES							
A13	71.4	DEG	A12	70.2	DEG	A13	76.8	DEG	A14	76.9	DEG
A15	72.4	DEG	A16	73.7	DEG	A17	71.5	DEG	A18	66.2	DEG
A19	74.4	DEG	A110	71.2	DEG	A111	75.3	DEG	A112	66.5	DEG
A121	74.4	DEG	A114	77.5	DEG	A115	65.2	DEG	A116	75.7	DEG
A123	74.4	DEG	A118	74.3	DEG	A119	78.8	DEG	A120	76.7	DEG
A125	74.4	DEG	A122	72.9	DEG	A123	75.9	DEG	A124	76.7	DEG
A129	74.4	DEG	A130	78.6	DEG	A127	64.5	DEG	A128	68.7	DEG
A129	SKIP		A130	SKIP							
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1		13 FEB 98 6:57		SAMPLE RATE: 10 MINUTES							
A13	71.1	DEG	A12	70.2	DEG	A13	76.6	DEG	A14	76.8	DEG
A15	72.8	DEG	A16	73.7	DEG	A17	71.5	DEG	A18	66.2	DEG
A19	74.8	DEG	A110	71.2	DEG	A111	75.1	DEG	A112	66.4	DEG
A121	73.6	DEG	A114	77.3	DEG	A115	65.3	DEG	A116	75.5	DEG
A123	72.8	DEG	A118	74.3	DEG	A119		DEG	A120	75.5	DEG



Att. III page 133 of 199

ALL ACTIVE ALARMS: NONE											
DATALOG GROUP	1	13 FEB 90	8:27	SAMPLE RATE: 10 MINUTES							
A11	21.5	DEG	A12	70.2	DEG	A13	76.7	DEG	A14	77.3	DEG
A15	72.2	DEG	A16	73.8	DEG	A17	71.5	DEG	A18	65.8	DEG
A19	24.9	DEG	A110	71.8	DEG	A111	75.0	DEG	A112	66.9	DEG
A113	72.3	DEG	A114	77.5	DEG	A115	65.6	DEG	A116	75.8	DEG
A117	72.2	DEG	A118	74.6	DEG	A119	77.7	DEG	A120	76.8	DEG
A121	62.2	DEG	A122	69.3	DEG	A123	75.2	DEG	A124	76.8	DEG
A125	75.8	DEG	A126	78.4	DEG	A127	64.7	DEG	A128	68.9	DEG
A129	69.0	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP	1	13 FEB 90	8:17	SAMPLE RATE: 10 MINUTES							
A11	21.4	DEG	A12	70.2	DEG	A13	76.6	DEG	A14	77.2	DEG
A15	72.9	DEG	A16	73.2	DEG	A17	71.4	DEG	A18	65.9	DEG
A19	24.9	DEG	A110	70.9	DEG	A111	75.0	DEG	A112	66.9	DEG
A113	73.3	DEG	A114	77.5	DEG	A115	65.7	DEG	A116	75.7	DEG
A117	72.2	DEG	A118	74.6	DEG	A119	77.6	DEG	A120	76.8	DEG
A121	62.2	DEG	A122	69.3	DEG	A123	75.2	DEG	A124	76.9	DEG
A125	75.8	DEG	A126	78.4	DEG	A127	64.8	DEG	A128	69.0	DEG
A129	69.0	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP	1	13 FEB 90	8:07	SAMPLE RATE: 10 MINUTES							
A11	21.4	DEG	A12	70.2	DEG	A13	76.8	DEG	A14	77.2	DEG
A15	72.9	DEG	A16	73.8	DEG	A17	72.1	DEG	A18	66.0	DEG
A19	24.9	DEG	A110	72.8	DEG	A111	76.2	DEG	A112	66.0	DEG
A113	72.2	DEG	A114	77.5	DEG	A115	65.6	DEG	A116	75.9	DEG
A117	72.2	DEG	A118	74.6	DEG	A119	77.8	DEG	A120	76.8	DEG
A121	62.2	DEG	A122	69.3	DEG	A123	75.1	DEG	A124	76.8	DEG
A125	75.8	DEG	A126	78.4	DEG	A127	64.7	DEG	A128	68.8	DEG
A129	69.0	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP	1	13 FEB 90	7:57	SAMPLE RATE: 10 MINUTES							
A11	21.5	DEG	A12	70.2	DEG	A13	77.7	DEG	A14	77.3	DEG
A15	73.0	DEG	A16	73.2	DEG	A17	76.7	DEG	A18	65.9	DEG
A19	24.9	DEG	A110	73.2	DEG	A111	76.2	DEG	A112	66.0	DEG
A113	73.3	DEG	A114	77.5	DEG	A115	65.7	DEG	A116	76.0	DEG
A117	72.2	DEG	A118	74.6	DEG	A119	78.0	DEG	A120	76.9	DEG
A121	62.2	DEG	A122	71.8	DEG	A123	75.0	DEG	A124	76.6	DEG
A125	69.6	DEG	A126	78.3	DEG	A127	64.6	DEG	A128	68.4	DEG
A129	69.0	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP	1	13 FEB 90	7:47	SAMPLE RATE: 10 MINUTES							
A11	21.4	DEG	A12	70.4	DEG	A13	76.8	DEG	A14	77.1	DEG
A15	73.0	DEG	A16	73.8	DEG	A17	71.9	DEG	A18	66.2	DEG
A19	24.9	DEG	A110	73.2	DEG	A111	76.4	DEG	A112	66.0	DEG
A113	74.0	DEG	A114	77.2	DEG	A115	65.4	DEG	A116	75.9	DEG
A117	72.2	DEG	A118	74.6	DEG	A119	78.0	DEG	A120	76.8	DEG
A121	62.2	DEG	A122	73.1	DEG	A123	73.0	DEG	A124	76.7	DEG
A125	69.0	DEG	A126	78.3	DEG	A127	64.9	DEG	A128	68.8	DEG
A129	69.0	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP	1	13 FEB 90	7:37	SAMPLE RATE: 10 MINUTES							
A11	21.5	DEG	A12	70.5	DEG	A13	76.8	DEG	A14	77.0	DEG
A15	72.9	DEG	A16	73.8	DEG	A17	71.7	DEG	A18	66.4	DEG
A19	24.9	DEG	A110	71.5	DEG	A111	74.0	DEG	A112	66.4	DEG

Att. III page
134 of 199

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 13 FEB 90 9:07 SAMPLE RATE: 10 MINUTES

A11	71.5	DEG	A12	70.5	DEG
A13	72.4	DEG	A16	73.8	DEG
A15	72.9	DEG	A18	74.4	DEG
A17	72.4	DEG	A110	74.4	DEG
A19	72.4	DEG	A112	74.4	DEG
A21	72.4	DEG	A114	74.4	DEG
A23	72.4	DEG	A116	74.4	DEG
A25	72.4	DEG	A118	74.4	DEG
A27	72.4	DEG	A120	74.4	DEG
A29	72.4	DEG	A122	74.4	DEG
			A124	74.4	DEG
			A126	74.4	DEG
			A128	74.4	DEG
			A130	74.4	DEG

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 13 FEB 90 8:57 SAMPLE RATE: 10 MINUTES

A11	71.7	DEG	A12	70.4	DEG
A13	72.4	DEG	A16	73.8	DEG
A15	72.9	DEG	A18	74.4	DEG
A17	72.4	DEG	A110	74.4	DEG
A19	72.4	DEG	A112	74.4	DEG
A21	72.4	DEG	A114	74.4	DEG
A23	72.4	DEG	A116	74.4	DEG
A25	72.4	DEG	A118	74.4	DEG
A27	72.4	DEG	A120	74.4	DEG
A29	72.4	DEG	A122	74.4	DEG
			A124	74.4	DEG
			A126	74.4	DEG
			A128	74.4	DEG
			A130	74.4	DEG

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 13 FEB 90 8:47 SAMPLE RATE: 10 MINUTES

A11	71.7	DEG	A12	70.4	DEG
A13	72.4	DEG	A16	73.8	DEG
A15	72.9	DEG	A18	74.4	DEG
A17	72.4	DEG	A110	74.4	DEG
A19	72.4	DEG	A112	74.4	DEG
A21	72.4	DEG	A114	74.4	DEG
A23	72.4	DEG	A116	74.4	DEG
A25	72.4	DEG	A118	74.4	DEG
A27	72.4	DEG	A120	74.4	DEG
A29	72.4	DEG	A122	74.4	DEG
			A124	74.4	DEG
			A126	74.4	DEG
			A128	74.4	DEG
			A130	74.4	DEG

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 13 FEB 90 8:37 SAMPLE RATE: 10 MINUTES

A11	71.6	DEG	A12	70.2	DEG
A13	72.4	DEG	A16	73.8	DEG
A15	72.9	DEG	A18	74.4	DEG
A17	72.4	DEG	A110	74.4	DEG
A19	72.4	DEG	A112	74.4	DEG
A21	72.4	DEG	A114	74.4	DEG
A23	72.4	DEG	A116	74.4	DEG
A25	72.4	DEG	A118	74.4	DEG
A27	72.4	DEG	A120	74.4	DEG
A29	72.4	DEG	A122	74.4	DEG
			A124	74.4	DEG
			A126	74.4	DEG
			A128	74.4	DEG
			A130	74.4	DEG

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 13 FEB 90 8:27 SAMPLE RATE: 10 MINUTES

A11	71.5	DEG	A12	70.2	DEG
A13	72.4	DEG	A16	73.8	DEG
A15	72.9	DEG	A18	74.4	DEG
A17	72.4	DEG	A110	74.4	DEG
A19	72.4	DEG	A112	74.4	DEG
A21	72.4	DEG	A114	74.4	DEG
A23	72.4	DEG	A116	74.4	DEG
A25	72.4	DEG	A118	74.4	DEG
A27	72.4	DEG	A120	74.4	DEG
A29	72.4	DEG	A122	74.4	DEG
			A124	74.4	DEG
			A126	74.4	DEG
			A128	74.4	DEG
			A130	74.4	DEG

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 13 FEB 90 8:17 SAMPLE RATE: 10 MINUTES

A11	71.4	DEG	A12	70.2	DEG
A13	72.4	DEG	A16	73.8	DEG
A15	72.9	DEG	A18	74.4	DEG
A17	72.4	DEG	A110	74.4	DEG

A13	76.9	DEG	A14	77.5	DEG
A17	76.7	DEG	A18	65.8	DEG
A111	76.8	DEG	A112	65.8	DEG
A113	76.8	DEG	A116	75.9	DEG
A115	76.8	DEG	A118	76.8	DEG
A117	76.8	DEG	A120	76.8	DEG
A119	76.8	DEG	A122	76.8	DEG
A121	76.8	DEG	A124	76.8	DEG
A123	76.8	DEG	A126	76.8	DEG
A125	76.8	DEG	A128	76.8	DEG
A127	76.8	DEG			

A13	77.0	DEG	A14	77.5	DEG
A17	77.0	DEG	A18	65.8	DEG
A111	77.0	DEG	A112	65.8	DEG
A113	77.0	DEG	A116	75.9	DEG
A115	77.0	DEG	A118	76.8	DEG
A117	77.0	DEG	A120	76.8	DEG
A119	77.0	DEG	A122	76.8	DEG
A121	77.0	DEG	A124	76.8	DEG
A123	77.0	DEG	A126	76.8	DEG
A125	77.0	DEG	A128	76.8	DEG
A127	77.0	DEG			

A13	77.1	DEG	A14	77.5	DEG
A17	77.1	DEG	A18	65.8	DEG
A111	77.1	DEG	A112	65.8	DEG
A113	77.1	DEG	A116	75.9	DEG
A115	77.1	DEG	A118	76.8	DEG
A117	77.1	DEG	A120	76.8	DEG
A119	77.1	DEG	A122	76.8	DEG
A121	77.1	DEG	A124	76.8	DEG
A123	77.1	DEG	A126	76.8	DEG
A125	77.1	DEG	A128	76.8	DEG
A127	77.1	DEG			

A13	76.8	DEG	A14	77.4	DEG
A17	76.8	DEG	A18	65.8	DEG
A111	76.8	DEG	A112	65.8	DEG
A113	76.8	DEG	A116	75.9	DEG
A115	76.8	DEG	A118	76.8	DEG
A117	76.8	DEG	A120	76.8	DEG
A119	76.8	DEG	A122	76.8	DEG
A121	76.8	DEG	A124	76.8	DEG
A123	76.8	DEG	A126	76.8	DEG
A125	76.8	DEG	A128	76.8	DEG
A127	76.8	DEG			

A13	76.7	DEG	A14	77.3	DEG
A17	76.7	DEG	A18	65.8	DEG
A111	76.7	DEG	A112	65.8	DEG
A113	76.7	DEG	A116	75.9	DEG
A115	76.7	DEG	A118	76.8	DEG
A117	76.7	DEG	A120	76.8	DEG
A119	76.7	DEG	A122	76.8	DEG
A121	76.7	DEG	A124	76.8	DEG
A123	76.7	DEG	A126	76.8	DEG
A125	76.7	DEG	A128	76.8	DEG
A127	76.7	DEG			

A13	76.6	DEG	A14	77.2	DEG
A17	76.6	DEG	A18	65.9	DEG
A111	76.6	DEG	A112	65.9	DEG



Page 1
10/1/78
10/1/78
10/1/78
10/1/78
10/1/78

A UNIT OF GENERAL SIGNAL MADE IN U.S.A.

Att. III page 135 of 199

DATE/TIME		GROUP		SAMPLE RATE		MINUTES									
13 FEB 90		GRP 1		9:47		SAMPLE RATE: 10		MINUTES							
A11		71.7		DEG		A12		70.2		DEG		A13		76.6	
A15		72.9		DEG		A16		73.8		DEG		A17		71.6	
A19		75.0		DEG		A110		72.1		DEG		A111		75.7	
A113		72.2		DEG		A114		72.5		DEG		A115		66.0	
A117		62.5		DEG		A118		74.5		DEG		A119		77.1	
A121		66.0		DEG		A122		74.5		DEG		A123		75.4	
A125		70.1		DEG		A126		78.0		DEG		A127		65.1	
A129		SKIP		DEG		A130		SKIP		DEG		A128		69.1	
ALL ACTIVE ALARMS:		NONE													
13 FEB 90		GRP 1		9:37		SAMPLE RATE: 10		MINUTES							
A11		71.8		DEG		A12		70.3		DEG		A13		77.1	
A15		72.9		DEG		A16		74.0		DEG		A17		76.6	
A19		75.0		DEG		A110		73.1		DEG		A111		75.7	
A113		72.2		DEG		A114		72.5		DEG		A115		66.0	
A117		62.5		DEG		A118		74.5		DEG		A119		77.1	
A121		66.0		DEG		A122		74.5		DEG		A123		75.4	
A125		70.1		DEG		A126		78.0		DEG		A127		64.8	
A129		SKIP		DEG		A130		SKIP		DEG		A128		68.8	
ALL ACTIVE ALARMS:		NONE													
13 FEB 90		GRP 1		9:27		SAMPLE RATE: 10		MINUTES							
A11		71.8		DEG		A12		70.4		DEG		A13		77.1	
A15		72.9		DEG		A16		74.0		DEG		A17		76.6	
A19		75.0		DEG		A110		72.6		DEG		A111		75.7	
A113		72.2		DEG		A114		72.6		DEG		A115		66.0	
A117		62.5		DEG		A118		74.5		DEG		A119		77.1	
A121		66.0		DEG		A122		74.5		DEG		A123		75.4	
A125		70.1		DEG		A126		78.0		DEG		A127		65.0	
A129		SKIP		DEG		A130		SKIP		DEG		A128		68.8	
ALL ACTIVE ALARMS:		NONE													
13 FEB 90		GRP 1		9:17		SAMPLE RATE: 10		MINUTES							
A11		71.8		DEG		A12		70.5		DEG		A13		76.8	
A15		72.9		DEG		A16		73.9		DEG		A17		71.6	
A19		75.0		DEG		A110		72.2		DEG		A111		75.7	
A113		72.2		DEG		A114		72.2		DEG		A115		66.0	
A117		62.5		DEG		A118		74.5		DEG		A119		77.1	
A121		66.0		DEG		A122		74.5		DEG		A123		75.4	
A125		70.1		DEG		A126		78.0		DEG		A127		65.1	
A129		SKIP		DEG		A130		SKIP		DEG		A128		68.8	
ALL ACTIVE ALARMS:		NONE													
13 FEB 90		GRP 1		9:07		SAMPLE RATE: 10		MINUTES							
A11		71.6		DEG		A12		70.5		DEG		A13		76.9	
A15		72.9		DEG		A16		73.8		DEG		A17		71.7	
A19		75.0		DEG		A110		72.0		DEG		A111		75.8	
A113		74.1		DEG		A114		72.0		DEG		A115		66.8	
A117		62.5		DEG		A118		74.4		DEG		A119		75.9	
A121		66.0		DEG		A122		69.0		DEG		A123		65.0	
A125		69.0		DEG		A126		70.0		DEG		A127		65.0	
A129		SKIP		DEG		A130		SKIP		DEG		A128		68.8	
ALL ACTIVE ALARMS:		NONE													
13 FEB 90		GRP 1		8:57		SAMPLE RATE: 10		MINUTES							
A11		71.7		DEG		A12		70.4		DEG		A13		77.0	
A15		73.1		DEG		A16		73.8		DEG		A17		72.0	
A19		75.1		DEG		A110		73.6		DEG		A111		76.9	
A113		73.1		DEG		A114		77.4		DEG		A115		65.6	
												A116		65.6	
												A117		65.6	
												A118		65.6	
												A119		65.6	
												A120		65.6	
												A121		65.6	
												A122		65.6	
												A123		65.6	
												A124		65.6	
												A125		65.6	
												A126		65.6	
												A127		65.6	
												A128		65.6	
												A129		65.6	
												A130		65.6	

11. 11. 11.

11. 11. 11.

11. 11. 11.

11. 11. 11.

11. 11. 11.

11. 11. 11.

[illegible]

NO. 677001 LEEDS & NORTHUP A UNIT OF GENERAL SIGNAL MADE IN U.S.A.

Att. III page 139 of 199

ALL ACTIVE ALARMS: NONE											
DATALOG GROUP	1	13 FEB 98	12:37	SAMPLE RATE: 10	MINUTES						
A1	22.1	DEG	A12	70.3	DEG	A13	72.1	DEG	A14	78.2	DEG
A2	22.3	DEG	A16	70.3	DEG	A17	72.1	DEG	A18	78.2	DEG
A3	22.3	DEG	A19	70.3	DEG	A20	72.1	DEG	A21	78.2	DEG
A4	22.3	DEG	A22	70.3	DEG	A23	72.1	DEG	A24	78.2	DEG
A5	22.3	DEG	A25	70.3	DEG	A26	72.1	DEG	A27	78.2	DEG
A6	22.3	DEG	A28	70.3	DEG	A29	72.1	DEG	A30	78.2	DEG
A7	22.3	DEG	A31	70.3	DEG	A32	72.1	DEG	A33	78.2	DEG
A8	22.3	DEG	A34	70.3	DEG	A35	72.1	DEG	A36	78.2	DEG
A9	22.3	DEG	A37	70.3	DEG	A38	72.1	DEG	A39	78.2	DEG
A10	22.3	DEG	A40	70.3	DEG	A41	72.1	DEG	A42	78.2	DEG
A11	22.3	DEG	A43	70.3	DEG	A44	72.1	DEG	A45	78.2	DEG
A12	22.3	DEG	A46	70.3	DEG	A47	72.1	DEG	A48	78.2	DEG
A13	22.3	DEG	A49	70.3	DEG	A50	72.1	DEG	A51	78.2	DEG
A14	22.3	DEG	A52	70.3	DEG	A53	72.1	DEG	A54	78.2	DEG
A15	22.3	DEG	A55	70.3	DEG	A56	72.1	DEG	A57	78.2	DEG
A16	22.3	DEG	A58	70.3	DEG	A59	72.1	DEG	A60	78.2	DEG
A17	22.3	DEG	A61	70.3	DEG	A62	72.1	DEG	A63	78.2	DEG
A18	22.3	DEG	A64	70.3	DEG	A65	72.1	DEG	A66	78.2	DEG
A19	22.3	DEG	A67	70.3	DEG	A68	72.1	DEG	A69	78.2	DEG
A20	22.3	DEG	A70	70.3	DEG	A71	72.1	DEG	A72	78.2	DEG
A21	22.3	DEG	A73	70.3	DEG	A74	72.1	DEG	A75	78.2	DEG
A22	22.3	DEG	A76	70.3	DEG	A77	72.1	DEG	A78	78.2	DEG
A23	22.3	DEG	A79	70.3	DEG	A80	72.1	DEG	A81	78.2	DEG
A24	22.3	DEG	A82	70.3	DEG	A83	72.1	DEG	A84	78.2	DEG
A25	22.3	DEG	A85	70.3	DEG	A86	72.1	DEG	A87	78.2	DEG
A26	22.3	DEG	A88	70.3	DEG	A89	72.1	DEG	A90	78.2	DEG
A27	22.3	DEG	A91	70.3	DEG	A92	72.1	DEG	A93	78.2	DEG
A28	22.3	DEG	A94	70.3	DEG	A95	72.1	DEG	A96	78.2	DEG
A29	22.3	DEG	A97	70.3	DEG	A98	72.1	DEG	A99	78.2	DEG
A30	22.3	DEG	A100	70.3	DEG	A101	72.1	DEG	A102	78.2	DEG
A31	22.3	DEG	A103	70.3	DEG	A104	72.1	DEG	A105	78.2	DEG
A32	22.3	DEG	A106	70.3	DEG	A107	72.1	DEG	A108	78.2	DEG
A33	22.3	DEG	A109	70.3	DEG	A110	72.1	DEG	A111	78.2	DEG
A34	22.3	DEG	A112	70.3	DEG	A113	72.1	DEG	A114	78.2	DEG
A35	22.3	DEG	A115	70.3	DEG	A116	72.1	DEG	A117	78.2	DEG
A36	22.3	DEG	A118	70.3	DEG	A119	72.1	DEG	A120	78.2	DEG
A37	22.3	DEG	A121	70.3	DEG	A122	72.1	DEG	A123	78.2	DEG
A38	22.3	DEG	A124	70.3	DEG	A125	72.1	DEG	A126	78.2	DEG
A39	22.3	DEG	A127	70.3	DEG	A128	72.1	DEG	A129	78.2	DEG
A40	22.3	DEG	A130	70.3	DEG	A131	72.1	DEG	A132	78.2	DEG
A41	22.3	DEG	A133	70.3	DEG	A134	72.1	DEG	A135	78.2	DEG
A42	22.3	DEG	A136	70.3	DEG	A137	72.1	DEG	A138	78.2	DEG
A43	22.3	DEG	A139	70.3	DEG	A140	72.1	DEG	A141	78.2	DEG
A44	22.3	DEG	A142	70.3	DEG	A143	72.1	DEG	A144	78.2	DEG
A45	22.3	DEG	A145	70.3	DEG	A146	72.1	DEG	A147	78.2	DEG
A46	22.3	DEG	A148	70.3	DEG	A149	72.1	DEG	A150	78.2	DEG
A47	22.3	DEG	A151	70.3	DEG	A152	72.1	DEG	A153	78.2	DEG
A48	22.3	DEG	A154	70.3	DEG	A155	72.1	DEG	A156	78.2	DEG
A49	22.3	DEG	A157	70.3	DEG	A158	72.1	DEG	A159	78.2	DEG
A50	22.3	DEG	A160	70.3	DEG	A161	72.1	DEG	A162	78.2	DEG
A51	22.3	DEG	A163	70.3	DEG	A164	72.1	DEG	A165	78.2	DEG
A52	22.3	DEG	A166	70.3	DEG	A167	72.1	DEG	A168	78.2	DEG
A53	22.3	DEG	A169	70.3	DEG	A170	72.1	DEG	A171	78.2	DEG
A54	22.3	DEG	A172	70.3	DEG	A173	72.1	DEG	A174	78.2	DEG
A55	22.3	DEG	A175	70.3	DEG	A176	72.1	DEG	A177	78.2	DEG
A56	22.3	DEG	A178	70.3	DEG	A179	72.1	DEG	A180	78.2	DEG
A57	22.3	DEG	A181	70.3	DEG	A182	72.1	DEG	A183	78.2	DEG
A58	22.3	DEG	A184	70.3	DEG	A185	72.1	DEG	A186	78.2	DEG
A59	22.3	DEG	A187	70.3	DEG	A188	72.1	DEG	A189	78.2	DEG
A60	22.3	DEG	A190	70.3	DEG	A191	72.1	DEG	A192	78.2	DEG
A61	22.3	DEG	A193	70.3	DEG	A194	72.1	DEG	A195	78.2	DEG
A62	22.3	DEG	A196	70.3	DEG	A197	72.1	DEG	A198	78.2	DEG
A63	22.3	DEG	A199	70.3	DEG	A200	72.1	DEG	A201	78.2	DEG
A64	22.3	DEG	A202	70.3	DEG	A203	72.1	DEG	A204	78.2	DEG
A65	22.3	DEG	A205	70.3	DEG	A206	72.1	DEG	A207	78.2	DEG
A66	22.3	DEG	A208	70.3	DEG	A209	72.1	DEG	A210	78.2	DEG
A67	22.3	DEG	A211	70.3	DEG	A212	72.1	DEG	A213	78.2	DEG
A68	22.3	DEG	A214	70.3	DEG	A215	72.1	DEG	A216	78.2	DEG
A69	22.3	DEG	A217	70.3	DEG	A218	72.1	DEG	A219	78.2	DEG
A70	22.3	DEG	A220	70.3	DEG	A221	72.1	DEG	A222	78.2	DEG
A71	22.3	DEG	A223	70.3	DEG	A224	72.1	DEG	A225	78.2	DEG
A72	22.3	DEG	A226	70.3	DEG	A227	72.1	DEG	A228	78.2	DEG
A73	22.3	DEG	A229	70.3	DEG	A230	72.1	DEG	A231	78.2	DEG
A74	22.3	DEG	A232	70.3	DEG	A233	72.1	DEG	A234	78.2	DEG
A75	22.3	DEG	A235	70.3	DEG	A236	72.1	DEG	A237	78.2	DEG
A76	22.3	DEG	A238	70.3	DEG	A239	72.1	DEG	A240	78.2	DEG
A77	22.3	DEG	A241	70.3	DEG	A242	72.1	DEG	A243	78.2	DEG
A78	22.3	DEG	A244	70.3	DEG	A245	72.1	DEG	A246	78.2	DEG
A79	22.3	DEG	A247	70.3	DEG	A248	72.1	DEG	A249	78.2	DEG
A80	22.3	DEG	A250	70.3	DEG	A251	72.1	DEG	A252	78.2	DEG
A81	22.3	DEG	A253	70.3	DEG	A254	72.1	DEG	A255	78.2	DEG
A82	22.3	DEG	A256	70.3	DEG	A257	72.1	DEG	A258	78.2	DEG
A83	22.3	DEG	A259	70.3	DEG	A260	72.1	DEG	A261	78.2	DEG
A84	22.3	DEG	A262	70.3	DEG	A263	72.1	DEG	A264	78.2	DEG
A85	22.3	DEG	A265	70.3	DEG	A266	72.1	DEG	A267	78.2	DEG
A86	22.3	DEG	A268	70.3	DEG	A269	72.1	DEG	A270	78.2	DEG
A87	22.3	DEG	A271	70.3	DEG	A272	72.1	DEG	A273	78.2	DEG
A88	22.3	DEG	A274	70.3	DEG	A275	72.1	DEG	A276	78.2	DEG
A89	22.3	DEG	A277	70.3	DEG	A278	72.1	DEG	A279	78.2	DEG
A90	22.3	DEG	A280	70.3	DEG	A281	72.1	DEG	A282	78.2	DEG
A91	22.3	DEG	A283	70.3	DEG	A284	72.1	DEG	A285	78.2	DEG
A92	22.3	DEG	A286	70.3	DEG	A287	72.1	DEG	A288	78.2	DEG
A93	22.3	DEG	A289	70.3	DEG	A290	72.1	DEG	A291	78.2	DEG
A94	22.3	DEG	A292	70.3	DEG	A293	72.1	DEG	A294	78.2	DEG
A95	22.3	DEG	A295	70.3	DEG	A296	72.1	DEG	A297	78.2	DEG
A96	22.3	DEG	A298	70.3	DEG	A299	72.1	DEG	A300	78.2	DEG
A97	22.3	DEG	A301	70.3	DEG	A302	72.1	DEG	A303	78.2	DEG
A98	22.3	DEG	A304	70.3	DEG	A305	72.1	DEG	A306	78.2	DEG
A99	22.3	DEG	A307	70.3	DEG	A308	72.1	DEG	A309	78.2	DEG
A100	22.3	DEG	A310	70.3	DEG	A311	72.1	DEG	A312	78.2	DEG
A101	22.3	DEG	A313	70.3	DEG	A314	72.1	DEG	A315	78.2	DEG
A102	22.3	DEG	A316	70.3	DEG	A317	72.1	DEG	A318	78.2	DEG
A103	22.3	DEG	A319	70.3	DEG	A320	72.1	DEG	A321	78.2	DEG
A104	22.3	DEG	A322	70.3	DEG	A323	72.1	DEG	A324	78.2	DEG
A105	22.3	DEG	A325	70.3	DEG	A326	72.1	DEG	A327	78.2	DEG
A106	22.3	DEG	A328	70.3	DEG	A329	72.1	DEG	A330	78.2	DEG
A107	22.3	DEG	A331	70.3	DEG	A332	72.1	DEG	A333	78.2	DEG
A108	22.3	DEG	A334	70.3	DEG	A335	72.1	DEG	A336	78.2	DEG
A109	22.3	DEG	A337	70.3	DEG	A338	72.1	DEG	A339	78.2	DEG
A110	22.3	DEG	A340	70.3	DEG	A341	72.1	DEG	A342	78.2	DEG
A111	22.3	DEG	A343	70.3	DEG	A344	72.1	DEG	A345	78.2	DEG
A112	22.3	DEG	A346	70.3	DEG	A347	72.1	DEG	A348	78.2	DEG
A113	22.3	DEG	A349	70.3	DEG	A350	72.1	DEG	A351	78.2	DEG
A114	22.3	DEG	A352	70.3	DEG	A353	72.1	DEG	A354	78.2	DEG
A115	22.3	DEG	A355	70.3	DEG	A356	72.1	DEG	A357	78.2	DEG
A116	22.3	DEG	A358	70.3	DEG	A359	72.1	DEG	A360	78.2	DEG
A117	22.3	DEG	A361	70.3	DEG	A362	72.1	DEG	A363	78.2	DEG
A118	22.3	DEG	A364	70.3	DEG	A365	72.1	DEG	A366	78.2	DEG
A119	22.3	DEG	A367	70.3	DEG	A368	72.1	DEG	A369	78.2	DEG
A120	22.3	DEG	A370	70.3	DEG	A371	72.1	DEG	A372	78.2	DEG
A121	22.3	DEG	A373	70.3	DEG	A374	72.1	DEG	A375	78.2	DEG
A122	22.3	DEG	A376	70.3	DEG	A377	72.1	DEG	A378	78.2	DEG
A123	22.3	DEG	A379	70.3	DEG	A380	72.1	DEG	A381</		

11
12
13
14
15



LEEDS & NORTHROP A UNIT OF GENERAL SIGNAL CHASE IN U.S.A. *Page 148 of 194*

DATE LOG GROUP		13 FEB 90		13:07		SAMPLE RATE: 10 MINUTES													
A11	22.1	DEG	F	A12	70.3	DEG	F	A13	77.0	DEG	F	A14	78.2	DEG	F	A15	78.2	DEG	F
A19	23.1	DEG	F	A16	74.1	DEG	F	A17	77.1	DEG	F	A18	78.2	DEG	F	A19	78.2	DEG	F
A114	23.1	DEG	F	A110	74.1	DEG	F	A111	77.1	DEG	F	A112	78.2	DEG	F	A113	78.2	DEG	F
A121	23.1	DEG	F	A114	74.1	DEG	F	A115	77.1	DEG	F	A116	78.2	DEG	F	A117	78.2	DEG	F
A125	23.1	DEG	F	A118	74.1	DEG	F	A119	77.1	DEG	F	A120	78.2	DEG	F	A121	78.2	DEG	F
A129	23.1	DEG	F	A122	74.1	DEG	F	A123	77.1	DEG	F	A124	78.2	DEG	F	A125	78.2	DEG	F
	SKIP	DEG	F	A126	78.4	DEG	F	A127	65.2	DEG	F	A128	68.9	DEG	F				
ALL ACTIVE ALARMS: NONE																			
DATE LOG GROUP		13 FEB 90		12:57		SAMPLE RATE: 10 MINUTES													
A11	22.2	DEG	F	A12	70.3	DEG	F	A13	77.0	DEG	F	A14	78.2	DEG	F	A15	78.2	DEG	F
A19	23.1	DEG	F	A16	74.1	DEG	F	A17	77.1	DEG	F	A18	78.2	DEG	F	A19	78.2	DEG	F
A114	23.1	DEG	F	A110	74.1	DEG	F	A111	77.1	DEG	F	A112	78.2	DEG	F	A113	78.2	DEG	F
A121	23.1	DEG	F	A114	74.1	DEG	F	A115	77.1	DEG	F	A116	78.2	DEG	F	A117	78.2	DEG	F
A125	23.1	DEG	F	A118	74.1	DEG	F	A119	77.1	DEG	F	A120	78.2	DEG	F	A121	78.2	DEG	F
A129	23.1	DEG	F	A122	74.1	DEG	F	A123	77.1	DEG	F	A124	78.2	DEG	F	A125	78.2	DEG	F
	SKIP	DEG	F	A126	78.4	DEG	F	A127	65.2	DEG	F	A128	68.9	DEG	F				
ALL ACTIVE ALARMS: NONE																			
DATE LOG GROUP		13 FEB 90		12:47		SAMPLE RATE: 10 MINUTES													
A11	22.2	DEG	F	A12	70.3	DEG	F	A13	77.0	DEG	F	A14	78.2	DEG	F	A15	78.2	DEG	F
A19	23.1	DEG	F	A16	74.1	DEG	F	A17	77.1	DEG	F	A18	78.2	DEG	F	A19	78.2	DEG	F
A114	23.1	DEG	F	A110	74.1	DEG	F	A111	77.1	DEG	F	A112	78.2	DEG	F	A113	78.2	DEG	F
A121	23.1	DEG	F	A114	74.1	DEG	F	A115	77.1	DEG	F	A116	78.2	DEG	F	A117	78.2	DEG	F
A125	23.1	DEG	F	A118	74.1	DEG	F	A119	77.1	DEG	F	A120	78.2	DEG	F	A121	78.2	DEG	F
A129	23.1	DEG	F	A122	74.1	DEG	F	A123	77.1	DEG	F	A124	78.2	DEG	F	A125	78.2	DEG	F
	SKIP	DEG	F	A126	78.4	DEG	F	A127	65.2	DEG	F	A128	68.9	DEG	F				
ALL ACTIVE ALARMS: NONE																			
DATE LOG GROUP		13 FEB 90		12:37		SAMPLE RATE: 10 MINUTES													
A11	22.3	DEG	F	A12	70.3	DEG	F	A13	77.1	DEG	F	A14	78.2	DEG	F	A15	78.2	DEG	F
A19	23.1	DEG	F	A16	74.3	DEG	F	A17	76.8	DEG	F	A18	78.2	DEG	F	A19	78.2	DEG	F
A114	23.1	DEG	F	A110	74.3	DEG	F	A111	76.8	DEG	F	A112	78.2	DEG	F	A113	78.2	DEG	F
A121	23.1	DEG	F	A114	74.3	DEG	F	A115	76.8	DEG	F	A116	78.2	DEG	F	A117	78.2	DEG	F
A125	23.1	DEG	F	A118	74.3	DEG	F	A119	76.8	DEG	F	A120	78.2	DEG	F	A121	78.2	DEG	F
A129	23.1	DEG	F	A122	74.3	DEG	F	A123	76.8	DEG	F	A124	78.2	DEG	F	A125	78.2	DEG	F
	SKIP	DEG	F	A126	78.4	DEG	F	A127	65.3	DEG	F	A128	68.8	DEG	F				
ALL ACTIVE ALARMS: NONE																			
DATE LOG GROUP		13 FEB 90		12:27		SAMPLE RATE: 10 MINUTES													
A11	22.3	DEG	F	A12	70.3	DEG	F	A13	77.1	DEG	F	A14	78.2	DEG	F	A15	78.2	DEG	F
A19	23.1	DEG	F	A16	74.3	DEG	F	A17	76.8	DEG	F	A18	78.2	DEG	F	A19	78.2	DEG	F
A114	23.1	DEG	F	A110	74.3	DEG	F	A111	76.8	DEG	F	A112	78.2	DEG	F	A113	78.2	DEG	F
A121	23.1	DEG	F	A114	74.3	DEG	F	A115	76.8	DEG	F	A116	78.2	DEG	F	A117	78.2	DEG	F
A125	23.1	DEG	F	A118	74.3	DEG	F	A119	76.8	DEG	F	A120	78.2	DEG	F	A121	78.2	DEG	F
A129	23.1	DEG	F	A122	74.3	DEG	F	A123	76.8	DEG	F	A124	78.2	DEG	F	A125	78.2	DEG	F
	SKIP	DEG	F	A126	78.4	DEG	F	A127	65.4	DEG	F	A128	69.1	DEG	F				
ALL ACTIVE ALARMS: NONE																			
DATE LOG GROUP		13 FEB 90		12:17		SAMPLE RATE: 10 MINUTES													



Att. III
page 141 of
199

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 12 FEB 90 19:37 SAMPLE RATE: 10 MINUTES

A11	22.2	DEG	A12	70.5	DEG	A13	76.5	DEG	A14	78.4	DEG
A11	22.2	DEG	A16	71.1	DEG	A17	76.5	DEG	A18	65.6	DEG
A11	22.2	DEG	A11	71.1	DEG	A11	76.5	DEG	A11	67.8	DEG
A11	22.2	DEG	A11	71.1	DEG	A11	76.5	DEG	A11	75.4	DEG
A11	22.2	DEG	A11	71.1	DEG	A11	76.5	DEG	A11	76.8	DEG
A11	22.2	DEG	A11	71.1	DEG	A11	76.5	DEG	A11	76.8	DEG
A125	69.8	DEG	A126	77.9	DEG	A127	65.5	DEG	A128	68.8	DEG
A129	SKIP	DEG	A130	SKIP	DEG						

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 12 FEB 90 19:27 SAMPLE RATE: 10 MINUTES

A11	22.2	DEG	A12	70.5	DEG	A13	76.5	DEG	A14	78.4	DEG
A11	22.2	DEG	A16	71.1	DEG	A17	76.5	DEG	A18	65.6	DEG
A11	22.2	DEG	A11	71.1	DEG	A11	76.5	DEG	A11	67.8	DEG
A11	22.2	DEG	A11	71.1	DEG	A11	76.5	DEG	A11	75.4	DEG
A11	22.2	DEG	A11	71.1	DEG	A11	76.5	DEG	A11	76.8	DEG
A11	22.2	DEG	A11	71.1	DEG	A11	76.5	DEG	A11	76.8	DEG
A125	69.8	DEG	A126	77.9	DEG	A127	65.5	DEG	A128	68.8	DEG
A129	SKIP	DEG	A130	SKIP	DEG						

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 12 FEB 90 18:17 SAMPLE RATE: 10 MINUTES

A11	22.2	DEG	A12	70.5	DEG	A13	76.5	DEG	A14	78.4	DEG
A11	22.2	DEG	A16	71.1	DEG	A17	76.5	DEG	A18	65.6	DEG
A11	22.2	DEG	A11	71.1	DEG	A11	76.5	DEG	A11	67.8	DEG
A11	22.2	DEG	A11	71.1	DEG	A11	76.5	DEG	A11	75.4	DEG
A11	22.2	DEG	A11	71.1	DEG	A11	76.5	DEG	A11	76.8	DEG
A11	22.2	DEG	A11	71.1	DEG	A11	76.5	DEG	A11	76.8	DEG
A125	69.8	DEG	A126	77.9	DEG	A127	65.5	DEG	A128	68.8	DEG
A129	SKIP	DEG	A130	SKIP	DEG						

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 12 FEB 90 18:07 SAMPLE RATE: 10 MINUTES

A11	22.2	DEG	A12	70.5	DEG	A13	76.5	DEG	A14	78.4	DEG
A11	22.2	DEG	A16	71.1	DEG	A17	76.5	DEG	A18	65.6	DEG
A11	22.2	DEG	A11	71.1	DEG	A11	76.5	DEG	A11	67.8	DEG
A11	22.2	DEG	A11	71.1	DEG	A11	76.5	DEG	A11	75.4	DEG
A11	22.2	DEG	A11	71.1	DEG	A11	76.5	DEG	A11	76.8	DEG
A11	22.2	DEG	A11	71.1	DEG	A11	76.5	DEG	A11	76.8	DEG
A125	69.8	DEG	A126	77.9	DEG	A127	65.5	DEG	A128	68.8	DEG
A129	SKIP	DEG	A130	SKIP	DEG						

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 12 FEB 90 17:57 SAMPLE RATE: 10 MINUTES

A11	22.2	DEG	A12	70.5	DEG	A13	76.5	DEG	A14	78.4	DEG
A11	22.2	DEG	A16	71.1	DEG	A17	76.5	DEG	A18	65.6	DEG
A11	22.2	DEG	A11	71.1	DEG	A11	76.5	DEG	A11	67.8	DEG
A11	22.2	DEG	A11	71.1	DEG	A11	76.5	DEG	A11	75.4	DEG
A11	22.2	DEG	A11	71.1	DEG	A11	76.5	DEG	A11	76.8	DEG
A11	22.2	DEG	A11	71.1	DEG	A11	76.5	DEG	A11	76.8	DEG
A125	69.8	DEG	A126	77.9	DEG	A127	65.5	DEG	A128	68.8	DEG
A129	SKIP	DEG	A130	SKIP	DEG						

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 12 FEB 90 17:47 SAMPLE RATE: 10 MINUTES

A11	22.2	DEG	A12	70.5	DEG	A13	76.5	DEG	A14	78.4	DEG
A11	22.2	DEG	A16	71.1	DEG	A17	76.5	DEG	A18	65.6	DEG
A11	22.2	DEG	A11	71.1	DEG	A11	76.5	DEG	A11	67.8	DEG
A11	22.2	DEG	A11	71.1	DEG	A11	76.5	DEG	A11	75.4	DEG
A11	22.2	DEG	A11	71.1	DEG	A11	76.5	DEG	A11	76.8	DEG
A11	22.2	DEG	A11	71.1	DEG	A11	76.5	DEG	A11	76.8	DEG
A125	69.8	DEG	A126	77.9	DEG	A127	65.5	DEG	A128	68.8	DEG
A129	SKIP	DEG	A130	SKIP	DEG						



1000

1000



page 142
of 199 DA

[illegible]

114.111
 page 143
 of 199

ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 13 FEB 90 19:57 SAMPLE RATE: 10 MINUTES											
A11	72.3	DEG	A12	70.3	DEG	A13	76.4	DEG	A14	78.1	DEG
A15	73.2	DEG	A16	73.8	DEG	A17	71.4	DEG	A18	65.7	DEG
A19	74.9	DEG	A110	71.0	DEG	A111	75.1	DEG	A112	67.9	DEG
A113	73.2	DEG	A114	77.5	DEG	A115	66.5	DEG	A116	74.6	DEG
A117	63.4	DEG	A118	74.7	DEG	A119	77.2	DEG	A120	76.7	DEG
A121	66.6	DEG	A122	71.8	DEG	A123	75.7	DEG	A124	77.3	DEG
A125	69.9	DEG	A126	78.8	DEG	A127	65.6	DEG	A128	69.1	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 13 FEB 90 19:47 SAMPLE RATE: 10 MINUTES											
A11	72.3	DEG	A12	70.3	DEG	A13	76.3	DEG	A14	78.1	DEG
A15	73.0	DEG	A16	73.9	DEG	A17	71.5	DEG	A18	65.7	DEG
A19	75.0	DEG	A110	71.1	DEG	A111	75.5	DEG	A112	67.9	DEG
A113	72.6	DEG	A114	77.4	DEG	A115	66.6	DEG	A116	74.6	DEG
A117	63.6	DEG	A118	74.8	DEG	A119	77.3	DEG	A120	76.2	DEG
A121	72.2	DEG	A122	69.8	DEG	A123	73.8	DEG	A124	77.5	DEG
A125	70.0	DEG	A126	78.0	DEG	A127	65.5	DEG	A128	69.2	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 13 FEB 90 19:37 SAMPLE RATE: 10 MINUTES											
A11	72.6	DEG	A12	70.4	DEG	A13	76.8	DEG	A14	78.2	DEG
A15	74.9	DEG	A16	74.0	DEG	A17	72.6	DEG	A18	65.8	DEG
A19	75.9	DEG	A110	73.0	DEG	A111	76.2	DEG	A112	67.9	DEG
A113	72.1	DEG	A114	77.4	DEG	A115	66.7	DEG	A116	75.2	DEG
A117	64.6	DEG	A118	74.8	DEG	A119	77.7	DEG	A120	76.8	DEG
A121	73.6	DEG	A122	55.3	DEG	A123	73.6	DEG	A124	77.1	DEG
A125	69.8	DEG	A126	78.1	DEG	A127	65.4	DEG	A128	68.9	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 13 FEB 90 19:27 SAMPLE RATE: 10 MINUTES											
A11	72.6	DEG	A12	70.5	DEG	A13	76.8	DEG	A14	78.3	DEG
A15	74.9	DEG	A16	74.0	DEG	A17	72.6	DEG	A18	65.8	DEG
A19	75.9	DEG	A110	73.0	DEG	A111	76.2	DEG	A112	67.9	DEG
A113	72.2	DEG	A114	77.4	DEG	A115	66.7	DEG	A116	75.2	DEG
A117	64.6	DEG	A118	74.8	DEG	A119	77.7	DEG	A120	76.8	DEG
A121	73.6	DEG	A122	71.9	DEG	A123	73.6	DEG	A124	77.1	DEG
A125	69.8	DEG	A126	78.0	DEG	A127	65.5	DEG	A128	68.8	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 13 FEB 90 19:17 SAMPLE RATE: 10 MINUTES											
A11	72.6	DEG	A12	70.4	DEG	A13	76.5	DEG	A14	78.2	DEG
A15	74.9	DEG	A16	74.0	DEG	A17	71.4	DEG	A18	65.8	DEG
A19	75.9	DEG	A110	73.0	DEG	A111	75.4	DEG	A112	67.9	DEG
A113	72.4	DEG	A114	77.2	DEG	A115	66.6	DEG	A116	74.9	DEG
A117	64.6	DEG	A118	74.2	DEG	A119	77.6	DEG	A120	76.8	DEG
A121	73.6	DEG	A122	72.6	DEG	A123	73.6	DEG	A124	77.1	DEG
A125	69.9	DEG	A126	78.0	DEG	A127	65.5	DEG	A128	69.0	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 13 FEB 90 19:07 SAMPLE RATE: 10 MINUTES											
A11	72.4	DEG	A12	70.3	DEG	A13	76.4	DEG	A14	78.1	DEG
A15	73.1	DEG	A16	73.8	DEG	A17	71.4	DEG	A18	65.8	DEG
A19	75.0	DEG	A110	71.1	DEG	A111	75.4	DEG	A112	67.9	DEG
A113	74.8	DEG	A114	77.5	DEG	A115	66.6	DEG	A116	74.7	DEG
A117	63.5	DEG	A118	74.7	DEG	A119	77.4	DEG	A120	76.7	DEG
A121	70.1	DEG	A122	72.5	DEG	A123	73.7	DEG	A124	77.3	DEG
A125	70.0	DEG	A126	78.1	DEG	A127	65.7	DEG	A128	69.0	DEG
A129	SKIP	DEG	A130	SKIP	DEG						

0-1
X.F. 1.0
A

0-1
X.F. 1.0
A

0-1
X.F. 1.0
A

0-1
X.F. 1.0
A

0-1
X.F. 1.0
A

0-1
X.F. 1.0
A

0-1
X.F. 1.0
A

0-1
X.F. 1.0
A

Att. III page
145 of 199

DATELOG GROUP 1 13 FEB 90 21:17 SAMPLE RATE: 10 MINUTES											
A11	22.7	DEG	A12	70.4	DEG	A13	76.8	DEG	A14	78.2	DEG
A18	75.4	DEG	A16	72.9	DEG	A19	76.8	DEG	A18	78.2	DEG
A13	71.7	DEG	A110	72.9	DEG	A112	76.8	DEG	A112	78.2	DEG
A11	72.7	DEG	A114	74.8	DEG	A116	76.8	DEG	A116	78.2	DEG
A11	72.7	DEG	A118	74.8	DEG	A120	76.8	DEG	A120	78.2	DEG
A11	72.7	DEG	A122	74.8	DEG	A124	76.8	DEG	A124	78.2	DEG
A11	72.7	DEG	A126	74.8	DEG	A128	76.8	DEG	A128	78.2	DEG
A11	72.7	DEG	A130	74.8	DEG						
ALL ACTIVE ALARMS: NONE											
DATELOG GROUP 1 13 FEB 90 21:07 SAMPLE RATE: 10 MINUTES											
A11	22.7	DEG	A12	70.4	DEG	A13	76.8	DEG	A14	78.2	DEG
A18	75.4	DEG	A16	72.9	DEG	A19	76.8	DEG	A18	78.2	DEG
A13	71.7	DEG	A110	72.9	DEG	A112	76.8	DEG	A112	78.2	DEG
A11	72.7	DEG	A114	74.8	DEG	A116	76.8	DEG	A116	78.2	DEG
A11	72.7	DEG	A118	74.8	DEG	A120	76.8	DEG	A120	78.2	DEG
A11	72.7	DEG	A122	74.8	DEG	A124	76.8	DEG	A124	78.2	DEG
A11	72.7	DEG	A126	74.8	DEG	A128	76.8	DEG	A128	78.2	DEG
A11	72.7	DEG	A130	74.8	DEG						
ALL ACTIVE ALARMS: NONE											
DATELOG GROUP 1 13 FEB 90 21:07 SAMPLE RATE: 10 MINUTES											
A11	22.7	DEG	A12	70.4	DEG	A13	76.8	DEG	A14	78.2	DEG
A18	75.4	DEG	A16	72.9	DEG	A19	76.8	DEG	A18	78.2	DEG
A13	71.7	DEG	A110	72.9	DEG	A112	76.8	DEG	A112	78.2	DEG
A11	72.7	DEG	A114	74.8	DEG	A116	76.8	DEG	A116	78.2	DEG
A11	72.7	DEG	A118	74.8	DEG	A120	76.8	DEG	A120	78.2	DEG
A11	72.7	DEG	A122	74.8	DEG	A124	76.8	DEG	A124	78.2	DEG
A11	72.7	DEG	A126	74.8	DEG	A128	76.8	DEG	A128	78.2	DEG
A11	72.7	DEG	A130	74.8	DEG						
ALL ACTIVE ALARMS: NONE											
DATELOG GROUP 1 13 FEB 90 20:57 SAMPLE RATE: 10 MINUTES											
A11	22.7	DEG	A12	70.4	DEG	A13	76.8	DEG	A14	78.2	DEG
A18	75.4	DEG	A16	72.9	DEG	A19	76.8	DEG	A18	78.2	DEG
A13	71.7	DEG	A110	72.9	DEG	A112	76.8	DEG	A112	78.2	DEG
A11	72.7	DEG	A114	74.8	DEG	A116	76.8	DEG	A116	78.2	DEG
A11	72.7	DEG	A118	74.8	DEG	A120	76.8	DEG	A120	78.2	DEG
A11	72.7	DEG	A122	74.8	DEG	A124	76.8	DEG	A124	78.2	DEG
A11	72.7	DEG	A126	74.8	DEG	A128	76.8	DEG	A128	78.2	DEG
A11	72.7	DEG	A130	74.8	DEG						
ALL ACTIVE ALARMS: NONE											
DATELOG GROUP 1 13 FEB 90 20:47 SAMPLE RATE: 10 MINUTES											
A11	22.7	DEG	A12	70.4	DEG	A13	76.8	DEG	A14	78.2	DEG
A18	75.4	DEG	A16	72.9	DEG	A19	76.8	DEG	A18	78.2	DEG
A13	71.7	DEG	A110	72.9	DEG	A112	76.8	DEG	A112	78.2	DEG
A11	72.7	DEG	A114	74.8	DEG	A116	76.8	DEG	A116	78.2	DEG
A11	72.7	DEG	A118	74.8	DEG	A120	76.8	DEG	A120	78.2	DEG
A11	72.7	DEG	A122	74.8	DEG	A124	76.8	DEG	A124	78.2	DEG
A11	72.7	DEG	A126	74.8	DEG	A128	76.8	DEG	A128	78.2	DEG
A11	72.7	DEG	A130	74.8	DEG						
ALL ACTIVE ALARMS: NONE											
DATELOG GROUP 1 13 FEB 90 20:37 SAMPLE RATE: 10 MINUTES											
A11	22.7	DEG	A12	70.4	DEG	A13	76.8	DEG	A14	78.2	DEG
A18	75.4	DEG	A16	72.9	DEG	A19	76.8	DEG	A18	78.2	DEG
A13	71.7	DEG	A110	72.9	DEG	A112	76.8	DEG	A112	78.2	DEG
A11	72.7	DEG	A114	74.8	DEG	A116	76.8	DEG	A116	78.2	DEG
A11	72.7	DEG	A118	74.8	DEG	A120	76.8	DEG	A120	78.2	DEG
A11	72.7	DEG	A122	74.8	DEG	A124	76.8	DEG	A124	78.2	DEG
A11	72.7	DEG	A126	74.8	DEG	A128	76.8	DEG	A128	78.2	DEG
A11	72.7	DEG	A130	74.8	DEG						
ALL ACTIVE ALARMS: NONE											
DATELOG GROUP 1 13 FEB 90 20:27 SAMPLE RATE: 10 MINUTES											
A11	22.7	DEG	A12	70.4	DEG	A13	76.8	DEG	A14	78.2	DEG
A18	75.4	DEG	A16	72.9	DEG	A19	76.8	DEG	A18	78.2	DEG
A13	71.7	DEG	A110	72.9	DEG	A112	76.8	DEG	A112	78.2	DEG
A11	72.7	DEG	A114	74.8	DEG	A116	76.8	DEG	A116	78.2	DEG
A11	72.7	DEG	A118	74.8	DEG	A120	76.8	DEG	A120	78.2	DEG
A11	72.7	DEG	A122	74.8	DEG	A124	76.8	DEG	A124	78.2	DEG
A11	72.7	DEG	A126	74.8	DEG	A128	76.8	DEG	A128	78.2	DEG
A11	72.7	DEG	A130	74.8	DEG						
ALL ACTIVE ALARMS: NONE											




Vol. III page 146 of 199

DATELOG GROUP		13 FEB 90	21:07	SAMPLE RATE: 10 MINUTES											
A1	GRP	72.7	DEG	A12	70.5	DEG	A13	76.8	DEG	A14	78.1	DEG	A18	67.8	DEG
A19		72.4	DEG	A16	72.2	DEG	A17	76.4	DEG	A18	67.8	DEG	A19	72.4	DEG
A110		72.5	DEG	A110	72.2	DEG	A111	76.4	DEG	A112	75.5	DEG	A113	72.4	DEG
A121		76.4	DEG	A122	74.7	DEG	A123	75.7	DEG	A124	77.0	DEG	A125	76.7	DEG
A126		69.7	DEG	A126	78.0	DEG	A127	65.4	DEG	A128	68.9	DEG	A129	77.0	DEG
A129		SKIP	DEG	A130	SKIP	DEG									
ALL ACTIVE ALARMS: NONE															
DATELOG GROUP		13 FEB 90	21:52	SAMPLE RATE: 10 MINUTES											
A1	GRP	72.8	DEG	A12	70.5	DEG	A13	76.8	DEG	A14	78.1	DEG	A18	67.8	DEG
A19		72.5	DEG	A16	72.3	DEG	A17	72.8	DEG	A18	65.4	DEG	A19	72.5	DEG
A110		72.4	DEG	A110	72.2	DEG	A111	76.4	DEG	A112	75.5	DEG	A113	72.4	DEG
A121		76.4	DEG	A122	74.7	DEG	A123	75.7	DEG	A124	77.0	DEG	A125	76.7	DEG
A126		69.7	DEG	A126	78.0	DEG	A127	65.4	DEG	A128	68.9	DEG	A129	77.0	DEG
A129		SKIP	DEG	A130	SKIP	DEG									
ALL ACTIVE ALARMS: NONE															
DATELOG GROUP		13 FEB 90	21:42	SAMPLE RATE: 10 MINUTES											
A1	GRP	72.4	DEG	A12	70.7	DEG	A13	76.3	DEG	A14	78.0	DEG	A18	67.8	DEG
A19		72.4	DEG	A16	73.7	DEG	A17	77.1	DEG	A18	65.4	DEG	A19	72.4	DEG
A110		72.5	DEG	A110	72.2	DEG	A111	76.4	DEG	A112	75.5	DEG	A113	72.4	DEG
A121		76.4	DEG	A122	74.7	DEG	A123	75.7	DEG	A124	77.0	DEG	A125	76.7	DEG
A126		69.7	DEG	A126	78.0	DEG	A127	65.4	DEG	A128	68.9	DEG	A129	77.0	DEG
A129		SKIP	DEG	A130	SKIP	DEG									
ALL ACTIVE ALARMS: NONE															
DATELOG GROUP		13 FEB 90	21:37	SAMPLE RATE: 10 MINUTES											
A1	GRP	72.4	DEG	A12	70.7	DEG	A13	76.3	DEG	A14	78.0	DEG	A18	67.8	DEG
A19		72.4	DEG	A16	73.7	DEG	A17	77.1	DEG	A18	65.4	DEG	A19	72.4	DEG
A110		72.5	DEG	A110	72.2	DEG	A111	76.4	DEG	A112	75.5	DEG	A113	72.4	DEG
A121		76.4	DEG	A122	74.7	DEG	A123	75.7	DEG	A124	77.0	DEG	A125	76.7	DEG
A126		69.7	DEG	A126	78.0	DEG	A127	65.4	DEG	A128	68.9	DEG	A129	77.0	DEG
A129		SKIP	DEG	A130	SKIP	DEG									
ALL ACTIVE ALARMS: NONE															
DATELOG GROUP		13 FEB 90	21:27	SAMPLE RATE: 10 MINUTES											
A1	GRP	72.4	DEG	A12	70.4	DEG	A13	76.3	DEG	A14	78.1	DEG	A18	67.8	DEG
A19		72.4	DEG	A16	72.6	DEG	A17	76.9	DEG	A18	67.8	DEG	A19	72.4	DEG
A110		72.5	DEG	A110	72.2	DEG	A111	76.4	DEG	A112	75.5	DEG	A113	72.4	DEG
A121		76.4	DEG	A122	74.4	DEG	A123	75.7	DEG	A124	77.0	DEG	A125	76.7	DEG
A126		69.7	DEG	A126	78.0	DEG	A127	65.4	DEG	A128	68.9	DEG	A129	77.0	DEG
A129		SKIP	DEG	A130	SKIP	DEG									
ALL ACTIVE ALARMS: NONE															
DATELOG GROUP		13 FEB 90	21:17	SAMPLE RATE: 10 MINUTES											
A1	GRP	72.7	DEG	A12	70.4	DEG	A13	76.7	DEG	A14	78.1	DEG	A18	67.8	DEG
A19		72.4	DEG	A16	73.8	DEG	A17	72.1	DEG	A18	67.6	DEG	A19	72.4	DEG
A110		72.5	DEG	A110	72.2	DEG	A111	76.4	DEG	A112	75.5	DEG	A113	72.4	DEG
A121		76.4	DEG	A122	74.8	DEG	A123	77.7	DEG	A124	77.0	DEG	A125	76.7	DEG
A126		69.7	DEG	A126	77.9	DEG	A127	65.4	DEG	A128	68.9	DEG	A129	77.0	DEG
A129		SKIP	DEG	A130	SKIP	DEG									
ALL ACTIVE ALARMS: NONE															
DATELOG GROUP		13 FEB 90	21:07	SAMPLE RATE: 10 MINUTES											
A1	GRP	72.6	DEG	A12	70.5	DEG	A13	76.3	DEG	A14	78.0	DEG	A18	67.8	DEG
A19		72.5	DEG	A16	73.8	DEG	A17	71.4	DEG	A18	65.4	DEG	A19	72.5	DEG

Att. III
page
147 of

ALL ACTIVE ALARMS:		NONE																			
DATALOG GROUP 1		13 FEB 90		22:37		SAMPLE RATE: 10 MINUTES															
A1	22.6	DEG		A12	70.5	DEG		A13	76.6	DEG		A14	78.0	DEG							
A15	23.4	DEG		A16	71.9	DEG		A17	71.1	DEG		A18	65.2	DEG							
A19	74.0	DEG		A110	71.9	DEG		A111	76.2	DEG		A112	67.7	DEG							
A113	74.4	DEG		A114	74.4	DEG		A115	76.6	DEG		A116	74.8	DEG							
A117	75.3	DEG		A118	73.6	DEG		A119	73.6	DEG		A120	76.5	DEG							
A121	75.9	DEG		A122	75.9	DEG		A123	73.6	DEG		A124	76.9	DEG							
A125	76.9	DEG		A126	76.9	DEG		A127	69.0	DEG		A128	69.0	DEG							
A129	SKIP	DEG		A130	SKIP	DEG															
ALL ACTIVE ALARMS:		NONE																			
DATALOG GROUP 1		13 FEB 90		22:27		SAMPLE RATE: 10 MINUTES															
A1	22.6	DEG		A12	70.6	DEG		A13	76.1	DEG		A14	78.0	DEG							
A15	23.4	DEG		A16	71.9	DEG		A17	71.1	DEG		A18	65.5	DEG							
A19	74.0	DEG		A110	71.9	DEG		A111	76.2	DEG		A112	67.9	DEG							
A113	74.4	DEG		A114	74.4	DEG		A115	76.6	DEG		A116	74.8	DEG							
A117	75.3	DEG		A118	73.6	DEG		A119	73.6	DEG		A120	76.5	DEG							
A121	75.9	DEG		A122	75.9	DEG		A123	73.6	DEG		A124	77.1	DEG							
A125	76.9	DEG		A126	76.9	DEG		A127	69.0	DEG		A128	69.0	DEG							
A129	SKIP	DEG		A130	SKIP	DEG															
ALL ACTIVE ALARMS:		NONE																			
DATALOG GROUP 1		13 FEB 90		22:17		SAMPLE RATE: 10 MINUTES															
A1	22.6	DEG		A12	70.7	DEG		A13	76.5	DEG		A14	78.0	DEG							
A15	23.4	DEG		A16	71.9	DEG		A17	71.1	DEG		A18	65.5	DEG							
A19	74.0	DEG		A110	71.9	DEG		A111	76.2	DEG		A112	67.8	DEG							
A113	74.4	DEG		A114	74.4	DEG		A115	76.6	DEG		A116	74.8	DEG							
A117	75.3	DEG		A118	73.6	DEG		A119	73.6	DEG		A120	76.5	DEG							
A121	75.9	DEG		A122	75.9	DEG		A123	75.7	DEG		A124	77.0	DEG							

—



人

244. III
page 148 of
199

[illegible]



100

100

100

100

100

100

661 So 641
 44. III page

[illegible]

DATALOG GROUP		13 FEB 90		23:57		SAMPLE RATE: 10 MINUTES	
ALL	ACTIVE ALARMS:	NONE					

[illegible][illegible][illegible]

DATALOG GROUP		13 FEB 98		23:17		SAMPLE RATE: 10 MINUTES															
	A11	72.4	DEG	F		A12	78.4	DEG	F		A13	76.3	DEG	F		A14	77.8	DEG	F		
	A15	72.4	DEG	F		A16	73.2	DEG	F		A17	71.3	DEG	F		A18	69.4	DEG	F		
	A19	72.4	DEG	F		A110	71.1	DEG	F		A111	76.1	DEG	F		A112	67.6	DEG	F		
	A120	72.4	DEG	F		A113	72.7	DEG	F		A114	66.3	DEG	F		A115	74.3	DEG	F		
	A121	72.4	DEG	F		A116	72.7	DEG	F		A117	72.3	DEG	F		A118	72.3	DEG	F		
	A122	72.4	DEG	F		A119	72.3	DEG	F		A120	72.3	DEG	F		A121	72.3	DEG	F		
	A123	72.4	DEG	F		A122	72.3	DEG	F		A123	72.3	DEG	F		A124	72.3	DEG	F		
	A124	72.4	DEG	F		A125	72.3	DEG	F		A126	72.3	DEG	F		A127	72.3	DEG	F		
	A125	72.4	DEG	F		A126	72.3	DEG	F		A127	72.3	DEG	F		A128	72.3	DEG	F		
	A126	72.4	DEG	F		A127	72.3	DEG	F		A128	72.3	DEG	F		A129	72.3	DEG	F		
	A127	72.4	DEG	F		A128	72.3	DEG	F		A129	72.3	DEG	F		A130	72.3	DEG	F		
	A128	72.4	DEG	F		A129	72.3	DEG	F		A130	72.3	DEG	F		A131	72.3	DEG	F		
	A129	72.4	DEG	F		A130	72.3	DEG	F		A131	72.3	DEG	F		A132	72.3	DEG	F		
	A130	72.4	DEG	F		A131	72.3	DEG	F		A132	72.3	DEG	F		A133	72.3	DEG	F		
	A131	72.4	DEG	F		A132	72.3	DEG	F		A133	72.3	DEG	F		A134	72.3	DEG	F		
	A132	72.4	DEG	F		A133	72.3	DEG	F		A134	72.3	DEG	F		A135	72.3	DEG	F		
	A133	72.4	DEG	F		A134	72.3	DEG	F		A135	72.3	DEG	F		A136	72.3	DEG	F		
	A134	72.4	DEG	F		A135	72.3	DEG	F		A136	72.3	DEG	F		A137	72.3	DEG	F		
	A135	72.4	DEG	F		A136	72.3	DEG	F		A137	72.3	DEG	F		A138	72.3	DEG	F		
	A136	72.4	DEG	F		A137	72.3	DEG	F		A138	72.3	DEG	F		A139	72.3	DEG	F		
	A137	72.4	DEG	F		A138	72.3	DEG	F		A139	72.3	DEG	F		A140	72.3	DEG	F		
	A138	72.4	DEG	F		A139	72.3	DEG	F		A140	72.3	DEG	F		A141	72.3	DEG	F		
	A139	72.4	DEG	F		A140	72.3	DEG	F		A141	72.3	DEG	F		A142	72.3	DEG	F		
	A140	72.4	DEG	F		A141	72.3	DEG	F	</											

DATALOG GROUP		13 FEB 98		23:07		SAMPLE RATE: 10 MINUTES											
A11	72.4	DEG	F	A12	70.5	DEG	F	A13	76.4	DEG	F	A14	77.8	DEG	F	A15	77.7
A13	73.1	DEG	F	A16	73.3	DEG	F	A17	71.4	DEG	F	A18	65.3	DEG	F	A19	77.7
A18	74.8	DEG	F	A19	71.6	DEG	F	A11	71.7	DEG	F	A11	77.7	DEG	F	A11	77.7

page 15006 199
 44.11

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 14 FEB 90 0:57 SAMPLE RATE: 10 MINUTES

A12	70.2	DEG	A13	76.1	DEG	A14	77.7	DEG
A16	70.9	DEG	A17	71.2	DEG	A18	65.0	DEG
A110	70.9	DEG	A111	73.2	DEG	A112	65.0	DEG
A114	74.5	DEG	A115	66.6	DEG	A116	74.3	DEG
A118	74.5	DEG	A119	77.1	DEG	A120	76.4	DEG
A122	76.1	DEG	A123	75.9	DEG	A124	77.3	DEG
A126	76.1	DEG	A127	65.5	DEG	A128	69.3	DEG
A130	SKIP	DEG						

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 14 FEB 90 0:27 SAMPLE RATE: 10 MINUTES

A12	70.4	DEG	A13	76.6	DEG	A14	77.9	DEG
A16	72.2	DEG	A17	76.0	DEG	A18	65.0	DEG
A110	72.2	DEG	A111	76.0	DEG	A112	67.5	DEG
A114	74.4	DEG	A115	77.4	DEG	A116	74.8	DEG
A118	74.4	DEG	A119	77.4	DEG	A120	76.4	DEG
A122	76.6	DEG	A123	75.9	DEG	A124	76.9	DEG
A126	76.6	DEG	A127	65.4	DEG	A128	69.9	DEG
A130	SKIP	DEG						

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 14 FEB 90 0:17 SAMPLE RATE: 10 MINUTES

A12	70.4	DEG	A13	76.8	DEG	A14	78.0	DEG
A16	73.1	DEG	A17	76.5	DEG	A18	65.1	DEG
A110	72.7	DEG	A111	76.5	DEG	A112	67.4	DEG
A114	77.3	DEG	A115	66.0	DEG	A116	74.8	DEG
A118	74.6	DEG	A119	77.5	DEG	A120	76.5	DEG
A122	72.9	DEG	A123	75.6	DEG	A124	76.9	DEG
A126	73.9	DEG	A127	65.4	DEG	A128	68.0	DEG
A130	SKIP	DEG						

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 14 FEB 90 0:07 SAMPLE RATE: 10 MINUTES

A12	70.4	DEG	A13	76.2	DEG	A14	77.8	DEG
A16	72.2	DEG	A17	73.4	DEG	A18	65.6	DEG
A110	72.2	DEG	A111	76.4	DEG	A112	67.6	DEG
A114	74.4	DEG	A115	77.4	DEG	A116	74.6	DEG
A118	74.4	DEG	A119	77.4	DEG	A120	76.4	DEG
A122	73.1	DEG	A123	75.7	DEG	A124	77.0	DEG
A126	73.1	DEG	A127	65.7	DEG	A128	68.9	DEG
A130	SKIP	DEG						

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 13 FEB 90 23:57 SAMPLE RATE: 10 MINUTES

A12	70.6	DEG	A13	76.8	DEG	A14	77.8	DEG
A16	73.1	DEG	A17	76.5	DEG	A18	65.0	DEG
A110	72.7	DEG	A111	76.5	DEG	A112	67.6	DEG
A114	77.3	DEG	A115	66.0	DEG	A116	74.4	DEG
A118	74.6	DEG	A119	77.5	DEG	A120	76.2	DEG
A122	72.9	DEG	A123	75.6	DEG	A124	76.9	DEG
A126	73.9	DEG	A127	65.4	DEG	A128	68.9	DEG
A130	SKIP	DEG						

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 13 FEB 90 23:47 SAMPLE RATE: 10 MINUTES

A12	70.3	DEG	A13	76.7	DEG	A14	78.0	DEG
A16	73.0	DEG	A17	77.2	DEG	A18	65.2	DEG
A110	72.7	DEG						





54
A
A



AS



Page 153 of 199

[illegible]



Page 154 of 199

199	ALL ACTIVE ALARMS: NONE											
DATALOG GROUP	1	14 FEB 90	3:37	SAMPLE RATE: 10 MINUTES								
A1	22.3	DEG	A12	70.3	DEG	A13	76.6	DEG	A14	77.2	DEG	
A15	72.5	DEG	A16	72.5	DEG	A17	72.2	DEG	A18	65.1	DEG	
A19	74.4	DEG	A110	72.2	DEG	A111	76.2	DEG	A112	67.3	DEG	
A113	74.4	DEG	A114	72.2	DEG	A115	65.3	DEG	A116	74.9	DEG	
A117	75.5	DEG	A118	74.4	DEG	A119	77.3	DEG	A120	76.2	DEG	
A121	75.5	DEG	A122	74.4	DEG	A123	75.5	DEG	A124	76.8	DEG	
A125	63.1	DEG	A126	63.1	DEG	A127	63.1	DEG	A128	68.6	DEG	
ALL ACTIVE ALARMS: NONE												
DATALOG GROUP	1	14 FEB 90	3:27	SAMPLE RATE: 10 MINUTES								
A1	22.3	DEG	A12	70.3	DEG	A13	76.6	DEG	A14	77.2	DEG	
A15	72.5	DEG	A16	72.5	DEG	A17	72.2	DEG	A18	65.1	DEG	
A19	74.4	DEG	A110	72.2	DEG	A111	76.2	DEG	A112	67.3	DEG	
A113	74.4	DEG	A114	72.2	DEG	A115	65.3	DEG	A116	74.9	DEG	
A117	75.5	DEG	A118	74.4	DEG	A119	77.3	DEG	A120	76.2	DEG	
A121	75.5	DEG	A122	74.4	DEG	A123	75.5	DEG	A124	76.8	DEG	
A125	63.1	DEG	A126	63.1	DEG	A127	63.1	DEG	A128	68.6	DEG	
ALL ACTIVE ALARMS: NONE												
DATALOG GROUP	1	14 FEB 90	3:17	SAMPLE RATE: 10 MINUTES								
A1	22.3	DEG	A12	70.3	DEG	A13	76.6	DEG	A14	77.2	DEG	
A15	72.5	DEG	A16	72.5	DEG	A17	72.2	DEG	A18	65.1	DEG	
A19	74.4	DEG	A110	72.2	DEG	A111	76.2	DEG	A112	67.3	DEG	
A113	74.4	DEG	A114	72.2	DEG	A115	65.3	DEG	A116	74.9	DEG	
A117	75.5	DEG	A118	74.4	DEG	A119	77.3	DEG	A120	76.2	DEG	
A121	75.5	DEG	A122	74.4	DEG	A123	75.5	DEG	A124	76.8	DEG	
A125	63.1	DEG	A126	63.1	DEG	A127	63.1	DEG	A128	68.6	DEG	
ALL ACTIVE ALARMS: NONE												
DATALOG GROUP	1	14 FEB 90	3:07	SAMPLE RATE: 10 MINUTES								
A1	22.3	DEG	A12	70.3	DEG	A13	76.6	DEG	A14	77.2	DEG	
A15	72.5	DEG	A16	72.5	DEG	A17	72.2	DEG	A18	65.1	DEG	
A19	74.4	DEG	A110	72.2	DEG	A111	76.2	DEG	A112	67.3	DEG	
A113	74.4	DEG	A114	72.2	DEG	A115	65.3	DEG	A116	74.9	DEG	
A117	75.5	DEG	A118	74.4	DEG	A119	77.3	DEG	A120	76.2	DEG	
A121	75.5	DEG	A122	74.4	DEG	A123	75.5	DEG	A124	76.8	DEG	
A125	63.1	DEG	A126	63.1	DEG	A127	63.1	DEG	A128	68.6	DEG	
ALL ACTIVE ALARMS: NONE												
DATALOG GROUP	1	14 FEB 90	2:57	SAMPLE RATE: 10 MINUTES								
A1	22.3	DEG	A12	70.3	DEG	A13	76.6	DEG	A14	77.2	DEG	
A15	72.5	DEG	A16	72.5	DEG	A17	72.2	DEG	A18	65.1	DEG	
A19	74.4	DEG	A110	72.2	DEG	A111	76.2	DEG	A112	67.3	DEG	
A113	74.4	DEG	A114	72.2	DEG	A115	65.3	DEG	A116	74.9	DEG	
A117	75.5	DEG	A118	74.4	DEG	A119	77.3	DEG	A120	76.2	DEG	
A121	75.5	DEG	A122	74.4	DEG	A123	75.5	DEG	A124	76.8	DEG	
A125	63.1	DEG	A126	63.1	DEG	A127	63.1	DEG	A128	68.6	DEG	
ALL ACTIVE ALARMS: NONE												
DATALOG GROUP	1	14 FEB 90	2:47	SAMPLE RATE: 10 MINUTES								
A1	22.3	DEG	A12	70.3	DEG	A13	76.6	DEG	A14	77.2	DEG	
A15	72.5	DEG	A16	72.5	DEG	A17	72.2	DEG	A18	65.1	DEG	
A19	74.4	DEG	A110	72.2	DEG	A111	76.2	DEG	A112	67.3	DEG	
A113	74.4	DEG	A114	72.2	DEG	A115	65.3	DEG	A116	74.9	DEG	
A117	75.5	DEG	A118	74.4	DEG	A119	77.3	DEG	A120	76.2	DEG	
A121	75.5	DEG	A122	74.4	DEG	A123	75.5	DEG	A124	76.8	DEG	
A125	63.1	DEG	A126	63.1	DEG	A127	63.1	DEG	A128	68.6	DEG	

NO. 67700

NO. 67700

COMPLETED
TESTING OF
THE RELAY RM
2-14-90
WOB

DATALOG GROUP 1 14 FEB 90 4:07 SAMPLE RATE: 10 MINUTES

A12	70.2	DEG
A16	72.2	DEG
A18	72.2	DEG
A110	72.2	DEG
A114	72.2	DEG
A118	74.2	DEG
A122	64.2	DEG
A126	72.2	DEG
A130	72.2	DEG
A138	SKIP	DEG

A4	77.4	DEG
A8	64.8	DEG
A12	67.1	DEG
A16	74.6	DEG
A20	75.9	DEG
A24	76.2	DEG
A28	68.5	DEG

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 14 FEB 90 3:57 SAMPLE RATE: 10 MINUTES

A12	70.2	DEG
A16	72.2	DEG
A18	72.2	DEG
A110	72.2	DEG
A114	72.2	DEG
A118	74.2	DEG
A122	64.2	DEG
A126	72.2	DEG
A130	72.2	DEG
A138	SKIP	DEG

A4	77.4	DEG
A8	64.8	DEG
A12	67.1	DEG
A16	74.6	DEG
A20	75.9	DEG
A24	76.2	DEG
A28	68.5	DEG

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 14 FEB 90 3:47 SAMPLE RATE: 10 MINUTES

A12	70.2	DEG
A16	72.2	DEG
A18	72.2	DEG
A110	72.2	DEG
A114	72.2	DEG
A118	74.2	DEG
A122	64.2	DEG
A126	72.2	DEG
A130	72.2	DEG
A138	SKIP	DEG

A4	77.4	DEG
A8	64.8	DEG
A12	67.1	DEG
A16	74.6	DEG
A20	75.9	DEG
A24	76.2	DEG
A28	68.5	DEG

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 14 FEB 90 3:37 SAMPLE RATE: 10 MINUTES

A12	70.2	DEG
A16	72.2	DEG
A18	72.2	DEG
A110	72.2	DEG
A114	72.2	DEG
A118	74.2	DEG
A122	64.2	DEG
A126	72.2	DEG
A130	72.2	DEG
A138	SKIP	DEG

A4	77.4	DEG
A8	64.8	DEG
A12	67.1	DEG
A16	74.6	DEG
A20	75.9	DEG
A24	76.2	DEG
A28	68.5	DEG

ALL ACTIVE ALARMS: NONE



COMPUTER ROOM DATA SHEETS

100



DATALOG GROUP 12 FEB 90 2:57 SAMPLE RATE: 10 MINUTES

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 12 FEB 90 3:07 SAMPLE RATE: 10 MINUTES

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 12 FEB 90 2:57 SAMPLE RATE: 10 MINUTES

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 12 FEB 90 2:56 SAMPLE RATE: 10 MINUTES

ALL ACTIVE ALARMS: NONE

COMPUTER Rm
ST 89.021
1508 2-12-90

DIA6111 3:06

DIA6111 2:54

DIA608A 2:54



100

LEADS & NORTHROP A UNIT OF GENERAL SIGNAL MADE IN U.S.A.

Att. III page 158 of 199

NO. 677001

ALL ACTIVE ALARMS: NONE											
DATALOS GROUP	12 FEB 90	3:57	SAMPLE RATE: 10 MINUTES								
A11	71.9	DEG	A12	67.6	DEG	A13	72.9	DEG	A14	73.1	DEG
A15	69.2	DEG	A16	72.1	DEG	A17	72.4	DEG	A18	69.4	DEG
A19	70.1	DEG	A110	71.1	DEG	A111	69.1	DEG	A112	70.1	DEG
A113	70.1	DEG	A114	71.4	DEG	A115	69.1	DEG	A116	70.6	DEG
A117	70.1	DEG	A118	70.0	DEG	A119	69.1	DEG	A120	70.1	DEG
A121	70.1	DEG	A122	69.1	DEG	A123	69.1	DEG	A124	70.1	DEG
A125	70.1	DEG	A126	69.1	DEG	A127	69.1	DEG	A128	70.1	DEG
A129	70.1	DEG	A130	69.1	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOS GROUP	12 FEB 90	3:47	SAMPLE RATE: 10 MINUTES								
A11	71.9	DEG	A12	67.8	DEG	A13	72.9	DEG	A14	73.1	DEG
A15	69.2	DEG	A16	72.1	DEG	A17	72.4	DEG	A18	69.4	DEG
A19	70.1	DEG	A110	71.1	DEG	A111	69.1	DEG	A112	70.1	DEG
A113	70.1	DEG	A114	71.4	DEG	A115	69.1	DEG	A116	70.6	DEG
A117	70.1	DEG	A118	70.0	DEG	A119	69.1	DEG	A120	70.1	DEG
A121	70.1	DEG	A122	69.1	DEG	A123	69.1	DEG	A124	70.1	DEG
A125	70.1	DEG	A126	69.1	DEG	A127	69.1	DEG	A128	70.1	DEG
A129	70.1	DEG	A130	69.1	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOS GROUP	12 FEB 90	3:37	SAMPLE RATE: 10 MINUTES								
A11	71.9	DEG	A12	67.7	DEG	A13	72.8	DEG	A14	73.0	DEG
A15	69.2	DEG	A16	72.9	DEG	A17	72.4	DEG	A18	69.3	DEG
A19	70.1	DEG	A110	71.1	DEG	A111	69.1	DEG	A112	70.1	DEG
A113	70.1	DEG	A114	71.4	DEG	A115	69.1	DEG	A116	70.6	DEG
A117	70.1	DEG	A118	70.0	DEG	A119	69.1	DEG	A120	70.1	DEG
A121	70.1	DEG	A122	69.1	DEG	A123	69.1	DEG	A124	70.1	DEG
A125	70.1	DEG	A126	69.1	DEG	A127	69.1	DEG	A128	70.1	DEG
A129	70.1	DEG	A130	69.1	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOS GROUP	12 FEB 90	3:27	SAMPLE RATE: 10 MINUTES								
A11	71.9	DEG	A12	67.4	DEG	A13	72.6	DEG	A14	72.8	DEG
A15	69.2	DEG	A16	72.0	DEG	A17	72.4	DEG	A18	69.0	DEG
A19	70.1	DEG	A110	71.1	DEG	A111	69.1	DEG	A112	70.1	DEG
A113	70.1	DEG	A114	71.4	DEG	A115	69.1	DEG	A116	70.6	DEG
A117	70.1	DEG	A118	70.0	DEG	A119	69.1	DEG	A120	70.1	DEG
A121	70.1	DEG	A122	69.1	DEG	A123	69.1	DEG	A124	70.1	DEG
A125	70.1	DEG	A126	69.1	DEG	A127	69.1	DEG	A128	70.1	DEG
A129	70.1	DEG	A130	69.1	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOS GROUP	12 FEB 90	3:17	SAMPLE RATE: 10 MINUTES								
A11	71.9	DEG	A12	66.6	DEG	A13	72.7	DEG	A14	72.8	DEG
A15	69.2	DEG	A16	72.0	DEG	A17	72.4	DEG	A18	69.4	DEG
A19	70.1	DEG	A110	71.1	DEG	A111	69.1	DEG	A112	70.1	DEG
A113	70.1	DEG	A114	71.4	DEG	A115	69.1	DEG	A116	70.6	DEG
A117	70.1	DEG	A118	70.0	DEG	A119	69.1	DEG	A120	70.1	DEG
A121	70.1	DEG	A122	69.1	DEG	A123	69.1	DEG	A124	70.1	DEG
A125	70.1	DEG	A126	69.1	DEG	A127	69.1	DEG	A128	70.1	DEG
A129	70.1	DEG	A130	69.1	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOS GROUP	12 FEB 90	3:07	SAMPLE RATE: 10 MINUTES								
A11	71.8	DEG	A12	66.7	DEG	A13	72.5	DEG	A14	72.5	DEG
A15	68.1	DEG	A16	72.2	DEG	A17	72.4	DEG	A18	68.0	DEG
A19	71.9	DEG	A110	70.0	DEG	A111	69.1	DEG	A112	70.1	DEG

COMPUTZ
ST 29 0

COMPUTER ST 89 07



ALL	ACTIVE	ALARMS:	NONE								
DATALOG GROUP 1	12 FEB 90 GRP	4:37	SAMPLE RATE: 10 MINUTES								
A11	72.1	DEG	A12	67.1	DEG	A13	73.1	DEG	A14	73.4	DEG
A19	70.9	DEG	A110	72.2	DEG	A111	73.1	DEG	A112	73.7	DEG
A113	71.1	DEG	A114	70.9	DEG	A115	73.1	DEG	A116	70.9	DEG
A121	SKIP	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL	ACTIVE	ALARMS:	NONE								
DATALOG GROUP 1	12 FEB 90 GRP	4:27	SAMPLE RATE: 10 MINUTES								
A11	72.1	DEG	A12	67.1	DEG	A13	73.1	DEG	A14	73.4	DEG
A19	70.9	DEG	A110	72.2	DEG	A111	73.1	DEG	A112	73.7	DEG
A113	71.1	DEG	A114	70.9	DEG	A115	73.1	DEG	A116	70.9	DEG
A121	SKIP	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL	ACTIVE	ALARMS:	NONE								
DATALOG GROUP 1	12 FEB 90 GRP	4:17	SAMPLE RATE: 10 MINUTES								
A11	72.1	DEG	A12	67.1	DEG	A13	73.1	DEG	A14	73.4	DEG
A19	70.9	DEG	A110	72.2	DEG	A111	73.1	DEG	A112	73.7	DEG
A113	71.1	DEG	A114	70.9	DEG	A115	73.1	DEG	A116	70.9	DEG
A121	SKIP	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL	ACTIVE	ALARMS:	NONE								
DATALOG GROUP 1	12 FEB 90 GRP	4:07	SAMPLE RATE: 10 MINUTES								
A11	72.1	DEG	A12	67.1	DEG	A13	73.1	DEG	A14	73.4	DEG
A19	70.9	DEG	A110	72.2	DEG	A111	73.1	DEG	A112	73.7	DEG
A113	71.1	DEG	A114	70.9	DEG	A115	73.1	DEG	A116	70.9	DEG
A121	SKIP	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL	ACTIVE	ALARMS:	NONE								
DATALOG GROUP 1	12 FEB 90 GRP	3:57	SAMPLE RATE: 10 MINUTES								
A11	72.1	DEG	A12	67.1	DEG	A13	73.1	DEG	A14	73.4	DEG
A19	70.9	DEG	A110	72.2	DEG	A111	73.1	DEG	A112	73.7	DEG
A113	71.1	DEG	A114	70.9	DEG	A115	73.1	DEG	A116	70.9	DEG
A121	SKIP	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL	ACTIVE	ALARMS:	NONE								
DATALOG GROUP 1	12 FEB 90 GRP	3:47	SAMPLE RATE: 10 MINUTES								
A11	72.1	DEG	A12	67.1	DEG	A13	73.1	DEG	A14	73.4	DEG
A19	70.9	DEG	A110	72.2	DEG	A111	73.1	DEG	A112	73.7	DEG
A113	71.1	DEG	A114	70.9	DEG	A115	73.1	DEG	A116	70.9	DEG
A121	SKIP	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A125	SKIP	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A129	SKIP	DEG	A130	SKIP	DEG						

ATT. II
page
661 of 101

DATALOG GROUP 1 13 FEB 90 12:57 SAMPLE RATE: 10 MINUTES

A12	70.0	DEG	A14	78.2	DEG
A16	73.4	DEG	A18	65.5	DEG
A110	72.2	DEG	A112	67.4	DEG
A114	72.2	DEG	A116	74.4	DEG
A118	74.4	DEG	A120	76.9	DEG
A122	72.2	DEG	A124	77.1	DEG
A126	78.0	DEG	A128	69.1	DEG
A130	SKIP	DEG			

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 13 FEB 90 13:17 SAMPLE RATE: 10 MINUTES

A12	70.0	DEG	A14	78.2	DEG
A16	73.4	DEG	A18	65.5	DEG
A110	72.2	DEG	A112	67.4	DEG
A114	72.2	DEG	A116	74.4	DEG
A118	74.4	DEG	A120	76.9	DEG
A122	72.2	DEG	A124	77.1	DEG
A126	78.0	DEG	A128	69.1	DEG
A130	SKIP	DEG			

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 13 FEB 90 13:37 SAMPLE RATE: 10 MINUTES

A12	70.0	DEG	A14	78.2	DEG
A16	73.4	DEG	A18	65.5	DEG
A110	72.2	DEG	A112	67.4	DEG
A114	72.2	DEG	A116	74.4	DEG
A118	74.4	DEG	A120	76.9	DEG
A122	72.2	DEG	A124	77.1	DEG
A126	78.0	DEG	A128	69.1	DEG
A130	SKIP	DEG			

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 13 FEB 90 13:47 SAMPLE RATE: 10 MINUTES

A12	70.0	DEG	A14	78.2	DEG
A16	73.4	DEG	A18	65.5	DEG
A110	72.2	DEG	A112	67.4	DEG
A114	72.2	DEG	A116	74.4	DEG
A118	74.4	DEG	A120	76.9	DEG
A122	72.2	DEG	A124	77.1	DEG
A126	78.0	DEG	A128	69.1	DEG
A130	SKIP	DEG			

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 13 FEB 90 13:47 SAMPLE RATE: 10 MINUTES

A12	70.0	DEG	A14	78.2	DEG
A16	73.4	DEG	A18	65.5	DEG
A110	72.2	DEG	A112	67.4	DEG
A114	72.2	DEG	A116	74.4	DEG
A118	74.4	DEG	A120	76.9	DEG
A122	72.2	DEG	A124	77.1	DEG
A126	78.0	DEG	A128	69.1	DEG
A130	SKIP	DEG			

ALL ACTIVE ALARMS: NONE

Att. III page
161 of 199

ALL ACTIVE ALARMS: NONE									
DATA LOG	15 FEB 90	14:17	SAMPLE RATE: 10	MINUTES	DATA LOG	15 FEB 90	14:17	SAMPLE RATE: 10	MINUTES
GROUP	1	1	1	1	GROUP	1	1	1	1
1	1	1	1	1	1	1	1	1	1
2	1	1	1	1	2	1	1	1	1
3	1	1	1	1	3	1	1	1	1
4	1	1	1	1	4	1	1	1	1
5	1	1	1	1	5	1	1	1	1
6	1	1	1	1	6	1	1	1	1
7	1	1	1	1	7	1	1	1	1
8	1	1	1	1	8	1	1	1	1
9	1	1	1	1	9	1	1	1	1
10	1	1	1	1	10	1	1	1	1
11	1	1	1	1	11	1	1	1	1
12	1	1	1	1	12	1	1	1	1
13	1	1	1	1	13	1	1	1	1
14	1	1	1	1	14	1	1	1	1
15	1	1	1	1	15	1	1	1	1
16	1	1	1	1	16	1	1	1	1
17	1	1	1	1	17	1	1	1	1
18	1	1	1	1	18	1	1	1	1
19	1	1	1	1	19	1	1	1	1
20	1	1	1	1	20	1	1	1	1
21	1	1	1	1	21	1	1	1	1
22	1	1	1	1	22	1	1	1	1
23	1	1	1	1	23	1	1	1	1
24	1	1	1	1	24	1	1	1	1
25	1	1	1	1	25	1	1	1	1
26	1	1	1	1	26	1	1	1	1
27	1	1	1	1	27	1	1	1	1
28	1	1	1	1	28	1	1	1	1
29	1	1	1	1	29	1	1	1	1
30	1	1	1	1	30	1	1	1	1
31	1	1	1	1	31	1	1	1	1
32	1	1	1	1	32	1	1	1	1
33	1	1	1	1	33	1	1	1	1
34	1	1	1	1	34	1	1	1	1
35	1	1	1	1	35	1	1	1	1
36	1	1	1	1	36	1	1	1	1
37	1	1	1	1	37	1	1	1	1
38	1	1	1	1	38	1	1	1	1
39	1	1	1	1	39	1	1	1	1
40	1	1	1	1	40	1	1	1	1
41	1	1	1	1	41	1	1	1	1
42	1	1	1	1	42	1	1	1	1
43	1	1	1	1	43	1	1	1	1
44	1	1	1	1	44	1	1	1	1
45	1	1	1	1	45	1	1	1	1
46	1	1	1	1	46	1	1	1	1
47	1	1	1	1	47	1	1	1	1
48	1	1	1	1	48	1	1	1	1
49	1	1	1	1	49	1	1	1	1
50	1	1	1	1	50	1	1	1	1
51	1	1	1	1	51	1	1	1	1
52	1	1	1	1	52	1	1	1	1
53	1	1	1	1	53	1	1	1	1
54	1	1	1	1	54	1	1	1	1
55	1	1	1	1	55	1	1	1	1
56	1	1	1	1	56	1	1	1	1
57	1	1	1	1	57	1	1	1	1
58	1	1	1	1	58	1	1	1	1
59	1	1	1	1	59	1	1	1	1
60	1	1	1	1	60	1	1	1	1
61	1	1	1	1	61	1	1	1	1
62	1	1	1	1	62	1	1	1	1
63	1	1	1	1	63	1	1	1	1
64	1	1	1	1	64	1	1	1	1
65	1	1	1	1	65	1	1	1	1
66	1	1	1	1	66	1	1	1	1
67	1	1	1	1	67	1	1	1	1
68	1	1	1	1	68	1	1	1	1
69	1	1	1	1	69	1	1	1	1
70	1	1	1	1	70	1	1	1	1
71	1	1	1	1	71	1	1	1	1
72	1	1	1	1	72	1	1	1	1
73	1	1	1	1	73	1	1	1	1
74	1	1	1	1	74	1	1	1	1
75	1	1	1	1	75	1	1	1	1
76	1	1	1	1	76	1	1	1	1
77	1	1	1	1	77	1	1	1	1
78	1	1	1	1	78	1	1	1	1
79	1	1	1	1	79	1	1	1	1
80	1	1	1	1	80	1	1	1	1
81	1	1	1	1	81	1	1	1	1
82	1	1	1	1	82	1	1	1	1
83	1	1	1	1	83	1	1	1	1
84	1	1	1	1	84	1	1	1	1
85	1	1	1	1	85	1	1	1	1
86	1	1	1	1	86	1	1	1	1
87	1	1	1	1	87	1	1	1	1
88	1	1	1	1	88	1	1	1	1
89	1	1	1	1	89	1	1	1	1
90	1	1	1	1	90	1	1	1	1
91	1	1	1	1	91	1	1	1	1
92	1	1	1	1	92	1	1	1	1
93	1	1	1	1	93	1	1	1	1
94	1	1	1	1	94	1	1	1	1
95	1	1	1	1	95	1	1	1	1
96	1	1	1	1	96	1	1	1	1
97	1	1	1	1	97	1	1	1	1
98	1	1	1	1	98	1	1	1	1
99	1	1	1	1	99	1	1	1	1
100	1	1	1	1	100	1	1	1	1

NO. 677001
LEADS & NORTHROP A UNIT OF GENERAL SIGNAL
MADE IN U.S.A.
Att III page
162 of 199

ALL ACTIVE ALARMS: NONE											
DATALOG GROUP	1	13 FEB 90	15:17	SAMPLE RATE: 10 MINUTES							
A13	22.6	DEG	A12	70.6	DEG	A13	76.6	DEG	A14	78.3	DEG
A19	75.8	DEG	A16	71.9	DEG	A11	71.4	DEG	A18	62.8	DEG
A13	74.0	DEG	A110	77.5	DEG	A115	75.3	DEG	A112	75.0	DEG
A17	63.4	DEG	A118	74.5	DEG	A119	72.6	DEG	A116	76.9	DEG
A121	69.9	DEG	A122	73.2	DEG	A123	75.5	DEG	A120	72.1	DEG
A125	69.9	DEG	A126	78.2	DEG	A127	65.9	DEG	A124	77.1	DEG
A129	SKIP	DEG	A130	SKIP	DEG				A128	69.2	DEG
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP	1	13 FEB 90	15:07	SAMPLE RATE: 10 MINUTES							
A13	22.6	DEG	A12	70.6	DEG	A13	76.6	DEG	A14	78.3	DEG
A19	75.8	DEG	A16	71.9	DEG	A17	72.1	DEG	A18	62.8	DEG
A13	74.0	DEG	A110	77.5	DEG	A111	76.8	DEG	A112	75.0	DEG
A17	63.4	DEG	A118	74.5	DEG	A115	66.8	DEG	A116	75.1	DEG
A121	69.9	DEG	A122	73.2	DEG	A123	72.8	DEG	A120	76.8	DEG
A125	69.9	DEG	A126	78.2	DEG	A127	73.4	DEG	A124	77.0	DEG
A129	SKIP	DEG	A130	SKIP	DEG				A128	69.1	DEG
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP	1	13 FEB 90	14:52	SAMPLE RATE: 10 MINUTES							
A13	22.6	DEG	A12	70.4	DEG	A13	77.0	DEG	A14	78.3	DEG
A19	75.8	DEG	A16	74.0	DEG	A17	72.4	DEG	A18	65.3	DEG
A13	73.3	DEG	A110	72.2	DEG	A111	76.8	DEG	A112	75.8	DEG
A17	63.4	DEG	A118	77.5	DEG	A115	66.8	DEG	A116	75.1	DEG
A121	69.9	DEG	A122	74.5	DEG	A123	72.8	DEG	A120	76.8	DEG
A125	69.9	DEG	A126	73.2	DEG	A127	74.4	DEG	A124	77.0	DEG
A129	SKIP	DEG	A130	SKIP	DEG				A128	68.9	DEG
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP	1	13 FEB 90	14:42	SAMPLE RATE: 10 MINUTES							
A13	22.6	DEG	A12	70.4	DEG	A13	76.8	DEG	A14	78.3	DEG
A19	75.8	DEG	A16	74.0	DEG	A17	72.4	DEG	A18	65.3	DEG
A13	73.3	DEG	A110	72.2	DEG	A111	76.8	DEG	A112	75.8	DEG
A17	63.4	DEG	A118	77.5	DEG	A115	66.8	DEG	A116	75.1	DEG
A121	69.9	DEG	A122	74.5	DEG	A123	72.8	DEG	A120	76.8	DEG
A125	69.9	DEG	A126	73.2	DEG	A127	74.4	DEG	A124	77.0	DEG
A129	SKIP	DEG	A130	SKIP	DEG				A128	68.9	DEG
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP	1	13 FEB 90	14:37	SAMPLE RATE: 10 MINUTES							
A13	22.6	DEG	A12	70.4	DEG	A13	76.6	DEG	A14	78.3	DEG
A19	75.8	DEG	A16	74.0	DEG	A17	72.4	DEG	A18	65.3	DEG
A13	73.3	DEG	A110	72.2	DEG	A111	76.8	DEG	A112	75.8	DEG
A17	63.4	DEG	A118	77.5	DEG	A115	66.8	DEG	A116	75.1	DEG
A121	69.9	DEG	A122	74.5	DEG	A123	72.8	DEG	A120	76.8	DEG
A125	69.9	DEG	A126	73.2	DEG	A127	74.4	DEG	A124	77.0	DEG
A129	SKIP	DEG	A130	SKIP	DEG				A128	69.2	DEG
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP	1	13 FEB 90	14:27	SAMPLE RATE: 10 MINUTES							
A13	22.6	DEG	A12	70.4	DEG	A13	76.7	DEG	A14	78.3	DEG
A19	75.8	DEG	A16	74.0	DEG	A17	72.4	DEG	A18	65.3	DEG
A13	73.3	DEG	A110	72.2	DEG	A111	76.8	DEG	A112	75.8	DEG
A17	63.4	DEG	A118	77.5	DEG	A115	66.8	DEG	A116	75.1	DEG
A121	69.9	DEG	A122	74.5	DEG	A123	72.8	DEG	A120	76.8	DEG
A125	69.9	DEG	A126	73.2	DEG	A127	74.4	DEG	A124	77.1	DEG
A129	SKIP	DEG	A130	SKIP	DEG				A128	69.2	DEG
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP	1	13 FEB 90	14:17	SAMPLE RATE: 10 MINUTES							
A13	22.6	DEG	A12	70.4	DEG	A13	76.7	DEG	A14	78.3	DEG
A19	75.8	DEG	A16	74.0	DEG	A17	72.4	DEG	A18	65.3	DEG
A13	73.3	DEG	A110	72.2	DEG	A111	76.8	DEG	A112	75.8	DEG
A17	63.4	DEG	A118	77.5	DEG	A115	66.8	DEG	A116	75.1	DEG
A121	69.9	DEG	A122	74.5	DEG	A123	72.8	DEG	A120	76.8	DEG
A125	69.9	DEG	A126	73.2	DEG	A127	74.4	DEG	A124	77.1	DEG
A129	SKIP	DEG	A130	SKIP	DEG				A128	69.2	DEG



Att. III page
103 of 199

ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 13 FEB 98 15:57 SAMPLE RATE: 10 MINUTES											
A1	72.3	DEG	A12	70.6	DEG	A13	76.8	DEG	A14	78.3	DEG
A16	73.9	DEG	A16	73.9	DEG	A17	71.8	DEG	A18	65.6	DEG
A110	72.3	DEG	A110	72.3	DEG	A111	77.8	DEG	A112	67.6	DEG
A114	77.5	DEG	A114	77.4	DEG	A115	66.3	DEG	A116	75.8	DEG
A118	74.4	DEG	A118	74.7	DEG	A119	72.8	DEG	A120	76.8	DEG
A121	76.9	DEG	A122	71.0	DEG	A123	75.4	DEG	A124	77.8	DEG
A125	69.7	DEG	A126	78.1	DEG	A127	65.5	DEG	A128	69.0	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 13 FEB 98 15:47 SAMPLE RATE: 10 MINUTES											
A1	72.3	DEG	A12	70.6	DEG	A13	76.8	DEG	A14	78.3	DEG
A16	73.9	DEG	A16	73.9	DEG	A17	71.8	DEG	A18	65.6	DEG
A110	72.3	DEG	A110	72.3	DEG	A111	77.8	DEG	A112	67.6	DEG
A114	77.5	DEG	A114	77.4	DEG	A115	66.3	DEG	A116	75.8	DEG
A118	74.4	DEG	A118	74.6	DEG	A119	72.8	DEG	A120	76.8	DEG
A121	76.9	DEG	A122	58.3	DEG	A123	75.4	DEG	A124	77.8	DEG
A125	69.7	DEG	A126	78.1	DEG	A127	65.6	DEG	A128	69.0	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 13 FEB 98 15:37 SAMPLE RATE: 10 MINUTES											
A1	72.3	DEG	A12	70.6	DEG	A13	76.8	DEG	A14	78.3	DEG
A16	73.9	DEG	A16	73.8	DEG	A17	71.8	DEG	A18	65.6	DEG
A110	72.3	DEG	A110	72.3	DEG	A111	77.8	DEG	A112	67.6	DEG
A114	77.5	DEG	A114	77.4	DEG	A115	66.3	DEG	A116	75.8	DEG
A118	74.4	DEG	A118	74.6	DEG	A119	72.8	DEG	A120	76.8	DEG
A121	76.9	DEG	A122	58.3	DEG	A123	75.4	DEG	A124	77.8	DEG
A125	69.7	DEG	A126	78.1	DEG	A127	65.6	DEG	A128	69.0	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 13 FEB 98 15:27 SAMPLE RATE: 10 MINUTES											
A1	72.3	DEG	A12	70.6	DEG	A13	76.8	DEG	A14	78.3	DEG
A16	73.9	DEG	A16	73.8	DEG	A17	71.8	DEG	A18	65.6	DEG
A110	72.3	DEG	A110	72.3	DEG	A111	77.8	DEG	A112	67.6	DEG
A114	77.5	DEG	A114	77.4	DEG	A115	66.3	DEG	A116	75.8	DEG
A118	74.4	DEG	A118	74.6	DEG	A119	72.8	DEG	A120	76.8	DEG
A121	76.9	DEG	A122	58.3	DEG	A123	75.4	DEG	A124	77.8	DEG
A125	69.7	DEG	A126	78.1	DEG	A127	65.6	DEG	A128	69.0	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 13 FEB 98 15:17 SAMPLE RATE: 10 MINUTES											
A1	72.3	DEG	A12	70.6	DEG	A13	76.8	DEG	A14	78.3	DEG
A16	73.9	DEG	A16	73.8	DEG	A17	71.8	DEG	A18	65.6	DEG
A110	72.3	DEG	A110	72.3	DEG	A111	77.8	DEG	A112	67.6	DEG
A114	77.5	DEG	A114	77.4	DEG	A115	66.3	DEG	A116	75.8	DEG
A118	74.4	DEG	A118	74.6	DEG	A119	72.8	DEG	A120	76.8	DEG
A121	76.9	DEG	A122	58.3	DEG	A123	75.4	DEG	A124	77.8	DEG
A125	69.7	DEG	A126	78.1	DEG	A127	65.6	DEG	A128	69.0	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 13 FEB 98 15:07 SAMPLE RATE: 10 MINUTES											
A1	72.3	DEG	A12	70.5	DEG	A13	76.8	DEG	A14	78.3	DEG
A16	73.9	DEG	A16	73.8	DEG	A17	71.8	DEG	A18	65.6	DEG
A110	72.3	DEG	A110	72.3	DEG	A111	77.8	DEG	A112	67.6	DEG
A114	77.5	DEG	A114	77.4	DEG	A115	66.3	DEG	A116	75.8	DEG
A118	74.4	DEG	A118	74.7	DEG	A119	72.8	DEG	A120	76.8	DEG
A121	76.9	DEG	A122	55.9	DEG	A123	75.4	DEG	A124	77.8	DEG
A125	69.7	DEG	A126	78.2	DEG	A127	65.5	DEG	A128	69.1	DEG
A129	SKIP	DEG	A130	SKIP	DEG						



ATTN: ALL page
104 of 199

ALL ACTIVE ALARMS: NONE											
DATALOG GROUP	1	13 FEB 90	16:37	SAMPLE RATE: 10	MINUTES						
A11	22.5	DEG	A12	70.5	DEG	A13	76.7	DEG	A14	78.2	DEG
A15	73.3	DEG	A16	73.9	DEG	A17	71.1	DEG	A18	65.4	DEG
A19	75.0	DEG	A110	71.8	DEG	A111	72.1	DEG	A112	67.7	DEG
A113	73.3	DEG	A114	72.5	DEG	A115	66.4	DEG	A116	75.9	DEG
A117	63.3	DEG	A118	74.7	DEG	A119	72.7	DEG	A120	76.7	DEG
A121	76.1	DEG	A122	73.2	DEG	A123	75.5	DEG	A124	77.7	DEG
A125	69.8	DEG	A126	78.1	DEG	A127	65.6	DEG	A128	68.9	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP	1	13 FEB 90	16:27	SAMPLE RATE: 10	MINUTES						
A11	22.2	DEG	A12	70.6	DEG	A13	77.0	DEG	A14	78.4	DEG
A15	73.4	DEG	A16	73.9	DEG	A17	72.4	DEG	A18	65.6	DEG
A19	75.0	DEG	A110	72.7	DEG	A111	72.1	DEG	A112	67.7	DEG
A113	73.3	DEG	A114	72.4	DEG	A115	66.4	DEG	A116	75.9	DEG
A117	63.3	DEG	A118	77.8	DEG	A119	72.7	DEG	A120	76.7	DEG
A121	76.1	DEG	A122	73.1	DEG	A123	75.4	DEG	A124	77.7	DEG
A125	69.8	DEG	A126	78.1	DEG	A127	65.6	DEG	A128	68.9	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP	1	13 FEB 90	16:17	SAMPLE RATE: 10	MINUTES						
A11	22.2	DEG	A12	70.6	DEG	A13	77.0	DEG	A14	78.4	DEG
A15	73.4	DEG	A16	73.9	DEG	A17	72.4	DEG	A18	65.6	DEG
A19	75.0	DEG	A110	72.7	DEG	A111	72.1	DEG	A112	67.7	DEG
A113	73.3	DEG	A114	72.4	DEG	A115	66.4	DEG	A116	75.9	DEG
A117	63.3	DEG	A118	77.8	DEG	A119	72.7	DEG	A120	76.7	DEG
A121	76.1	DEG	A122	73.1	DEG	A123	75.4	DEG	A124	77.7	DEG
A125	69.8	DEG	A126	78.1	DEG	A127	65.6	DEG	A128	68.8	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP	1	13 FEB 90	16:07	SAMPLE RATE: 10	MINUTES						
A11	22.6	DEG	A12	70.6	DEG	A13	76.6	DEG	A14	78.4	DEG
A15	73.2	DEG	A16	74.0	DEG	A17	71.1	DEG	A18	65.4	DEG
A19	75.0	DEG	A110	72.1	DEG	A111	75.5	DEG	A112	67.7	DEG
A113	74.0	DEG	A114	77.1	DEG	A115	66.4	DEG	A116	75.9	DEG
A117	63.3	DEG	A118	74.0	DEG	A119	75.9	DEG	A120	76.7	DEG
A121	76.1	DEG	A122	73.1	DEG	A123	75.9	DEG	A124	77.7	DEG
A125	69.8	DEG	A126	78.1	DEG	A127	65.6	DEG	A128	69.1	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP	1	13 FEB 90	15:57	SAMPLE RATE: 10	MINUTES						
A11	22.5	DEG	A12	70.6	DEG	A13	76.8	DEG	A14	78.3	DEG
A15	73.2	DEG	A16	73.9	DEG	A17	71.7	DEG	A18	65.6	DEG
A19	75.0	DEG	A110	72.1	DEG	A111	75.4	DEG	A112	67.7	DEG
A113	74.0	DEG	A114	77.4	DEG	A115	66.4	DEG	A116	75.9	DEG
A117	63.3	DEG	A118	74.0	DEG	A119	75.9	DEG	A120	76.8	DEG
A121	76.1	DEG	A122	73.1	DEG	A123	75.4	DEG	A124	77.8	DEG
A125	69.9	DEG	A126	78.1	DEG	A127	65.7	DEG	A128	69.0	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP	1	13 FEB 90	15:47	SAMPLE RATE: 10	MINUTES						
A11	22.5	DEG	A12	70.6	DEG	A13	76.8	DEG	A14	78.3	DEG
A15	73.2	DEG	A16	73.9	DEG	A17	71.8	DEG	A18	65.6	DEG
A19	75.0	DEG	A110	72.2	DEG	A111	77.0	DEG	A112	67.7	DEG
A113	74.0	DEG	A114	77.4	DEG	A115	66.4	DEG	A116	75.9	DEG
A117	63.3	DEG	A118	74.0	DEG	A119	77.2	DEG	A120	76.8	DEG
A121	76.1	DEG	A122	73.3	DEG	A123	75.4	DEG	A124	77.8	DEG
A125	69.9	DEG	A126	78.1	DEG	A127	65.6	DEG	A128	69.0	DEG
A129	SKIP	DEG	A130	SKIP	DEG						



ATT. III

page 106 of 199

ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 13 FEB 90 17:57 SAMPLE RATE: 10 MINUTES											
A13	72.2	DEG	A16	70.6	DEG	A17	76.8	DEG	A18	78.3	DEG
A19	73.4	DEG	A110	72.2	DEG	A111	72.2	DEG	A112	67.5	DEG
A113	73.4	DEG	A114	74.0	DEG	A115	76.4	DEG	A116	75.3	DEG
A117	63.5	DEG	A118	74.0	DEG	A119	72.7	DEG	A120	76.9	DEG
A121	76.4	DEG	A122	73.1	DEG	A123	75.4	DEG	A124	76.9	DEG
A125	69.8	DEG	A126	78.1	DEG	A127	65.6	DEG	A128	68.9	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 13 FEB 90 17:47 SAMPLE RATE: 10 MINUTES											
A13	72.2	DEG	A16	70.6	DEG	A17	76.8	DEG	A18	78.3	DEG
A19	73.4	DEG	A110	72.2	DEG	A111	72.2	DEG	A112	67.5	DEG
A113	73.4	DEG	A114	74.0	DEG	A115	76.4	DEG	A116	75.3	DEG
A117	63.5	DEG	A118	74.0	DEG	A119	72.7	DEG	A120	76.9	DEG
A121	76.4	DEG	A122	73.1	DEG	A123	75.4	DEG	A124	76.9	DEG
A125	69.8	DEG	A126	78.1	DEG	A127	65.6	DEG	A128	68.9	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 13 FEB 90 17:37 SAMPLE RATE: 10 MINUTES											
A13	72.2	DEG	A16	70.6	DEG	A17	76.8	DEG	A18	78.3	DEG
A19	73.4	DEG	A110	72.2	DEG	A111	72.2	DEG	A112	67.5	DEG
A113	73.4	DEG	A114	74.0	DEG	A115	76.4	DEG	A116	75.3	DEG
A117	63.5	DEG	A118	74.0	DEG	A119	72.7	DEG	A120	76.9	DEG
A121	76.4	DEG	A122	73.1	DEG	A123	75.4	DEG	A124	76.9	DEG
A125	69.8	DEG	A126	78.1	DEG	A127	65.6	DEG	A128	68.9	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 13 FEB 90 17:27 SAMPLE RATE: 10 MINUTES											
A13	72.2	DEG	A16	70.6	DEG	A17	76.8	DEG	A18	78.3	DEG
A19	73.4	DEG	A110	72.2	DEG	A111	72.2	DEG	A112	67.5	DEG
A113	73.4	DEG	A114	74.0	DEG	A115	76.4	DEG	A116	75.3	DEG
A117	63.5	DEG	A118	74.0	DEG	A119	72.7	DEG	A120	76.9	DEG
A121	76.4	DEG	A122	73.1	DEG	A123	75.4	DEG	A124	76.9	DEG
A125	69.8	DEG	A126	78.1	DEG	A127	65.6	DEG	A128	68.9	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 13 FEB 90 17:17 SAMPLE RATE: 10 MINUTES											
A13	72.2	DEG	A16	70.6	DEG	A17	76.8	DEG	A18	78.3	DEG
A19	73.4	DEG	A110	72.2	DEG	A111	72.2	DEG	A112	67.5	DEG
A113	73.4	DEG	A114	74.0	DEG	A115	76.4	DEG	A116	75.3	DEG
A117	63.5	DEG	A118	74.0	DEG	A119	72.7	DEG	A120	76.9	DEG
A121	76.4	DEG	A122	73.1	DEG	A123	75.4	DEG	A124	76.9	DEG
A125	69.8	DEG	A126	78.1	DEG	A127	65.6	DEG	A128	68.9	DEG
A129	SKIP	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP 1 13 FEB 90 17:07 SAMPLE RATE: 10 MINUTES											
A13	72.2	DEG	A16	70.6	DEG	A17	76.8	DEG	A18	78.3	DEG
A19	73.4	DEG	A110	72.2	DEG	A111	72.2	DEG	A112	67.5	DEG
A113	73.4	DEG	A114	74.0	DEG	A115	76.4	DEG	A116	75.3	DEG
A117	63.5	DEG	A118	74.0	DEG	A119	72.7	DEG	A120	76.9	DEG
A121	76.4	DEG	A122	73.1	DEG	A123	75.4	DEG	A124	76.9	DEG
A125	69.8	DEG	A126	78.1	DEG	A127	65.6	DEG	A128	68.9	DEG
A129	SKIP	DEG	A130	SKIP	DEG						

44
45





651 No. 891
Atf. III page

[illegible]



Att. III page
171 of 199ALL ACTIVE ALARMS: NONE
DATALOG GROUP 1 12 FEB 90 7:05 SAMPLE RATE: 10 MINUTES

TIME	STATUS	ALARM	GROUP
A12	67.9	DEG	1
A16	72.2	DEG	1
A110	72.2	DEG	1
A114	72.2	DEG	1
A118	72.2	DEG	1
A122	72.2	DEG	1
A126	72.2	DEG	1
A130	72.2	DEG	1

ALL ACTIVE ALARMS: NONE
DATALOG GROUP 1 12 FEB 90 7:17 SAMPLE RATE: 10 MINUTES

TIME	STATUS	ALARM	GROUP
A12	68.0	DEG	1
A16	72.3	DEG	1
A110	72.3	DEG	1
A114	72.3	DEG	1
A118	72.3	DEG	1
A122	72.3	DEG	1
A126	72.3	DEG	1
A130	72.3	DEG	1

ALL ACTIVE ALARMS: NONE
DATALOG GROUP 1 12 FEB 90 7:27 SAMPLE RATE: 10 MINUTES

TIME	STATUS	ALARM	GROUP
A12	68.0	DEG	1
A16	72.3	DEG	1
A110	72.3	DEG	1
A114	72.3	DEG	1
A118	72.3	DEG	1
A122	72.3	DEG	1
A126	72.3	DEG	1
A130	72.3	DEG	1

ALL ACTIVE ALARMS: NONE
DATALOG GROUP 1 12 FEB 90 7:37 SAMPLE RATE: 10 MINUTES

TIME	STATUS	ALARM	GROUP
A12	68.0	DEG	1
A16	72.3	DEG	1
A110	72.3	DEG	1
A114	72.3	DEG	1
A118	72.3	DEG	1
A122	72.3	DEG	1
A126	72.3	DEG	1
A130	72.3	DEG	1

ALL ACTIVE ALARMS: NONE
DATALOG GROUP 1 12 FEB 90 7:47 SAMPLE RATE: 10 MINUTES

TIME	STATUS	ALARM	GROUP
A12	68.0	DEG	1
A16	72.3	DEG	1
A110	72.3	DEG	1
A114	72.3	DEG	1
A118	72.3	DEG	1
A122	72.3	DEG	1
A126	72.3	DEG	1
A130	72.3	DEG	1

ALL ACTIVE ALARMS: NONE
DATALOG GROUP 1 12 FEB 90 7:57 SAMPLE RATE: 10 MINUTES

TIME	STATUS	ALARM	GROUP
A12	67.9	DEG	1
A16	72.3	DEG	1
A110	72.3	DEG	1
A114	72.3	DEG	1
A118	72.3	DEG	1
A122	72.3	DEG	1
A126	72.3	DEG	1
A130	72.3	DEG	1



Att. III
Page 17
of 199

DATALOG GROUP		12 FEB 90	8:57	SAMPLE RATE: 10 MINUTES																
A1	12	72.4	DEG	A12	67.1	DEG	A13	73.2	DEG	A14	73.5	DEG	A15	73.4	DEG	A16	73.4	DEG	A17	73.4
A1	10	72.4	DEG	A16	72.4	DEG	A17	73.4	DEG	A18	73.4	DEG	A19	73.4	DEG	A20	73.4	DEG	A21	73.4
A1	14	72.4	DEG	A11	72.4	DEG	A12	73.4	DEG	A13	73.4	DEG	A14	73.4	DEG	A15	73.4	DEG	A16	73.4
A1	18	72.4	DEG	A11	72.4	DEG	A12	73.4	DEG	A13	73.4	DEG	A14	73.4	DEG	A15	73.4	DEG	A16	73.4
A1	22	72.4	DEG	A11	72.4	DEG	A12	73.4	DEG	A13	73.4	DEG	A14	73.4	DEG	A15	73.4	DEG	A16	73.4
A1	26	72.4	DEG	A11	72.4	DEG	A12	73.4	DEG	A13	73.4	DEG	A14	73.4	DEG	A15	73.4	DEG	A16	73.4
A1	30	72.4	DEG	A11	72.4	DEG	A12	73.4	DEG	A13	73.4	DEG	A14	73.4	DEG	A15	73.4	DEG	A16	73.4
ALL ACTIVE ALARMS: NONE																				
DATALOG GROUP		12 FEB 90	8:27	SAMPLE RATE: 10 MINUTES																
A1	12	72.4	DEG	A12	67.1	DEG	A13	73.2	DEG	A14	73.5	DEG	A15	73.4	DEG	A16	73.4	DEG	A17	73.4
A1	10	72.4	DEG	A16	72.4	DEG	A17	73.4	DEG	A18	73.4	DEG	A19	73.4	DEG	A20	73.4	DEG	A21	73.4
A1	14	72.4	DEG	A11	72.4	DEG	A12	73.4	DEG	A13	73.4	DEG	A14	73.4	DEG	A15	73.4	DEG	A16	73.4
A1	18	72.4	DEG	A11	72.4	DEG	A12	73.4	DEG	A13	73.4	DEG	A14	73.4	DEG	A15	73.4	DEG	A16	73.4
A1	22	72.4	DEG	A11	72.4	DEG	A12	73.4	DEG	A13	73.4	DEG	A14	73.4	DEG	A15	73.4	DEG	A16	73.4
A1	26	72.4	DEG	A11	72.4	DEG	A12	73.4	DEG	A13	73.4	DEG	A14	73.4	DEG	A15	73.4	DEG	A16	73.4
A1	30	72.4	DEG	A11	72.4	DEG	A12	73.4	DEG	A13	73.4	DEG	A14	73.4	DEG	A15	73.4	DEG	A16	73.4
ALL ACTIVE ALARMS: NONE																				
DATALOG GROUP		12 FEB 90	8:17	SAMPLE RATE: 10 MINUTES																
A1	12	72.4	DEG	A12	67.1	DEG	A13	73.2	DEG	A14	73.5	DEG	A15	73.4	DEG	A16	73.4	DEG	A17	73.4
A1	10	72.4	DEG	A16	72.4	DEG	A17	73.4	DEG	A18	73.4	DEG	A19	73.4	DEG	A20	73.4	DEG	A21	73.4
A1	14	72.4	DEG	A11	72.4	DEG	A12	73.4	DEG	A13	73.4	DEG	A14	73.4	DEG	A15	73.4	DEG	A16	73.4
A1	18	72.4	DEG	A11	72.4	DEG	A12	73.4	DEG	A13	73.4	DEG	A14	73.4	DEG	A15	73.4	DEG	A16	73.4
A1	22	72.4	DEG	A11	72.4	DEG	A12	73.4	DEG	A13	73.4	DEG	A14	73.4	DEG	A15	73.4	DEG	A16	73.4
A1	26	72.4	DEG	A11	72.4	DEG	A12	73.4	DEG	A13	73.4									



Att. III
Page 173
of 199

[illegible]

38
4



NO. 677001 LEEDS & NORRIS - A UNIT AT CENTRAL STATION, LEEDS
J.S.A.

Att. III
page 175 of 199

ALL ACTIVE ALARMS: NONE											
DATALOG GROUP		12 FEB 90	10:37	SAMPLE RATE: 10 MINUTES							
A11	72.0	DEG	A12	67.7	DEG	A13	73.1	DEG	A14	73.3	DEG
A15	69.7	DEG	A16	72.9	DEG	A17	73.0	DEG	A18	69.7	DEG
A19	71.1	DEG	A110	72.2	DEG	A111	73.0	DEG	A112	73.7	DEG
A114	71.1	DEG	A114	70.4	DEG	A115	69.2	DEG	A116	71.1	DEG
A118	70.0	DEG	A118	70.4	DEG	A119	69.2	DEG	A120	71.1	DEG
A122	70.0	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A126	70.0	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A130	70.0	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP		12 FEB 90	10:27	SAMPLE RATE: 10 MINUTES							
A11	72.0	DEG	A12	67.7	DEG	A13	73.1	DEG	A14	73.3	DEG
A15	69.7	DEG	A16	72.9	DEG	A17	73.0	DEG	A18	69.7	DEG
A19	71.1	DEG	A110	72.2	DEG	A111	73.0	DEG	A112	73.7	DEG
A114	71.1	DEG	A114	70.4	DEG	A115	69.2	DEG	A116	71.1	DEG
A118	70.0	DEG	A118	70.4	DEG	A119	69.2	DEG	A120	71.1	DEG
A122	70.0	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A126	70.0	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A130	70.0	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP		12 FEB 90	10:17	SAMPLE RATE: 10 MINUTES							
A11	72.0	DEG	A12	67.9	DEG	A13	73.1	DEG	A14	73.3	DEG
A15	69.8	DEG	A16	72.4	DEG	A17	73.0	DEG	A18	69.8	DEG
A19	71.1	DEG	A110	72.6	DEG	A111	73.0	DEG	A112	73.6	DEG
A114	71.1	DEG	A114	72.1	DEG	A115	69.2	DEG	A116	71.2	DEG
A118	70.0	DEG	A118	70.4	DEG	A119	69.2	DEG	A120	71.1	DEG
A122	70.0	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A126	70.0	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A130	70.0	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP		12 FEB 90	10:07	SAMPLE RATE: 10 MINUTES							
A11	72.0	DEG	A12	67.4	DEG	A13	73.0	DEG	A14	73.2	DEG
A15	69.8	DEG	A16	72.5	DEG	A17	72.9	DEG	A18	69.6	DEG
A19	71.1	DEG	A110	72.5	DEG	A111	73.0	DEG	A112	73.6	DEG
A114	71.1	DEG	A114	71.5	DEG	A115	69.2	DEG	A116	71.2	DEG
A118	70.0	DEG	A118	70.4	DEG	A119	69.2	DEG	A120	71.1	DEG
A122	70.0	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A126	70.0	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A130	70.0	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP		12 FEB 90	9:57	SAMPLE RATE: 10 MINUTES							
A11	72.0	DEG	A12	66.7	DEG	A13	73.1	DEG	A14	73.4	DEG
A15	69.8	DEG	A16	72.4	DEG	A17	72.9	DEG	A18	69.2	DEG
A19	71.1	DEG	A110	72.4	DEG	A111	73.0	DEG	A112	73.6	DEG
A114	71.1	DEG	A114	71.4	DEG	A115	69.2	DEG	A116	71.1	DEG
A118	70.0	DEG	A118	70.3	DEG	A119	69.2	DEG	A120	71.1	DEG
A122	70.0	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A126	70.0	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A130	70.0	DEG	A130	SKIP	DEG						
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP		12 FEB 90	9:47	SAMPLE RATE: 10 MINUTES							
A11	72.0	DEG	A12	67.6	DEG	A13	73.0	DEG	A14	73.3	DEG
A15	69.7	DEG	A16	72.5	DEG	A17	73.0	DEG	A18	69.7	DEG
A19	71.1	DEG	A110	72.8	DEG	A111	73.0	DEG	A112	73.6	DEG
A114	71.1	DEG	A114	70.8	DEG	A115	69.2	DEG	A116	71.1	DEG
A118	70.0	DEG	A118	70.4	DEG	A119	69.2	DEG	A120	71.1	DEG
A122	70.0	DEG	A122	SKIP	DEG	A123	SKIP	DEG	A124	SKIP	DEG
A126	70.0	DEG	A126	SKIP	DEG	A127	SKIP	DEG	A128	SKIP	DEG
A130	70.0	DEG	A130	SKIP	DEG						

五、五

Page 176 of 199

ALL ACTIVE ALARMS: NONE											
DATALOG GROUP	12 FEB 90	11:17	SAMPLE RATE: 10 MINUTES								
A11	72.2	DEG	A12	69.6	DEG	A13	73.3	DEG	A14	73.3	DEG
A12	72.2	DEG	A16	72.2	DEG	A17	73.3	DEG	A18	73.3	DEG
A13	72.2	DEG	A110	72.2	DEG	A111	73.3	DEG	A112	73.3	DEG
A14	72.2	DEG	A114	72.2	DEG	A115	73.3	DEG	A116	73.3	DEG
A15	72.2	DEG	A118	72.2	DEG	A119	73.3	DEG	A120	73.3	DEG
A16	72.2	DEG	A122	72.2	DEG	A123	73.3	DEG	A124	73.3	DEG
A17	72.2	DEG	A126	72.2	DEG	A127	73.3	DEG	A128	73.3	DEG
A18	72.2	DEG	A130	72.2	DEG	A131	73.3	DEG	A132	73.3	DEG
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP	12 FEB 90	11:07	SAMPLE RATE: 10 MINUTES								
A11	72.2	DEG	A12	69.1	DEG	A13	73.3	DEG	A14	73.3	DEG
A12	72.2	DEG	A16	72.2	DEG	A17	73.3	DEG	A18	73.3	DEG
A13	72.2	DEG	A110	72.2	DEG	A111	73.3	DEG	A112	73.3	DEG
A14	72.2	DEG	A114	72.2	DEG	A115	73.3	DEG	A116	73.3	DEG
A15	72.2	DEG	A118	72.2	DEG	A119	73.3	DEG	A120	73.3	DEG
A16	72.2	DEG	A122	72.2	DEG	A123	73.3	DEG	A124	73.3	DEG
A17	72.2	DEG	A126	72.2	DEG	A127	73.3	DEG	A128	73.3	DEG
A18	72.2	DEG	A130	72.2	DEG	A131	73.3	DEG	A132	73.3	DEG
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP	12 FEB 90	10:57	SAMPLE RATE: 10 MINUTES								
A11	72.2	DEG	A12	67.4	DEG	A13	73.3	DEG	A14	73.3	DEG
A12	72.2	DEG	A16	72.2	DEG	A17	73.3	DEG	A18	73.3	DEG
A13	72.2	DEG	A110	72.2	DEG	A111	73.3	DEG	A112	73.3	DEG
A14	72.2	DEG	A114	72.2	DEG	A115	73.3	DEG	A116	73.3	DEG
A15	72.2	DEG	A118	72.2	DEG	A119	73.3	DEG	A120	73.3	DEG
A16	72.2	DEG	A122	72.2	DEG	A123	73.3	DEG	A124	73.3	DEG
A17	72.2	DEG	A126	72.2	DEG	A127	73.3	DEG	A128	73.3	DEG
A18	72.2	DEG	A130	72.2	DEG	A131	73.3	DEG	A132	73.3	DEG
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP	12 FEB 90	10:47	SAMPLE RATE: 10 MINUTES								
A11	72.2	DEG	A12	67.4	DEG	A13	73.3	DEG	A14	73.3	DEG
A12	72.2	DEG	A16	72.2	DEG	A17	73.3	DEG	A18	73.3	DEG
A13	72.2	DEG	A110	72.2	DEG	A111	73.3	DEG	A112	73.3	DEG
A14	72.2	DEG	A114	72.2	DEG	A115	73.3	DEG	A116	73.3	DEG
A15	72.2	DEG	A118	72.2	DEG	A119	73.3	DEG	A120	73.3	DEG
A16	72.2	DEG	A122	72.2	DEG	A123	73.3	DEG	A124	73.3	DEG
A17	72.2	DEG	A126	72.2	DEG	A127	73.3	DEG	A128	73.3	DEG
A18	72.2	DEG	A130	72.2	DEG	A131	73.3	DEG	A132	73.3	DEG
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP	12 FEB 90	10:37	SAMPLE RATE: 10 MINUTES								
A11	72.2	DEG	A12	67.7	DEG	A13	73.3	DEG	A14	73.3	DEG
A12	72.2	DEG	A16	72.2	DEG	A17	73.3	DEG	A18	73.3	DEG
A13	72.2	DEG	A110	72.2	DEG	A111	73.3	DEG	A112	73.3	DEG
A14	72.2	DEG	A114	72.2	DEG	A115	73.3	DEG	A116	73.3	DEG
A15	72.2	DEG	A118	72.2	DEG	A119	73.3	DEG	A120	73.3	DEG
A16	72.2	DEG	A122	72.2	DEG	A123	73.3	DEG	A124	73.3	DEG
A17	72.2	DEG	A126	72.2	DEG	A127	73.3	DEG	A128	73.3	DEG
A18	72.2	DEG	A130	72.2	DEG	A131	73.3	DEG	A132	73.3	DEG
ALL ACTIVE ALARMS: NONE											
DATALOG GROUP	12 FEB 90	10:27	SAMPLE RATE: 10 MINUTES								
A11	72.2	DEG	A12	67.2	DEG	A13	73.3	DEG	A14	73.3	DEG
A12	72.2	DEG	A16	72.2	DEG	A17	73.3	DEG	A18	73.3	DEG
A13	72.2	DEG	A110	72.2	DEG	A111	73.3	DEG	A112	73.3	DEG
A14	72.2	DEG	A114	72.2	DEG	A115	73.3	DEG	A116	73.3	DEG
A15	72.2	DEG	A118	72.2	DEG	A119	73.3	DEG	A120	73.3	DEG
A16	72.2	DEG	A122	72.2	DEG	A123	73.3	DEG	A124	73.3	DEG
A17	72.2	DEG	A126	72.2	DEG	A127	73.3	DEG	A128	73.3	DEG
A18	72.2	DEG	A130	72.2	DEG	A131	73.3	DEG	A132	73.3	DEG





Att. III
page 17
1991.

DATALOG GROUP 1	12 FEB 90	12:47	SAMPLE RATE: 10 MINUTES									
A13	72.3	DEG F	A12	69.2	DEG F	A13	73.4	DEG F	A14	73.3	DEG F	
A18	70.8	DEG F	A16	73.6	DEG F	A17	74.1	DEG F	A18	70.8	DEG F	
A19	73.9	DEG F	A110	73.9	DEG F	A111	74.0	DEG F	A112	71.6	DEG F	
A121	71.1	DEG F	A114	72.2	DEG F	A115	69.7	DEG F	A116	71.1	DEG F	
A122	70.8	DEG F	A118	70.8	DEG F	A119	69.9	DEG F	A120	70.8	DEG F	
A123	71.1	DEG F	A122	70.8	DEG F	A123	71.1	DEG F	A124	71.1	DEG F	
A125	71.1	DEG F	A126	71.1	DEG F	A127	71.1	DEG F	A128	71.1	DEG F	
A129	71.1	DEG F	A130	71.1	DEG F	A131	71.1	DEG F	A132	71.1	DEG F	
ALL ACTIVE ALARMS: NONE												
DATALOG GROUP 1	12 FEB 90	12:37	SAMPLE RATE: 10 MINUTES									
A13	72.3	DEG F	A12	69.2	DEG F	A13	73.4	DEG F	A14	73.3	DEG F	
A18	70.8	DEG F	A16	73.6	DEG F	A17	74.1	DEG F	A18	70.8	DEG F	
A19	73.9	DEG F	A110	73.9	DEG F	A111	74.0	DEG F	A112	71.6	DEG F	
A121	71.1	DEG F	A114	72.2	DEG F	A115	69.7	DEG F	A116	71.1	DEG F	
A122	70.8	DEG F	A118	70.8	DEG F	A119	69.9	DEG F	A120	70.8	DEG F	
A123	71.1	DEG F	A122	70.8	DEG F	A123	71.1	DEG F	A124	71.1	DEG F	
A125	71.1	DEG F	A126	71.1	DEG F	A127	71.1	DEG F	A128	71.1	DEG F	
A129	71.1	DEG F	A130	71.1	DEG F	A131	71.1	DEG F	A132	71.1	DEG F	
ALL ACTIVE ALARMS: NONE												
DATALOG GROUP 1	12 FEB 90	12:27	SAMPLE RATE: 10 MINUTES									
A13	72.3	DEG F	A12	69.2	DEG F	A13	73.4	DEG F	A14	73.3	DEG F	
A18	70.8	DEG F	A16	73.6	DEG F	A17	74.1	DEG F	A18	70.8	DEG F	
A19	73.9	DEG F	A110	73.9	DEG F	A111	74.0	DEG F	A112	71.6	DEG F	
A121	71.1	DEG F	A114	72.2	DEG F	A115	69.7	DEG F	A116	71.1	DEG F	
A122	70.8	DEG F	A118	70.8	DEG F	A119	69.9	DEG F	A120	70.8	DEG F	
A123	71.1	DEG F	A122	70.8	DEG F	A123	71.1	DEG F	A124	71.1	DEG F	
A125	71.1	DEG F	A126	71.1	DEG F	A127	71.1	DEG F	A128	71.1	DEG F	
A129	71.1	DEG F	A130	71.1	DEG F	A131	71.1	DEG F	A132	71.1	DEG F	
ALL ACTIVE ALARMS: NONE												
DATALOG GROUP 1	12 FEB 90	12:17	SAMPLE RATE: 10 MINUTES									
A13	72.3	DEG F	A12	69.2	DEG F	A13	73.4	DEG F	A14	73.3	DEG F	
A18	70.8	DEG F	A16	73.6	DEG F	A17	74.1	DEG F	A18	70.8	DEG F	
A19	73.9	DEG F	A110	73.9	DEG F	A111	74.0	DEG F	A112	71.6	DEG F	
A121	71.1	DEG F	A114	72.2	DEG F	A115	69.7	DEG F	A116	71.1	DEG F	
A122	70.8	DEG F	A118	70.8	DEG F	A119	69.9	DEG F	A120	70.8	DEG F	
A123	71.1	DEG F	A122	70.8	DEG F	A123	71.1	DEG F	A124	71.1	DEG F	
A125	71.1	DEG F	A126	71.1	DEG F	A127	71.1	DEG F	A128	71.1	DEG F	
A129	71.1	DEG F	A130	71.1	DEG F	A131	71.1	DEG F	A132	71.1	DEG F	
ALL ACTIVE ALARMS: NONE												
DATALOG GROUP 1	12 FEB 90	12:07	SAMPLE RATE: 10 MINUTES									
A13	72.3	DEG F	A12	69.2	DEG F	A13	73.4	DEG F	A14	73.3	DEG F	
A18	70.8	DEG F	A16	73.6	DEG F	A17	74.1	DEG F	A18	70.8	DEG F	
A19	73.9	DEG F	A110	73.9	DEG F	A111	74.0	DEG F	A112	71.6	DEG F	
A121	71.1	DEG F	A114	72.2	DEG F	A115	69.7	DEG F	A116	71.1	DEG F	
A122	70.8	DEG F	A118	70.8	DEG F	A119	69.9	DEG F	A120	70.8	DEG F	
A123	71.1	DEG F	A122	70.8	DEG F	A123	71.1	DEG F	A124	71.1	DEG F	
A125	71.1	DEG F	A126	71.1	DEG F	A127	71.1	DEG F	A128	71.1	DEG F	
A129	71.1	DEG F	A130	71.1	DEG F	A131	71.1	DEG F	A132	71.1	DEG F	
ALL ACTIVE ALARMS: NONE												
DATALOG GROUP 1	12 FEB 90	11:57	SAMPLE RATE: 10 MINUTES									
A13	72.3	DEG F	A12	69.2	DEG F	A13	73.4	DEG F	A14	73.3	DEG F	
A18	70.8	DEG F	A16	73.6	DEG F	A17	74.1	DEG F	A18	70.8	DEG F	
A19	73.9	DEG F	A110	73.9	DEG F	A111	74.0	DEG F	A112	71.6	DEG F	
A121	71.1	DEG F	A114	72.2	DEG F	A115	69.7	DEG F	A116	71.1	DEG F	
A122	70.8	DEG F	A118	70.8	DEG F	A119	69.9	DEG F	A120	70.8	DEG F	
A123	71.1	DEG F	A122	70.8	DEG F	A123	71.1	DEG F	A124	71.1	DEG F	
A125	71.1	DEG F	A126	71.1	DEG F	A127	71.1	DEG F	A128	71.1	DEG F	
A129	71.1	DEG F	A130	71.1	DEG F	A131	71.1	DEG F	A132	71.1	DEG F	
ALL ACTIVE ALARMS: NONE												
DATALOG GROUP 1	12 FEB 90	11:47	SAMPLE RATE: 10 MINUTES									
A13	72.3	DEG F	A12	69.2	DEG F	A13	73.4	DEG F	A14	73.3	DEG F	
A18	70.8	DEG F	A16	73.6	DEG F	A17	74.1	DEG F	A18	70.8	DEG F	
A19	73.9	DEG F	A110	73.9	DEG F	A111	74.0	DEG F	A112	71.6	DEG F	
A121	71.1	DEG F	A114	72.2	DEG F	A115	69.7	DEG F	A116	71.1	DEG F	
A122	70.8	DEG F	A118	70.8	DEG F	A119	69.9	DEG F	A120	70.8	DEG F	
A123	71.1	DEG F	A122	70.8	DEG F	A123	71.1	DEG F	A124	71.1	DEG F	
A125	71.1	DEG F	A126	71.1	DEG F	A127	71.1	DEG F	A128	71.1	DEG F	
A129	71.1	DEG F	A130	71.1	DEG F	A131	71.1	DEG F	A132	71.1	DEG F	
ALL ACTIVE ALARMS: NONE												

LEADS TO NORTHROP: A UNIT OF GENERAL SIGNAL, MADE IN U.S.A.

6612081
Red III. 44

DATALOG GROUP 1		12 FEB 98		13:57		SAMPLE RATE: 10 MINUTES															
A1	72.4	DEG	F	A12	69.2	DEG	F	A13	73.4	DEG	F	A14	73.4	DEG	F	A15	73.4	DEG	F	A16	73.4
A1	70.6	DEG	F	A16	73.2	DEG	F	A17	74.5	DEG	F	A18	76.8	DEG	F	A19	76.8	DEG	F	A20	76.8
A1	71.1	DEG	F	A110	72.4	DEG	F	A111	74.1	DEG	F	A112	71.1	DEG	F	A113	71.1	DEG	F	A114	71.1
A1	70.8	DEG	F	A114	72.6	DEG	F	A115	69.9	DEG	F	A116	71.6	DEG	F	A117	71.6	DEG	F	A118	71.6
A1	71.1	DEG	F	A118	70.8	DEG	F	A119	73.1	DEG	F	A120	73.1	DEG	F	A121	73.1	DEG	F	A122	73.1
A1	72.2	DEG	F	A122	70.8	DEG	F	A123	73.1	DEG	F	A124	73.1	DEG	F	A125	73.1	DEG	F	A126	73.1
A1	72.2	DEG	F	A126	70.8	DEG	F	A127	73.1	DEG	F	A128	73.1	DEG	F	A129	73.1	DEG	F	A130	73.1
A1	72.2	DEG	F	A130	70.8	DEG	F	A131	73.1	DEG	F	A132	73.1	DEG	F	A133	73.1	DEG	F	A134	73.1
ALL ACTIVE ALARMS: NONE																					
DATALOG GROUP 1 12 FEB 98 13:47 SAMPLE RATE: 10 MINUTES																					
A1	72.4	DEG	F	A12	69.2	DEG	F	A13	73.4	DEG	F	A14	73.4	DEG	F	A15	73.4	DEG	F	A16	73.4
A1	70.6	DEG	F	A16	73.2	DEG	F	A17	74.5	DEG	F	A18	76.8	DEG	F	A19	76.8	DEG	F	A20	76.8
A1	71.1	DEG	F	A110	72.4	DEG	F	A111	74.1	DEG	F	A112	71.1	DEG	F	A113	71.1	DEG	F	A114	71.1
A1	70.8	DEG	F	A114	72.6	DEG	F	A115	69.9	DEG	F	A116	71.6	DEG	F	A117	71.6	DEG	F	A118	71.6
A1	71.1	DEG	F	A118	70.8	DEG	F	A119	73.1	DEG	F	A120	73.1	DEG	F	A121	73.1	DEG	F	A122	73.1
A1	72.2	DEG	F	A122	70.8	DEG	F	A123	73.1	DEG	F	A124	73.1	DEG	F	A125	73.1	DEG	F	A126	73.1
A1	72.2	DEG	F	A126	70.8	DEG	F	A127	73.1	DEG	F	A128	73.1	DEG	F	A129	73.1	DEG	F	A130	73.1
A1	72.2	DEG	F	A130	70.8	DEG	F	A131	73.1	DEG	F	A132	73.1	DEG	F	A133	73.1	DEG	F	A134	73.1
ALL ACTIVE ALARMS: NONE																					
DATALOG GROUP 1 12 FEB 98 13:37 SAMPLE RATE: 10 MINUTES																					
A1	72.4	DEG	F	A12	69.2	DEG	F	A13	73.4	DEG	F	A14	73.4	DEG	F	A15	73.4	DEG	F	A16	73.4
A1	70.6	DEG	F	A16	73.2	DEG	F	A17	74.5	DEG	F	A18	76.8	DEG	F	A19	76.8	DEG	F	A20	76.8
A1	71.1	DEG	F	A110	72.4	DEG	F	A111	74.1	DEG	F	A112	71.1	DEG	F	A113	71.1	DEG	F	A114	71.1
A1	70.8	DEG	F	A114	72.6	DEG	F	A115	69.9	DEG	F	A116	71.6	DEG	F	A117	71.6	DEG	F	A118	71.6
A1	71.1	DEG	F	A118	70.8	DEG	F	A119</													

Att. III page
181 of 199

DATALOG GROUP 1 12 FEB 98 14:57 SAMPLE RATE: 10 MINUTES

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 12 FEB 98 14:57 SAMPLE RATE: 10 MINUTES

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 12 FEB 98 14:57 SAMPLE RATE: 10 MINUTES

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 12 FEB 98 14:57 SAMPLE RATE: 10 MINUTES

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 12 FEB 98 14:57 SAMPLE RATE: 10 MINUTES

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 12 FEB 98 14:57 SAMPLE RATE: 10 MINUTES

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 12 FEB 98 14:57 SAMPLE RATE: 10 MINUTES

ALL ACTIVE ALARMS: NONE

661 Jo 281
Jed III: 144

[illegible]



1234

1234

Att. III
page 183 of
199

DATALOG
GROUP

12 FEB 90
GRP

16:17

SAMPLE RATE: 10 MINUTES

ALL ACTIVE ALARMS: NONE

DATALOG
GROUP

12 FEB 90
GRP

15:57

SAMPLE RATE: 10 MINUTES

ALL ACTIVE ALARMS: NONE

DATALOG
GROUP

12 FEB 90
GRP

15:47

SAMPLE RATE: 10 MINUTES

ALL ACTIVE ALARMS: NONE

DATALOG
GROUP

12 FEB 90
GRP

15:37

SAMPLE RATE: 10 MINUTES

ALL ACTIVE ALARMS: NONE

DATALOG
GROUP

12 FEB 90
GRP

15:27

SAMPLE RATE: 10 MINUTES

ALL ACTIVE ALARMS: NONE

DATALOG
GROUP

12 FEB 90
GRP

15:17

SAMPLE RATE: 10 MINUTES

ALL ACTIVE ALARMS: NONE

DATALOG
GROUP

12 FEB 90
GRP

15:07

SAMPLE RATE: 10 MINUTES



page 186
of 199

ALL ACTIVE ALARMS: NONE	DATE: 12 FEB 98		TIME: 17:07		SAMPLE RATE: 10 MINUTES		GROUP 1		GROUP 2		GROUP 3		GROUP 4		GROUP 5		GROUP 6		GROUP 7		GROUP 8		GROUP 9		GROUP 10		GROUP 11		GROUP 12		GROUP 13		GROUP 14		GROUP 15		GROUP 16		GROUP 17		GROUP 18		GROUP 19		GROUP 20		GROUP 21		GROUP 22		GROUP 23		GROUP 24		GROUP 25		GROUP 26		GROUP 27		GROUP 28		GROUP 29		GROUP 30		GROUP 31		GROUP 32		GROUP 33		GROUP 34		GROUP 35		GROUP 36		GROUP 37		GROUP 38		GROUP 39		GROUP 40		GROUP 41		GROUP 42		GROUP 43		GROUP 44		GROUP 45		GROUP 46		GROUP 47		GROUP 48		GROUP 49		GROUP 50		GROUP 51		GROUP 52		GROUP 53		GROUP 54		GROUP 55		GROUP 56		GROUP 57		GROUP 58		GROUP 59		GROUP 60		GROUP 61		GROUP 62		GROUP 63		GROUP 64		GROUP 65		GROUP 66		GROUP 67		GROUP 68		GROUP 69		GROUP 70		GROUP 71		GROUP 72		GROUP 73		GROUP 74		GROUP 75		GROUP 76		GROUP 77		GROUP 78		GROUP 79		GROUP 80		GROUP 81		GROUP 82		GROUP 83		GROUP 84		GROUP 85		GROUP 86		GROUP 87		GROUP 88		GROUP 89		GROUP 90		GROUP 91		GROUP 92		GROUP 93		GROUP 94		GROUP 95		GROUP 96		GROUP 97		GROUP 98		GROUP 99		GROUP 100	
ALL ACTIVE ALARMS: NONE	12 FEB 98		17:07		SAMPLE RATE: 10 MINUTES		GROUP 1		GROUP 2		GROUP 3		GROUP 4		GROUP 5		GROUP 6		GROUP 7		GROUP 8		GROUP 9		GROUP 10		GROUP 11		GROUP 12		GROUP 13		GROUP 14		GROUP 15		GROUP 16		GROUP 17		GROUP 18		GROUP 19		GROUP 20		GROUP 21		GROUP 22		GROUP 23		GROUP 24		GROUP 25		GROUP 26		GROUP 27		GROUP 28		GROUP 29		GROUP 30		GROUP 31		GROUP 32		GROUP 33		GROUP 34		GROUP 35		GROUP 36		GROUP 37		GROUP 38		GROUP 39		GROUP 40		GROUP 41		GROUP 42		GROUP 43		GROUP 44		GROUP 45		GROUP 46		GROUP 47		GROUP 48		GROUP 49		GROUP 50		GROUP 51		GROUP 52		GROUP 53		GROUP 54		GROUP 55		GROUP 56		GROUP 57		GROUP 58		GROUP 59		GROUP 60		GROUP 61		GROUP 62		GROUP 63		GROUP 64		GROUP 65		GROUP 66		GROUP 67		GROUP 68		GROUP 69		GROUP 70		GROUP 71		GROUP 72		GROUP 73		GROUP 74		GROUP 75		GROUP 76		GROUP 77		GROUP 78		GROUP 79		GROUP 80		GROUP 81		GROUP 82		GROUP 83		GROUP 84		GROUP 85		GROUP 86		GROUP 87		GROUP 88		GROUP 89		GROUP 90		GROUP 91		GROUP 92		GROUP 93		GROUP 94		GROUP 95		GROUP 96		GROUP 97		GROUP 98		GROUP 99		GROUP 100	
ALL ACTIVE ALARMS: NONE	12 FEB 98		17:07		SAMPLE RATE: 10 MINUTES		GROUP 1		GROUP 2		GROUP 3		GROUP 4		GROUP 5		GROUP 6		GROUP 7		GROUP 8		GROUP 9		GROUP 10		GROUP 11		GROUP 12		GROUP 13		GROUP 14		GROUP 15		GROUP 16		GROUP 17		GROUP 18		GROUP 19		GROUP 20		GROUP 21		GROUP 22		GROUP 23		GROUP 24		GROUP 25		GROUP 26		GROUP 27		GROUP 28		GROUP 29		GROUP 30		GROUP 31		GROUP 32		GROUP 33		GROUP 34		GROUP 35		GROUP 36		GROUP 37		GROUP 38		GROUP 39		GROUP 40		GROUP 41		GROUP 42		GROUP 43		GROUP 44		GROUP 45		GROUP 46		GROUP 47		GROUP 48		GROUP 49		GROUP 50		GROUP 51		GROUP 52		GROUP 53		GROUP 54		GROUP 55		GROUP 56		GROUP 57		GROUP 58		GROUP 59		GROUP 60		GROUP 61		GROUP 62		GROUP 63		GROUP 64		GROUP 65		GROUP 66		GROUP 67		GROUP 68		GROUP 69		GROUP 70		GROUP 71		GROUP 72		GROUP 73		GROUP 74		GROUP 75		GROUP 76		GROUP 77		GROUP 78		GROUP 79		GROUP 80		GROUP 81		GROUP 82		GROUP 83		GROUP 84		GROUP 85		GROUP 86		GROUP 87		GROUP 88		GROUP 89		GROUP 90		GROUP 91		GROUP 92		GROUP 93		GROUP 94		GROUP 95		GROUP 96		GROUP 97		GROUP 98		GROUP 99		GROUP 100	

[illegible]

661 199
881 260
VII 118

ALI	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
DATALOG GROUP	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
ALL ACTIVE ALARMS: NONE																																																																																																				
DATALOG GROUP	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
ALL ACTIVE ALARMS: NONE																																																																																																				
DATALOG GROUP	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
ALL ACTIVE ALARMS: NONE																																																																																																				
DATALOG GROUP	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
ALL ACTIVE ALARMS: NONE																																																																																																				
DATALOG GROUP	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
ALL ACTIVE ALARMS: NONE																																																																																																				
DATALOG GROUP	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
ALL ACTIVE ALARMS: NONE																																																																																																				
DATALOG GROUP	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
ALL ACTIVE ALARMS: NONE																																																																																																				

22



100

100

100

100



[illegible]

1. 10/10
 2. 10/10
 3. 10/10
 4. 10/10
 5. 10/10
 6. 10/10



10
11
12
13

est 4.20

— 200 —



LU-HET-1-F-110PHS

●●●●●

444

11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100. 101. 102. 103. 104. 105. 106. 107. 108. 109. 110. 111. 112. 113. 114. 115. 116. 117. 118. 119. 120. 121. 122. 123. 124. 125. 126. 127. 128. 129. 130. 131. 132. 133. 134. 135. 136. 137. 138. 139. 140. 141. 142. 143. 144. 145. 146. 147. 148. 149. 150. 151. 152. 153. 154. 155. 156. 157. 158. 159. 160. 161. 162. 163. 164. 165. 166. 167. 168. 169. 170. 171. 172. 173. 174. 175. 176. 177. 178. 179. 180. 181. 182. 183. 184. 185. 186. 187. 188. 189. 190. 191. 192. 193. 194. 195. 196. 197. 198. 199. 200. 201. 202. 203. 204. 205. 206. 207. 208. 209. 210. 211. 212. 213. 214. 215. 216. 217. 218. 219. 220. 221. 222. 223. 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. 239. 240. 241. 242. 243. 244. 245. 246. 247. 248. 249. 250. 251. 252. 253. 254. 255. 256. 257. 258. 259. 260. 261. 262. 263. 264. 265. 266. 267. 268. 269. 270. 271. 272. 273. 274. 275. 276. 277. 278. 279. 280. 281. 282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292. 293. 294. 295. 296. 297. 298. 299. 300. 301. 302. 303. 304. 305. 306. 307. 308. 309. 310. 311. 312. 313. 314. 315. 316. 317. 318. 319. 320. 321. 322. 323. 324. 325. 326. 327. 328. 329. 330. 331. 332. 333. 334. 335. 336. 337. 338. 339. 340. 341. 342. 343. 344. 345. 346. 347. 348. 349. 350. 351. 352. 353. 354. 355. 356. 357. 358. 359. 360. 361. 362. 363. 364. 365. 366. 367. 368. 369. 370. 371. 372. 373. 374. 375. 376. 377. 378. 379. 380. 381. 382. 383. 384. 385. 386. 387. 388. 389. 390. 391. 392. 393. 394. 395. 396. 397. 398. 399. 400. 401. 402. 403. 404. 405. 406. 407. 408. 409. 410. 411. 412. 413. 414. 415. 416. 417. 418. 419. 420. 421. 422. 423. 424. 425. 426. 427. 428. 429. 430. 431. 432. 433. 434. 435. 436. 437. 438. 439. 440. 441. 442. 443. 444. 445. 446. 447. 448. 449. 450. 451. 452. 453. 454. 455. 456. 457. 458. 459. 460. 461. 462. 463. 464. 465. 466. 467. 468. 469. 470. 471. 472. 473. 474. 475. 476. 477. 478. 479. 480. 481. 482. 483. 484. 485. 486. 487. 488. 489. 490. 491. 492. 493. 494. 495. 496. 497. 498. 499. 500. 501. 502. 503. 504. 505. 506. 507. 508. 509. 510. 511. 512. 513. 514. 515. 516. 517. 518. 519. 520. 521. 522. 523. 524. 525. 526. 527. 528. 529. 530. 531. 532. 533. 534. 535. 536. 537. 538. 539. 540. 541. 542. 543. 544. 545. 546. 547. 548. 549. 550. 551. 552. 553. 554. 555. 556. 557. 558. 559. 560. 561. 562. 563. 564. 565. 566. 567. 568. 569. 570. 571. 572. 573. 574. 575. 576. 577. 578. 579. 580. 581. 582. 583. 584. 585. 586. 587. 588. 589. 590. 591. 592. 593. 594. 595. 596. 597. 598. 599. 600. 601. 602. 603. 604. 605. 606. 607. 608. 609. 610. 611. 612. 613. 614. 615. 616. 617. 618. 619. 620. 621. 622. 623. 624. 625. 626. 627. 628. 629. 630. 631. 632. 633. 634. 635. 636. 637. 638. 639. 640. 641. 642. 643. 644. 645. 646. 647. 648. 649. 650. 651. 652. 653. 654. 655. 656. 657. 658. 659. 660. 661. 662. 663. 664. 665. 666. 667. 668. 669. 670. 671. 672. 673. 674. 675. 676. 677. 678. 679. 680. 681. 682. 683. 684. 685. 686. 687. 688. 689. 690. 691. 692. 693. 694. 695. 696. 697. 698. 699. 700. 701. 702. 703. 704. 705. 706. 707. 708. 709. 710. 711. 712. 713. 714. 715. 716. 717. 718. 719. 720. 721. 722. 723. 724. 725. 726. 727. 728. 729. 730. 731. 732. 733. 734. 735. 736. 737. 738. 739. 740. 741. 742. 743. 744. 745. 746. 747. 748. 749. 750. 751. 752. 753. 754. 755. 756. 757. 758. 759. 760. 761. 762. 763. 764. 765. 766. 767. 768. 769. 770. 771. 772. 773. 774. 775. 776. 777. 778. 779. 780. 781. 782. 783. 784. 785. 786. 787. 788. 789. 790. 791. 792. 793. 794. 795. 796. 797. 798. 799. 800. 801. 802. 803. 804. 805. 806. 807. 808. 809. 810. 811. 812. 813. 814. 815. 816. 817. 818. 819. 820. 821. 822. 823. 824. 825. 826. 827. 828. 829. 830. 831. 832. 833. 834. 835. 836. 837. 838. 839. 840. 841. 842. 843. 844. 845. 846. 847



11-1
11-2
11-3
11-4

11-5
11-6
11-7
11-8

11-9
11-10
11-11
11-12

11-13 11-14 11-15 11-16 11-17



11-18
11-19
11-20
11-21

11-22
11-23
11-24
11-25

11-26

11-27
11-28
11-29
11-30

11-31
11-32



11-33
11-34

Att. III
page 193
of 199

[illegible]



11-11-61
11-11-61
11-11-61

11-11-61
11-11-61
11-11-61



11-11-61
11-11-61
11-11-61

11-11-61
11-11-61
11-11-61



11-11-61
11-11-61
11-11-61

Att. III
page 194
of 199

| | | | | | | | | | | | |
|-------------------------|------|-----------|-------|-------------------------|-----|------|------|-----|------|------|-----|
| ALL ACTIVE ALARMS: NONE | | | | | | | | | | | |
| DATALOG GROUP 1 | | 13 FEB 98 | 8:37 | SAMPLE RATE: 10 MINUTES | | | | | | | |
| A11 | 72.4 | DEG | A12 | 67.7 | DEG | A13 | 73.3 | DEG | A14 | 73.1 | DEG |
| A19 | 70.4 | DEG | A16 | 73.6 | DEG | A17 | 73.4 | DEG | A18 | 70.1 | DEG |
| A19 | 72.9 | DEG | A18 | 72.9 | DEG | A11 | 74.4 | DEG | A112 | 73.5 | DEG |
| A11 | 71.1 | DEG | A14 | 72.2 | DEG | A118 | 69.3 | DEG | A116 | 71.6 | DEG |
| A113 | 71.1 | DEG | A18 | 70.1 | DEG | A119 | SKIP | DEG | A120 | SKIP | DEG |
| A121 | SKIP | DEG | A22 | SKIP | DEG | A123 | SKIP | DEG | A124 | SKIP | DEG |
| A125 | SKIP | DEG | A26 | SKIP | DEG | A127 | SKIP | DEG | A128 | SKIP | DEG |
| A129 | SKIP | DEG | A30 | SKIP | DEG | | | | | | |
| ALL ACTIVE ALARMS: NONE | | | | | | | | | | | |
| DATALOG GROUP 1 | | 12 FEB 98 | 23:57 | SAMPLE RATE: 10 MINUTES | | | | | | | |
| A11 | 72.9 | DEG | A12 | 68.8 | DEG | A13 | 73.2 | DEG | A14 | 73.2 | DEG |
| A19 | 73.9 | DEG | A16 | 73.6 | DEG | A17 | 74.3 | DEG | A18 | 69.9 | DEG |
| A19 | 73.9 | DEG | A18 | 73.9 | DEG | A11 | 74.3 | DEG | A112 | 73.6 | DEG |
| A11 | 71.1 | DEG | A14 | 72.2 | DEG | A118 | 69.3 | DEG | A116 | 71.4 | DEG |
| A113 | 71.1 | DEG | A18 | 70.1 | DEG | A119 | SKIP | DEG | A120 | SKIP | DEG |
| A121 | SKIP | DEG | A22 | SKIP | DEG | A123 | SKIP | DEG | A124 | SKIP | DEG |
| A125 | SKIP | DEG | A26 | SKIP | DEG | A127 | SKIP | DEG | A128 | SKIP | DEG |
| A129 | SKIP | DEG | A30 | SKIP | DEG | | | | | | |
| ALL ACTIVE ALARMS: NONE | | | | | | | | | | | |
| DATALOG GROUP 1 | | 12 FEB 98 | 23:47 | SAMPLE RATE: 10 MINUTES | | | | | | | |
| A11 | 72.4 | DEG | A12 | 67.6 | DEG | A13 | 73.6 | DEG | A14 | 73.1 | DEG |
| A19 | 72.9 | DEG | A16 | 72.9 | DEG | A17 | 74.4 | DEG | A18 | 69.3 | DEG |
| A19 | 72.9 | DEG | A18 | 72.9 | DEG | A11 | 74.4 | DEG | A112 | 73.5 | DEG |
| A11 | 71.1 | DEG | A14 | 72.2 | DEG | A118 | 69.3 | DEG | A116 | 71.4 | DEG |
| A113 | 71.1 | DEG | A18 | 70.1 | DEG | A119 | SKIP | DEG | A120 | SKIP | DEG |
| A121 | SKIP | DEG | A22 | SKIP | DEG | A123 | SKIP | DEG | A124 | SKIP | DEG |
| A125 | SKIP | DEG | A26 | SKIP | DEG | A127 | SKIP | DEG | A128 | SKIP | DEG |
| A129 | SKIP | DEG | A30 | SKIP | DEG | | | | | | |
| ALL ACTIVE ALARMS: NONE | | | | | | | | | | | |
| DATALOG GROUP 1 | | 12 FEB 98 | 23:37 | SAMPLE RATE: 10 MINUTES | | | | | | | |
| A11 | 72.4 | DEG | A12 | 67.4 | DEG | A13 | 73.4 | DEG | A14 | 73.1 | DEG |
| A19 | 72.9 | DEG | A16 | 73.6 | DEG | A17 | 74.4 | DEG | A18 | 69.3 | DEG |
| A19 | 72.9 | DEG | A18 | 72.9 | DEG | A11 | 74.4 | DEG | A112 | 73.5 | DEG |
| A11 | 71.1 | DEG | A14 | 72.2 | DEG | A118 | 69.3 | DEG | A116 | 71.4 | DEG |
| A113 | 71.1 | DEG | A18 | 70.1 | DEG | A119 | SKIP | DEG | A120 | SKIP | DEG |
| A121 | SKIP | DEG | A22 | SKIP | DEG | A123 | SKIP | DEG | A124 | SKIP | DEG |
| A125 | SKIP | DEG | A26 | SKIP | DEG | A127 | SKIP | DEG | A128 | SKIP | DEG |
| A129 | SKIP | DEG | A30 | SKIP | DEG | | | | | | |
| ALL ACTIVE ALARMS: NONE | | | | | | | | | | | |
| DATALOG GROUP 1 | | 12 FEB 98 | 23:27 | SAMPLE RATE: 10 MINUTES | | | | | | | |
| A11 | 72.4 | DEG | A12 | 68.2 | DEG | A13 | 73.7 | DEG | A14 | 73.8 | DEG |
| A19 | 72.9 | DEG | A16 | 73.7 | DEG | A17 | 74.7 | DEG | A18 | 70.3 | DEG |
| A19 | 72.9 | DEG | A18 | 73.9 | DEG | A11 | 74.7 | DEG | A112 | 73.6 | DEG |
| A11 | 71.1 | DEG | A14 | 72.2 | DEG | A118 | 69.3 | DEG | A116 | 71.4 | DEG |
| A113 | 71.1 | DEG | A18 | 70.1 | DEG | A119 | SKIP | DEG | A120 | SKIP | DEG |
| A121 | SKIP | DEG | A22 | SKIP | DEG | A123 | SKIP | DEG | A124 | SKIP | DEG |
| A125 | SKIP | DEG | A26 | SKIP | DEG | A127 | SKIP | DEG | A128 | SKIP | DEG |
| A129 | SKIP | DEG | A30 | SKIP | DEG | | | | | | |
| ALL ACTIVE ALARMS: NONE | | | | | | | | | | | |
| DATALOG GROUP 1 | | 12 FEB 98 | 23:17 | SAMPLE RATE: 10 MINUTES | | | | | | | |
| A11 | 72.4 | DEG | A12 | 67.5 | DEG | A13 | 73.7 | DEG | A14 | 73.1 | DEG |
| A19 | 72.9 | DEG | A16 | 73.6 | DEG | A17 | 74.3 | DEG | A18 | 69.8 | DEG |
| A19 | 72.9 | DEG | A18 | 72.9 | DEG | A11 | 74.3 | DEG | A112 | 73.5 | DEG |
| A11 | 71.1 | DEG | A14 | 72.2 | DEG | A118 | 69.3 | DEG | A116 | 71.4 | DEG |
| A113 | 71.1 | DEG | A18 | 70.1 | DEG | A119 | SKIP | DEG | A120 | SKIP | DEG |
| A121 | SKIP | DEG | A22 | SKIP | DEG | A123 | SKIP | DEG | A124 | SKIP | DEG |
| A125 | SKIP | DEG | A26 | SKIP | DEG | A127 | SKIP | DEG | A128 | SKIP | DEG |
| A129 | SKIP | DEG | A30 | SKIP | DEG | | | | | | |
| ALL ACTIVE ALARMS: NONE | | | | | | | | | | | |

NO. 677001 LEEDS & NORTHROP : A UNIT OF GENERAL SIGNAL : MADE IN U.S.A.:-

Att. III
page 195
of 199

[illegible]



10-2
10-1
10-1
10-1

10-2
10-1
10-1

10-2
10-1
10-1



10-2
10-1
10-1

10-2
10-1
10-1

10-2
10-1
10-1



10-2
10-1
10-1

10-2
10-1
10-1

NO. 677001

LEADS & NORTHROP A UNIT OF GENERAL SIGNAL MADE IN U.S.A.

Att. III
Page 197
of 199

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 13 FEB 98 2:07 SAMPLE RATE: 10 MINUTES

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 | 76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95 | 96 | 97 | 98 | 99 | 100 | 101 | 102 | 103 | 104 | 105 | 106 | 107 | 108 | 109 | 110 | 111 | 112 | 113 | 114 | 115 | 116 | 117 | 118 | 119 | 120 | 121 | 122 | 123 | 124 | 125 | 126 | 127 | 128 | 129 | 130 | 131 | 132 | 133 | 134 | 135 | 136 | 137 | 138 | 139 | 140 | 141 | 142 | 143 | 144 | 145 | 146 | 147 | 148 | 149 | 150 | 151 | 152 | 153 | 154 | 155 | 156 | 157 | 158 | 159 | 160 | 161 | 162 | 163 | 164 | 165 | 166 | 167 | 168 | 169 | 170 | 171 | 172 | 173 | 174 | 175 | 176 | 177 | 178 | 179 | 180 | 181 | 182 | 183 | 184 | 185 | 186 | 187 | 188 | 189 | 190 | 191 | 192 | 193 | 194 | 195 | 196 | 197 | 198 | 199 | 200 | 201 | 202 | 203 | 204 | 205 | 206 | 207 | 208 | 209 | 210 | 211 | 212 | 213 | 214 | 215 | 216 | 217 | 218 | 219 | 220 | 221 | 222 | 223 | 224 | 225 | 226 | 227 | 228 | 229 | 230 | 231 | 232 | 233 | 234 | 235 | 236 | 237 | 238 | 239 | 240 | 241 | 242 | 243 | 244 | 245 | 246 | 247 | 248 | 249 | 250 | 251 | 252 | 253 | 254 | 255 | 256 | 257 | 258 | 259 | 260 | 261 | 262 | 263 | 264 | 265 | 266 | 267 | 268 | 269 | 270 | 271 | 272 | 273 | 274 | 275 | 276 | 277 | 278 | 279 | 280 | 281 | 282 | 283 | 284 | 285 | 286 | 287 | 288 | 289 | 290 | 291 | 292 | 293 | 294 | 295 | 296 | 297 | 298 | 299 | 300 | 301 | 302 | 303 | 304 | 305 | 306 | 307 | 308 | 309 | 310 | 311 | 312 | 313 | 314 | 315 | 316 | 317 | 318 | 319 | 320 | 321 | 322 | 323 | 324 | 325 | 326 | 327 | 328 | 329 | 330 | 331 | 332 | 333 | 334 | 335 | 336 | 337 | 338 | 339 | 340 | 341 | 342 | 343 | 344 | 345 | 346 | 347 | 348 | 349 | 350 | 351 | 352 | 353 | 354 | 355 | 356 | 357 | 358 | 359 | 360 | 361 | 362 | 363 | 364 | 365 | 366 | 367 | 368 | 369 | 370 | 371 | 372 | 373 | 374 | 375 | 376 | 377 | 378 | 379 | 380 | 381 | 382 | 383 | 384 | 385 | 386 | 387 | 388 | 389 | 390 | 391 | 392 | 393 | 394 | 395 | 396 | 397 | 398 | 399 | 400 | 401 | 402 | 403 | 404 | 405 | 406 | 407 | 408 | 409 | 410 | 411 | 412 | 413 | 414 | 415 | 416 | 417 | 418 | 419 | 420 | 421 | 422 | 423 | 424 | 425 | 426 | 427 | 428 | 429 | 430 | 431 | 432 | 433 | 434 | 435 | 436 | 437 | 438 | 439 | 440 | 441 | 442 | 443 | 444 | 445 | 446 | 447 | 448 | 449 | 450 | 451 | 452 | 453 | 454 | 455 | 456 | 457 | 458 | 459 | 460 | 461 | 462 | 463 | 464 | 465 | 466 | 467 | 468 | 469 | 470 | 471 | 472 | 473 | 474 | 475 | 476 | 477 | 478 | 479 | 480 | 481 | 482 | 483 | 484 | 485 | 486 | 487 | 488 | 489 | 490 | 491 | 492 | 493 | 494 | 495 | 496 | 497 | 498 | 499 | 500 | 501 | 502 | 503 | 504 | 505 | 506 | 507 | 508 | 509 | 510 | 511 | 512 | 513 | 514 | 515 | 516 | 517 | 518 | 519 | 520 | 521 | 522 | 523 | 524 | 525 | 526 | 527 | 528 | 529 | 530 | 531 | 532 | 533 | 534 | 535 | 536 | 537 | 538 | 539 | 540 | 541 | 542 | 543 | 544 | 545 | 546 | 547 | 548 | 549 | 550 | 551 | 552 | 553 | 554 | 555 | 556 | 557 | 558 | 559 | 560 | 561 | 562 | 563 | 564 | 565 | 566 | 567 | 568 | 569 | 570 | 571 | 572 | 573 | 574 | 575 | 576 | 577 | 578 | 579 | 580 | 581 | 582 | 583 | 584 | 585 | 586 | 587 | 588 | 589 | 590 | 591 | 592 | 593 | 594 | 595 | 596 | 597 | 598 | 599 | 600 | 601 | 602 | 603 | 604 | 605 | 606 | 607 | 608 | 609 | 610 | 611 | 612 | 613 | 614 | 615 | 616 | 617 | 618 | 619 | 620 | 621 | 622 | 623 | 624 | 625 | 626 | 627 | 628 | 629 | 630 | 631 | 632 | 633 | 634 | 635 | 636 | 637 | 638 | 639 | 640 | 641 | 642 | 643 | 644 | 645 | 646 | 647 | 648 | 649 | 650 | 651 | 652 | 653 | 654 | 655 | 656 | 657 | 658 | 659 | 660 | 661 | 662 | 663 | 664 | 665 | 666 | 667 | 668 | 669 | 670 | 671 | 672 | 673 | 674 | 675 | 676 | 677 | 678 | 679 | 680 | 681 | 682 | 683 | 684 | 685 | 686 | 687 | 688 | 689 | 690 | 691 | 692 | 693 | 694 | 695 | 696 | 697 | 698 | 699 | 700 | 701 | 702 | 703 | 704 | 705 | 706 | 707 | 708 | 709 | 710 | 711 | 712 | 713 | 714 | 715 | 716 | 717 | 718 | 719 | 720 | 721 | 722 | 723 | 724 | 725 | 726 | 727 | 728 | 729 | 730 | 731 | 732 | 733 | 734 | 735 | 736 | 737 | 738 | 739 | 740 | 741 | 742 | 743 | 744 | 745 | 746 | 747 | 748 | 749 | 750 | 751 | 752 | 753 | 754 | 755 | 756 | 757 | 758 | 759 | 760 | 761 | 762 | 763 | 764 | 765 | 766 | 767 | 768 | 769 | 770 | 771 | 772 | 773 | 774 | 775 | 776 | 777 | 778 | 779 | 780 | 781 | 782 | 783 | 784 | 785 | 786 | 787 | 788 | 789 | 790 | 791 | 792 | 793 | 794 | 795 | 796 | 797 | 798 | 799 | 800 | 801 | 802 | 803 | 804 | 805 | 806 | 807 | 808 | 809 | 810 | 811 | 812 | 813 | 814 | 815 | 816 | 817 | 818 | 819 | 820 | 821 | 822 | 823 | 824 | 825 | 826 | 827 | 828 | 829 | 830 | 831 | 832 | 833 | 834 | 835 | 836 | 837 | 838 | 839 | 840 | 841 | 842 | 843 | 844 | 845 | 846 | 847 | 848 | 849 | 850 | 851 | 852 | 853 | 854 | 855 | 856 | 857 | 858 | 859 | 860 | 861 | 862 | 863 | 864 | 865 | 866 | 867 | 868 | 869 | 870 | 871 | 872 | 873 | 874 | 875 | 876 | 877 | 878 | 879 | 880 | 881 | 882 | 883 | 884 | 885 | 886 | 887 | 888 | 889 | 890 | 891 | 892 | 893 | 894 | 895 | 896 | 897 | 898 | 899 | 900 | 901 | 902 | 903 | 904 | 905 | 906 | 907 | 908 | 909 | 910 | 911 | 912 | 913 | 914 | 915 | 916 | 917 | 918 | 919 | 920 | 921 | 922 | 923 | 924 | 925 | 926 | 927 | 928 | 929 | 930 | 931 | 932 | 933 | 934 | 935 | 936 | 937 | 938 | 939 | 940 | 941 | 942 | 943 | 944 | 945 | 946 | 947 | 948 | 949 | 950 | 951 | 952 | 953 | 954 | 955 | 956 | 957 | 958 | 959 | 960 | 961 | 962 | 963 | 964 | 965 | 966 | 967 | 968 | 969 | 970 | 971 | 972 | 973 | 974 | 975 | 976 | 977 | 978 | 979 | 980 | 981 | 982 | 983 | 984 | 985 | 986 | 987 | 988 | 989 | 990 | 991 | 992 | 993 | 994 | 995 | 996 | 997 | 998 | 999 | 1000 |
|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 13 FEB 98 1:57 SAMPLE RATE: 10 MINUTES

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 | 76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95 | 96 | 97 | 98 | 99 | 100 | 101 | 102 | 103 | 104 | 105 | 106 | 107 | 108 | 109 | 110 | 111 | 112 | 113 | 114 | 115 | 116 | 117 | 118 | 119 | 120 | 121 | 122 | 123 | 124 | 125 | 126 | 127 | 128 | 129 | 130 | 131 | 132 | 133 | 134 | 135 | 136 | 137 | 138 | 139 | 140 | 141 | 142 | 143 | 144 | 145 | 146 | 147 | 148 | 149 | 150 | 151 | 152 | 153 | 154 | 155 | 156 | 157 | 158 | 159 | 160 | 161 | 162 | 163 | 164 | 165 | 166 | 167 | 168 | 169 | 170 | 171 | 172 | 173 | 174 | 175 | 176 | 177 | 178 | 179 | 180 | 181 | 182 | 183 | 184 | 185 | 186 | 187 | 188 | 189 | 190 | 191 | 192 | 193 | 194 | 195 | 196 | 197 | 198 | 199 | 200 | 201 | 202 | 203 | 204 | 205 | 206 | 207 | 208 | 209 | 210 | 211 | 212 | 213 | 214 | 215 | 216 | 217 | 218 | 219 | 220 | 221 | 222 | 223 | 224 | 225 | 226 | 227 | 228 | 229 | 230 | 231 | 232 | 233 | 234 | 235 | 236 | 237 | 238 | 239 | 240 | 241 | 242 | 243 | 244 | 245 | 246 | 247 | 248 | 249 | 250 | 251 | 252 | 253 | 254 | 255 | 256 | 257 | 258 | 259 | 260 | 261 | 262 | 263 | 264 | 265 | 266 | 267 | 268 | 269 | 270 | 271 | 272 | 273 | 274 | 275 | 276 | 277 | 278 | 279 | 280 | 281 | 282 | 283 | 284 | 285 | 286 | 287 | 288 | 289 | 290 | 291 | 292 | 293 | 294 | 295 | 296 | 297 | 298 | 299 | 300 | 301 | 302 | 303 | 304 | 305 | 306 | 307 | 308 | 309 | 310 | 311 | 312 | 313 | 314 | 315 | 316 | 317 | 318 | 319 | 320 | 321 | 322 | 323 | 324 | 325 | 326 | 327 | 328 | 329 | 330 | 331 | 332 | 333 | 334 | 335 | 336 | 337 | 338 | 339 | 340 | 341 | 342 | 343 | 344 | 345 | 346 | 347 | 348 | 349 | 350 | 351 | 352 | 353 | 354 | 355 | 356 | 357 | 358 | 359 | 360 | 361 | 362 | 363 | 364 | 365 | 366 | 367 | 368 | 369 | 370 | 371 | 372 | 373 | 374 | 375 | 376 | 377 | 378 | 379 | 380 | 381 | 382 | 383 | 384 | 385 | 386 | 387 | 388 | 389 | 390 | 391 | 392 | 393 | 394 | 395 | 396 | 397 | 398 | 399 | 400 | 401 | 402 | 403 | 404 | 405 | 406 | 407 | 408 | 409 | 410 | 411 | 412 | 413 | 414 | 415 | 416 | 417 | 418 | 419 | 420 | 421 | 422 | 423 | 424 | 425 | 426 | 427 | 428 | 429 | 430 | 431 | 432 | 433 | 434 | 435 | 436 | 437 | 438 | 439 | 440 | 441 | 442 | 443 | 444 | 445 | 446 | 447 | 448 | 449 | 450 | 451 | 452 | 453 | 454 | 455 | 456 | 457 | 458 | 459 | 460 | 461 | 462 | 463 | 464 | 465 | 466 | 467 | 468 | 469 | 470 | 471 | 472 | 473 | 474 | 475 | 476 | 477 | 478 | 479 | 480 | 481 | 482 | 483 | 484 | 485 | 486 | 487 | 488 | 489 | 490 | 491 | 492 | 493 | 494 | 495 | 496 | 497 | 498 | 499 | 500 | 501 | 502 | 503 | 504 | 505 | 506 | 507 | 508 | 509 | 510 | 511 | 512 | 513 | 514 | 515 | 516 | 517 | 518 | 519 | 520 | 521 | 522 | 523 | 524 | 525 | 526 | 527 | 528 | 529 | 530 | 531 | 532 | 533 | 534 | 535 | 536 | 537 | 538 | 539 | 540 | 541 | 542 | 543 | 544 | 545 | 546 | 547 | 548 | 549 | 550 | 551 | 552 | 553 | 554 | 555 | 556 | 557 | 558 | 559 | 560 | 561 | 562 | 563 | 564 | 565 | 566 | 567 | 568 | 569 | 570 | 571 | 572 | 573 | 574 | 575 | 576 | 577 | 578 | 579 | 580 | 581 | 582 | 583 | 584 | 585 | 586 | 587 | 588 | 589 | 590 | 591 | 592 | 593 | 594 | 595 | 596 | 597 | 598 | 599 | 600 | 601 | 602 | 603 | 604 | 605 | 606 | 607 | 608 | 609 | 610 | 611 | 612 | 613 | 614 | 615 | 616 | 617 | 618 | 619 | 620 | 621 | 622 | 623 | 624 | 625 | 626 | 627 | 628 | 629 | 630 | 631 | 632 | 633 | 634 | 635 | 636 | 637 | 638 | 639 | 640 | 641 | 642 | 643 | 644 | 645 | 646 | 647 | 648 | 649 | 650 | 651 | 652 | 653 | 654 | 655 | 656 | 657 | 658 | 659 | 660 | 661 | 662 | 663 | 664 | 665 | 666 | 667 | 668 | 669 | 670 | 671 | 672 | 673 | 674 | 675 | 676 | 677 | 678 | 679 | 680 | 681 | 682 | 683 | 684 | 685 | 686 | 687 | 688 | 689 | 690 | 691 | 692 | 693 | 694 | 695 | 696 | 697 | 698 | 699 | 700 | 701 | 702 | 703 | 704 | 705 | 706 | 707 | 708 | 709 | 710 | 711 | 712 | 713 | 714 | 715 | 716 | 717 | 718 | 719 | 720 | 721 | 722 | 723 | 724 | 725 | 726 | 727 | 728 | 729 | 730 | 731 | 732 | 733 | 734 | 735 | 736 | 737 | 738 | 739 | 740 | 741 | 742 | 743 | 744 | 745 | 746 | 747 | 748 | 749 | 750 | 751 | 752 | 753 | 754 | 755 | 756 | 757 | 758 | 759 | 760 | 761 | 762 | 763 | 764 | 765 | 766 | 767 | 768 | 769 | 770 | 771 | 772 | 773 | 774 | 775 | 776 | 777 | 778 | 779 | 780 | 781 | 782 | 783 | 784 | 785 | 786 | 787 | 788 | 789 | 790 | 791 | 792 | 793 | 794 | 795 | 796 | 797 | 798 | 799 | 800 | 801 | 802 | 803 | 804 | 805 | 806 | 807 | 808 | 809 | 810 | 811 | 812 | 813 | 814 | 815 | 816 | 817 | 818 | 819 | 820 | 821 | 822 | 823 | 824 | 825 | 826 | 827 | 828 | 829 | 830 | 831 | 832 | 833 | 834 | 835 | 836 | 837 | 838 | 839 | 840 | 841 | 842 | 843 | 844 | 845 | 846 | 847 | 848 | 849 | 850 | 851 | 852 | 853 | 854 | 855 | 856 | 857 | 858 | 859 | 860 | 861 | 862 | 863 | 864 | 865 | 866 | 867 | 868 | 869 | 870 | 871 | 872 | 873 | 874 | 875 | 876 | 877 | 878 | 879 | 880 | 881 | 882 | 883 | 884 | 885 | 886 | 887 | 888 | 889 | 890 | 891 | 892 | 893 | 894 | 895 | 896 | 897 | 898 | 899 | 900 | 901 | 902 | 903 | 904 | 905 | 906 | 907 | 908 | 909 | 910 | 911 | 912 | 913 | 914 | 915 | 916 | 917 | 918 | 919 | 920 | 921 | 922 | 923 | 924 | 925 | 926 | 927 | 928 | 929 | 930 | 931 | 932 | 933 | 934 | 935 | 936 | 937 | 938 | 939 | 940 | 941 | 942 | 943 | 944 | 945 | 946 | 947 | 948 | 949 | 950 | 951 | 952 | 953 | 954 | 955 | 956 | 957 | 958 | 959 | 960 | 961 | 962 | 963 | 964 | 965 | 966 | 967 | 968 | 969 | 970 | 971 | 972 | 973 | 974 | 975 | 976 | 977 | 978 | 979 | 980 | 981 | 982 | 983 | 984 | 985 | 986 | 987 | 988 | 989 | 990 | 991 | 992 | 993 | 994 | 995 | 996 | 997 | 998 | 999 | 1000 | 1001 | 1002 | 1003 | 1004 | 1005 | 1006 | 1007 | 1008 | 1009 | 1010 | 1011 | 1012 | 1013 | 1014 | 1015 | 1016 | 1017 | 1018 | 1019 | 1020 | 1021 | 1022 | 1023 | 1024 | 1025 | 1026 | 1027 | 1028 | 1029 | 1030 | 1031 | 1032 | 1033 | 1034 | 1035 | 1036 | 1037 | 1038 | 1039 | 1040 | 1041 | 1042 | 1043 | 1044 | 1045 | 1046 | 1047 | 1048 | 1049 | 1050 | 1051 | 1052 | 1053 | 1054 | 1055 | 1056 | 1057 | 1058 | 1059 | 1060 | 1061 | 1062 | 1063 | 1064 | 1065 | 1066 | 1067 | 1068 | 1069 | 1070 | 1071 | 1072 | 1073 | 1074 | 1075 | 1076 | 1077 | 1078 | 1079 | 1080 | 1081 | 1082 | 1083 | 1084 | 1085 | 1086 | 1087 | 1088 | 1089 | 1090 | 1091 | 1092 | 1093 | 1094 | 1095 | 1096 | 1097 | 1098 | 1099 | 1100 | 1101 | 1102 | 1103 | 1104 | 1105 | 1106 | 1107 | 1108 | 1109 | 1110 | 1111 | 1112 | 1113 | 1114 | 1115 | 1116 | 1117 | 1118 | 1119 | 1120 | 1121 | 1122 | 1123 | 1124 | 1125 | 1126 | 1127 | 1128 | 1129 | 1130 | 1131 | 1132 | 1133 | 1134 | 1135 | 1136 | 1137 | 1138 | 1139 | 1140 | 1141 | 1142 | 1143 | 1144 | 1145 | 1146 | 1147 | 1148 | 1149 | 1150 | 1151 | 1152 | 1153 | 1154 | 1155 | 1156 | 1157 | 1158 | 1159 | 1160 | 1161 | 1162 | 1163 | 1164 | 1165 | 1166 | 1167 | 1168 | 1169 | 1170 | 1171 | 1172 | 1173 | 1174 | 1175 | 1176 | 1177 | 1178 | 1179 | 1180 | 1181 | 1182 | 1183 | 1184 | 1185 | 1186 | 1187 | 1188 | 1189 | 1190 | 1191 | 1192 | 1193 | 1194 | 1195 | 1196 | 1197 | 1198 | 1199 | 1200 | 1201 | 1202 | 1203 | 1204 | 1205 | 1206 | 1207 | 1208 | 1209 | 1210 | 1211 | 1212 | 1213 | 1214 | 1215 | 1216 | 1217 | 1218 | 1219 | 1220 | 1221 | 1222 | 1223 | 1224 | 1225 | 1226 | 1227 | 1228 | 1229 | 1230 | 1231 | 1232 | 1233 | 1234 | 1235 | 1236 | 1237 | 1238 | 1239 | 1240 | 1241 | 1242 | 1243 | 1244 | 1245 | 1246 | 1247 | 1248 | 1249 | 1250 | 1251 | 1252 | 1253 | 1254 | 1255 | 1256 | 1257 | 1258 | 1259 | 1260 | 1261 | 1262 | 1263 | 1264 | 1265 | 1266 | 1267 | 1268 | 1269 | 1270 | 1271 | 1272 | 1273 | 1274 | 1275 | 1276 | 1277 | 1278 | 1279 | 1280 | 1281 | 1282 | 1283 | 1284 | 1285 | 1286 | 1287 | 1288 | 1289 | 1290 | 1291 | 1292 | 1293 | 1294 | 1295 | 1296 | 1297 | 1298 | 1299 | 1300 | 1301 | 1302 | 1303 | 1304 | 1305 | 1306 | 1307 | 1308 | 1309 | 1310 | 1311 | 1312 | 1313 | 1314 | 1315 | 1316 | 1317 | 1318 | 1319 | 1320 | 1321 | 1322 | 1323 | 1324 | 1325 | 1326 | 1327 | 1328 | 1329 | 1330 | 1331 | 1332 | 1333 | 1334 | 1335 | 1336 | 1337 | 1338 | 1339 | 1340 | 1341 | 1342 | 1343 | 1344 | 1345 | 1346 | 1347 | 1348 | 1349 | 1350 | 1351 | 1352 | 1353 | 1354 | 1355 | 1356 | 1357 | 1358 | 1359 | 1360 | 1361 | 1362 | 1363 | 1364 | 1365 | 1366 | 1367 | 1368 | 1369 | 1370 | 1371 | 1372 | 1373 | 1374 | 1375 | 1376 | 1377 | 1378 | 1379 | 1380 | 1381 | 1382 | 1383 | 1384 | 1385 | 1386 | 1387 | 1388 | 1389 | 1390 | 1391 | 1392 | 1393 | 1394 | 1395 | 1396 | 1397 | 1398 | 1399 | 1400 | 1401 | 1402 | 1403 | 1404 | 1405 | 1406 | 1407 | 1408 | 1409 | 1410 | 1411 | 1412 | 1413 | 1414 | 1415 | 1416 | 1417 | 1418 | 1419 | 1420 | 1421 | 1422 | 1423 | 1424 | 1425 | 1426 | 1427 | 1428 | 1429 | 1430 | 1431 | 1432 | 1433 | 1434 | 1435 | 1436 | 1437 | 1438 | 1439 | 1440 | 1441 | 1442 | 1443 | 1444 | 1445 | 1446 | 1447 | 1448 | 1449 | 1450 | 1451 | 1452 | 1453 | 1454 | 1455 | 1456 | 1457 | 1458 | 1459 | 1460 | 1461 | 1462 | 1463 | 1464 | 1465 | 1466 | 1467 | 1468 | 1469 | 1470 | 1471 | 1472 | 1473 | 1474 | 1475 | 1476 | 1477 | 1478 | 1479 | 1480 | 1481 | 1482 | 1483 | 1484 | 1485 | 1486 | 1487 | 1488 | 1489 | 1490 | 1491 | 1492 | 1493 | 1494 | 1495 | 1496 | 1497 | 1498 | 149 |
|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----|



NO. 67001 LEADS & NORTHROP - A UNIT OF GENERAL SIGNAL - MADE IN U.S.

SAH, III
Page 198
of 199

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 13 FEB 98 2:47 SAMPLE RATE: 10 MINUTES

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 13 FEB 98 2:37 SAMPLE RATE: 10 MINUTES

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 13 FEB 98 2:27 SAMPLE RATE: 10 MINUTES

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 13 FEB 98 2:17 SAMPLE RATE: 10 MINUTES

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 13 FEB 98 2:07 SAMPLE RATE: 10 MINUTES

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 13 FEB 98 1:57 SAMPLE RATE: 10 MINUTES

S.A.





ATT. II
 page 199 of 199

UNIT OF SEVEN SIGNAL RUC INFO

DATALOG GROUP 1 13 FEB 98 3:27 SAMPLE RATE: 10 MINUTES

| | | | | | |
|------|------|-----|-----|------|-----|
| A12 | 67.5 | DEG | A17 | 73.2 | DEG |
| A16 | 73.0 | DEG | A17 | 73.2 | DEG |
| A110 | 73.0 | DEG | A17 | 73.2 | DEG |
| A114 | 72.4 | DEG | A17 | 73.2 | DEG |
| A122 | 71.1 | DEG | A17 | 73.2 | DEG |
| A126 | SKIP | DEG | A17 | 73.2 | DEG |
| A138 | SKIP | DEG | A17 | 73.2 | DEG |

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 13 FEB 98 2:57 SAMPLE RATE: 10 MINUTES

| | | | | | |
|------|------|-----|-----|------|-----|
| A12 | 68.6 | DEG | A17 | 73.2 | DEG |
| A16 | 72.2 | DEG | A17 | 73.2 | DEG |
| A110 | 72.4 | DEG | A17 | 73.2 | DEG |
| A114 | 70.9 | DEG | A17 | 73.2 | DEG |
| A122 | SKIP | DEG | A17 | 73.2 | DEG |
| A126 | SKIP | DEG | A17 | 73.2 | DEG |
| A138 | SKIP | DEG | A17 | 73.2 | DEG |

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 13 FEB 98 2:47 SAMPLE RATE: 10 MINUTES

| | | | | | |
|------|------|-----|-----|------|-----|
| A12 | 67.2 | DEG | A17 | 73.2 | DEG |
| A16 | 73.2 | DEG | A17 | 73.2 | DEG |
| A110 | 73.2 | DEG | A17 | 73.2 | DEG |
| A114 | 73.2 | DEG | A17 | 73.2 | DEG |
| A122 | 73.2 | DEG | A17 | 73.2 | DEG |
| A126 | SKIP | DEG | A17 | 73.2 | DEG |
| A138 | SKIP | DEG | A17 | 73.2 | DEG |

ALL ACTIVE ALARMS: NONE

DATALOG GROUP 1 13 FEB 98 2:37 SAMPLE RATE: 10 MINUTES

| | | | | | |
|------|------|-----|-----|------|-----|
| A12 | 69.4 | DEG | A17 | 73.2 | DEG |
| A16 | 73.2 | DEG | A17 | 73.2 | DEG |
| A110 | 73.2 | DEG | A17 | 73.2 | DEG |
| A114 | 73.2 | DEG | A17 | 73.2 | DEG |
| A122 | 73.2 | DEG | A17 | 73.2 | DEG |
| A126 | SKIP | DEG | A17 | 73.2 | DEG |
| A138 | SKIP | DEG | A17 | 73.2 | DEG |

24-38500

COMMENTS FROM UNIT TEST

TEST COMPLETED
 1510 2-13-90
 ST 89.02

Enclosure 4

**Thermocouples
Versus
Recorder Points**

ATTACHMENT IV



CONTROL ROOM

ST-89.02

RECORDER Point

WIRE

| | |
|----|----|
| 1. | 17 |
| 2 | 9 |
| 3 | 11 |
| 4 | 21 |
| 5 | 34 |
| 6 | 19 |
| 7 | 24 |
| 8 | 8 |
| 9 | 47 |
| 10 | 25 |
| 11 | 37 |
| 12 | 12 |
| 13 | 16 |
| 14 | 23 |
| 15 | 10 |
| 16 | 45 |
| 17 | 15 |
| 18 | 3 |
| 19 | 38 |
| 20 | 20 |
| 21 | 35 |

AIR HANDLING ROOM WAHL

| | |
|---|----|
| A | 13 |
| B | 41 |

ST-89.02:12

CONTROL ROOM TEST

DATA SHEET 1

Test Start Time: 7:53 1615 Date: 2-15-90
Test Stop Time: 0936 Date: 2-17-90

Control Bldg. HVAC
(Outside Air) (B)

Control Bldg. HVAC
(Mixed Air) (A)

Turbine Deck Area
(Ambient)

[illegible]

Time Shift Equipment Check: (Initial appropriate column)

Sat. / Unsat.
 Sat. PEP / Unsat.
 Sat. PEP / Unsat.

07:00 Sat. PER / Unsat.
16:35 Sat. PER / Unsat.

COMMENTS: ① TEST START TIME CHANGED DUE TO REPAIR OF CONTROL ROOM DOOR. ② HVAC RETURNED TO NORMAL M/SPE. 0932

② HVAC WAS REMOVED FROM SERVICE FOR TESTING PER PT 47.3 6946

③HVAC WAS REINSTATED AT 1130.

④ HVAC WAS PUT IN { FIRE MODE } 1315
{ ACCIDENT }

(5) HVAC WAS REINSTATED AT 1520 TO NORMAL FLOW

(E) NYAC WAS REMOVED FROM SERVICE AT 0850 2-17-90



RELAY ROOM TEST

DATA SHEET 2

Test Start Time: 1600 Date: 2-13-90

Test Stop Time: 1608 Date: 2-14-90

Turbine Bldg. Area
(Ambient Air)

| <u>Time</u> | <u>Temperature</u> |
|---------------|--------------------|
| <u>2400</u> | <u>89.4</u> |
| <u>0800</u> | <u>89.0</u> |
| <u>1600</u> | <u>86.0</u> |
| <u> </u> | <u> </u> |

Time Shift Equipment Check: (Initial appropriate column)

2400 Sat. JP / Unsat.

1600 Sat. JP / Unsat.

 Sat. JP / Unsat.

COMMENTS:

NONE.

RELAY ROOM TEST

ST-89.02

| RECORDER POINTS | WIRE |
|-----------------|------|
| 1. | 5 |
| 2. | 28 |
| 3. | 20 |
| 4. | 21 |
| 5. | 14 |
| 6. | 42 |
| 7. | 7 |
| 8 | 30 |
| 9. | 9 |
| 10 | 33 |
| 11 | 11 |
| 12. | 2 |
| 13 | 46 |
| 14 | 12 |
| 15 | 4 |
| 16 | 44 |
| 17 | 1 |
| 18 | 26 |
| 19 | 40 |
| 20 | 43 |
| 21 | 27 |
| 22 | 31 |
| 23 | 3 |
| 24 | 23 |
| 25 | 36 |
| 26 | 18 |
| 27 | 29 |
| 28 | 34A |

RELAY ROOM TEMPERATURE ELEMENT LOCATION SHEET

Ep. Element #

Location Description

Recorder/Readout Serial #

8934-713820-5

| | | |
|-------|-------------------------------------------|--|
| 30 | EAST WALL SOUTH CORNER | |
| 7 | EAST WALL NORTH CORNER | |
| 20 | NORTH WALL EAST CORNER | |
| 17 | NORTH WALL CENTER EAST | |
| 27 | AIR CONDITIONER NORTH EAST CORNER EXHAUST | |
| 40 | NORTH WALL CENTER WEST | |
| 23 43 | NORTH WALL WEST CORNER | |
| 11 | AIR CONDITIONER NORTHEAST CORNER INLET | |
| 31 | AIR CONDITIONER SOUTH WEST CORNER EXHAUST | |
| 46 | AIR CONDITIONER SOUTH WEST CORNER INLET | |
| 33 | EAST WALL SOUTH CENTER | |
| 7 | EAST WALL NORTH CENTER | |
| 5 | WEST WALL NORTH CORNER | |
| 44.21 | WEST WALL NORTH CENTER | |
| 26 | WEST WALL SOUTH CENTER | |
| 28 | WEST WALL SOUTH CORNER | |
| 1 | SOUTH WALL WEST CORNER | |
| 2 | SOUTH WALL WEST CENTER | |
| 44 | SOUTH WALL EAST CENTER | |
| 29 | SOUTH WALL EAST CORNER | |
| 24 44 | CEILING NORTH WEST CORNER | |
| 23 | CEILING SOUTH WEST CORNER | |
| 3 | CEILING NORTH EAST CORNER | |
| 14 | CEILING SOUTH EAST CORNER | |
| 41 | FLOOR NORTH WEST CORNER | |
| 34A | FLOOR SOUTH WEST CORNER | |
| 12 | FLOOR NORTH EAST CORNER | |
| 36 | FLOOR SOUTH EAST CORNER | |

COMMENTS:

COMPUTER ROOM RECORDER

| RECORDER POINT. | | | WIRE NUMBER |
|-----------------|--|----|-------------|
| 1. | | 38 | |
| 2 | | 34 | |
| 3 | | 47 | |
| 4 | | 24 | |
| 5 | | 17 | |
| 6 | | 8 | |
| 7 | | 25 | |
| 8 | | 39 | |
| 9 | | 41 | |
| 10 | | 22 | |
| 11 | | 45 | |
| 12 | | 16 | |
| 13 | | 35 | |
| 14 | | 9 | |
| 15 | | 37 | |
| 16 | | 15 | |
| 17 | | 19 | |
| 18 | | 13 | |



COMPUTER ROOM TEST

DATA SHEET 2A

Test Start Time: 1503 Date: 2-12-90

Test Stop Time: 1509 Date: 2-13-90

| <u>Time</u> | <u>Shift Equipment Check: (Initial appropriate column)</u> |
|--------------|------------------------------------------------------------|
| <u>.30</u> | Sat. <u>S</u> / Unsat. <u> </u> |
| <u>1030</u> | Sat. <u>P</u> / Unsat. <u> </u> |
| <u>10830</u> | Sat. <u>PEP</u> / Unsat. <u> </u> |

COMMENTS: NONE

COMPUTER ROOM TEMPERATURE ELEMENT LOCATION SHEET

Temp. Element #

Location Description

Recorder/Readout Serial #

8934-713820-5

NORTH WALL WEST CORNER

NORTH WALL EAST CORNER

NORTH LAH CENTER

EAST W. & NORTH CORNER

EAST WALL CENTER

EAST WALL SOUTH CORNER

WEST WALL NORTH CORNER

WEST WALL CENTER

WEST WALL SOUTH CORNER

SOUTH WALL E. 95° CORNER

SOUTH WALL CENTER

SOUTH WALL (WEST) CORNER

FLOOR SOUTH END MIDDLE

FLOOR NORTH END EAST CORNER

CEILYNL NORTH WEST CORNER

CLINE SOUTH EAST CORNER

1:2 עֲחָדָה

AIR INLET

COMMENTS:



BATTERY ROOMS 1A & 1B TEST

DATA SHEET 3

Test Start Time: 1700 Date: 2-8-90Test Stop Time: ~~2200~~^{16P} 2358 Date: 2-9-90Turbine Bldg. Area
(Ambient Air)

| <u>Time</u> | <u>Temperature</u> |
|-------------|-----------------------------|
| <u>0100</u> | <u>87.4</u> |
| <u>0400</u> | <u>88.8</u> |
| <u>1700</u> | <u>88.1</u> |
| <u>2300</u> | <u>88.8 86.1</u> |

Time Shift Equipment Check: (Initial appropriate column)0200 Sat. AIM / Unsat. 0400 Sat. / Unsat. PEP0600 Sat. / Unsat. 0800 Sat. / Unsat. COMMENTS:

RECORDER RIBBON MALFUNCTIONED LOST 6 HRS OF DATA
 RECORDER WAS REPAIRED AT 11:00 TEST CONTINUED
 TEST WILL CONTINUE AN ADDITIONAL 6 HRS. PEP.

A BATTERY RM. RECORDER

ST-89.02 REV 0-

| Recorder Point | WIRE | Recorder Point | WIRE |
|----------------|------|----------------|------|
| 1. | 16 ✓ | 16 | 10 |
| 2. | 17 | 17 | 47 ✓ |
| 3 | 45 ✓ | 18 | 46 |
| 4 | 38 | 19 | 42 |
| 5 | 23 | 20 | 41 |
| 6 | (34) | 21 | 21 |
| 7 | 15 ✓ | 22 | 37 |
| 8 | 19 ✓ | 23 | 40 |
| 9 | 35 ✓ | 24 | 24 ✓ |
| 10 | 39 | 25 | 13 |
| 11 | 31 | 26 | 26 |
| 12 | 14 | 27 | 27 |
| 13 | 9 | 28 | 43 |
| 14 | (34) | 29 | 8 |
| 15 | 25 | 30 | 3 |

which is
34A
SWall
West
corner

B BATTERY ROOM RECORDER

| Recorder Point | WIRE | Recorder Point | WIRE |
|----------------|------|----------------|------|
| 1. | 28 ✓ | 8 | 30 ✓ |
| 2. | 2 ✓ | 9 | 9 ✓ |
| 3 | 20 ✓ | 10 | 7 ✓ |
| 4 | 4 ✓ | 11 | 11 ✓ |
| 5 | 5 ✓ | 12 | 33 ✓ |
| 6 | 29 ✓ | 13 | 23 ✓ |
| 7 | 1 ✓ | 14 | 44 ✓ |

BATTERY ROOMS 1A & 1B TEMPERATURE ELEMENT
LOCATION SHEET

Temp. Element #

Location Description

Recorder/Readout Serial #

6
19
45
15
22
16
35
24
10
34A
37
47
17
38
39
14
23
20
9
1
4
7

EAST WALL CENTER
EAST WALL NORTH CORNER
NORTH WALL EAST CORNER
NORTH WALL CENTER
NORTH WALL WEST CORNER
WEST WALL NORTH CORNER
WEST WALL CENTER
WEST WALL SOUTH CORNER
SOUTH WALL WEST CORNER
SOUTH WALL EAST CORNER A
SOUTH WALL CENTER
EAST WALL SOUTH CORNER

8934-113820-5

graphical
output

NORTH END ON FLOOR
NORTH END CEILING
SOUTH END CEILING
SUSPENDED SOUTH (MIDDLE)
SUSPENDED NORTH (MIDDLE)
SUSPENDED NORTH END
SUSPENDED SOUTH END
"A" BATTERY ROOM AIR INLET
"A" BATTERY ROOM AIR EXHAUST
"A" BATTERY ROOM AIR EXHAUST (NORTH WALL)

"A"

"A" room

8550-70865-402-21

3
26
27
43
8
42
25
46
31
34
41
40
13

"B" BATTERY ROOM
EAST WALL NORTH CORNER
NORTH WALL EAST CORNER
NORTH WALL CENTER
NORTH WALL WEST CORNER
WEST WALL NORTH CORNER
EAST WALL CENTER
EAST WALL SOUTH CORNER
SOUTH WALL EAST CORNER
SOUTH WALL CENTER
SOUTH WALL WEST CORNER
WEST WALL SOUTH CORNER
WEST WALL CENTER
NORTH END ON FLOOR

"B"

"B" room

8934-113820-5

graphical
output

NORTH END CEILING
SOUTH END CEILING
SUSPENDED SOUTH END
SUSPENDED MIDDLE - SOUTH
SUSPENDED MIDDLE - NORTH
SUSPENDED NORTH END
WEST WALL AIR INLET
WEST WALL AIR INLET
NORTH WALL AIR EXHAUST

8550-70865-402-21

COMMENTS:

