

DISR261

ROCHESTER GAS & ELECTRIC CORPORATION

DOCUMENT CONTROL

Document Transmittal

*Revised*  
*12/29/96*  
*[Signature]*

To: DOCUMENT CONTROL DESK  
US NRC  
ATT: ALLEN JOHNSON  
PROJECT DOCTORATE 1-1  
WASHINGTON DC 20555

Transmittal: 9605078N 059  
Date: 05/23/1996  
Holder: 1217

LISTED BELOW ARE NEW OR REVISED CONTROLLED DOCUMENTS. REVIEW THE ATTACHED INSTRUCTION LETTER (IF APPLICABLE), AND UPDATE YOUR CONTROLLED DOCUMENT IN ACCORDANCE WITH QA-603.

Doc Id	Doc Title	Rev	Rev Date	Qty
TRM	TECHNICAL REQUIREMENTS MANUAL FOR GINNA STATION	002	05/24/1996	1

*4045 1/1*

Receipt Acknowledgement and Action Taken:

Signature \_\_\_\_\_ Date \_\_\_\_\_

Return to: Attention Document Control - 49/3  
Rochester Gas & Electric Corporation  
89 East Avenue  
Rochester, New York 14649

9605310084 960522  
PDR ADOCK 05000244  
F PDR

Rochester Gas and Electric Corporation  
Inter-Office Correspondence

May 22, 1996

**SUBJECT:** Issuance of Revision 2 to Technical Requirements Manual (TRM)


**TO:** Distribution

Attached is Revision 2 to the TRM. These changes are made to provide consistency between the TRM, ITS, and COLR Table 1 with respect to RWST boron concentration requirements. Revision 2 to the TRM is considered effective on May 24, 1996.

Please update your copy of the TRM according to the list below.

<u>Volume</u>	<u>Remove</u>	<u>Insert</u>
III	LEP-i	LEP-i
III	B 3.1-3	B 3.1-3
III	B 3.1-7	B 3.1-7

Any questions should be directed to Mark Flaherty (x8512) or Peter Bamford (x3832).



George J. Wrobel  
Manager, Nuclear Safety & Licensing

MDF855



List of Effective Pages  
(TRM)

Page	Rev.	Page	Rev.	Page	Rev.	Page	Rev.
TOC		Section 3.4		Section 3.8			
i	1	TRM 3.4-1	1	TRM 3.8-1	0		
Section 1.0		TRM 3.4-2	1	Section 3.9			
TRM 1.0-1		TRM 3.4-3	0	TRM 3.9-1		0	
Section 2.0		TRM 3.4-4	0	TRM 3.9-2		0	
TRM 2.0-1		TRM 3.4-5	0	TRM 3.9-3		0	
Section 3.0		TRM 3.4-6	0	TRM 3.9-4		1	
TRM 3.0-1		TRM 3.4-7	0				
Section 3.1		Section 3.5					
TRM 3.1-1		TRM 3.5-1	0				
TRM 3.1-2		Section 3.6					
TRM 3.1-3		TRM 3.6-1	0				
TRM 3.1-4		Section 3.7					
TRM 3.1-5		TRM 3.7-1	1				
TRM 3.1-6		TRM 3.7-2	1				
TRM 3.1-7		TRM 3.7-3	1				
Section 3.2		TRM 3.7-4	1				
TRM 3.2-1		TRM 3.7-5	1				
Section 3.3		TRM 3.7-6	1				
TRM 3.3-1		TRM 3.7-7	1				
TRM 3.3-2		TRM 3.7-8	1				
TRM 3.3-3		TRM 3.7-9	1				
TRM 3.3-4		TRM 3.7-10	1				
TRM 3.3-5		TRM 3.7-11	1				
TRM 3.3-6		TRM 3.7-12	1				
TRM 3.3-7		TRM 3.7-13	1				
TRM 3.3-8		TRM 3.7-14	1				
TRM 3.3-9		TRM 3.7-15	1				
TRM 3.3-10		TRM 3.7-16	1				
TRM 3.3-11		TRM 3.7-17	1				
TRM 3.3-12		TRM 3.7-18	1				
TRM 3.3-13		TRM 3.7-19	1				
TRM 3.3-14		TRM 3.7-20	1				
		TRM 3.7-21	1				
		TRM 3.7-22	1				
		TRM 3.7-23	1				
		TRM 3.7-24	1				



SURVEILLANCE REQUIREMENTS

SURVEILLANCE		FREQUENCY
TSR 3.1.1.1	<p>-----NOTE----- Only required to be performed when complying with TR 3.1.1.a. -----</p> <p>Verify RWST boron concentration is <math>\geq</math> 2000 ppm.</p>	7 Days
TSR 3.1.1.2	<p>-----NOTE----- Only required to be performed when complying with TR 3.1.1.b. -----</p> <p>Verify boric acid storage tank level is within limit.</p>	24 hours
TSR 3.1.1.3	<p>-----NOTE----- Only required to be performed when complying with TR 3.1.1.b. -----</p> <p>Verify boric acid storage tank boron concentration is within limit.</p>	Twice per week
TSR 3.1.1.4	Perform CHANNEL CALIBRATION of Volume Control Tank level indication.	18 months

(continued)



ACTIONS (continued)

CONDITION	REQUIRED ACTIONS	COMPLETION TIME
<p>B. -----NOTE----- Only applicable to TR 3.1.2.a. -----</p> <p>RCS boron concentration not within limit.</p>	<p>B.1 Initiate action to borate RCS to within limit.</p> <p><u>OR</u></p> <p>B.2 Initiate action to verify one boron injection subsystem is OPERABLE.</p>	<p>Immediately</p> <p>Immediately</p>

SURVEILLANCE REQUIREMENTS

SURVEILLANCE	FREQUENCY
<p>TSR 3.1.2.1 -----NOTE----- Only required to be performed when complying with TR 3.1.2.b. -----</p> <p>Verify boron injection subsystem suction source boron concentration is <math>\geq</math> 2000 ppm.</p>	Twice per week
<p>TSR 3.1.2.2 -----NOTE----- Only required to be performed when complying with TR 3.1.2.a. -----</p> <p>Verify RCS boron concentration is within the limit specified in the COLR for LCO 3.9.1.</p>	72 hours