

SURVEILLANCE REQUIREMENTS

| SURVEILLANCE   | FREQUENCY |
|--|-----------|
| SR 3.8.6.1    Verify electrolyte level of each connected battery cell is above the top of the plates and not overflowing.  | 31 days   |
| SR 3.8.6.2    Verify the float voltage of each connected battery cell is $> 2.07$ V.   | 31 days   |
| <div data-bbox="99 814 211 898" style="border: 1px solid black; padding: 2px; display: inline-block;">A.1.a</div> SR 3.8.6.3    Verify specific gravity of the designated pilot cell in each battery is $\geq 1.188$ for Battery A and $\geq 1.192$ for Battery B. <div data-bbox="905 865 1053 907" style="border: 1px solid black; border-radius: 50%; padding: 2px; display: inline-block;"><math>\geq 1.195</math></div>   | 31 days   |
| SR 3.8.6.4    Verify average electrolyte temperature of the designated pilot cell in each battery is $\geq 55^{\circ}\text{F}$ .   | 31 days   |
| SR 3.8.6.5    Verify average electrolyte temperature of every fifth cell of each battery is $\geq 55^{\circ}\text{F}$ .  | 92 days   |
| <div data-bbox="123 1549 251 1642" style="border: 1px solid black; padding: 2px; display: inline-block;">A.1.b</div> SR 3.8.6.6    Verify specific gravity of each connected battery cell is: <ul style="list-style-type: none"> <li>a. Not more than 0.020 below average of all connected cells, and</li> <li>b. Average of all connected cells is <math>\geq 1.188</math> for Battery A and <math>\geq 1.192</math> for Battery B.</li> </ul> <div data-bbox="680 1621 822 1663" style="border: 1px solid black; border-radius: 50%; padding: 2px; display: inline-block;"><math>\geq 1.195</math></div> | 92 days   |

9903100125 990301  
PDR ADOCK 05000244  
P PDR



**Attachment IV**  
**R.E. Ginna Nuclear Power Plant**

**Proposed Ginna Station Technical Specifications**

**Included pages:**

**3.8-19**

**SURVEILLANCE REQUIREMENTS**

| SURVEILLANCE |  | FREQUENCY |
|--------------|--|-----------|
| SR 3.8.6.1   | Verify electrolyte level of each connected battery cell is above the top of the plates and not overflowing.  | 31 days   |
| SR 3.8.6.2   | Verify the float voltage of each connected battery cell is $> 2.07$ V.   | 31 days   |
| SR 3.8.6.3   | Verify specific gravity of the designated pilot cell in each battery is $\geq 1.195$ .   | 31 days   |
| SR 3.8.6.4   | Verify average electrolyte temperature of the designated pilot cell in each battery is $\geq 55^{\circ}\text{F}$ .   | 31 days   |
| SR 3.8.6.5   | Verify average electrolyte temperature of every fifth cell of each battery is $\geq 55^{\circ}\text{F}$ .  | 92 days   |
| SR 3.8.6.6   | Verify specific gravity of each connected battery cell is: <ul style="list-style-type: none"> <li>a. Not more than 0.020 below average of all connected cells, and</li> <li>b. Average of all connected cells is <math>\geq 1.195</math>.</li> </ul> | 92 days   |

