

Tier / Group	Randomly Selected K/A	Reason for Rejection
1 / 1	295016 G 2.2.4.	K/A not applicable at Dresden Nuclear Power Station. No difference between Units in this area. Replaced with G 2.1.28
1 / 1	295024.A2.08	Unable to write operationally valid, discriminatory question at the appropriate license level. Replaced with A2.03
1 / 1	295038 G 2.2.25	SRO only K/A on RO exam. Replaced with G 2.4.01
1/1	600000.K1.01	Unable to write operationally valid, discriminatory question at the appropriate license level. Replaced with K1.02
1 / 2	295002.K3.08	K/A not applicable at Dresden Nuclear Power Station. Replaced with K3.09
1 / 2	295022.K2.04	Oversampling issue with 295031.A1.10. Replaced with K2.03
2 / 1	205000.K4.07	K/A not applicable at Dresden Nuclear Power Station. Replaced with K4.03
2/1	209001.A2.07	Unable to write operationally valid, discriminatory question at the appropriate license level. Replaced with A2.05
2/1	211000.A3.04	Unable to write an operationally valid question with 3 plausible distractors. Replaced with 211000.A3.07
2/1	264000.G2.1.19	Unable to write operationally valid, (Status of EDGs is not monitored on PPC) discriminatory question at the appropriate license level. Replaced with G2.1.32
2/2	201001.A1.07	Oversampling with 295031.A1.10. Replaced with A1.05
2/2	215002 G2.4.18	Unable to write operationally valid, (DEOP bases do not refer to the RBM system) discriminatory question at the appropriate license level. Replaced with G2.2.39
1/1 SRO	295016.G2.1.27	Unable to write operationally valid, discriminatory question at the appropriate license level. Replaced with G2.1.25
1/1 SRO	295024.G.2.4.45	Unable to write operationally valid, discriminatory question at the appropriate license level. Replaced with G2.4.23
1/2 SRO	295015.G.2.4.50	Unable to write operationally valid, discriminatory question at the appropriate license level. Replaced with G2.1.20
1/2 SRO	295020.A2.06	Unable to write operationally valid, discriminatory question at the appropriate license level. Replaced with A2.04
2/1 SRO	205000.G.1.31	Oversampling of SDC. Reselected KA to 206000.G2.2.25
2/1 SRO	400000.G2.2.44	Unable to write operationally valid, discriminatory question at the appropriate license level. Replaced with G2.2.37