

Facility: Dresden Station		Date of Exam: 8/31/17		Exam Level: RO <input type="checkbox"/> SRO <input checked="" type="checkbox"/>	
Item Description	Initials				
	a	b	c		
1. Clean answer sheets copied before grading	<i>[Signature]</i>	<i>[Signature]</i>	<i>RW</i>		
2. Proposed answer key changes and question deletions justified and documented (facility reviewer initials not required (N/R) if NO post-examination comments are submitted)	<i>N/R</i>	<i>N/R</i>	<i>N/R</i>		
3. Applicants' scores checked for addition errors (reviewers spot check > 25% of examinations)	<i>[Signature]</i>	<i>[Signature]</i>	<i>RW</i>		
4. Grading for all borderline cases (80% \pm 2% overall and 70% or 80%, as applicable, \pm 4% on the SRO-only exam) reviewed in detail	<i>[Signature]</i>	<i>[Signature]</i>	<i>RW</i>		
5. All other failing examinations checked to ensure that grades are justified	<i>[Signature]</i>	<i>[Signature]</i>	<i>N/A RW</i>		
6. Performance on missed questions checked for training deficiencies and wording problems; evaluate validity of questions missed by one-half or more of the applicants	<i>[Signature]</i>	<i>[Signature]</i>	<i>RW</i>		

	Printed Name/Signature	Date
a. Grader	<i>[Signature]</i>	<i>9/5/17</i>
b. Facility Reviewer(*)	<i>[Signature]</i>	<i>9/5/17</i>
c. NRC Chief Examiner (*)	<i>Raymond Walter Raymond Keith Watson</i>	<i>9/7/2017</i>
d. NRC Supervisor (*)	<i>Robert J. Orlowski / [Signature]</i>	<i>9/21/2017</i>

(*) The facility reviewer's signature is not applicable for examinations graded by the NRC; two independent NRC reviews are required.