

REGULATORY INFORMATION DISTRIBUTION SYSTEM (RIDS)

MAY

ACCESSION NBR: 8308300638 DOC. DATE: 83/08/24 NOTARIZED: NO DOCKET #
 FACIL: 50-397 WPPSS Nuclear Project, Unit 2, Washington Public Powe 05000397
 AUTH. NAME: SØRENSEN, G.C. AUTHOR AFFILIATION: Washington Public Power Supply System
 RECIP. NAME: SCHWENCER, A. RECIPIENT AFFILIATION: Licensing Branch 2

SUBJECT: Confirms 830812 telcon w/R Auluck re change in current projected fuel load of early Nov 1983. Meeting w/NRC mgt to discuss fuel load & other issues requested.

DISTRIBUTION CODE: B001S COPIES RECEIVED: LTR 2 ENCL 0 SIZE: 1
 TITLE: Licensing Submittal: PSAR/FSAR Amdts & Related Correspondence

NOTES:

RECIPIENT		COPIES		RECIPIENT		COPIES	
ID	CODE/NAME	LTTR	ENCL	ID	CODE/NAME	LTTR	ENCL
NRR	DL/ADL	1	0	NRR	LB2 BC	1	0
NRR	LB2 LA	1	0	AULUCK, R.	01	1	0
INTERNAL:	ELD/HDS2	1	0	IE	FILE	1	0
	IE/DEPER/EPB 36	3	1	IE/DEPER/IRB 35		1	1
	IE/DEQA/QAB 21	1	1	NRR/DE/AEAB		1	0
	NRR/DE/CEB 11	1	1	NRR/DE/EHEB		1	0
	NRR/DE/eqB 13	2	2	NRR/DE/GB 28		2	2
	NRR/DE/MEB 18	1	1	NRR/DE/MTEB 17		1	1
	NRR/DE/SAB 24	1	1	NRR/DE/SGEB 25		1	1
	NRR/DHFS/HFEB40	1	1	NRR/DHFS/LQB 32		1	1
	NRR/DHFS/PSRB	1	1	NRR/DL/SSPB		1	0
	NRR/DSI/AEB 26	1	1	NRR/DSI/ASB		1	1
	NRR/DSI/CPB 10	1	1	NRR/DSI/CSB 09		1	1
	NRR/DSI/ICSB 16	1	1	NRR/DSI/METB 12		1	1
	NRR/DSI/PSB 19	1	1	NRR/DSI/RAB 22		1	1
	NRR/DSI/RSB 23	1	1	REG FILE 04		1	1
	RGN5	3	3	RM/DDAMI/MIB		1	0
EXTERNAL:	ACRS 41	6	6	BNL (AMDTS ONLY)		1	1
	DMB/DSS (AMDTS)	1	1	FEMA-REP DIV 39		1	1
	LPDR 03	1	1	NRC PDR 02		1	1
	NSIC 05	1	1	NTIS		1	1

TOTAL NUMBER OF COPIES REQUIRED: LTTR 53 ENCL 46

Figure 6 | The effect of the number of iterations on the accuracy of the proposed algorithm. The figure shows two plots side-by-side. The left plot is titled "Accuracy vs. Number of Iterations" and the right plot is titled "Error vs. Number of Iterations". Both plots show results for three different values of α : 0.1, 0.2, and 0.3. In the left plot, accuracy increases from approximately 0.8 to 0.9 as iterations increase from 10 to 100. In the right plot, error decreases from approximately 0.2 to 0.1 over the same range of iterations.

9 10 11

UNIT		COUNT		TOTAL	
NAME	NO.	UNIT	COUNT	UNIT	COUNT
UNIT 1	1	UNIT 1	1	UNIT 1	1
UNIT 2	2	UNIT 2	2	UNIT 2	2
UNIT 3	3	UNIT 3	3	UNIT 3	3
UNIT 4	4	UNIT 4	4	UNIT 4	4
UNIT 5	5	UNIT 5	5	UNIT 5	5
UNIT 6	6	UNIT 6	6	UNIT 6	6
UNIT 7	7	UNIT 7	7	UNIT 7	7
UNIT 8	8	UNIT 8	8	UNIT 8	8
UNIT 9	9	UNIT 9	9	UNIT 9	9
UNIT 10	10	UNIT 10	10	UNIT 10	10
UNIT 11	11	UNIT 11	11	UNIT 11	11
UNIT 12	12	UNIT 12	12	UNIT 12	12
UNIT 13	13	UNIT 13	13	UNIT 13	13
UNIT 14	14	UNIT 14	14	UNIT 14	14
UNIT 15	15	UNIT 15	15	UNIT 15	15
UNIT 16	16	UNIT 16	16	UNIT 16	16
UNIT 17	17	UNIT 17	17	UNIT 17	17
UNIT 18	18	UNIT 18	18	UNIT 18	18
UNIT 19	19	UNIT 19	19	UNIT 19	19
UNIT 20	20	UNIT 20	20	UNIT 20	20
UNIT 21	21	UNIT 21	21	UNIT 21	21
UNIT 22	22	UNIT 22	22	UNIT 22	22
UNIT 23	23	UNIT 23	23	UNIT 23	23
UNIT 24	24	UNIT 24	24	UNIT 24	24
UNIT 25	25	UNIT 25	25	UNIT 25	25
UNIT 26	26	UNIT 26	26	UNIT 26	26
UNIT 27	27	UNIT 27	27	UNIT 27	27
UNIT 28	28	UNIT 28	28	UNIT 28	28
UNIT 29	29	UNIT 29	29	UNIT 29	29
UNIT 30	30	UNIT 30	30	UNIT 30	30
UNIT 31	31	UNIT 31	31	UNIT 31	31
UNIT 32	32	UNIT 32	32	UNIT 32	32
UNIT 33	33	UNIT 33	33	UNIT 33	33
UNIT 34	34	UNIT 34	34	UNIT 34	34
UNIT 35	35	UNIT 35	35	UNIT 35	35
UNIT 36	36	UNIT 36	36	UNIT 36	36
UNIT 37	37	UNIT 37	37	UNIT 37	37
UNIT 38	38	UNIT 38	38	UNIT 38	38
UNIT 39	39	UNIT 39	39	UNIT 39	39
UNIT 40	40	UNIT 40	40	UNIT 40	40
UNIT 41	41	UNIT 41	41	UNIT 41	41
UNIT 42	42	UNIT 42	42	UNIT 42	42
UNIT 43	43	UNIT 43	43	UNIT 43	43
UNIT 44	44	UNIT 44	44	UNIT 44	44
UNIT 45	45	UNIT 45	45	UNIT 45	45
UNIT 46	46	UNIT 46	46	UNIT 46	46
UNIT 47	47	UNIT 47	47	UNIT 47	47
UNIT 48	48	UNIT 48	48	UNIT 48	48
UNIT 49	49	UNIT 49	49	UNIT 49	49
UNIT 50	50	UNIT 50	50	UNIT 50	50
UNIT 51	51	UNIT 51	51	UNIT 51	51
UNIT 52	52	UNIT 52	52	UNIT 52	52
UNIT 53	53	UNIT 53	53	UNIT 53	53
UNIT 54	54	UNIT 54	54	UNIT 54	54
UNIT 55	55	UNIT 55	55	UNIT 55	55
UNIT 56	56	UNIT 56	56	UNIT 56	56
UNIT 57	57	UNIT 57	57	UNIT 57	57
UNIT 58	58	UNIT 58	58	UNIT 58	58
UNIT 59	59	UNIT 59	59	UNIT 59	59
UNIT 60	60	UNIT 60	60	UNIT 60	60
UNIT 61	61	UNIT 61	61	UNIT 61	61
UNIT 62	62	UNIT 62	62	UNIT 62	62
UNIT 63	63	UNIT 63	63	UNIT 63	63
UNIT 64	64	UNIT 64	64	UNIT 64	64
UNIT 65	65	UNIT 65	65	UNIT 65	65
UNIT 66	66	UNIT 66	66	UNIT 66	66
UNIT 67	67	UNIT 67	67	UNIT 67	67
UNIT 68	68	UNIT 68	68	UNIT 68	68
UNIT 69	69	UNIT 69	69	UNIT 69	69
UNIT 70	70	UNIT 70	70	UNIT 70	70
UNIT 71	71	UNIT 71	71	UNIT 71	71
UNIT 72	72	UNIT 72	72	UNIT 72	72
UNIT 73	73	UNIT 73	73	UNIT 73	73
UNIT 74	74	UNIT 74	74	UNIT 74	74
UNIT 75	75	UNIT 75	75	UNIT 75	75
UNIT 76	76	UNIT 76	76	UNIT 76	76
UNIT 77	77	UNIT 77	77	UNIT 77	77
UNIT 78	78	UNIT 78	78	UNIT 78	78
UNIT 79	79	UNIT 79	79	UNIT 79	79
UNIT 80	80	UNIT 80	80	UNIT 80	80
UNIT 81	81	UNIT 81	81	UNIT 81	81
UNIT 82	82	UNIT 82	82	UNIT 82	82
UNIT 83	83	UNIT 83	83	UNIT 83	83
UNIT 84	84	UNIT 84	84	UNIT 84	84
UNIT 85	85	UNIT 85	85	UNIT 85	85
UNIT 86	86	UNIT 86	86	UNIT 86	86
UNIT 87	87	UNIT 87	87	UNIT 87	87
UNIT 88	88	UNIT 88	88	UNIT 88	88
UNIT 89	89	UNIT 89	89	UNIT 89	89
UNIT 90	90	UNIT 90	90	UNIT 90	90
UNIT 91	91	UNIT 91	91	UNIT 91	91
UNIT 92	92	UNIT 92	92	UNIT 92	92
UNIT 93	93	UNIT 93	93	UNIT 93	93
UNIT 94	94	UNIT 94	94	UNIT 94	94
UNIT 95	95	UNIT 95	95	UNIT 95	95
UNIT 96	96	UNIT 96	96	UNIT 96	96
UNIT 97	97	UNIT 97	97	UNIT 97	97
UNIT 98	98	UNIT 98	98	UNIT 98	98
UNIT 99	99	UNIT 99	99	UNIT 99	99
UNIT 100	100	UNIT 100	100	UNIT 100	100

Washington Public Power Supply System

3000 George Washington Way P.O. Box 968 Richland, Washington 99352-0968 (509)372-5000

August 24, 1983
G02-83-764

Docket No. 50-397

Director of Nuclear Reactor Regulation
Attention: Mr. A. Schwencer, Chief
Licensing Board No. 2
Division of Licensing
US Nuclear Regulatory Commission
Washington, DC 20555

Dear Mr. Schwencer:

Subject: NUCLEAR PROJECT NO. 2
WNP-2 FUEL LOAD SCHEDULE

At a meeting of the Supply System's Executive Board on August 11, 1983, a change in the WNP-2 fuel load date was announced.

The current schedule projects WNP-2 fuel load in early November 1983. This information was provided to the WNP-2 Licensing Project Manager (R. Auluck) via telephone on Friday, August 12, 1983.

As has been discussed in a recent telephone conversation with you, we feel that it would be of mutual benefit to meet with you and other members of NRC management in the near future to discuss fuel load and other issues. We will coordinate a meeting with Dr. R. Auluck for early September.

Very truly yours,


G. C. Sorensen, Acting Manager
Nuclear Safety & Regulatory Programs

cc: R Auluck - NRC
WS Chin - BPA
A Toth - NRC Site

8308300638 830824
PDR ADDCK 05000397
A PDR

13001
1/0

4
 5
 6
 7
 8
 9
 10
 11
 12
 13
 14
 15
 16
 17
 18
 19
 20
 21
 22
 23
 24
 25
 26
 27
 28
 29
 30
 31
 32
 33
 34
 35
 36
 37
 38
 39
 40
 41
 42
 43
 44
 45
 46
 47
 48
 49
 50
 51
 52
 53
 54
 55
 56
 57
 58
 59
 60
 61
 62
 63
 64
 65
 66
 67
 68
 69
 70
 71
 72
 73
 74
 75
 76
 77
 78
 79
 80
 81
 82
 83
 84
 85
 86
 87
 88
 89
 90
 91
 92
 93
 94
 95
 96
 97
 98
 99
 100
 101
 102
 103
 104
 105
 106
 107
 108
 109
 110
 111
 112
 113
 114
 115
 116
 117
 118
 119
 120
 121
 122
 123
 124
 125
 126
 127
 128
 129
 130
 131
 132
 133
 134
 135
 136
 137
 138
 139
 140
 141
 142
 143
 144
 145
 146
 147
 148
 149
 150
 151
 152
 153
 154
 155
 156
 157
 158
 159
 160
 161
 162
 163
 164
 165
 166
 167
 168
 169
 170
 171
 172
 173
 174
 175
 176
 177
 178
 179
 180
 181
 182
 183
 184
 185
 186
 187
 188
 189
 190
 191
 192
 193
 194
 195
 196
 197
 198
 199
 200
 201
 202
 203
 204
 205
 206
 207
 208
 209
 210
 211
 212
 213
 214
 215
 216
 217
 218
 219
 220
 221
 222
 223
 224
 225
 226
 227
 228
 229
 230
 231
 232
 233
 234
 235
 236
 237
 238
 239
 240
 241
 242
 243
 244
 245
 246
 247
 248
 249
 250
 251
 252
 253
 254
 255
 256
 257
 258
 259
 260
 261
 262
 263
 264
 265
 266
 267
 268
 269
 270
 271
 272
 273
 274
 275
 276
 277
 278
 279
 280
 281
 282
 283
 284
 285
 286
 287
 288
 289
 290
 291
 292
 293
 294
 295
 296
 297
 298
 299
 300
 301
 302
 303
 304
 305
 306
 307
 308
 309
 310
 311
 312
 313
 314
 315
 316
 317
 318
 319
 320
 321
 322
 323
 324
 325
 326
 327
 328
 329
 330
 331
 332
 333
 334
 335
 336
 337
 338
 339
 340
 341
 342
 343
 344
 345
 346
 347
 348
 349
 350
 351
 352
 353
 354
 355
 356
 357
 358
 359
 360
 361
 362
 363
 364
 365
 366
 367
 368
 369
 370
 371
 372
 373
 374
 375
 376
 377
 378
 379
 380
 381
 382
 383
 384
 385
 386
 387
 388
 389
 390
 391
 392
 393
 394
 395
 396
 397
 398
 399
 400
 401
 402
 403
 404
 405
 406
 407
 408
 409
 410
 411
 412
 413
 414
 415
 416
 417
 418
 419
 420
 421
 422
 423
 424
 425
 426
 427
 428
 429
 430
 431
 432
 433
 434
 435
 436
 437
 438
 439
 440
 441
 442
 443
 444
 445
 446
 447
 448
 449
 450
 451
 452
 453
 454
 455
 456
 457
 458
 459
 460
 461
 462
 463
 464
 465
 466
 467
 468
 469
 470
 471
 472
 473
 474
 475
 476
 477
 478
 479
 480
 481
 482
 483
 484
 485
 486
 487
 488
 489
 490
 491
 492
 493
 494
 495
 496
 497
 498
 499
 500
 501
 502
 503
 504
 505
 506
 507
 508
 509
 510
 511
 512
 513
 514
 515
 516
 517
 518
 519
 520
 521
 522
 523
 524
 525
 526
 527
 5

[illegible][illegible]

Figure 1. The effect of the concentration of the *Agrobacterium* suspension on the transformation efficiency of *Agrobacterium* strains. The number of transformed cells was determined by the number of colonies obtained on the selective medium. The results are the mean of three independent experiments. Error bars represent the standard deviation.