

TABLE II

ACCUMULATOR IDENTIFICATION	a	b	c	d	e	f	g
MS-TK-4A	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B
MS-TK-4B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B
MS-TK-4C	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B
MS-TK-4D	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B
MS-TK-4E	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B
MS-TK-4F	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B
MS-TK-4G	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B
MS-TK-4H	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B
MS-TK-4I	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B
MS-TK-4J	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B
MS-TK-4K	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B
MS-TK-4L	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B
MS-TK-4M	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B
MS-TK-4N	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B
MS-TK-4O	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B
MS-TK-4P	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B
MS-TK-4Q	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B
MS-TK-4R	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B
MS-TK-4S	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B
MS-TK-4T	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B
MS-TK-4U	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B
MS-TK-4V	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B
MS-TK-4W	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B
MS-TK-4X	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B
MS-TK-4Y	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B
MS-TK-4Z	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B	CIA(3)-25-B

TABLE I

NITROGEN BOTTLE IDENTIFICATION	LINE NO.
CIA-TK-2A	1/2 CIA(5)-11-5
CIA-TK-2B	1/2 CIA(5)-11-6
CIA-TK-2C	1/2 CIA(5)-11-7
CIA-TK-2D	1/2 CIA(5)-11-8
CIA-TK-2E	1/2 CIA(5)-11-9
CIA-TK-2F	1/2 CIA(5)-11-10
CIA-TK-2G	1/2 CIA(5)-11-11
CIA-TK-2H	1/2 CIA(5)-11-12
CIA-TK-2I	1/2 CIA(5)-11-13
CIA-TK-2J	1/2 CIA(5)-11-14
CIA-TK-2K	1/2 CIA(5)-11-15
CIA-TK-2L	1/2 CIA(5)-11-16
CIA-TK-2M	1/2 CIA(5)-11-17
CIA-TK-2N	1/2 CIA(5)-11-18
CIA-TK-2O	1/2 CIA(5)-11-19
CIA-TK-2P	1/2 CIA(5)-11-20
CIA-TK-2Q	1/2 CIA(5)-11-21
CIA-TK-2R	1/2 CIA(5)-11-22
CIA-TK-2S	1/2 CIA(5)-11-23
CIA-TK-2T	1/2 CIA(5)-11-24
CIA-TK-2U	1/2 CIA(5)-11-25
CIA-TK-2V	1/2 CIA(5)-11-26
CIA-TK-2W	1/2 CIA(5)-11-27
CIA-TK-2X	1/2 CIA(5)-11-28
CIA-TK-2Y	1/2 CIA(5)-11-29
CIA-TK-2Z	1/2 CIA(5)-11-30
CIA-TK-3A	1/2 CIA(5)-11-31
CIA-TK-3B	1/2 CIA(5)-11-32
CIA-TK-3C	1/2 CIA(5)-11-33
CIA-TK-3D	1/2 CIA(5)-11-34
CIA-TK-3E	1/2 CIA(5)-11-35
CIA-TK-3F	1/2 CIA(5)-11-36

## NOTES:

1. PIPING, VALVES AND ASSOCIATED COMPONENTS ON THIS DWG SHALL BE CLASSIFIED AS FOLLOWS (BREAK POINTS ARE INDICATED ON THE FLOW DIAGRAM):  
a. WITHIN PRIMARY CONTAINMENT AND OUT THROUGH THE OUTERMOST ISOLATION VALVES: SEISMIC CATEGORY I  
QUALITY CLASS I  
CODE GROUP B  
b. PIPING BEYOND OUTERMOST ISOLATION VALVE EXCEPT CIA(5)  
SEISMIC CATEGORY II  
QUALITY CLASS II  
CODE GROUP D  
c. EQUIPMENT BEYOND OUTERMOST ISOLATION VALVE EXCEPT CIA(5)  
SEISMIC CATEGORY II  
QUALITY CLASS II  
CODE GROUP D  
d. CIA(5) BEYOND OUTERMOST ISOLATION VALVE EXCEPT NITROGEN BOTTLES AND ASSOCIATED EQUIPMENT  
SEISMIC CATEGORY I  
QUALITY CLASS I  
CODE GROUP B  
e. NITROGEN BOTTLES AND ASSOCIATED EQUIPMENT AND CIA(6)  
SEISMIC CATEGORY I  
QUALITY CLASS I  
CODE GROUP B  
f. EXCEPT AS NOTED ON M59 INSTR. CONTR. 215  
g. ALL ITEMS MARKED \* ARE FURNISHED WITH ASSOCIATED EQUIPMENT.  
h. DELETED.  
i. ALL INSTRUMENTS ON THIS DRAWING TO BE IDENTIFIED BY PREFIX CIA UNLESS SPECIFICALLY NOTED OTHERWISE.  
j. ALL PRESSURE & FLOW INSTRUMENT ROOT VALVES NOT LABELED WILL BE 3/4 GLOBE VALVES UNLESS SPECIFICALLY NOTED OTHERWISE.  
k. FOR UNIQUE LINE NOS NOT SHOWN SEE TABLES 1 & 2 (H-10-11/12, E-10-11/12).

A EXAMPLE: LINES ORIGINATING OUTSIDE CONTAINMENT.

1/2 PI(1)-ST (IR-7A)-4  
CODE DESIGNATION LINE NUMBER

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4

1/2 PI(1)-ST (IR-7A)-4