

## REGULATORY INFORMATION DISTRIBUTION SYSTEM (RIDS)

ACCESSION NBR: 8505220029 DOC. DATE: 85/05/16 NOTARIZED: YES DOCKET #  
 FACIL: 50-397 WPPSS Nuclear Project, Unit 2, Washington Public Powe 05000397  
 AUTH. NAME AUTHOR AFFILIATION  
 SORESEN, G.C. Washington Public Power Supply System  
 RECIP. NAME RECIPIENT AFFILIATION  
 BUTLER, W.R. Licensing Branch 2

SUBJECT: Application for amend to License NPF-21, License Condition  
 18, eliminating high drywell pressure signal from automatic  
 depressurization sys initiation logic, thereby making low  
 pressure ECCS qualified as high pressure sys. Fee paid.

DISTRIBUTION CODE: A0460 COPIES RECEIVED: LTR 1 ENCL 1 SIZE: 4+6  
 TITLE: OR Submittal: TMI Action Plan Rgmt NUREG-0737 & NUREG-0660

## NOTES:

05000397

OL: 12/20/83

RECIPIENT			COPIES		RECIPIENT			COPIES	
ID	CODE/NAME		LTTR	ENCL	ID	CODE/NAME	LTTR	ENCL	
NRR	LB2 BC	01	7	7					
INTERNAL:	ACRS	34	10	10	ADM/LFMB		1	0	
	ELD/HDS2		1	0	IE/DEPER DIR	33	1	1	
	IE/DEPER/EPB		3	3	NRR PAULSON, W.		1	1	
	NRR/DHFS DEPY29		1	1	NRR/DL DIR	14	1	1	
	NRR/DL/ORAB	18	3	3	NRR/DSI/ADRS	27	1	1	
	NRR/DSI/AEB		1	1	NRR/DSI/ASB		1	1	
	NRR/DSI/RAB		1	1	NRR/DST DIR	30	1	1	
	REG FILE	04	1	1	RGNS		1	1	
EXTERNAL:	LPDR	03	1	1	NRC PDR	02	1	1	
	NSIC	05	1	1					

W/ check \$150<sup>00</sup>  
 #4006

TOTAL NUMBER OF COPIES REQUIRED: LTTR 39 ENCL 37



## Washington Public Power Supply System

P.O. Box 968 3000 George Washington Way Richland, Washington 99352 (509) 372-5000

May 16, 1985  
G02-85-251

Docket No. 50-397

Director of Nuclear Reactor Regulation  
Attention: Mr. W. R. Butler, Chief  
Licensing Branch No. 2  
Division of Licensing  
U.S. Nuclear Regulatory Commission  
Washington, D.C. 20555

Dear Mr. Butler:

Subject: NUCLEAR PLANT NO. 2  
OPERATING LICENSE NPF-21, REQUEST FOR AMENDMENT TO  
TECHNICAL SPECIFICATIONS FOR AUTOMATIC DEPRESSURIZATION  
SYSTEM (ADS) LOGIC MODIFICATIONS, LICENSE CONDITION 18

Reference: Letter, G02-85-181, G. C. Sorensen (SS) to A. Schwencer  
(NRC), dated March 29, 1985

The subject license condition requires that prior to startup following the first refueling outage, the Supply System shall:

- (a) Install modifications to the ADS acceptable to the NRC;
- (b) Incorporate into the Plant Emergency Procedures the usage of the inhibit switch; and
- (c) Provide Technical Specifications for the bypass timer setting and surveillance requirements for the bypass timer and the manual inhibit switch.

The ADS logic modification adopted by the Supply System and approved by the NRC is referred to as BWROG Option 2. It was approved as evidenced in Supplement No. 4 to the WNP-2 SER (NUREG-0892), paragraph 6.3.6.

The purpose of this letter is to clarify the Supply System's position that the license conditions and technical specifications are equivalent; i.e., compliance with a license condition that conflicts with a technical specification requirement does not place the Supply System in noncompliance with our license.

8505220029 850516  
PDR ADDCK 05000397  
PDR

*A046*  
*W/checked*  
*#15000*  
*#4006*

W. R. Butler

Page Two

May 16, 1985

REQUEST FOR AMENDMENT TO TECH. SPECS. FOR ADS LOGIC MODIFICATIONS,  
LICENSE CONDITION 18

To comply with the requirements of 10 CFR 50.49, the high drywell pressure signal was eliminated from the ADS initiation logic, thereby making ADS and a Low Pressure ECC System qualified as a high pressure system (Reference). This portion of the modification results in the technical specification reference to the ADS Drywell Pressure - High instrumentation (including set-points and surveillance requirements) not being required. It is the Supply System's position that this change has prior approval as specified in License Condition 18 and any resultant deletions to the Technical Specifications would be a purely administrative change to the license which can be handled the same as if it were a clerical error (i.e., impossible to perform and therefore by mutual agreement can be disregarded until a change could be implemented on a convenient schedule).

The remainder of the modification which will add the manual inhibit switch will be accomplished during the May to June 1985 maintenance outage. This will provide for full compliance to License Condition 18 one full year before the first scheduled refueling outage. The Supply System believes that this portion of the change is also clearly authorized, including any resultant technical specification changes based again on the compliance requirement of License Condition 18. Supplement No. 4 to the SER refers to the addition of the inhibit switch to the technical specifications. Since the installation of the inhibit switch may require an addition to the technical specification as opposed to merely a deletion and in consideration of the relationship between the technical specifications and the license condition, there is sufficient uncertainty as to prompt a submittal to request a technical specification amendment for the addition of the inhibit switch surveillance requirements. At the same time, this is the first convenient opportunity to delete the references to the drywell pressure - high instrumentation. For the aforementioned reasons, pages 3/4 3-26, 3-27, 3-30, 3-31, 3-34, and 3-35 are herewith submitted with appropriate changes noted. The recommended testing requirements for the inhibit switch concur with the instruments for the Channel Functional Test (CFT) and the manual initiation switch for the channel check and calibration requirements. The appropriate changes will be made to our technical specification surveillance procedures.

It should also be noted that License Condition 18 refers to submittal of the technical specification change versus NRC approval of the change, which supports the relationship between the actual technical specification and license condition as being equivalent.

Since the ADS logic modification has had considerable NRC review over the past several years (originally item II.K.3.18 from NUREG-0737), the change itself (including the surveillance requirements if required) should be pro forma and easily expedited. This would allow the approval process for this technical specification amendment to be concluded, if it is determined to be required, in sufficient time for the amendment to be in place prior to June 21, 1985, the time presently planned for startup following the completion of the present outage. If the NRC is not able to complete their review/approval process within this amount of time, the Supply System requests that an exigent circumstance be



1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100. 101. 102. 103. 104. 105. 106. 107. 108. 109. 110. 111. 112. 113. 114. 115. 116. 117. 118. 119. 120. 121. 122. 123. 124. 125. 126. 127. 128. 129. 130. 131. 132. 133. 134. 135. 136. 137. 138. 139. 140. 141. 142. 143. 144. 145. 146. 147. 148. 149. 150. 151. 152. 153. 154. 155. 156. 157. 158. 159. 160. 161. 162. 163. 164. 165. 166. 167. 168. 169. 170. 171. 172. 173. 174. 175. 176. 177. 178. 179. 180. 181. 182. 183. 184. 185. 186. 187. 188. 189. 190. 191. 192. 193. 194. 195. 196. 197. 198. 199. 200. 201. 202. 203. 204. 205. 206. 207. 208. 209. 210. 211. 212. 213. 214. 215. 216. 217. 218. 219. 220. 221. 222. 223. 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. 239. 240. 241. 242. 243. 244. 245. 246. 247. 248. 249. 250. 251. 252. 253. 254. 255. 256. 257. 258. 259. 260. 261. 262. 263. 264. 265. 266. 267. 268. 269. 270. 271. 272. 273. 274. 275. 276. 277. 278. 279. 280. 281. 282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292. 293. 294. 295. 296. 297. 298. 299. 300. 301. 302. 303. 304. 305. 306. 307. 308. 309. 310. 311. 312. 313. 314. 315. 316. 317. 318. 319. 320. 321. 322. 323. 324. 325. 326. 327. 328. 329. 330. 331. 332. 333. 334. 335. 336. 337. 338. 339. 340. 341. 342. 343. 344. 345. 346. 347. 348. 349. 350. 351. 352. 353. 354. 355. 356. 357. 358. 359. 360. 361. 362. 363. 364. 365. 366. 367. 368. 369. 370. 371. 372. 373. 374. 375. 376. 377. 378. 379. 380. 381. 382. 383. 384. 385. 386. 387. 388. 389. 390. 391. 392. 393. 394. 395. 396. 397. 398. 399. 400. 401. 402. 403. 404. 405. 406. 407. 408. 409. 410. 411. 412. 413. 414. 415. 416. 417. 418. 419. 420. 421. 422. 423. 424. 425. 426. 427. 428. 429. 430. 431. 432. 433. 434. 435. 436. 437. 438. 439. 440. 441. 442. 443. 444. 445. 446. 447. 448. 449. 450. 451. 452. 453. 454. 455. 456. 457. 458. 459. 460. 461. 462. 463. 464. 465. 466. 467. 468. 469. 470. 471. 472. 473. 474. 475. 476. 477. 478. 479. 480. 481. 482. 483. 484. 485. 486. 487. 488. 489. 490. 491. 492. 493. 494. 495. 496. 497. 498. 499. 500. 501. 502. 503. 504. 505. 506. 507. 508. 509. 510. 511. 512. 513. 514. 515. 516. 517. 518. 519. 520. 521. 522. 523. 524. 525. 526. 527. 528. 529. 530. 531. 532. 533. 534. 535. 536. 537. 538. 539. 540. 541. 542. 543. 544. 545. 546. 547. 548. 549. 550. 551. 552. 553. 554. 555. 556. 557. 558. 559. 560. 561. 562. 563. 564. 565. 566. 567. 568. 569. 570. 571. 572. 573. 574. 575. 576. 577. 578. 579. 580. 581. 582. 583. 584. 585. 586. 587. 588. 589. 590. 591. 592. 593. 594. 595. 596. 597. 598. 599. 600. 601. 602. 603. 604. 605. 606. 607. 608. 609. 610. 611. 612. 613. 614. 615. 616. 617. 618. 619. 620. 621. 622. 623. 624. 625. 626. 627. 628. 629. 630. 631. 632. 633. 634. 635. 636. 637. 638. 639. 640. 641. 642. 643. 644. 645. 646. 647. 648. 649. 650. 651. 652. 653. 654. 655. 656. 657. 658. 659. 660. 661. 662. 663. 664. 665. 666. 667. 668. 669. 670. 671. 672. 673. 674. 675. 676. 677. 678. 679. 680. 681. 682. 683. 684. 685. 686. 687. 688. 689. 690. 691. 692. 693. 694. 695. 696. 697. 698. 699. 700. 701. 702. 703. 704. 705. 706. 707. 708. 709. 710. 711. 712. 713. 714. 715. 716. 717. 718. 719. 720. 721. 722. 723. 724. 725. 726. 727. 728. 729. 730. 731. 732. 733. 734. 735. 736. 737. 738. 739. 740. 741. 742. 743. 744. 745. 746. 747. 748. 749. 750. 751. 752. 753. 754. 755. 756. 757. 758. 759. 760. 761. 762. 763. 764. 765. 766. 767. 768. 769. 770. 771. 772. 773. 774. 775. 776. 777. 778. 779. 780. 781. 782. 783. 784. 785. 786. 787. 788. 789. 790. 791. 792. 793. 794. 795. 796. 797. 798. 799. 800. 801. 802. 803. 804. 805. 806. 807. 808. 809. 810. 811. 812. 813. 814. 815. 816. 817. 818. 819. 820. 821. 822. 823. 824. 825. 826. 827. 828. 829. 830. 831. 832. 833. 834. 835. 836. 837. 838. 839. 840. 84

The diagram illustrates the experimental setup. A participant is seated at a table, looking at a video screen. A camera is positioned above the screen. A target is placed on the table. A horizontal arrow indicates the direction of movement from the starting point to the target. A vertical arrow indicates the direction of movement from the target to the starting point. A horizontal arrow indicates the direction of movement from the starting point to the target. A vertical arrow indicates the direction of movement from the target to the starting point. A horizontal arrow indicates the direction of movement from the starting point to the target. A vertical arrow indicates the direction of movement from the target to the starting point.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

99

100

101

102

103

104

105

106

107

108

109

110

111

112

113

114

115

116

117

118

119

120

121

122

123

124

125

126

127

128

129

130

131

132

133

134

135

136

137

138

139

140

141

142

143

144

145

146

147

148

149

150

151

152

153

154

155

156

157

158

159

160

161

162

163

164

165

166

167

168

169

170

171

172

173

174

175

176

177

178

179

180

181

182

183

184

185

186

187

188

189

190

191

192

193

194

195

196

197

198

199

200

201

202

203

204

205

206

207

208

209

210

211

212

213

214

215

216

217

218

219

220

221

222

223

224

225

226

227

228

229

230

231

232

233

234

235

236

237

238

239

240

241

242

243

244

245

246

247

248

249

250

251

252

253

254

255

256

257

258

259

260

261

262

263

264

265

266

267

268

269

270

271

272

273

274

275

276

277

278

279

280

281

282

283

284

285

286

287

288

289

290

291

292

293

294

295

296

297

298

299

300

301

302

303

304

305

306

307

308

309

310

311

312

313

314

315

316

317

318

319

320

321

322

323

324

325

326

327

328

329

330

331

332

333

334

335

336

337

338

339

340

341

342

343

344

345

346

347

348

349

350

351

352

353

354

355

356

357

358

359

360

361

362

363

364

365

366

367

368

369

370

371

372

373

374

375

376

377

378

379

380

381

382

383

384

385

386

387

388

389

390

391

392

393

394

395

396

397

398

399

400

401

402

403

404

405

406

407

408

409

410

411

412

413

414

415

416

417

418

419

420

421

422

423

424

425

426

427

428

429

430

431

432

433

434

435

436

437

438

439

440

441

442

443

444

445

446

447

448

449

450

451

452

453

454

455

456

457

458

459

460

461

462

463

464

465

466

467

468

469

470

471

472

473

474

475

476

477

478

479

480

481

482

483

484

485

486

487

488

489

490

491

492

493

494

495

496

497

498

499

500

501

502

503

504

505

506

507

508

509

510

511

512

513

514

515

516

517

518

519

520

521

522

523

524

525

52

Figure 1. The effect of the concentration of the *Agrobacterium* suspension on the transformation efficiency of *Agrobacterium* strains.

7.  $\frac{1}{2}$  8.  $\frac{1}{2}$  9.  $\frac{1}{2}$  10.  $\frac{1}{2}$

• • •

•

5

b.

4

10

3

4

**be**

5

1

•

W. R. Butler

Page Three

May 16, 1985

REQUEST FOR AMENDMENT TO TECH. SPECS. FOR ADS LOGIC MODIFICATIONS,  
LICENSE CONDITION 18

declared and the formal amendment be granted immediately. This is easily justified since the specific change being implemented has already had several years of Owners' Group activity and has been approved by the NRC, therefore, an extended review period serves no purpose. It is important that this amendment not be an impediment to startup following this outage, as the Bonneville Power Administration is expecting WNP-2 back on line June 21, 1985 following the spring runoff period to offset the decrease in hydroelectric capacity. It is, therefore, in the best interest of the general public, and especially the Pacific Northwest.

The Supply System also plans to incorporate into the Plant Emergency Procedures the usage of the inhibit switch prior to startup following the present outage, which will satisfy License Condition 18.

The Supply System has reviewed this change per 10 CFR 50.59 and determined that no unreviewed safety questions will result from this amendment.

On April 6, 1983, the NRC published guidance in the Federal Register (48 FR 14870) concerning examples of amendments that are not likely to involve significant hazards consideration. One such example, (vii) involves a change "... to make a license conform to changes in the regulations, where the license change results in very minor changes to facility operations clearly in keeping with the regulations." Accordingly, the proposed change to the technical specifications involves no significant hazards consideration.

The Supply System has evaluated this request in accordance with the criteria contained in 10 CFR 170.21 and has included a warrant for One hundred fifty dollars (\$150.00) as initial payment for this application for amendment to Facility Category A (Power Reactors).

In accordance with 10 CFR 50.91, the State of Washington has been provided a copy of this letter.

This technical specification change has been reviewed and approved by the WNP-2 Plant Operations Committee (POC) and the Supply System Corporate Nuclear Safety Review Board (CNSRB). Should you have any questions, please contact Mr. P. L. Powell, Manager, WNP-2 Licensing.

Very truly yours,



G. C. Sorensen, Manager  
Regulatory Programs

HLA/tmh  
Attachments

cc: JO Bradfute - NRC  
WS Chin - BPA  
C Eschels - EFSEC  
JB Martin - NRC RV  
E Revell - BPA  
AD Toth - NRC Site

WNP-2, OL NPF-21, Request for  
Amendment to Tech. Specs. for  
Automatic Depressurization  
System (ADS) Logic  
Modifications, License  
Condition 18

STATE OF WASHINGTON     )  
                                  )  
County of Benton         )

Subject: \_\_\_\_\_

I, G. C. SORENSEN, being duly sworn, subscribe to and say that I am the Manager, Regulatory Programs, for the WASHINGTON PUBLIC POWER SUPPLY SYSTEM, the applicant herein; that I have full authority to execute this oath; that I have reviewed the foregoing; and that to the best of my knowledge, information and belief the statements made in it are true.

DATE 16 MAY, 1985

G. C. Sorensen  
G. C. Sorensen, Manager  
Regulatory Programs

On this day personally appeared before me G. C. SORENSEN to me known to be the individual who executed the foregoing instrument and acknowledge that he signed the same as his free act and deed for the uses and purposes therein mentioned.

GIVEN under my hand and seal this 16th day of May, 1985.

Kathryn H. Dubois  
Notary Public in and for the  
State of Washington

Residing at Richland, wa  
March 1979

