


CONTROLLED-COPY



OPERATING REGION
Thermal Power Limits of Specification
Figure 3.3-10-1
3.2.7.-1


780197.1
"Kw"
File

202

2.5.8

Amendment No. 45

Maximum Average Planar
Linear Heat Generation Rate (Kw/FT)



Bundle Average Exposure (MWD/MT)
ANF 8x8 Reload Fuel
Maximum Average Planar Linear Heat
Generation Rate (MAPLHGR) Versus
Bundle Average Exposure


Figure 3.2.1-3

88 0147.4

CONTROLLED COPY

ADD

MCPR Operating Limit



Reduced Flow MCPR Operating Limit

Figure 3.2.3-1

860599.1A


580197.3

CONTROLLED COPY

WASHINGTON NUCLEAR - UNIT 2

~~3.2.6-1~~


~~Amendment No. 1~~




Operating Region
Thermal Power Limits of Specification
Figure ~~3.2.6-1~~
3.2.6-1

CONTROLLED COPY

880197.2



Operating Region Limits of Specification 3.2.6
Figure 3.2.6-1



Reduced Flow MCPR Operating Limit
Figure 3.2.3-1







Figure 3.2.1-3



Operating Region Limits of Specification 3.2.7
Figure 3.2.7-1

