

ACCELERATED DISTRIBUTION DEMONSTRATION SYSTEM

REGULATORY INFORMATION DISTRIBUTION SYSTEM (RIDS)

ACCESSION NBR: 9108190137 DOC. DATE: 91/08/12 NOTARIZED: NO DOCKET #
 FACIL: 50-397 WPPSS Nuclear Project, Unit 2, Washington Public Powe 05000397
 AUTH. NAME AUTHOR AFFILIATION
 SORESENSEN, G.C. Washington Public Power Supply System
 RECIP. NAME RECIPIENT AFFILIATION
 Document Control Branch (Document Control Desk)

SUBJECT: Forwards performance data rept to 10CFR26 for Jan - June 1991.

DISTRIBUTION CODE: A021D COPIES RECEIVED: LTR 1 ENCL 1 SIZE: 6
 TITLE: "Semiannual Fitness for Duty Program Performance Rept/Data" 10CFR26.7

NOTES:

	RECIPIENT ID CODE/NAME	COPIES LTTR ENCL	RECIPIENT ID CODE/NAME	COPIES LTTR ENCL
	PD5 LA	1 1	PD5 PD	1 1
	ENG, P.L.	1 1		
INTERNAL:	ACRS	1 1	NRR/DRIS/RSGB	1 1
	NUDOCS-ABSTRACT	1 1	REG FILE	1 1
	RGN5 02	1 1		
EXTERNAL:	NRC PDR	1 1	NSIC	1 1

*Note: 2nd Distribution
 Previously distributed
 With missing Page*

NOTE TO ALL "RIDS" RECIPIENTS:

PLEASE HELP US TO REDUCE WASTE! CONTACT THE DOCUMENT CONTROL DESK,
 ROOM P1-37 (EXT. 20079) TO ELIMINATE YOUR NAME FROM DISTRIBUTION
 LISTS FOR DOCUMENTS YOU DON'T NEED!

TOTAL NUMBER OF COPIES REQUIRED: LTTR 10 ENCL 10

MP

WASHINGTON PUBLIC POWER SUPPLY SYSTEM

P.O. Box 968 • 3000 George Washington Way • Richland, Washington 99352

Docket No. 50-397

G02-91-150

August 12, 1991

U.S. Nuclear Regulatory Commission
Document Control Desk
Washington, D.C. 20555

Subject: NUCLEAR PLANT NO. 2
PERFORMANCE DATA REPORT - JANUARY 1 - JUNE 30, 1991


Reference: 10CFR26.71(d), Fitness for Duty Programs - Recordkeeping Requirements

Enclosed is the Supply System's Performance Data - Personnel Subject to 10CFR26 (Enclosure 1) Report for the period January 1 to June 30, 1991 as required by 10CFR26.71(d).

For the first reporting period of 1991, the average random pool size was 1708 individuals. A total of 924 random chemical drug tests were conducted, which equates to 54% of the workforce and compliance with 10CFR26.24(a)(2). Graphs of tests by employee type, test type, and positive tests by drug are enclosed.

Questions regarding the information in this report should be directed to G.E. (Gary) Denniston, Director of Human Resources, at (509) 372-5222.

Very truly yours,


G.C. Sorensen, Manager
Regulatory Programs (280)

GCS:hlt
Enclosures (4)

cc: Mr. R. C. Sorensen, NRC Resident Inspector
Mr. J. B. Martin, NRC - Region V
Mr. N. S. Reynolds, Winston and Strawn
Mr. F. Wenslawski, NRC - Region V

9108190137 910812
PDR ADOCK 05000397
R PDR

1
A021

FITNESS FOR DUTY PROGRAM

Performance Data Personnel Subject to CFR 26

Washington Public Power Supply System

COMPANY

WNP-2

LOCATION

G.E. (Gary) Denniston

CONTACT NAME

June 30, 1991

6 MONTHS ENDING

(509) 372-5222

PHONE (INCLUDE AREA CODE)

CUTOFFS: SCREEN/CONFIRMATION (hg/ml) ☒ APPENDIX A TO 10CFR 26

MARIJUANA 100/ 15 AMPHETAMINES 1000 / 15 _____ /

COCAINE 300/150 PHENCYCLIDINE 25 / 25 _____ /

OPIATES 300/ 300 ALCOHOL (% BAC) _____ /

TESTING RESULTS	LICENSEE EMPLOYEES				LONG-TERM CONTRACTOR PERSONNEL		SHORT-TERM CONTRACTOR PERSONNEL	
AVERAGE NUMBER WITH UNESCORTED ACCESS	1708							
CATEGORIES	# TESTED	# POSITIVE	# REFERRED TO EAP	# ACCESS RESTORED	# TESTED	# POSITIVE	# TESTED	# POSITIVE
PRE-EMPLOYMENT	407	0			67	1	497	7
PRE-BADGING	12	0			5	0	19	0
PERIODIC								
FOR CAUSE	0	0			0	0	0	0
POST ACCIDENT	0	0			0	0	0	0
RANDOM	746	1			134	0	44	1
FOLLOW-UP	0	0			6	0	0	0
OTHER	170	54			0	0	0	0
TOTAL	1335	55	1	0	212	1	560	8

RANDOM TESTING PROGRAM RESULTS


INDIVIDUALS TESTED	1989		1990		1991		1992		1993	
# POSITIVE	-		1		1					
# NEGATIVE			2		1					
			1492		746					
% POSITIVE			0.0013		.00134					
GRAPH OF % POSITIVE	5									
	4									
	3									
	2									
	1									

CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES

MARIJUANA			1	10	1	6				
COCAINE			2	1		1				
OPIATES										
AMPHETAMINES										
PHENCYCLIDINE										
ALCOHOL				1		2				

6/7/89


Supply System FFD Program Tests by Employee Type



1-1-91 to 6-30-91 (excl. blind samples)

ENCLOSURE 3


Supply System FFD Program By Test Type



1-1-91 to 6-30-91 (excl. blind samples)

Supply System FFD Program

Positive Tests by Drug



1-1-91 to 6-30-91 (excl. blind samples)

ACCELERATED DISTRIBUTION DEMONSTRATION SYSTEM

REGULATORY INFORMATION DISTRIBUTION SYSTEM (RIDS)

ACCESSION NBR: 9108190137 DOC. DATE: 91/08/12 NOTARIZED: NO DOCKET #
 FACIL: 50-397 WPPSS Nuclear Project, Unit 2, Washington Public Powe 05000397
 AUTH. NAME AUTHOR AFFILIATION
 SORESEN, G.C. Washington Public Power Supply System
 RECIP. NAME RECIPIENT AFFILIATION
 Document Control Branch (Document Control Desk)

SUBJECT: Forwards performance data rept to 10CFR26 for Jan - June 1991.

DISTRIBUTION CODE: A021D COPIES RECEIVED: LTR 1 ENCL 1 SIZE: 6
 TITLE: "Semiannual Fitness for Duty Program Performance Rept/Data" 10CFR26.7

NOTES:

	RECIPIENT		COPIES			RECIPIENT		COPIES		
	ID	CODE/NAME	LTTR	ENCL		ID	CODE/NAME	LTTR	ENCL	
	PD5	LA	1	1		PD5	PD	1	1	
	ENG,	P.L.	1	1						
INTERNAL:	ACRS		1	1		NRR/DRIS/RSGB		1	1	
	NUDOCS-ABSTRACT		1	1		REG FILE	01	1	1	
	RGN5	02	1	1						
EXTERNAL:	NRC	PDR	1	1		NSIC		1	1	

NOTE TO ALL "RIDS" RECIPIENTS:

PLEASE HELP US TO REDUCE WASTE! CONTACT THE DOCUMENT CONTROL DESK, ROOM P1-37 (EXT. 20079) TO ELIMINATE YOUR NAME FROM DISTRIBUTION LISTS FOR DOCUMENTS YOU DON'T NEED!

TOTAL NUMBER OF COPIES REQUIRED: LTTR 10 ENCL 10

MA [Signature]

WASHINGTON PUBLIC POWER SUPPLY SYSTEM

P.O. Box 968 • 3000 George Washington Way • Richland, Washington 99352

Docket No. 50-397

G02-91-150
August 12, 1991

U.S. Nuclear Regulatory Commission
Document Control Desk
Washington, D.C. 20555

Subject: **NUCLEAR PLANT NO. 2**
PERFORMANCE DATA REPORT - JANUARY 1 - JUNE 30, 1991


Reference: 10CFR26.71(d), Fitness for Duty Programs - Recordkeeping Requirements

Enclosed is the Supply System's Performance Data - Personnel Subject to 10CFR26 (Enclosure 1) Report for the period January 1 to June 30, 1991 as required by 10CFR26.71(d).

For the first reporting period of 1991, the average random pool size was 1708 individuals. A total of 924 random chemical drug tests were conducted, which equates to 54% of the workforce and compliance with 10CFR26.24(a)(2). Graphs of tests by employee type, test type, and positive tests by drug are enclosed.

Questions regarding the information in this report should be directed to G.E. (Gary) Denniston, Director of Human Resources, at (509) 372-5222.

Very truly yours,


G.C. Sorensen, Manager
Regulatory Programs (280)

GCS:hlt
Enclosures (4)

cc: Mr. R. C. Sorensen, NRC Resident Inspector
Mr. J. B. Martin, NRC - Region V
Mr. N. S. Reynolds, Winston and Strawn
Mr. F. Wenslawski, NRC - Region V

9108190137 910812
PDR ADOCK 05000397
R PDR

1021 1/1

77000

11/11/11

11/11/11

11/11/11



FITNESS FOR DUTY PROGRAM

Performance Data Personnel Subject to CFR 26

Washington Public Power Supply System

COMPANY

June 30, 1991

6 MONTHS ENDING

WNP-2

LOCATION

G.E. (Gary) Denniston

CONTACT NAME

(509) 372-5222

PHONE (INCLUDE AREA CODE)

CUTOFFS: SCREEN/CONFIRMATION (ng/ml) ☒ APPENDIX A TO 10CFR 26

MARIJUANA 100/ 15 AMPHETAMINES 1000 / 15 _____ /

COCAINE 300/150 PHENCYCLIDINE 25 / 25 _____ /

OPIATES 300/ 300 ALCOHOL (% BAC) _____ /

TESTING RESULTS	LICENSEE EMPLOYEES				LONG-TERM CONTRACTOR PERSONNEL		SHORT-TERM CONTRACTOR PERSONNEL	
AVERAGE NUMBER WITH UNESCORTED ACCESS	1708							
CATEGORIES	# TESTED	# POSITIVE	# REFERRED TO EAP	# ACCESS RESTORED	# TESTED	# POSITIVE	# TESTED	# POSITIVE
PRE-EMPLOYMENT	407	0			67	1	497	7
PRE-BADGING	12	0			5	0	19	0
PERIODIC								
FOR CAUSE	0	0			0	0	0	0
POST ACCIDENT	0	0			0	0	0	0
RANDOM	746	1	1		134	0	44	1
FOLLOW-UP	0	0			6	0	0	0
OTHER	170	54			0	0	0	0
TOTAL	1335	55	1	0	212	1	560	8


RANDOM TESTING PROGRAM RESULTS

INDIVIDUALS TESTED	1989		1990		1991		1992		1993		
# POSITIVE		-	1	2	1	1					
# NEGATIVE			1492	252	746	178					
% POSITIVE			0.0013	.00835	.00134	.00561					
GRAPH OF % POSITIVE	5										
	4										
	3										
	2										
	1										

CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES


MARIJUANA			1	10	1	6				
COCAINE			2	1		1				
OPIATES										
AMPHETAMINES										
PHENCYCLIDINE										
ALCOHOL				1		2				

Supply System FFD Program Tests by Employee Type



1-1-91 to 6-30-91 (excl. blind samples)


Supply System FFD Program By Test Type



1-1-91 to 6-30-91 (excl. blind samples)

Supply System FFD Program

Positive Tests by Drug



1-1-91 to 6-30-91 (excl. blind samples)