

ACCELERATED DISTRIBUTION DEMONSTRATION SYSTEM

REGULATOR INFORMATION DISTRIBUTION SYSTEM (RIDS)

ACCESSION NBR:9209230017 DOC.DATE: 92/09/17 NOTARIZED: NO DOCKET #
 FACIL:50-397 WPPSS Nuclear Project, Unit 2, Washington Public Powe 05000397
 AUTH.NAME AUTHOR AFFILIATION
 SORENSEN,G.C. Washington Public Power Supply System
 RECIP.NAME RECIPIENT AFFILIATION
 Document Control Branch (Document Control Desk)

SUBJECT: Corrects administrative error in TS Table 3.3.7.12-1 re
 explosive gas monitoring instrumentation contained in
 861118 & 910628 applications for amend to License NPF-21,per
 GL 89-01.

DISTRIBUTION CODE: A001D COPIES RECEIVED:LTR 1 ENCL 1 SIZE: 2 + 1
 TITLE: OR Submittal: General Distribution

NOTES:

	RECIPIENT		COPIES			RECIPIENT		COPIES		
	ID CODE/NAME		L	T		ID CODE/NAME		L	T	
	PD5 LA		1	1		PD5 PD		1	1	
	DEAN,W.		2	2						
INTERNAL:	ACRS		6	6		NRR/DET/ESGB		1	1	
	NRR/DOEA/OTSB11		1	1		NRR/DST/SELB 7E		1	1	
	NRR/DST/SICB8H7		1	1		NRR/DST/SRXB 8E		1	1	
	NUDOCS-ABSTRACT		1	1		OC/LFMB		1	0	
	OGC/HDS1		1	0		<u>REG FILE</u> 01		1	1	
	RES/DSIR/EIB		1	1						
EXTERNAL:	NRC PDR		1	1		NSIC		1	1	

NOTE TO ALL "RIDS" RECIPIENTS:

PLEASE HELP US TO REDUCE WASTE! CONTACT THE DOCUMENT CONTROL DESK.
 ROOM P1-37 (EXT. 504-2065) TO ELIMINATE YOUR NAME FROM DISTRIBUTION
 LISTS FOR DOCUMENTS YOU DON'T NEED!

TOTAL NUMBER OF COPIES REQUIRED: LTR 22 ENCL 20

AA2



WASHINGTON PUBLIC POWER SUPPLY SYSTEM

P.O. Box 968 • 3000 George Washington Way • Richland, Washington 99352-0968 • (509) 372-5000

September 17, 1992
G02-92-220

9209230017 920917
PDR ADOCK 05000397
P PDR

Docket No. 50-397

U.S. Nuclear Regulatory Commission
Attn: Document Control Desk
Washington, D.C. 20555

Subject: WNP-2, OPERATING LICENSE NPF-21
CORRECTION OF ADMINISTRATIVE ERROR TO TECHNICAL SPECIFICATION TABLE
3.3.7.12-1 EXPLOSIVE GAS MONITORING INSTRUMENTATION

- References: 1) Letter, G02-88-264, GC Sorensen (SS) to NRC, "Request for Amendment to Technical Specification Table 3.3.7.12-1, Radioactive Gaseous Effluent Monitoring Instrumentation," dated November 18, 1986
- 2) Letter, PL Eng (NRC) to GC Sorensen (SS), "Issuance of Amendment for the Washington Public Power Supply System Nuclear Project No. 2," dated September 18, 1991
- 3) Letter, G02-91-124, GC Sorensen (SS) to NRC, "Request for Amendment to Technical Specifications to Relocate RETS in Accordance with Generic Letter 89-01," dated June 28, 1991
- 4) Letter, PL Eng (NRC) to GC Sorensen (SS), "Issuance of Amendment for the Washington Public Power Supply System Project No. 2," dated December 26, 1991

Reference 1 requested modifying the subject table to allow one of the redundant hydrogen monitors to be inoperable without entering the associated action statement. Specifically the request was to replace the "2" in the table with a "1" (see attached). This request was approved by Reference 2 and issued to the Supply System as Amendment 95. Reference 3 requested relocation of the Radiological Effluent Technical Specifications (RETS) to the Offsite Dose Calculation Manual (ODCM). Included in the request were changes to the subject table that relocated the majority of the table to the ODCM but did not involve changes to the hydrogen monitoring requirements. Because this request was made before approval of Amendment 95, the RETS submittal used pages from the WNP-2 Technical Specifications that still had a "2" requirement in the subject table. Reference 4 approved the RETS submittal and issued the change as Amendment 98. In doing so the Amendment 95 approval of "1" in the subject table was overlooked and a "2" was issued in Amendment 98.

21-112

A001
1/4


21

201.18

Page Two
CORRECTION OF ADMINISTRATIVE ERROR
TO TECHNICAL SPECIFICATION TABLE 3.3.7.12-1
EXPLOSIVE GAS MONITORING INSTRUMENTATION

It is requested that this be corrected at the Staff's earliest convenience. Because this change was an administrative error and the RETS relocation did not technically impact hydrogen monitoring requirements, the conclusions of both References 1 and 2 (request for "1" in the table and subsequent approval) remain correct and appropriate for WNP-2.


Sincerely,



G. C. Sorensen, Manager
Regulatory Programs (Mail Drop 280)

PLP/bk

cc: JB Martin - NRC RV
NS Reynolds - Winston & Strawn
RR Assa - NRC
DL Williams - BPA/399
NRC Site Inspector - 901A





24

100

100

100

100

25

100

26