

PRIORITY 1

(ACCELERATED RIDS PROCESSING)

REGULATORY INFORMATION DISTRIBUTION SYSTEM (RIDS)

ACCESSION NBR: 9503140446 DOC. DATE: 95/03/08 NOTARIZED: NO DOCKET #
 FACIL: 50-397 WPPSS Nuclear Project, Unit 2, Washington Public Powe 05000397
 AUTH. NAME AUTHOR AFFILIATION
 PARRISH, J.V. Washington Public Power Supply System
 RECIP. NAME RECIPIENT AFFILIATION
 Document Control Branch (Document Control Desk)

SUBJECT: Forwards "WNP-2 Cycle 10 COLR," COLR 94-10, Rev 2. Rev
 incorporates extended single loop max average planar linear
 heat generation rate limits for SPC 9x9 reload & lead fuel
 assembly fuel.

DISTRIBUTION CODE: A001D COPIES RECEIVED: LTTR 1 ENCL 1 SIZE: 2+42
 TITLE: OR Submittal: General Distribution

NOTES:

RECIPIENT ID CODE/NAME	COPIES LTTR ENCL	RECIPIENT ID CODE/NAME	COPIES LTTR ENCL
PD4-2 LA	1 1	PD4-2 PD	1 1
CLIFFORD, J	1 1		
INTERNAL: ACRS	6 6	FILE CENTER 01	1 1
NRR/DRCH/HICB	1 1	NRR/DSSA/SPLB	1 1
NRR/DSSA/SRXB	1 1	NUDOCS-ABSTRACT	1 1
OGC/HDS3	1 0		
EXTERNAL: NOAC	1 1	NRC PDR	1 1

NOTE TO ALL "RIDS" RECIPIENTS:

PLEASE HELP US TO REDUCE WASTE! CONTACT THE DOCUMENT CONTROL
 DESK, ROOM P1-37 (EXT. 504-2083) TO ELIMINATE YOUR NAME FROM
 DISTRIBUTION LISTS FOR DOCUMENTS YOU DON'T NEED!

TOTAL NUMBER OF COPIES REQUIRED: LTTR 17 ENCL 16

P
R
I
O
R
I
T
Y

1

D
O
C
U
M
E
N
T

WASHINGTON PUBLIC POWER SUPPLY SYSTEM

P.O. Box 968 • 3000 George Washington Way • Richland, Washington 99352-0968 • (509) 372-5000

March 8, 1995
GO2-95-047

Docket No. 50-397

U.S. Nuclear Regulatory Commission
Attn: Document Control Desk
Washington, D.C. 20555

Gentlemen:

Subject: **WNP-2, OPERATING LICENSE NPF-21
CYCLE 10 CORE OPERATING LIMITS REPORT (COLR)**

- References: 1) Letter GO2-94-158, dated July 11, 1994, JV Parrish (SS) to NRC, "Cycle 10 Core Operating Limits Report (COLR)"
- 2) Letter GO2-95-014, dated January 25, 1995, JV Parrish (SS) to NRC, "Cycle 10 Core Operating Limits Report (COLR)"

In accordance with the requirements of WNP-2 Technical Specification 6.9.3.4, the Supply System is submitting Revision 2 to COLR 94-10. Revision 1 to COLR 94-10 was submitted to the NRC in Reference 2. The WNP-2 Plant Operating Committee has reviewed and approved Revision 2 to COLR 94-10.

Revision 2 to COLR 94-10 incorporates the extended single loop Maximum Average Planar Linear Heat Generation Rate (MAPLHGR) limits for the SPC 9x9 reload and lead fuel assembly fuel. The previous single loop MAPLHGR limits were applicable through 35,000 MWd/MTU average planar exposure. The revised single loop MAPLHGR limits extend the allowed average planar exposure beyond 35,000 MWd/MTU; single loop operation may be used through the end of cycle 10.

9503140446 950308
PDR ADDCK 05000397
P PDR



Acc
1/1

1901

1901




Page 2

CYCLE 10 CORE OPERATING LIMITS REPORT (COLR)

Should you have any questions or desire additional information regarding this matter, please call me or D. A. Swank at (509) 377-4563.

Sincerely,



J. V. Parrish (Mail Drop 1023)
Vice-President, Nuclear Operations

DAS/ml
Attachment

cc: LJ Callan - NRC RIV
KE Perkins, Jr. - NRC RIV, Walnut Creek Field Office
NS Reynolds - Winston & Strawn
JW Clifford - NRC
DL Williams - BPA/399
NRC Sr. Resident Inspector - 927N

