

ATTACHMENT 1

Proposed Changes to WNP-2 Technical Specification Pages iv through xxiv

7506140362 750606
PDR ADDCK 05000397
P PDR

INDEX

SAFETY LIMITS AND LIMITING SAFETY SYSTEM SETTINGS

<u>SECTION</u>	<u>PAGE</u>
<u>2.1 SAFETY LIMITS</u>	
THERMAL POWER, Low Pressure or Low Flow.....	2-1
THERMAL POWER, High Pressure and High Flow.....	2-1
Reactor Coolant System Pressure.....	2-1
Reactor Vessel Water Level.....	2-2
<u>2.2 LIMITING SAFETY SYSTEM SETTINGS</u>	
Reactor Protection System Instrumentation Setpoints.....	2-3

BASES

<u>2.1 SAFETY LIMITS</u>	
THERMAL POWER, Low Pressure or Low Flow.....	B 2-1
THERMAL POWER, High Pressure and High Flow.....	B 2-2
Reactor Coolant System Pressure.....	B 2-5
Reactor Vessel Water Level.....	B 2-5
<u>2.2 LIMITING SAFETY SYSTEM SETTINGS</u>	
Reactor Protection System Instrumentation Setpoints.....	B 2-6

**DELETE SECTION
IN ENTIRETY**

INDEX

BASES

<u>SECTION</u>	<u>PAGE</u>
<u>3/4.0 APPLICABILITY</u>	B 3/4 0-1
<u>3/4.1 REACTIVITY CONTROL SYSTEMS</u>	
3/4.1.1 SHUTDOWN MARGIN.....	B 3/4 1-1
3/4.1.2 REACTIVITY ANOMALIES.....	B 3/4 1-1
3/4.1.3 CONTROL RODS.....	B 3/4 1-2
3/4.1.4 CONTROL ROD PROGRAM CONTROLS.....	B 3/4 1-3
3/4.1.5 STANDBY LIQUID CONTROL SYSTEM.....	B 3/4 1-4
3/4.1.6 FEEDWATER TEMPERATURE.....	B 3/4 1-5
<u>3/4.2 POWER DISTRIBUTION LIMITS</u>	
3/4.2.1 AVERAGE PLANAR LINEAR HEAT GF RATE.....	B 3/4 2-1
3/4.2.2 APRM SETPOINTS.....	B 3/4 2-2
3/4.2.3 MINIMUM CRITICAL POW.....	B 3/4 2-3
3/4.2.4 LINEAR HEAT GENER.....	B 3/4 2-4
3/4.2.5 (RESERVED FOR.....	
3/4.2.6 POWER/FLOW.....	B 3/4 2-4
3/4.2.7 STABILITY MONITORING - TWO LOOP OPERATION.....	B 3/4 2-5
3/4.2.8 STABILITY MONITORING - SINGLE LOOP OPERATION.....	B 3/4 2-5
<u>3/4.3 INSTRUMENTATION</u>	
3/4.3.1 REACTOR PROTECTION SYSTEM INSTRUMENTATION.....	B 3/4 3-1
3/4.3.2 ISOLATION ACTUATION INSTRUMENTATION.....	B 3/4 3-2
3/4.3.3 EMERGENCY CORE COOLING SYSTEM ACTUATION INSTRUMENTATION.....	B 3/4 3-2
3/4.3.4 RECIRCULATION PUMP TRIP ACTUATION INSTRUMENTATION.....	B 3/4 3-3
3/4.3.5 REACTOR CORE ISOLATION COOLING SYSTEM ACTUATION INSTRUMENTATION.....	B 3/4 3-4
3/4.3.6 CONTROL ROD BLOCK INSTRUMENTATION.....	B 3/4 3-4

DELETE ALL ENTRIES



9-

W 2 -

W 2 -

W 2 -

W 2 -

W 2 -

W 2 -

W 2 -

W 2 -

W 2 -

W 2 -

W 2 -

W 2 -

W 2 -

W 2 -

W 2 -

W 2 -

W 2 -

W 2 -

W 2 -

W 2 -

W 2 -

W 2 -

W 2 -

W 2 -

W 2 -

INDEX

BASES

SECTION

PAGE

INSTRUMENTATION (Continued)

3/4.3.7 MONITORING INSTRUMENTATION

Radiation Monitoring Instrumentation.....	B 3/4 3-4
Meteorological Monitoring Instrumentation.....	B 3/4 3-5
Remote Shutdown Monitoring Instrumentation.....	B 3/4 3-5
Accident Monitoring Instrumentation.....	B 3/4 3-5
Source Range Monitors.....	B 3/4 3-5
Traversing In-Core Probe Syst.....	B 3/4 3-5
Loose-Part Detection Syst.....	B 3/4 3-6
Explosive Gas Monitorin.....mentation.....	B 3/4 3-6

3/4.3.8 TURBINE OVERSPEED PROTECTION SYSTEM..... B 3/4 3-6

3/4.3.9 FEEDWATER SYSTEM/WATER LINE TRIP SYSTEM
ACTUATION INSTRUMENTATION..... B 3/4 3-6

3/4.4 REACTOR COOLANT SYSTEM

3/4.4.1 RECIRCULATION..... B 3/4 4-1

3/4.4.2 SAFETY/RELIEF VALVES..... B 3/4 4-1

3/4.4.3 REACTOR COOLANT SYSTEM LEAKAGE

Leakage Detection Systems..... B 3/4 4-1a

Operational Leakage..... B 3/4 4-2

3/4.4.4 CHEMISTRY..... B 3/4 4-2

3/4.4.5 SPECIFIC ACTIVITY..... B 3/4 4-3

3/4.4.6 PRESSURE/TEMPERATURE LIMITS..... B 3/4 4-4

3/4.4.7 MAIN STEAM LINE ISOLATION VALVES..... B 3/4 4-5

DELETE ALL ENTRIES

INDEX

BASES

SECTION

PAGE

3/4.5 EMERGENCY CORE COOLING SYSTEMS

3/4.5.1 and 3/4.5.2 ECCS - OPERATING and SHUTDOWN..... B 3/4 5-1

3/4.5.3 SUPPRESSION CHAMBER..... B 3/4 5-2

3/4.6 CONTAINMENT SYSTEMS

3/4.6.1 PRIMARY CONTAINMENT

Primary Containment Integrity..... B 3/4 6-1

Primary Containment Leakage..... B 3/4 6-1

Primary Containment Air Locks..... B 3/4 6-1

MSIV Leakage Control System..... B 3/4 6-1

Primary Containment Structural Integrity..... B 3/4 6-2

Drywell and Suppression Chamber Internal Pressure..... B 3/4 6-2

Drywell Average Air Temperature..... B 3/4 6-2

Drywell and Suppression Chamber Purge System..... B 3/4 6-2

3/4.6.2 DEPRESSURIZATION..... B 3/4 6-3

3/4.6.3 PRIMARY CONTAINMENT ISOLATION VALVES..... B 3/4 6-4

3/4.6.4 VACUUM RELIEF..... B 3/4 6-5

3/4.6.5 SECONDARY CONTAINMENT..... B 3/4 6-5

3/4.6.6 PRIMARY CONTAINMENT ATMOSPHERE CONTROL..... B 3/4 6-5

3/4.7 PLANT SYSTEMS

3/4.7.1 SERVICE WATER SYSTEMS..... B 3/4 7-1

3/4.7.2 CONTROL ROOM EMERGENCY FILTRATION SYSTEM..... B 3/4 7-1

3/4.7.3 REACTOR CORE ISOLATION COOLING SYSTEM..... B 3/4 7-1

3/4.7.4 SNUBBERS..... B 3/4 7-2

DELETE ALL ENTRIES

BASES

SECTION

PAGE

PLANT SYSTEMS (Continued)

3/4.7.5	SEALED SOURCE CONTAMINATION.....	B 3/4 7-3
3/4.7.8	AREA TEMPERATURE MONITORING.....	B 3/4 7-4
3/4.7.9	MAIN TURBINE BYPASS SYSTEM.....	B 3/4 7-4

3/4.8 ELECTRICAL POWER SYSTEMS

3/4.8.1, 3/4.8.2, and 3/4.8.3	A.C. SOURCES, D.C. SOURCES, and DISTRIBUTION SYSTEMS.....	POWER B 3/4 8-1
3/4.8.4	ELECTRICAL EQUIPMENT PROTECTION DEVICES.....	B 3/4 8-3

3/4.9 REFUELING OPERATIONS

3/4.9.1	REACTOR MODE SWITCH.....	B 3/4 9-1
3/4.9.2	INSTRUMENTATION.....	B 3/4 9-1
3/4.9.3	CONTROL ROD POSITIONING.....	B 3/4 9-1
3/4.9.4	DECAY TIME.....	B 3/4 9-1
3/4.9.5	COMMUNICATIONS.....	B 3/4 9-1
3/4.9.6	REFUELING PLATFORM.....	B 3/4 9-2
3/4.9.7	CRANE TRAVEL - SPENT FUEL STORAGE POOL.....	B 3/4 9-2
3/4.9.8 and 3/4.9.9	WATER LEVEL - REACTOR VESSEL and WATER LEVEL - SPENT FUEL STORAGE POOL.....	B 3/4 9-2
3/4.9.10	CONTROL ROD REMOVAL.....	B 3/4 9-2
3/4.9.11	RESIDUAL HEAT REMOVAL AND COOLANT CIRCULATION...	B 3/4 9-2

DELETE ALL ENTRIES

INDEX

BASES

SECTION

PAGE

3/4.10 SPECIAL TEST EXCEPTIONS

3/4.10.1 PRIMARY CONTAINMENT INTEGRITY.....	B 3/4 10-1
3/4.10.2 ROD SEQUENCE CONTROL SYSTEM.....	B 3/4 10-1
3/4.10.3 SHUTDOWN MARGIN DEMONSTRATION.....	B 3/4 10-1
3/4.10.4 RECIRCULATION LOOPS.....	B 3/4 10-1
3/4.10.5 OXYGEN CONCENTRATION.....	B 3/4 10-1
3/4.10.6 TRAINING STARTUPS.....	B 3/4 10-1

3/4.11 RADIOACTIVE EFFLUENT

3/4.11.1 LIQUID EFFLUENTS.....	B 3/4 11-1
3/4.11.2 GASEOUS EFFLUENTS.....	B 3/4 11-1

3/4.12 RADIOLOGICAL ENVIRONMENTAL MONITORING

Entire section relocated to ODCM.

DELETE ALL ENTRIES

INDEX

July 14, 1994

LIST OF FIGURES

<u>FIGURE</u>		<u>PAGE</u>
3.2.4-5	LINEAR HEAT GENERATION RATE (LHGR) LIMIT VERSUS AVERAGE PLANAR EXPOSURE GE11 LEAD FUEL ASSEMBLIES	Deleted
3.2.6-1	OPERATING REGION LIMITS OF SPEC. 3.2.6	3/4 2-6
3.2.7-1	OPERATING REGION LIMITS OF SPEC. 3.2.7	3/4 2-8
3.2.8-1	OPERATING REGION LIMITS OF SPEC. 3.2.8	3/4 2-10
3.4.1.1-1	OPERATING REGION LIMITS OF SPEC. 3.4.1.1	3/4 4-3a
3.4.6.1	MINIMUM REACTOR VESSEL METAL TEMPERATURE VERSUS REACTOR VESSEL PRESSURE	3/4 4-20
3.4.6.1.C	PRESSURE/TEMPERATURE LIMITS FOR 8 EPY TESTING AND NONNUCLEAR HEATING CURVES	3/4 4-21a
4.7-1	SAMPLE PLAN 2) FOR SNUBBER FUNCTIONAL TEST	3/4 7-15
3.9.7-1	HEIGHT ABOVE SFP WATER LEVEL VS. MAXIMUM LOAD TO BE CARRIED OVER SFP	3/4 9-10
B 3/4 3-1	REACTOR VESSEL WATER LEVEL	B 3/4 3-8
B 3/4.4.6-1	FAST NEUTRON FLUENCE (E>1MeV) AT 1/4 T AS A FUNCTION OF SERVICE LIFE	B 3/4 4-7
5.1-1	EXCLUSION AREA BOUNDARY	5-2
5.1-2	LOW POPULATION ZONE	5-3
5.1-3	UNRESTRICTED AREAS AND SITE BOUNDARY FOR RADIOACTIVE GASEOUS AND LIQUID EFFLUENTS	5-4

DELETE
ENTRIES

INDEX

LIST OF TABLES

<u>TABLE</u>		<u>PAGE</u>
1.1	SURVEILLANCE FREQUENCY NOTATION	1-9
1.2	OPERATIONAL CONDITIONS	1-10
2.2.1-1	REACTOR PROTECTION SYSTEM INSTRUMENTATION SETPOINTS . . .	2-4
B2.1.2-1	UNCERTAINTIES USED IN THE DETERMINATION OF THE FUEL CLADDING SAFETY LIMIT	B 2-3
		} DELETE ENTRY
3.2.3-1	MCPR OPERATING LIMITS FOR RATED CORE FLOW	Deleted
3.3.1-1	REACTOR PROTECTION SYSTEM INSTRUMENTATION	3/4 3-2
3.3.1-2	REACTOR PROTECTION SYSTEM RESPONSE TIMES	3/4 3-6
4.3.1.1-1	REACTOR PROTECTION SYSTEM INSTRUMENTATION SURVEILLANCE REQUIREMENTS	3/4 3-7
3.3.2-1	ISOLATION ACTUATION INSTRUMENTATION	3/4 3-12
3.3.2-2	ISOLATION ACTUATION INSTRUMENTATION SETPOINTS	3/4 3-16
3.3.2-3	ISOLATION SYSTEM INSTRUMENTATION RESPONSE TIME	3/4 3-19
4.3.2.1-1	ISOLATION SYSTEM INSTRUMENTATION SURVEILLANCE REQUIREMENTS	3/4 3-22
3.3.3-1	EMERGENCY CORE COOLING SYSTEM ACTUATION INSTRUMENTATION	3/4 3-26
3.3.3-2	EMERGENCY CORE COOLING SYSTEM ACTUATION INSTRUMENTATION SETPOINTS	3/4 3-30
3.3.3-3	EMERGENCY CORE COOLING SYSTEM RESPONSE TIMES	3/4 3-33
4.3.3.1-1	EMERGENCY CORE COOLING SYSTEM ACTUATION INSTRUMENTATION SURVEILLANCE REQUIREMENTS	3/4 3-34
3.3.4.1-1	ATWS RECIRCULATION PUMP TRIP SYSTEM INSTRUMENTATION	3/4 3-38
3.3.4.1-2	ATWS RECIRCULATION PUMP TRIP SYSTEM INSTRUMENTATION SETPOINTS	3/4 3-39
4.3.4.1-1	ATWS RECIRCULATION PUMP TRIP ACTUATION INSTRUMENTATION SURVEILLANCE REQUIREMENTS	3/4 3-40

CONTROLLED COPY

INDEX

LIST OF TABLES (Continued)

<u>TABLE</u>		<u>PAGE</u>
4.4.6.1.3-1	DELETED	3/4 4-22
3.6.3-1	PRIMARY CONTAINMENT ISOLATION VALVES	3/4 6-21
3.6.5.2-1	SECONDARY CONTAINMENT VENTILATION SYSTEM	
	AUTOMATIC ISOLATION VALVES	3/4 6-39
3.7.8-1	AREA TEMPERATURE MONITORING	3/4 7-31
4.8.1.1.2-1	DIESEL GENERATOR TEST SCHEDULE	3/4 8-9
4.8.2.1-1	BATTERY SURVEILLANCE REQUIREMENTS	3/4 8-14
3.8.4.2-1	PRIMARY CONTAINMENT PENETRATION CONDUCTOR OVERCURRENT PROTECTIVE DEVICES	3/4 8-23
3.8.4.3-1	MOTOR-OPERATED VALVES THERMAL OVERLOAD PROTECTION	3/4 8-26
B3/4.4.6-1	DELETED	B 3/4 4-6
5.7.1-1	COMPONENT CYCLIC OR TRANSIENT LIMITS	5-7
6.2.2-1	MINIMUM SHIFT CREW COMPOSITION - SINGLE UNIT FACILITY	6-6

DELETE
ENTRY

ATTACHMENT 2

Basis For No Significant Hazards Consideration Determination

In accordance with the criteria for a significant hazards consideration established in 10 CFR 50.92, the Supply System has evaluated the proposed amendment to the WNP-2 Technical Specification Index and determined that it does not represent a significant hazards consideration. The following discussion is provided in support of this conclusion.

1. Does the change involve a significant increase in the probability or consequences of an accident previously evaluated?

The proposed changes are administrative and do not remove or modify existing Technical Specification requirements or safety limits. There will be no changes to the physical design of the plant as a result of the proposed change. The Bases information, per 10 CFR 50.36(a), is not part of the Technical Specifications and will be consolidated into a controlled plant document. Future changes to the Bases will be evaluated per 10 CFR 50.59. Therefore, the proposed changes to the Technical Specification Index do not involve a significant increase in the probability or consequences of an accident previously evaluated.

2. Does the change create the possibility of a new or different kind of accident from any accident previously evaluated?

The proposed changes are administrative and do not remove or modify existing Technical Specification requirements or safety limits. There will be no changes to the physical design of the plant or alteration of any operational practice as a result of the proposed change. The Bases information, per 10 CFR 50.36(a), is not part of the Technical Specifications and will be consolidated into a controlled document. Future changes to the Bases will be evaluated under 10 CFR 50.59. Therefore, the proposed changes to the Technical Specification Index do not create the possibility of a new or different type of accident.

3. Does the change involve a significant reduction in a margin of safety?

Plant safety limits are established through LCOs, limiting safety system settings, and safety limits specified in the Technical Specifications. There will be no changes to either the physical design of the plant or to any of these settings and limits as a result of modifying the Technical Specification Index. The ability to mitigate the consequences of all accidents previously evaluated will be maintained and nuclear safety is not impacted. The Bases information, per 10 CFR 50.36(a), is not part of the Technical Specifications and will be consolidated into a controlled document. Future changes to the Bases will be evaluated under 10 CFR 50.59. Therefore, the proposed amendment does not significantly reduce any margin of safety.

In preparing this request, the Technical Specifications Bases were reviewed for impact. No changes are necessary to address this proposed administrative amendment to the Technical Specifications Index.

