

REGULATOR INFORMATION DISTRIBUTION ITEM (RIDS)

ACCESSION NBR: 8305310161 DOC. DATE: 83/05/20 NOTARIZED: NO DOCKET #
 FACIL: STN-50-528 Palo Verde Nuclear Station, Unit 1, Arizona Publi 05000528
 STN-50-529 Palo Verde Nuclear Station, Unit 2, Arizona Publi 05000529
 STN-50-530 Palo Verde Nuclear Station, Unit 3, Arizona Publi 05000530
 AUTH. NAME AUTHOR AFFILIATION
 VAN BRUNT, E.E. Arizona Public Service Co.
 RECIP. NAME RECIPIENT AFFILIATION
 KNIGHTON, G. Licensing Branch 3

SUBJECT: Notifies that util will provide plant-specific info re depressurization & DHR capabilities by 830731, instead of previous schedule date of 830930.

DISTRIBUTION CODE: B001S COPIES RECEIVED: LTR 1 ENCL 0 SIZE: 2
 TITLE: Licensing Submittal: PSAR/FSAR Amdts & Related Correspondence

NOTES: Standardized plant. 05000528
 Standardized plant. 05000529
 Standardized plant. 05000530

	RECIPIENT ID CODE/NAME	COPIES LTR ENCL		RECIPIENT ID CODE/NAME	COPIES LTR ENCL
	NRR/DL/ADL	1 0		NRR LB3 BC	1 0
	NRR LB3 LA	1 0		LICITRA, E. 01	1 1
INTERNAL:	ELD/HDS3	1 0		IE FILE	1 1
	IE/DEPER/EPB 36	3 3		IE/DEPER/IRB 35	1 1
	IE/DEQA/QAB 21	1 1		NRR/DE/AEAB	1 0
	NRR/DE/CEB 11	1 1		NRR/DE/EHEB	1 1
	NRR/DE/EOB 13	2 2		NRR/DE/GB 28	2 2
	NRR/DE/MEB 18	1 1		NRR/DE/MTEB 17	1 1
	NRR/DE/SAB 24	1 1		NRR/DE/SGEB 25	2 2
	NRR/DE/SGEB 30	1 1		NRR/DHFS/HFEB40	1 1
	NRR/DHFS/LQB 32	1 1		NRR/DHFS/PSRB	1 1
	NRR/DL/SSPB	1 0		NRR/DSI/AEB 26	1 1
	NRR/DSI/ASB	1 1		NRR/DSI/CPB 10	1 1
	NRR/DSI/CSB 09	1 1		NRR/DSI/ICSB 16	1 1
	NRR/DSI/METB 12	1 1		NRR/DSI/PSB 19	1 1
	NRR/DSI/RAB 22	1 1		NRR/DSI/RSB 23	1 1
	REG FILE 04	1 1		RGNS	3 3
	RM/DDAMI/MIB	1 0			
EXTERNAL:	ACRS 41	6 6		BNL (AMDTS ONLY)	1 1
	DMB/DSS (AMDTS)	1 1		FEMA-REP DIV 39	1 1
	LPDR 03	1 1		NRC PDR 02	1 1
	NSIC 05	1 1		NTIS	1 1

TOTAL NUMBER OF COPIES REQUIRED: LTR 55 ENCL 48

[illegible][illegible]

2000年12月29日 星期三 晴
 2000年12月30日 星期四 晴
 2000年12月31日 星期五 晴

[illegible]

□ 4 1 x 7 8 9 10 11 12 13 14 15

● 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30

■ 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476	477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493	494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510	511	512	513	514	515	516	517	518	519	520	521	522	523	524	5
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	---

Arizona Public Service Company

P.O. BOX 21666 • PHOENIX, ARIZONA 85036

May 24, 1983
ANPP 23878-MFH/MJW

Director of Nuclear Reactor Regulation
Attention: Mr. George Knighton, Chief
Licensing Branch No. 3
Division of Licensing
U. S. Nuclear Regulatory Commission
Washington, DC 20555

Subject: Palo Verde Nuclear Generating Station (PVNGS)
Units 1, 2 & 3
Docket Nos. STN-50-528-529-530
File: 83-056-026/G.1.01.10

- Reference: (A) Letter from T. H. Novak, NRC to E. E. Van Brunt, Jr.
dated April 20, 1983, "CE Owners Group Study on
Depressurization and Decay Heat Removal Capability of
CE Plants Without PORV's"
(B) Letter from A. E. Scherer, Combustion Engineering, to
D. G. Eisenhut, NRC, dated February 28, 1983
(C) Letter from R. W. Wells, Chairman CE Owners Group to
D. G. Eisenhut, NRC, dated October 28, 1982, "Response
to NRC Questions on Depressurization and Decay Heat
Removal Capabilities in Combustion Engineering Plants"

Dear Mr. Knighton:

Reference (A) discussed information required to evaluate depressurization and decay heat removal capabilities in CE plants without PORV's and stated that:

"As a result of the Commission's concern, we now intend to make our decision regarding the need for PORV's in the plants based on all information received by June 30, 1983. Thus, you should ensure that the necessary information has been submitted to the NRC staff by this date if you wish it to be considered in the decision-making process."

I must express my concern with your position that the NRC's decision will be based only upon information submitted by June 30, 1983. In October 1982, the NRC was informed by the CE Owners Group, Reference (C), that the first plant specific submittal would be submitted by June 30, 1983 with subsequent plant-specific reports to be provided at one and one-half to two-month intervals. Again, in February, 1983, CE informed the staff, Reference (B), that the generic portion of the questions would be answered in a report submitted by June 30, 1983 and that the remaining questions would be answered in individual plant specific submittals.

8305310161 830527
PDR ADOCK 05000528
A PDR


Boo1
1/0

A great deal of time and effort has been expended by CE, the CE Owners Group, ourselves and other utilities to support your evaluation. We believe that all information to be provided is necessary for a proper evaluation of the need for PORV's.

At the same time, we do recognize the NRC's concern for an expeditious resolution of this issue. Therefore, we have accelerated our schedule by two months to provide Palo Verde specific information by July 31, 1983 (earliest date possible) rather than the previously scheduled September 30, 1983 date. Considering the amount of detailed material which will be submitted by the Owners Group and other utilities, and the necessity for a detailed review by the NRC staff, we believe this new submittal schedule is responsive to the staff's needs and need not delay the NRC's decision-making process.

It is most likely that our plant specific results will be very similar and comparable to the San Onofre Units 2 and 3 (lead plants) results. However, we also strongly believe that our plant specific information should be the basis for any decisions regarding the need for PORV's in Palo Verde.

Very truly yours,



E. E. Van Brunt, Jr.
APS Vice President,
Nuclear Projects
ANPP Project Director

EEVBJr/MJW/sb

cc: E. Licitra
A. C. Gehr

9-3-52
2-3-53

1. The first part of the report is a general description of the project and its objectives. It includes a brief history of the project and a statement of the problem to be solved. The second part of the report is a detailed description of the methods used in the study. This includes a description of the experimental setup, the data collection procedures, and the statistical methods used to analyze the data. The third part of the report is a discussion of the results of the study. This includes a description of the findings, a comparison of the results with previous studies, and a discussion of the implications of the findings. The final part of the report is a conclusion and a list of references.