



ROCHESTER GAS AND ELECTRIC CORPORATION • 89 EAST AVENUE, ROCHESTER, N.Y. 14649-0001

ROGER W. KOBER
VICE PRESIDENT
ELECTRIC & STEAM PRODUCTION

TELEPHONE
AREA CODE 716 546-2700



Docket Room

September 5, 1984

Dr. Thomas E. Murley, Regional Administrator
U. S. Nuclear Regulatory Commission
Region I
631 Park Avenue
King of Prussia, Pennsylvania 19406

IE HQ FILE COPY

Subject: Docket No. 50-244
Semiannual Radioactive Effluent Release Report January -
June, 1984

Dear Dr. Murley:

The enclosed information is being forwarded to you in accordance with the requirements of Technical Specification Sections 6.9.1.4 and 4.12.

Several typographical errors in the sign of the exponent were included in the gaseous effluent portion of the July - December, 1983 Semiannual Radioactive Effluent Release Report. Corrected pages are included with this report.

A listing is included of those batch releases for which the LLD of 5E-07 was not obtained with a brief explanation as required by Table 4.12-1 subnote (a) of the Technical Specification. The LLD value is determined by counting one liter of sample for one hour. The normal LLD values for samples having little or no activity are <3E-07.

Very truly yours,

Roger W. Kober

Enc.

Ev

8409260133 840905
PDR ADOCK 05000244
R PDR

IE 25/10

RECEIVED-REGION 1
1984 SEP 10 PM 2 21

CONSOLIDATED GAS AND ELECTRIC CORPORATION - 29 E. 97 ST.

GINNA

September 5, 1984

Dr. Thomas E. Murley, Regional Administrator
U. S. Nuclear Regulatory Commission
Region I
631 Park Avenue
King of Prussia, Pennsylvania 19406

Subject: Docket No. 50-244
Semiannual Radioactive Effluent Release Report January -
June, 1984

Dear Dr. Murley:


The enclosed information is being forwarded to you in accordance with the requirements of Technical Specification Sections 6.9.1.4 and 4.12.

Several typographical errors in the sign of the exponent were included in the gaseous effluent portion of the July - December, 1983 Semiannual Radioactive Effluent Release Report. Corrected pages are included with this report.

For corrected
pages see
Eff-83b

A listing is included of those batch releases for which the LLD of $5E-07$ was not obtained with a brief explanation as required by Table 4.12-1 subnote (a) of the Technical Specification. The LLD value is determined by counting one liter of sample for one hour. The normal LLD values for samples having little or no activity are $<3E-07$.

Very truly yours,



Roger W. Kober

Enc.

8409260133 840905
PDR ADDCK 05000244
R PDR

1E 25

JOHN DEERE GAS AND ELECTRIC CORPORATION, 39 E. DEER ...

GINVA

September 5, 1984

Corrections
to be
made

Dr. Thomas E. Murley, Regional Administrator
U. S. Nuclear Regulatory Commission
Region I
631 Park Avenue
King of Prussia, Pennsylvania 19406

Subject: Docket No. 50-244
Semiannual Radioactive Effluent Release Report January -
June, 1984

Dear Dr. Murley:


The enclosed information is being forwarded to you in accordance
with the requirements of Technical Specification Sections 6.9.1.4 and
4.12.

Several typographical errors in the sign of the exponent were
included in the gaseous effluent portion of the July - December, 1983
Semiannual Radioactive Effluent Release Report. Corrected pages are
included with this report.

For correction
hyper-se
Eff-836

A listing is included of those batch releases for which the LLD
of 5E-07 was not obtained with a brief explanation as required by Table
4.12-1 subnote (a) of the Technical Specification. The LLD value is
determined by counting one liter of sample for one hour. The normal
LLD values for samples having little or no activity are <3E-07.

Very truly yours,


Roger W. Kober

Enc.

Corrections made
10/11/84

8409260133 840905
PDR ADDCK 05000244
R PDR

1E 25