

INDIANA & MICHIGAN
ELECTRIC COMPANY
DONALD C. COOK NUCLEAR PLANT

PROCEDURE COVER SHEET

Procedure No. 12 PMP 3150 PCP.001

Revision No. 2

TITLE RADIOACTIVE WASTE PROCESS CONTROL MANUAL

SCOPE OF REVISION Rewrite, including incorporation of temporary change sheets and deletion of urea formaldehyde solidification of evaporator concentrates.

Rev. 2: Rewritten to incorporate temporary change sheets including cement solidification of resin, to change references to Nuclear Engineering Company, Inc. to U.S. Ecology, Inc., and to update several of the Check-off and Information Sheets.

WORKING COPY

Dept.

DCR

8G

Volume #

SIGNATURES

	ORIGINAL	Rev. 1	REV. 2	Rev. 3
PREPARED BY		<i>S. D. Pemberton</i>	<i>S. D. Pemberton</i>	
QUALITY ASSURANCE REVIEW		<i>[Signature]</i>	<i>[Signature]</i>	
INTERFACING DEPARTMENT HEAD CONCURRENCE		<i>[Signature]</i>	<i>[Signature]</i>	
DEPARTMENT HEAD APPROVAL		<i>[Signature]</i>	<i>[Signature]</i>	
PLANT NUCLEAR SAFETY COMMITTEE		<i>[Signature]</i>	<i>[Signature]</i>	
PLANT MANAGER APPROVAL		<i>[Signature]</i>	<i>[Signature]</i>	
DATE OF ISSUE		2-18-81	2-15-83	

8303080119 830304
PDR ADDCK 05000315
P

THE UNIVERSITY OF CHICAGO
LIBRARY

INDIANA & MICHIGAN POWER COMPANY

DONALD C. COOK NUCLEAR PLANT

PROCEDURE COVER SHEET

Procedure No. 12 PMP 3150 PCP.001

Revision No. 0

TITLE RADIOACTIVE WASTE PROCESS CONTROL MANUAL

SCOPE OF REVISION

SIGNATURES

	ORIGINAL	Rev. 1	REV. 2	Rev. 3
PREPARED BY	<i>[Signature]</i>			
QUALITY ASSURANCE REVIEW	<i>[Signature]</i>			
INTERFACING DEPARTMENT HEAD CONCURRENCE	<i>[Signature]</i>			
DEPARTMENT HEAD APPROVAL	<i>[Signature]</i>			
PLANT NUCLEAR SAFETY COMMITTEE	<i>[Signature]</i>			
PLANT MANAGER APPROVAL	<i>[Signature]</i>			
DATE OF ISSUE	2-25-80			

LIST OF EFFECTIVE PAGES

<u>PAGE NUMBER</u>	<u>REVISION NUMBER AND DATE</u>
Page 1 of 26	Revision 2, 02/15/83
Page 2 of 26	Revision 2, 02/15/83
Page 3 of 26	Revision 2, 02/15/83
Page 4 of 26	Revision 2, 02/15/83
Page 6 of 26	Revision 2, 02/15/83
Page 7 of 26	Revision 2, 02/15/83
Page 8 of 26	Revision 2, 02/15/83
Page 9 of 26	Revision 2, 02/15/83
Page 10 of 26	Revision 2, 02/15/83
Page 11 of 26	Revision 2, 02/15/83
Page 12 of 26	Revision 2, 02/15/83
Page 13 of 26	Revision 2, 02/15/83
Page 14 of 26	Revision 2, 02/15/83
Page 15 of 26	Revision 2, 02/15/83
Page 16 of 26	Revision 2, 02/15/83
Page 17 of 26	Revision 2, 02/15/83
Page 18 of 26	Revision 2, 02/15/83
Page 19 of 26	Revision 2, 02/15/83
Page 20 of 26	Revision 2, 02/15/83
Page 21 of 26	Revision 2, 02/15/83
Page 22 of 26	Revision 2, 02/15/83
Page 23 of 26	Revision 2, 02/15/83
Page 24 of 26	Revision 2, 02/15/83
Page 25 of 26	Revision 2, 02/15/83
Page 26 of 26	Revision 2, 02/15/83

LIST OF EFFECTIVE PAGES

<u>PAGE NUMBER</u>	<u>REVISION NUMBER AND DATE</u>
<u>ATTACHMENT I</u>	
Page 1 of 1	Revision 2, 02/15/83
<u>ATTACHMENT II</u>	
Page 1 of 1	Revision 2, 02/15/83
<u>ATTACHMENT III</u>	
Page 1 of 1	Revision 2, 02/15/83
<u>ATTACHMENT IV</u>	
Page 1 of 1	Revision 2, 02/15/83
<u>ATTACHMENT V</u>	
Page 1 of 1	Revision 2, 02/15/83
<u>ATTACHMENT VI</u>	
Page 1 of 5	Revision 2, 02/15/83
Page 2 of 5	Revision 2, 02/15/83
Page 3 of 5	Revision 2, 02/15/83
Page 4 of 5	Revision 2, 02/15/83
Page 5 of 5	Revision 2, 02/15/83
<u>ATTACHMENT VII</u>	
Page 1 of 2	Revision 2, 02/15/83
Page 2 of 2	Revision 2, 02/15/83
<u>ATTACHMENT VIII</u>	
Page 1 of 1	Revision 2, 02/15/83

LIST OF EFFECTIVE PAGESPAGE NUMBERREVISION NUMBER AND DATEATTACHMENT IX

Page 1 of 1

Revision 2, 02/15/83

ATTACHMENT X

Page 1 of 1

Revision 2, 02/15/83

ATTACHMENT XI

Page 1 of 1

Revision 2, 02/15/83

ATTACHMENT XII

Page 1 of 1

Revision 2, 02/15/83

ATTACHMENT XIII

Page 1 of 1

Revision 2, 02/15/83

ATTACHMENT XIV

Page 1 of 3

Revision 2, 02/15/83

Page 2 of 3

Revision 2, 02/15/83

Page 3 of 3

Revision 2, 02/15/83

ATTACHMENT XV

Page 1 of 1

Revision 2, 02/15/83

ATTACHMENT XVI

Page 1 of 1

Revision 2, 02/15/83

LIST OF EFFECTIVE PAGESPAGE NUMBERREVISION NUMBER AND DATEATTACHMENT XVII

Page 1 of 1

Revision 2, 02/15/83

ATTACHMENT XVIII

Page 1 of 2

Revision 2, 02/15/83

Page 2 of 2

Revision 2, 02/15/83

ATTACHMENT XIX

Page 1 of 1

Revision 2, 02/15/83

ATTACHMENT XX

Page 1 of 1

Revision 2, 02/15/83

ATTACHMENT XXI

Page 1 of 1

Revision 2, 02/15/83

ATTACHMENT XXII

Page 1 of 1

Revision 2, 02/15/83

INDIANA & MICHIGAN ELECTRIC COMPANY
DONALD C. COOK NUCLEAR PLANT

RADIOACTIVE WASTE PROCESS CONTROL PROGRAM

1.0 OBJECTIVE

This manual is to give the necessary directions to insure that all plant generated radioactive wastes are transferred, packaged and shipped such that radioactive waste shipment and burial regulations are satisfied.

2.0 REFERENCES

- 2.1 Code of Federal Regulations Title 49 Parts 170-179
- 2.2 Code of Federal Regulations Title 10 Parts 19-71, 150
- 2.3 NRC Radioactive Material License No. 46-13536-01
- 2.4 State of South Carolina, Radioactive Materials License No. .097.
- 2.5 State of Maryland Radioactive Materials License No. MD 27-001-02.
- 2.6 Technical Specifications, Appendix A to License No. DPR-58.
- 2.7 Technical Specifications, Appendix A to License No. DPR-74.
- 2.8 U.S. Ecology Incorporated, State of Nevada, Department of Human Resources, Division of Health, Radioactive Materials License No. 13-11-0043-02.
- 2.9 U.S. Ecology Incorporated, NRC, Radioactive Materials License No. 04-03766-01.
- 2.10 U.S. Ecology, Incorporated, State of Washington Radioactive Materials License No. WN-1019-02.
- 2.11 U.S. Ecology Incorporated, NRC, Washington License 16-19204-01.

- 2.12 Application to transport "Large Quantity" shipments of radioactive material in Michigan should be made pursuant to the requirements of R29.553 of Act No. 207 of the Public Acts of 1941, as amended, being 29.3C of the Michigan Compiled Laws (Department of State Police - State Fire Safety Board) and Section 9 of Act No. 380 of the Public Acts of 1965, as amended, and Sections 2226, 2233, and 13521 of Act No. 368 of the Public Acts of 1978, as amended, being § 16.109, 333.2226, 333.2233 and 333.13521 of the Michigan Compiled Laws (Michigan Department of Public Health).
- 2.13 Oregon Administrative Rules Chapter 345 Division 60 for the Oregon Radioactive Materials Transport Permit requirements.
- 2.14 Hittman Nuclear and Development Corporation Radwaste Handling Service Manual.
- 2.15 Chem Nuclear Radwaste Handling Service Manual.

3.0 PRECAUTIONS

- 3.1 No oil or petroleum products will be poured into any Auxiliary Building floor drains. All oils removed from any pump, etc. in the Auxiliary Building or containment area must be placed into a container, and removed from the area. All spills must be kept from entering floor drains and must be cleaned up immediately.
- 3.2 No package will be loaded for shipment if it has any indication of a hole, failure, or weak spot. Any package which has an opening or weak spot must be labeled "Do Not Ship." Particular attention will be paid to welds, insuring no holes, failures or weak spots exist. Any package which has a hole, failure or weak spot and is marked "Do Not Ship" will be placed in a larger package for shipment or will be emptied and cut up or smashed prior to placing in a package for shipment.
- 3.3 The use of any epoxy materials to seal any openings in a package for shipment of radioactive material is strictly prohibited.
- 3.4 The shipment of 1000 gallon and 1500 gallon tanks manufactured by Highland Tank Co., for radioactive waste is strictly prohibited.

4.0 CHECK OFF AND INFORMATION SHEETS

Attachment I Truck/Trailer Inspection Check-Off Sheet

Attachment II Cement Solidification Verification Log

Attachment III Cement Waste Solidification Data Sheet

Attachment IV Calculation Sheet for Cement Solidification
 of Resin

Attachment V Waste Management Simple Flow Diagram

Attachment VI Responsibility

Attachment VII U.S. Ecology, Inc. Radioactive Shipping
 Record

Attachment VIII Chem Nuclear Systems, Inc., Radioactive
 Shipping Record

Attachment IX Washington Low Level Radioactive Waste
 Shipment Certification

Attachment X Nevada Low Level Radioactive Waste Shipment
 Certification

Attachment XI Nevada Certification

Attachment XII Driver Instructions for Maintenance of
 Exclusive Use Shipment Controls

Attachment XIII State Police Notification Forms

Attachment XIV Radioactive Waste Truck
 Radiation/Contamination Survey

Attachment XV South Carolina Radioactive Waste Shipment
 Certification Form

Attachment XVI South Carolina Prior Notification and
 Manifest Form

Attachment XVII Radioactive Waste Shipment Notification
 Form

Attachment XVIII Radioactive Waste Shipment Checkoff Sheet

Attachment XIX HN-100 Liner

Attachment XX Filter Change Sign-Off Sheet

Attachment XXI Low Level Waste Box Inventory

Attachment XXII Demineralizer Resin Calculation Sheet

5.0 DETAILS

The plant waste processing equipment (demineralizers, evaporators, etc.) are designed to process wastes in the chemical and physical forms which exist in the operating plant systems. Plant administrative procedures dictate the plant system's chemical operating parameters, and routine sampling of these systems insure that all parameters are kept within the operating limits. Other procedures are in effect which prevent materials which effect waste system operation from entering these systems.

If alternate or additional equipment such as filters, demineralizers, incinerators, etc. are required for waste processing they will be operated by the philosophy established in this manual to assure that the final forms meet all the regulations for shipping and burial. Prior to the operation of any alternate equipment, procedures will be written and approved.

A. Liquid Processing And Solidification


The waste evaporators are operated by the instructions given in one of the following plant procedures:

- 1 OHP 4021.002.005 Operation of Waste Evaporator
- 1 OHP 4021.024.002 Pumping of Waste Evaporator Bottoms
- 12 OHP 4021.022.008 Placing In Service and Operation Of
The South Boric Acid Evaporator
Including System Line Up As A Waste
Evaporator
- 1 OHP 4021.022.009 "S" Boric Acid Evaporator Cooldown
And Pump Out of Evaporator Bottoms
Operating As A Waste Evaporator

The evaporators are operated for the purpose of reducing the liquid waste activity levels such that these liquids can be released to the environment at concentrations within the limits of 10 CFR Part 20. Liquids which are within the limits, can be released directly without further processing. With these releases being made the total volume of liquids which require solidification is reduced. This reduction in solidified volume makes it possible for fewer shipments of radioactive materials and less volume to be buried.

The limit of volume reduction is dependent on concentration of several chemical and radiochemical species (See Table I).

If the concentration of boron is allowed to increase above the limits of Table I the concentrates crystallize in the evaporator when cooled down for pump-out, creating mechanical problems for the evaporator and pumps. To prevent crystallization of evaporator concentrates the concentration of boron is kept below the limits of Table I and sodium hydroxide is added as required to maintain an elevated pH to convert the H_3BO_3 to sodium tetraborate which is much more soluble than H_3BO_3 .



The concentration of chlorides in the evaporator concentrates is kept below the limit of Table I in order to prevent material damage to the evaporator. If the concentration is allowed to increase above the limit of Table I there is a possibility of corrosion of the evaporator internal surfaces, including the heater tubes. If these tubes are corroded to the point where they would leak, activity would enter the steam system. These tubes would then have to be plugged or replaced.

The activity levels in the evaporator concentrates are monitored as an aid to evaluate the need for shielded transport equipment.

Samples are taken periodically by Chemical Section personnel during the batch evaporator operation to maintain the evaporator bottoms within the limits of Table I, however, evaporator bottoms maybe properly solidified for shipping and burial within the limits of Table II by the use of the procedures given in this program.

TABLE I

Waste Evaporator Normal Operating Limits

BORON, B	20,000 to 30,000 ppm as B
pH	>9.0
CHLORIDES, Cl	500 ppm
Gross By total	0.2 uci/cc

TABLE II

Waste Evaporator Concentrates Limits For Solidification

BORON		0 - 40,000 ppm
pH		3 - 11
CHLORIDES		0 - 1000 ppm
ACTIVITY	OF	0 - 0.0001 Millicurie/gram Transport Group I
FISSION	AND	0 - 0.005 Millicurie/gram Transport Group II
ACTIVATION PRODUCTS		0 - 0.3 Millicurie/gram Transport Group III

SOLIDIFICATION BY USE OF CEMENT

SYSTEM DESCRIPTION

The systems described herein are designed to handle the solidification of liquids, evaporator bottoms and other concentrated liquids, spent resin, or other miscellaneous wastes.

Waste Feed System

The waste feed system consists of an electric motor driven pump and waste supply line to transfer waste to the liner. The Waste Evaporator Bottoms Storage Tank Transfer Pump takes suction from the liquid waste storage tank and pumps waste into the liner. When using temporary concentrates holding tanks, waste is pumped through flexible hose directly to the liner with a portable electric pump. The liner is filled until a pre-set level is reached as detected by a level sensor suspended from the liner. (See Attachment XIX)

Cement Feed System

Cement and sodium metasilicate are put into hoppers and are augered into the liner. Upon contacting the liquid waste, the sodium metasilicate begins to act, shortening the set time of the cement. Each liner is supplied with an internal mixing device designed to provide thorough mixing of the entire liner contents. A mixing motor mounted on the top of the liner prior to the filling operation is started prior to the addition of cement. Mixing continues for approximately twenty minutes after addition of the cement and sodium metasilicate or until the motor automatically trips off due to high resistance to mixing.

The cement feed system also has a vent line to control cement dust. Flexible hose is connected at the loading flange. When cement is augered into the liner from the hoppers a vacuum on this line draws off the air being vented from the liner. The air is then conveyed to the vent air filter.

COLLECTION AND ANALYSIS OF SAMPLES

General Requirements

The PCP shall be used to verify the solidification of at least one representative test specimen from at least every tenth batch of each type of wet radioactive waste (e.g. evaporator bottoms, boric acid solution).

For the purposes of the PCP a batch is defined as the amount in the WEBST at the time of sampling prior to pumping to the solidification equipment.

If any test specimen fails to solidify, the batch under test shall be suspended until such time as additional test specimens can be obtained, alternative solidification parameters can be determined in accordance with the Process Control Program, and a subsequent test verifies solidification. Solidification of the batch may then be resumed using the alternate solidification parameters determined.

If the initial test specimen from a batch of waste fails to verify solidification then representative test specimens shall be collected from each consecutive batch of the same type of waste until three (3) consecutive initial test specimens demonstrate solidifications. The process shall be modified as required to assure solidification of subsequent batches of waste.

For high activity waste, where the handling of samples could result in personnel radiation exposures which are inconsistent with the ALARA Principle, representative nonradioactive samples will be produced and tested. These samples should be as close to the actual waste in their physical and chemical properties as possible to verify proper solidification parameters.

Waste Solidification Data Sheet Attachment III

A Waste Solidification Data Sheet will be maintained for each test sample solidified. Each data sheet will contain pertinent information on the test sample and the batch numbers of wastes solidified based on each test sample.

The Waste Solidification Data Sheet will contain pertinent information on the characteristics of the test sample solidified so as to verify solidification of the subsequent 10 batches of similar wastes without retesting.

The Test Sample Data will include, but not be limited to, the type of waste solidified, major radioactive constituents pH, volume of sample, identification of oil in samples and the ratio of the sample to the final volume of the solidified product.

The Waste Solidification Data Sheet will include the batch number, batch volume, and date solidified, for each batch solidified based on the sample described on the test sample data sheet.

Collection Of Samples

Two samples of the batch of liquid to be solidified shall be taken for analysis. Sample sizes shall be compatible with the standard size sample used for the radioactivity analysis and the second for the chemical analysis. If the radioactivity levels are too high to permit full size samples to be taken then smaller samples shall be taken with the results corrected accordingly.

TEST SOLIDIFICATION AND ACCEPTANCE CRITERIA

Test Solidification

Test Solidifications should be conducted using a 1000 ml disposable beaker or similar size container. Mixing should be accomplished by stirring until a homogeneous mixture is obtained. (Minimum stirring time 5 minutes.)

Measure into the mixing vessel 438 ml. of the waste to be solidified.

Measure out 479 grams of (Portland I) cement and 68.56 grams of sodium metasilicate (anhydrous) and add this to the waste to be solidified. The cement and sodium metasilicate (anhydrous) must be from the same lot of materials which are to be used for the solidification. If two lots are to be used then the test must be made with the exact proportions of each lot which are to be used in the liner.

Mix the cement (Portland I) and sodium metasilicate (anhydrous) together and slowly add this mixture to the test sample while it is being stirred.

After ten (10) minutes of mixing and a homogeneous mixture is obtained allow the waste to stand for a minimum of 60 minutes.

Solidification Acceptability

The following criteria defines an acceptable solidification process and process parameters.

The solidification is considered acceptable, if upon visual inspection of the sample, the waste appears that it would hold its shape if removed from the beaker and it resists penetration, and no more than 0.5% of the total volume of the beaker is free water.

Solidification Unacceptability

If the waste fails any of the criteria set forth above, the solidification will be termed unacceptable and a new set of solidification parameters will need to be established.

If the test solidification is unacceptable then the same test procedures must be followed on each subsequent batch of the same type of waste until three (3) consecutive test samples are solidified.

Alternate Solidification Parameters

If a test sample fails to provide acceptable solidification of the waste the following procedures should be followed:

1. Mix equal volumes of dry cement and water to ensure that the problem is not a bad batch of cement.
2. Add additional caustic solution to the sample to raise the pH above 8, if required.
3. If the waste is only partially solidified, use lower waste to cement ratios.

Prepare test as follows allowing at least one hour for each test to solidify. If each test doesn't solidify, go to the next set of parameters.

<u>TEST</u>			<u>LINER</u>		
<u>MLS</u> <u>Waste</u>	<u>GM</u> <u>Cement</u>	<u>GM</u> <u>Sodium Meta</u> <u>Silicate</u> <u>(Anhydrous)</u>	<u>Gallons</u> <u>Waste</u>	<u>Bags</u> <u>Cement</u>	<u>Bags</u> <u>Sodium Meta</u> <u>Silicate</u> <u>(Anhydrous)</u>
1. 400	523	75.4	712	83	11
2. 375	567	82.3	668	88	12
3. 350	592	89.1	623	94	13
4. 325	624	96.0	579	99	14

Packages of cement solidified liquid wastes will be held for a minimum of twenty four (24) hours after solidifications, and verification of compliance will be just prior to loading for shipment and will be documented on Attachment II.

Solidification of liquids other than evaporator bottoms may become necessary and will be done such that compliance with all the appropriate regulations is verified prior to shipment.

B. Compressibles Wastes

All contaminated or potentially contaminated compressible waste will be taken to a designated area near the hydraulic baler. The waste will then be compressed into drums.

Material which would be in noncompliance with the appropriate regulations will not be placed into a package for baling.

All drums which have been filled will be documented as to the number of the package, description of the contents, date and initials of person filling package and radioactive survey data. Each package will be sealed and stored until loaded for shipment and burial.

Prior to loading, the package must be checked by Environmental Section personnel for any indication of holes, failures or weak spots at the seams, welds or otherwise.

All of the above operations are performed within the limits of the following procedure:

12 THP 6010 RAD.303 Solid Waste Handling and Drumming

C. Noncompressible Waste-Filters

All liquid process type filters should be removed by the specific individual filters change procedure (See Attachment VI, page 5 of 5) and transported to the Drumming Room. To ensure adequate drain time for removal of free standing liquid, filters must be drained as follows:

<u>Filter</u>	<u>Type</u>	<u>Minimum Drain Time</u>
Reactor Coolant	double-stage stainless steel pleated paper	15 minutes
Seal Water Injection	single-stage stainless steel pleated paper	15 minutes (10*)
Spent Fuel Pit	double-stage stainless steel pleated paper	15 minutes
Spent Fuel Pit Skimmer	double-stage stainless steel pleated paper	15 minutes
Refueling Water Purification	double-stage stainless steel pleated paper	15 minutes
Seal Water Return	double-stage stainless steel pleated paper	15 minutes
CVCS Ion Exchange	single-stage stainless steel pleated paper	15 minutes (10*)
B.A. Evaporator Concentrates & Condensate	single-stage stainless steel pleated paper	15 minutes (10*)
Boric Acid	30" cloth wrapped	15 minutes**
Waste Evaporator Feed and Condensate	30" cloth wrapped	15 minutes**
Temporary-Reactor Cavity and Spent Fuel Pit	20" cloth wrapped 10" cloth wrapped	15 minutes (10*) 15 minutes (5*)

Large filters or high activity filters should be stored in the drum they were originally placed in when removed. Place all drums in storage area per 12 THP 6010 RAD.303: Solid Waste Handling and Drumming.

* Minimum drain time determined by testing.

**Maximum number of this type of filter is 8 per drum.

For proper documentation required during filter changes, see Attachment XX.

Filters not analyzed or solidified can not be shipped to the Barnwell Burial Site.

Miscellaneous-Including Absolute, and Hepa Filters

All miscellaneous noncompressible waste must be placed in a metal box as soon as possible after determination the item is to be disposed of. No liquid or damp items of any kind are to be placed in metal boxes. No metal box is to be sealed until it has been visually inspected by Environmental Section personnel, has been numbered and a description of the contents, including approximate item size and amount, is completed on the Low Level Waste Box Inventory, Attachment XXI.

NOTE: Any box which is greater than 640 cubic feet must be placarded on both sides and both ends.

Scintillation Vials

NOTE: Insure the following procedure is followed for packaging and shipping scintillation fluids.

1. Obtain a fifty-five (55) gallon waste drum (DOT 17H), place in the hot lab and label "For scintillation vials Only - DO NOT Ship to Barnwell". Line the drum with a minimum four (4) mil plastic liner.
2. The final product to absorbent material ratio must not exceed one-to-two.
- *3. Place approximately 3" of absorbent at the bottom of the drum.
4. Place 6" of vials (not to be opened) in the container.
5. Place 6" of absorbent in the container.
6. Place 6" of vials in the container.
7. Fill the remainder of the container with absorbent material.
8. Close container and take to the 587' Drumming Room.
9. Replace with new barrel and follow above steps for filling.

*Approved absorbents

1. Diatomaceous Earth (Medium Grade)
2. Super Fine (Diatomite)
3. Speedi Dry
4. Hi - Dry
5. Calatom (M-P78)
6. Floor Dry 85 Superfine
7. Instant - Dri
8. Safe - T - Sorb (Pentrasorb)

D. RESINS

Spent resins are normally transferred to the spent resin storage tank to await packaging for shipment. The proper liner and cask to be used for the resin shipment will be determined by the activity of the resin to be packaged (Attachment IV). The cask to be used is determined from those available from Chem-Nuclear and Hittman Nuclear and Development Corp., in their Radwaste Handling Service Manuals. After the proper cask is decided on and received at the plant (including checking for contamination as per procedure 12 THP 6040 PER.467 it should be prepared for shipment using 12 THP 6040 PER.470 "Resin Transfer From Spent Resin Storage Tank To A Cask", 12 THP 6040 PER.467 "Cask Handling", and this Process Control Manual.

The package, when full, will be checked for free water periodically until shipped. The check for free water will include dewatering for each check. This will be done by pumping liquid off the top or draining or pulling suction from the bottom. Each different type of package used will be tested such that the volume of liquid which may be remaining in the package is known for each dewatering method used. The volume which could be remaining will always be under the volume allowed by the NRC, DOT and Burial Site regulations at the time of shipping.

If regulations require resin solidification it will be done after dewatering by use of the cement solidification outline which follows and Attachment IV.

Collection of Samples

1. Radiological protection

- 1.1 Comply with applicable Radiation Work Permits.
- 1.2 Test samples which use actual waste shall be disposed of by placing in the disposal liner after solidification.
- 1.3 A Waste Solidification Data Sheet will be maintained for each test sample solidified. Each data sheet will contain pertinent information on the test sample and the batch number of waste solidified based on each test sample.

Waste Solidification Data Sheet

The Waste Solidification Data Sheet will contain pertinent information on the characteristics of the test sample solidified so as to verify solidification of subsequent batches of similar wastes without retesting.

1. The test sample data for spent resin will include, but not necessarily be limited to, the type of waste solidified, volume of sample and ratio of sample volume to the final volume of the solidified product.
2. The waste solidification data sheet will include the Batch Number, Batch Volume, and Date Solidified, for each batch solidified based on sample described.

Collection of Samples

1. One sample shall be taken for analysis. The sample shall be compatible with the standard size sample used for the gamma isotopic analysis. If the radioactivity levels are too high to permit full size samples to be taken, then smaller samples shall be taken with the results corrected accordingly. Sample sizes shall be determined by Radiation Protection personnel.
2. Samples should be drawn to allow adequate time to complete the required testing and verification of solidification prior to the planned waste solidification procedure.

Test Solidification and Acceptance Criteria

1. Waste Conditioning

- 1.1 If large (i.e., foam causing) quantities of detergents are present, the sample should be treated with an anti-foaming agent. The quantity of anti-foaming agent required shall be recorded on Attachment III.

- 1.2 If oil is present in quantities greater than 1% by volume, the oil should either be removed by skimming, or emulsification agents should be used to break up the oil. The quantity of any substance added to the sample for this purpose shall be recorded on Attachment III.

Test Solidification

1. Any sample to be solidified shall be pretreated as specified in Section 1 under Test Solidification and Acceptance Criteria.
2. Test Solidifications should be conducted using a 1000 ml. disposal beaker or similar size container. Mixing should be accomplished by stirring with an electric mixer until a homogeneous mixture is obtained, but in no case for less than three (3) minutes.
3. For the test solidifications of resin, measure into two mixing vessels 240 gms of uncompacted dewatered resin each and add 90 ml of water.
4. Measure out the required quantities of cement and anhydrous sodium metasilicate as shown below. Volumes are for loose, uncompacted material.

<u>Waste</u>	<u>Grams Cement</u>		<u>Grams Anhydrous Sodium Metasilicate</u>	
	<u>Sample A</u>	<u>Sample B</u>	<u>Sample A</u>	<u>Sample B</u>
Resins	189	236	19	24
Resins	265	346	27	35

5. Slowly add the cement to the test sample while it is being mixed.
6. After all of the cement is added, slowly add the anhydrous sodium metasilicate to the test sample while it is being mixed.
7. After sufficient (3 minutes after all cement and anhydrous sodium metasilicate is added) mixing so that a homogeneous mixture is obtained allow the waste to stand for a minimum of 4 hours.

Solidification Acceptability

The following criteria define an acceptable solidification process and process parameters:

1. The sample solidifications are considered acceptable if there is no visual or drainable free water.
2. The sample solidifications are considered acceptable if upon visual inspection the waste appears that it would hold its shape if removed from the beaker and it resists penetration by a rigid stick.
3. The sample solidifications establish a range from the ratios of cement to waste that will result in an acceptable product.

Solidification Unacceptability

1. If the waste fails any of the criteria set forth in the Section Solidification Acceptability, the solidification will be termed unacceptable and a new set of solidification parameters will need to be established under the procedures in the Section Alternate Solidification Parameters.
2. If the test solidification is unacceptable then the same test procedures must be followed on each subsequent batch of the same type of waste until three consecutive test samples are solidified.

Alternate Solidification Parameters

If a test sample fails to provide acceptable solidification of the waste the following procedures should be followed:

1. Mix equal volumes of dry cement and water to ensure that the problem is not a bad batch of cement.
2. If the waste is only partially solidified, use lower waste to cement and anhydrous sodium metasilicate ratios. Using the recommended quantities of cement and anhydrous sodium metasilicate, reduce the waste sample volume to 215 gms and continue reducing the sample volume by 25 gms until the acceptability criteria are met.

NOTES:

1. The weight of anhydrous sodium metasilicate is 10 percent of the cement weight.

Packages of cement solidified resins will be held for a minimum of twenty-four (24) hours after solidifications, and verification of compliance will be just prior to loading for shipment and will be documented on Attachment II.

E. LOADING

Prior to loading a Truck/Trailer Inspection shall be made using check off sheet Attachment I. All transport vehicles arriving on site for shipment of radioactive waste will have a contamination and radiation survey taken prior to entry into the Auxiliary Building. If the vehicle will not be entering the Auxiliary Building, the survey must be performed prior to loading. Loading of a cask onto a truck will be as per 12 THP 6040 PER.467 "Cask Handling". Loading of the cask or truck will be such that the packages will be loaded as to minimize the exposure toward the front of the truck. The Barnwell, South Carolina burial site requires that mixed (barrels and boxes) shipments of low specific activity materials on sole use vehicles be arranged so that all boxes are placed toward the back of the truck. The Beatty, Nevada burial site doesn't have this requirement and boxes and barrels can be mixed on the truck with the one requirement being that barrels be placed on barrels and boxes be placed on boxes. All loads must be braced to minimize movement of packages during normal transport. After December 31, 1982, all drum shipments to the Barnwell Burial Site will be palletized or shipped in open top vans or on flat bed trailers.

F. NOTIFICATION SCHEDULE

For "Large Quantity" Shipments

Application to transport a "large quantity" *radioactive material shipment in Michigan should be made pursuant to the requirements of R29.553 of Act. No. 207 of the Public Acts of 1941, as amended, being 29.3 c of the Michigan Compiled Laws (Department of State Police - State Fire Safety Board) and Section 9 of Act. No. 380 of the Public Acts of 1965, as amended, and Sections 2226, 2233, and 13521 of Act No. 368 of the Public Acts of 1978, as amended being § 16.109, 333.2226, 333.2233 and 333.13521 of the Michigan Compiled Laws (Michigan Department of Public Health).

The governor or his designee of each state through which the aforementioned shipment will travel must be given advance notification in accordance with Title 10-Energy Code of Federal Regulations. Part §71.5a.

* A "large quantity" shipment is that which is greater than 200 curies of Group III and IV radionuclides.

As burial space is required

Both the Beatty, Nevada and Richland, Washington burial sites do not have volume allocation plans. For burial space call:

Beatty, Nevada - Steve Carpenter - 702-553-2203
U.S. Ecology, Inc.

Richland, Washington - Vern D. Apple - 509-377-2411
U.S. Ecology, Inc.

At least 3 months before shipment

The Barnwell, South Carolina Burial Site has a volume allocation plan. For burial space and allocation numbers call:

Barnwell, S. C.	-	Angie Jones	-	803-259-3577
VAP/PNP Dept.		Linda Bragg		803-259-3578
(CNSI)		Lewis Rouse		

Call Hittman Nuclear and Development Corporation for transportation and scheduled shipment date confirmation and follow with a letter.

HNDC - Chuck Stout - 312-232-6133

At least 7 days prior to shipment

Notify the Michigan Department of Public Health of the scheduled date of shipment and estimated curie content.

Mich. Dept. of Public Health - Joe Hennigan 517-373-1578
Mike McCarty

Prior Notification and Manifest must be sent to the State of South Carolina and the Barnwell Burial Site to be received 72 hours prior to shipment arrival.

Verify that the proposed carrier has a valid permit to transport radioactive materials in the State of Oregon. This verification is only required when the consignee is the Richland Burial Site.

Day of shipment, prior to departure

Notify burial site being shipped to. For shipments to the Barnwell Site, the route through South Carolina must be given.

Barnwell Burial Site - Angie Jones - 803-259-3577
Chem-Nuclear Linda Bragg - 803-259-3578
Systems, Inc.

Beatty Burial Site - Steve Carpenter - 702-553-2203
U.S. Ecology, Inc.

Richland Burial Site - Vern D. Apple - 509-377-2411

If there are any changes in the Prior Notification and Manifest for the Barnwell Site, the State of South Carolina must be notified in addition to the Burial Site.

State of S. C. - Virgil Autry
Betty Bethea - 803-758-7806
Kim Noble

Notification of the Michigan State Police must be given prior to shipment. (See Attachment XIII)

Michigan State Police - 616-469-1111

G. SHIPPING

All shipping of radioactive materials for burial or for other reasons are required by procedure to comply with all NRC and DOT regulations. All packaging in the above steps of this program are designed to insure compliance with all the appropriate regulations. The following procedures are used to insure and/or verify compliance with the regulations.

PMI 3150	Receipt And Shipment Of Radioactive Materials.
THI 3150	Receipt And Shipment Of Radioactive Materials.
12 THP 6010 RAD.304	Shipment Of Radioactive Materials
12 THP 6040 PER.467	Cask Handling

The following will be the order in which the Radioactive Shipment Records (RSR) are to be completed prior to any forms being distributed to the respective personnel.

1. Completion of shipping records
2. RP Supervisor for signature
3. Environmental Section for signature and correction check on RSR forms.
4. Carrier for signature
5. Three (3) copies of the Chem Nuclear (RSR), and U.S. Ecology, Inc. (RSR) are to be made.

Distribution As Follows:

The originals of the Shipping Papers will go to the following personnel, with copies also listed:

D. C. COOK NUCLEAR PLANT

State Police Notification Form	
Radioactive Waste Shipment Notification Form	
Radioactive Waste Shipment Checkoff Sheet	
Truck/Trailer Inspection Check-Off Sheet	
Original	To Environmental Section
Demineralizer Resin Calculation Sheet	
Original	To RP
1 Copy	To Environmental
1 Copy	To Driver

BARNWELL WASTE MANAGEMENT FACILITY - RSR

White Original	To Driver
Canary Original	To Environmental Section
Pink Original	To Driver
1 Copy	To Stores
1 Copy	To RP Section
1 Copy	To HNDC

STATE OF S. C. PN&M AND CERTIFICATION FORMS

3 Copies	South Carolina Prior Notification and Manifest Form to Driver
1 Copy	South Carolina Prior Notification and Manifest Form to Environmental Section
Original	South Carolina Radioactive Waste Shipment Certification Form to Driver
1 Copy	South Carolina Radioactive Waste Shipment Certification Form to Environmental Section

DRIVER OF TRANSPORT VEHICLE

Original	Hittman Nuclear & Development Corp. Driver Instructions for Maintenance of Exclusive Use Shipment Controls
Original	Washington Low Level Radioactive Waste Shipment Certification
White Original	Barnwell Waste Management Facility (RSR)
Pink Original	Barnwell Waste Management Facility (RSR)
*1 Copy	Resin Gamma Spectrum Printout
2 White Disposal Site Copies	U.S. Ecology, Inc. (RSR)
1 Carrier Copy	U.S. Ecology, Inc. (RSR)
Original	Nevada Low Level Radioactive Waste Shipment Certification
*1 Copy	Demineralizer Resin Calculation Sheet
Original	Nevada Certification
3 Copies	South Carolina Prior Notification and Manifest Form
1 Copy	South Carolina Radioactive Waste Shipment Certification
1 Copy	Radioactive Waste Truck Radiation/ Contamination Survey

NOTE: The driver of the transport vehicle will be given two or more extra placards/placard holders for replacement purposes if any of the affixed placards become lost or damaged during transit. For transport vehicles which the placard holder is permanently affixed on all four (4) sides, extra placards will not need to be given to the driver.

ENVIRONMENTAL SECTION

Canary Original	Barnwell Waste Management Facility (RSR)
Original	State Police Notification Form
Original	Radioactive Waste Shipment Notification Form
Original	Radioactive Waste Shipment Checkoff Sheet
Copy	Radiation/Contamination Truck Survey
*Copy	Resin Gamma Spectrum Printout
Customer Copy	U.S. Ecology, Inc. (RSR)
Copy	Nevada Low Level Radioactive Waste Shipment Certification
Copy	Nevada Certification
Copy	Washington Low Level Radioactive Waste Shipment Certification
Copy	South Carolina Prior Notification and Manifest Form
Copy	South Carolina Radioactive Waste Shipment Certification
Original	Truck/Trailer Inspection Check-Off Sheet
*Copy	Demineralizer Resin Calculation Sheet

*Only when resin is being shipped. A Page 25 of 26
gamma spectrum printout and a Demineralizer Rev. 2
Resin calculation sheet must be provided
for each package containing resin being
shipped.

RADIATION PROTECTION SECTION

1 Copy	Barnwell Waste Management Facility (RSR)
Original	Radiation/Contamination Truck Survey
1 Copy	U.S. Ecology, Inc. (RSR)
Original	Demineralizer Resin Calculation Sheet

H. TRAINING

Personnel who routinely handle and ship radioactive waste (see Attachment VI) will be trained at least annually on the current regulations (see References Section) and the plant instructions and procedures which apply to Waste Handling.

TRUCK/TRAILER INSPECTION CHECK-OFF SHEET

SHIPMENT NO. _____ DATE _____

Prior to loading, the following items are to be examined and documented on this checklist for each vehicle transporting radioactive waste from the plant site:

		<u>INITIALS</u>
(1)	Truck/Trailer Tires	
	Remarks _____	_____
(2)	Truck/Trailer Wheels	
	Remarks _____	_____
(3)	Trailer Bed and Frame	
	Remarks _____	_____
(4)	Load Tie-Downs	
	Remarks _____	_____
(5)	Truck/Trailer Lights	
	Remarks _____	_____
(6)	Truck/Trailer Placarded	
	Remarks _____	_____

Initials indicate inspection was made and results were acceptable. If items affecting safe transportation of load are found, contact Hittman Nuclear and Development. (312-232-6133)
Person Contacted _____ Date _____

Vehicle inspection criteria as follows:

- (1) Truck/Trailer Tires - A minimum of 1/16" tread, no fabric exposed on sidewall, no cuts or injuries into fabric.
- (2) Truck/Trailer Wheels - Check for visible cracked wheels, loose lug nuts or missing studs.
- (3) Trailer Bed and Frame - Check visually for cracks and breaks. Check main rails for any visible cracks in rails and associated welds. On any drop frame trailers, the drop area is the most susceptible to cracking. If any cracks are observed in main rails, trailer should be deadlined and carrier immediately notified.
- (4) Load Tie-Downs - Check cable tie down points on trailer for any visible cracks. Cables should be in good condition, tight, crossed and without crimps. Cask should be positioned so that cables do not rub each other. Ratchets and shackles shall be free of cracks.
- (5) Truck/Trailer Lights - Checks for operation of head-lights, tail-lights, brake-lights and directional signals.
- (6) Truck/Trailer Placarded - Placarding on front, sides and rear as required.

Cement Solidification Verification Log

Liner No. _____ Date Time _____ Completion Date _____ Verification Date _____

Liner Volume _____ Time Start _____ Completion Time _____ Verification Time _____

Cement lbs./bag _____ Cement Lot #/or Date Received _____ Verified By _____

Sodium Metasilicate lbs./bag _____ Sodium Metasilicate (Anhydrous) Lot #/ _____ Ship Date _____
(Anhydrous) or Date Received _____

DATE	TIME	GALLONS WASTE	PROCESSED FROM	BAGS CEMENT	BAGS METISO	COMMENTS	INITIALS

Solidification Verification

I hereby certify that a visual inspection of the IMIX liner has been conducted at least 24 hours after the indicated completion date and time and that there was not any indication of freestanding liquid.

Date _____

Time _____

IMIX Supervisor _____

12 PMP 3150 PCP.001
ATTACHMENT III
Batch No: _____
Sample No: _____
Date: _____

CEMENT WASTE SOLIDIFICATION DATA SHEET FOR

(Type of Waste)

Batch No: _____

Sample No: _____

Sample Volume, ml:

pH⁽¹⁾:

Indications of Oil/Detergent:

Other Major Constituents:

Quantity of Cement
Added: _____

Cement Lot #/or Date
Received _____

Quantity of Sodium
Meta Silicate
(Anhydrous) _____

Sodium Metasilicate
(Anhydrous) Lot #/or Date
Received _____

Final Product to Waste Ratio:

Product Acceptability:

Radionuclides Present:
(Isotopes & Concentrations)

¹If pH adjustment is required note
chemical used, quantity used and pH
after adjustment.

SOLIDIFICATION DATA TABLES

SUMMARY

For bead resin, the licensed cask payload is limiting for the HN-100 Series 1 and HN-100 Series 2. Weight is not a limiting factor for the HN-600, HN-100 Series 3, HN-100S, and HN-200.

Bead Resin

	<u>Series 1</u>	<u>HN-100 Series 2</u>	<u>Series 3</u>	<u>HN-100S</u>	<u>HN-200</u>	<u>HN-600</u>
Usable Liner Volume, ft ³	142	142	142	142	60	65
Max. Solidified Waste Vol. ft ³	125.4	120.3	142	142	60	65
Max. Resin Vol. Dewatered, ft ³	103.0	98.3	116.5	116.5	49.3	53.4
Water Added at Max. Resin Vol. gal.	223.5	214.5	253.2	253.2	106.9	115.9
Cement Added 1 ft. ³ bags	52.1	50	59	59	25	27
Metso Added Pounds 100# bags	4.9	4.7	5.5	5.5	2.4	2.5
Max. Radiation Level R/h Contact	12	12	12	5	800	100

RFSINS

PROCESS	PERFORMED BY	PROCEDURE	SUPERVISED BY	VERIFIED BY	TRAINING BY
Transfer Resin to The SRST	Utility Operator Auxiliary Equip. Operator	12 OHP 4021.004.004 12 OHP 4021.006.008	Unit Supervisor Assistant Shift Supervisor	Radiation Protection Personnel	Unit Supervisor Assistant Shift Supervisor
Transfer to Cask	Utility Operator Auxiliary Equip. Operator	PER.470	Environmental Personnel	Environmental Personnel	Environmental Personnel
Dewatering And Verification of Dewatering	Environmental Personnel	PER.470	Environmental Personnel	Environmental Personnel	Environmental Personnel
Cask Closure	Maintenance Mechanic	PER.467	Environmental Personnel	Environmental Personnel	Environmental Personnel
Activity-Curie Content	Radiation Prot./ Environmental	RAD.304/PCP	Radiation Prot. Supervisor/ Environmental	Radiation Protection Supervisor/ Environmental	Radiation Prot. Supervisor/ Environmental
Activity-Isotopic Ratio	Chemical Technician	IAB.069	Chemical Super./ Environmental	Chemical Supervisor/ Environmental	Chemical Supervisor
Cask Labeled	Radiation Prot. Technician	RAD.304	Radiation Prot. Supervisor	Radiation Protection/ Environmental Personnel	Radiation Prot/ Environmental Personnel
Cask Loaded	Maintenance Mechanic	PER.467	Environmental Personnel	Environmental Personnel	Environmental Personnel
Truck and Cask Inspection and Survey	Radiation Prot. Personnel/ Environmental	RAD.304 PER.467 PCP	Radiation Prot. Supervisor/ Environmental	Radiation Protection/ Environmental Personnel	Radiation Prot/ Environmental Personnel
Radioactive Shipping Record	Radiation Prot./ Environmental	RAD.304/PCP	Radiation Prot. Supervisor/ Environmental	Plant Radiation Prot. Super/ Environmental	Radiation Prot/ Environmental Personnel
Prior Notification	Environmental	PCP	Environmental	Environmental	Environmental
Solidification and Verification of Solidification	Contract Personnel/ Environmental	PCP	Environmental Personnel	Environmental Personnel	Environmental Personnel

NON-COMPRESSIBLE WASTE

PROCESS	PERFORMED BY	PROCEDURE	SUPERVISED BY	VERIFIED BY	TRAINING BY
Waste Transport to Box-Barrel	Contract/Maint. Personnel	RAD.303	Radiation Prot. Maintenance Supervisor	Radiation Protection Maintenance Supervisor	Radiation Prot/Maintenance Supervisor
Box-Barrel Filling	Contract/Maint. Personnel	RAD.303	Radiation Prot./Maintenance Supervisor	Radiation Protection Supervisor/Environmental	Radiation Prot/Maintenance Supervisor
Radioactive Content-Isotopic Ratio	Radiation Prot./Chemical Tech.	RAD.304	Radiation Prot. Supervisor	Radiation Protection Supervisor/Environ. Personnel	Radiation Prot Supervisor
Package Sealed and Labeled	Radiation Prot./Contract Personnel	RAD.304	Radiation Prot. Supervisor/Envir. Personnel	Radiation Prot./Environmental Personnel	Radiation Prot/Supervisor/Envir. Personn.
Package Quality Verification	Environmental Personnel	RAD.304/PCP	Environmental Personnel	Environmental Personnel	Environmental Personnel
Truck Loading	Maintenance Mechanic	PCP	Environmental Personnel/Maint. Supervisor	Environmental Personnel	Environmental Personnel
Truck and Package Inspection and Survey	Radiation Prot. Personnel/Environmental	RAD.304 PCP	Radiation Prot. Supervisor/Environmental	Environmental Personnel	Radiation Prot/Environmental Personnel
Radioactive Shipping Record	Radiation Prot./Environmental	RAD.304/PCP	Radiation Prot. Supervisor/Environmental	Plant Radiation Prot. Super/Environmental	Radiation Prot/Environmental Personnel
Prior Notification	Environmental	PCP	Environmental	Environmental	Environmental

COMPRESSIBLE WASTE

PROCESS	PERFORMED BY	PROCEDURE	SUPERVISED BY	VERIFIED BY	TRAINING BY
Waste Transport to Drummung Room	Contract/Maint. Personnel	RAD.303	Radiation Prot./ Maintenance Supervisor	Radiation Protection/ Maintenance Supervisor	Radiation Prot/ Maintenance Supervisor
Baler Operation	Contract/Radiation Protection Personnel	RAD.303	Radiation Prot. Supervisor	Radiation Protection Supervisor	Radiation Prot Supervisor
Radioactive Content Isotopic Ratio	Radiation Prot./ Chemical Tech.	RAD.304	Radiation Prot. Supervisor	Radiation Protection Supervisor/ Environ. Personnel	Radiation Prot Supervisor
Package Sealed and Labeled	Radiation Prot./ Contract Personnel	RAD.303	Radiation Prot. Supervisor/ Envir. Personnel	Radiation Prot./ Environmental Personnel	Radiation Prot Supervisor/ Environmental
Package Quality Verification	Environmental Personnel	RAD.303/PCP	Environmental Personnel	Environmental Personnel	Environmental Personnel
Truck Loading	Maintenance Mechanic/Contract Personnel	PCP	Environmental Personnel/Maint. Supervisor	Environmental Personnel	Environmental Personnel
Truck and Package Inspection and Survey	Radiation Prot. Personnel/ Environmental	RAD.304/PCP	Radiation Prot. Supervisor/ Environmental	Environmental Personnel	Radiation Prot Supervisor/ Environmental
Radioactive Shipping Record	Radiation Prot. Environmental Personnel	RAD.304/PCP	Radiation Prot. Supervisor/ Envir. Personnel	Plant Radiation Protection Super/ Environmental	Radiation Prot Supervisor/ Envir Person.
Prior Notification	Environmental	PCP	Environmental	Environmental	Environmental

EVAPORATOR CONCENTRATES

PROCESS	PERFORMED BY	PROCEDURE	SUPERVISED BY	VERIFIED BY	TRAINING BY
Evaporator Operation and Concentrates Transfer	Utility Operator Auxiliary Equip. Operator	1 OHP 4021.002.003 12 OHP 4021.022.008 1 OHP 4021.024.002 1 OHP 4024.022.009	Unit Supervisor Assistant Shift Supervisor	Unit Supervisor Assistant Shift Supervisor	Unit Supervisor Assistant Shift Supervisor
Solidification	Contract Personnel	Process Control Plan	Environmental Personnel	Environmental Personnel	Environmental Personnel
Water Removed By	Contract Personnel	Process Control Plan	Environmental Personnel	Environmental Personnel	Environmental Personnel
Product Quality Verification	Environmental Personnel	Process Control Plan	Environmental Personnel	Environmental Personnel	Environmental Personnel
Activity-Curie Content	Radiation Prot. Technician/ Environmental	Process Control Plan RAD.304	Radiation Prot. Supervisor/ Environmental	Radiation Protection Supervisor/ Environmental	Radiation Prot. Supervisor/ Environmental
Activity-Isotopic Ratio	Chemical Technician	IAB.069	Chemical Supervisor	Chemical Supervisor/ Environmental Person.	Chemical Supervisor
Package Sealed and Labeled	Radiation Prot. or Contract Personnel	RAD.304	Radiation Prot. Supervisor	Environmental Personnel	Radiation Prot Supervisor/ Environmental
Package Quality Verification	Environmental Personnel	Process Control Plan	Environmental Personnel	Environmental Personnel	Environmental Personnel
Truck Loading	Maintenance Personnel	PCP	Maintenance Supervisor/ Envir. Person.	Environmental Personnel	Maintenance Supervisor
Final Truck and Package Inspection and Survey	Radiation Prot. Personnel/ Environmental	RAD.304/PCP	Radiation Prot. Supervisor/ Environmental	Environmental Personnel	Radiation Prot Supervisor/ Environmental
Radioactive Shipping Records	Radiation Prot./ Environmental Personnel	RAD.304/PCP	Radiation Prot. Supervisor/ Envir. Personnel	Plant Radiation Prot. Supervisor/ Personnel	Radiation Prot Supervisor/ Envir. Person.
Prior Notification	Environmental	PCP	Environmental	Environmental	Environmental

FILTERS

PROCESS	PERFORMED BY	PROCEDURE	SUPERVISED BY	VERIFIED BY	TRAINING BY
Vent - Drain Filter Housing	Utility Operator Auxiliary Equip. Operator	1 OHP 4021.003.008 2 OHP 4021.003.008 1 OHP 4021.003.009 2 OHP 4021.003.009 PCP	Unit Supervisor Assistant Shift Supervisor	Unit Supervisor Assistant Shift Supervisor	Unit Supervisor Assistant Shift Supervisor
Filter Removal and Transfer to Drumming Room	Maintenance Personnel	MHP 5021.001.001 RAD.303 RAD.313	Radiation Prot./ Maintenance Supervisor	Radiation Protec./ Maintenance Personnel	Radiation Prot/ Maintenance Supervisor
Barrel Filling	Maintenance Personnel	MHP 5021.001.001 RAD.303	Radiation Prot./ Maintenance Supervisor	Radiation Protec. Supervisor/Envir. Personnel	Radiation Prot/ Maintenance Supervisor
Package Sealed and labeled	Radiation Prot./ Contract Personnel	RAD.304	Radiation Prot. Supervisor/ Envir. Personnel	Radiation Protec./ Environmental Personnel	Radiation Prot. Supervisor/Env. Personnel
Radioactive Content Isotopic Ratio	Radiation Prot./ Chemical Technician	RAD.304	Radiation Protection Supervisor	Radiation Protec. Supervisor Environmental Person.	Radiation Prot. Personnel
Package Quality Verification	Environmental Personnel	RAD.304 ICP	Environmental Personnel	Environmental Personnel	Environmental Personnel
Barrel Loading into Cask	Maintenance Mechanic	PER.467	Environmental Personnel	Environmental Personnel	Environmental Personnel
Cask Closure	Maintenance Mechanic	PER.467	Environmental Personnel	Environmental Personnel	Environmental Personnel
Truck and Cask Inspection-Survey	Radiation Prot./ Environmental Personnel	RAD.304 PCP	Radiation Prot. Supervisor/ Environmental	Radiation Prot. Supervisor/Envir. Personnel	Radiation Prot Supervisor/ Envir. Person.
Radioactive Shipping Record	Radiation Prot./ Environmental Personnel	RAD.304/ PCP	Radiation Prot. Supervisor/ Envir. Personnel	Plant Radiation Prot. Supervisor/Environ. Personnel	Radiation Prot Supervisor Envir. Person.
Prior Notification	Environmental	PCP	Environmental	Environmental	Envir. Person.

GENERATION NUMBER

IN

GENERATION NAME

ADDRESS

CITY STATE

CONTACT

PHONE

USER PERMIT NO. SHIPMENT NO.

RADIOACTIVE WASTE SHIPMENT & DISPOSAL FORM

US ECOLOGY, INC.

EXECUTIVE OFFICE: (502) 420-7160

P.O. BOX 7246 • LOUISVILLE, KENTUCKY 40207

Illinois Office: (815) 454-2376

IN Consigned to:

P.O. Box 630
Richland, WA 99352
(509) 377-2411P.O. Box 578
Beatty, NV 89003
(702) 553-2203THIS FORM IS ON ALL
CONTINUATION PAGES

No. 3724 PAGE 1 OF

IN

ADDRESS

CITY

STATE

CONTACT

PHONE

USER PERMIT NO.

IN

CITY

SHIPMENT DATE

TYPE OF CASE

NATION OF ORIGIN

174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476	477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493	494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510	511	512	513	514	515	516	517	518	519	520	521	522	523	524	525	526	527	528	529	530	531	532	533	534	535	536	537	538	539	540	541	542	543	544	545	546	547	548	549	550	551	552	553	554	555	556	557	558	559	560	561	562	563	564	565	566	567	568	569	570	571	572	573	574	575	576	577	578	579	580	581	582	583	584	585	586	587	588	589	590	591	592	593	594	595	596	597	598	599	600	601	602	603	604	605	606	607	608	609	610	611	612	613	614	615	616	617	618	619	620	621	622	623	624	625	626	627	628	629	630	631	632	633	634	635	636	637	638	639	640	641	642	643	644	645	646	647	648	649	650	651	652	653	654	655	656	657	658	659	660	661	662	663	664	665	666	667	668	669	670	671	672	673	674	675	676	677	678	679	680	681	682	683	684	685	686	687	688	689	690	691	692	693	694	695	696	697	698	699	700	701	702	703	704	705	706	707	708	709	710	711	712	713	714	715	716	717	718	719	720	721	722	723	724	725	726	727	728	729	730	731	732	733	734	735	736	737	738	739	740	741	742	743	744	745	746	747	748	749	750	751	752	753	754	755	756	757	758	759	760	761	762	763	764	765	766	767	768	769	770	771	772	773	774	775	776	777	778	779	780	781	782	783	784	785	786	787	788	789	790	791	792	793	794	795	796	797	798	799	800	801	802	803	804	805	806	807	808	809	810	811	812	813	814	815	816	817	818	819	820	821	822	823	824	825	826	827	828	829	830	831	832	833	834	835	836	837	838	839	840	841	842	843	844	845	846	847	848	849	850	851	852	853	854	855	856	857	858	859	860	861	862	863	864	865	866	867	868	869	870	871	872	873	874	875	876	877	878	879	880	881	882	883	884	885	886	887	888	889	890	891	892	893	894	895	896	897	898	899	900	901	902	903	904	905	906	907	908	909	910	911	912	913	914	915	916	917	918	919	920	921	922	923	924	925	926	927	928	929	930	931	932	933	934	935	936	937	938	939	940	941	942	943	944	945	946	947	948	949	950	951	952	953	954	955	956	957	958	959	960	961	962	963	964	965	966	967	968	969	970	971	972	973	974	975	976	977	978	979	980	981	982	983	984	985	986	987	988	989	990	991	992	993	994	995	996	997	998	999	1000	1001	1002	1003	1004	1005	1006	1007	1008	1009	1010	1011	1012	1013	1014	1015	1016	1017	1018	1019	1020	1021	1022	1023	1024	1025	1026	1027	1028	1029	1030	1031	1032	1033	1034	1035	1036	1037	1038	1039	1040	1041	1042	1043	1044	1045	1046	1047	1048	1049	1050	1051	1052	1053	1054	1055	1056	1057	1058	1059	1060	1061	1062	1063	1064	1065	1066	1067	1068	1069	1070	1071	1072	1073	1074	1075	1076	1077	1078	1079	1080	1081	1082	1083	1084	1085	1086	1087	1088	1089	1090	1091	1092	1093	1094	1095	1096	1097	1098	1099	1100	1101	1102	1103	1104	1105	1106	1107	1108	1109	1110	1111	1112	1113	1114	1115	1116	1117	1118	1119	1120	1121	1122	1123	1124	1125	1126	1127	1128	1129	1130	1131	1132	1133	1134	1135	1136	1137	1138	1139	1140	1141	1142	1143	1144	1145	1146	1147	1148	1149	1150	1151	1152	1153	1154	1155	1156	1157	1158	1159	1160	1161	1162	1163	1164	1165	1166	1167	1168	1169	1170	1171	1172	1173	1174	1175	1176	1177	1178	1179	1180	1181	1182	1183	1184	1185	1186	1187	1188	1189	1190	1191	1192	1193	1194	1195	1196	1197	1198	1199	1200	1201	1202	1203	1204	1205	1206	1207	1208	1209	1210	1211	1212	1213	1214	1215	1216	1217	1218	1219	1220	1221	1222	1223	1224	1225	1226	1227	1228	1229	1230	1231	1232	1233	1234	1235	1236	1237	1238	1239	1240	1241	1242	1243	1244	1245	1246	1247	1248	1249	1250	1251	1252	1253	1254	1255	1256	1257	1258	1259	1260	1261	1262	1263	1264	1265	1266	1267	1268	1269	1270	1271	1272	1273	1274	1275	1276	1277	1278	1279	1280	1281	1282	1283	1284	1285	1286	1287	1288	1289	1290	1291	1292	1293	1294	1295	1296	1297	1298	1299	1300	1301	1302	1303	1304	1305	1306	1307	1308	1309	1310	1311	1312	1313	1314	1315	1316	1317	1318	1319	1320	1321	1322	1323	1324	1325	1326	1327	1328	1329	1330	1331	1332	1333	1334	1335	1336	1337	1338	1339	1340	1341	1342	1343	1344	1345	1346	1347	1348	1349	1350	1351	1352	1353	1354	1355	1356	1357	1358	1359	1360	1361	1362	1363	1364	1365	1366	1367	1368	1369	1370	1371	1372	1373	1374	1375	1376	1377	1378	1379	1380	1381	1382	1383	1384	1385	1386	1387	1388	1389	1390	1391	1392	1393	1394	1395	1396	1397	1398	1399	1400	1401	1402	1403	1404	1405	1406	1407	1408	1409	1410	1411	1412	1413	1414	1415	1416	1417	1418	1419	1420	1421	1422	1423	1424	1425	1426	1427	1428	1429	1430	1431	1432	1433	1434	1435	1436	1437	1438	1439	1440	1441	1442	1443	1444	1445	1446	1447	1448	1449	1450	1451	1452	1453	1454	1455	1456	1457	1458	1459	1460	1461	1462	1463	1464	1465	1466	1467	1468	1469	1470	1471	1472	1473	1474	1475	1476	1477	1478	1479	1480	1481	1482	1483	1484	1485	1486	1487	1488	1489	1490	1491	1492	1493	1494	1495	1496	1497	1498	1499	1500	1501	1502	1503	1504	1505	1506	1507	1508	1509	1510	1511	1512	1513	1514	1515	1516	1517	1518	1519	1520	1521	1522	1523	1524	1525	1526	1527	1528	1529	1530	1531	1532	1533	1534	1535	1536	1537	1538	1539	1540	1541	1542	1543	1544	1545	1546	1547	1548	1549	1550	1551	1552	1553	1554	1555	1556	1557	1558	1559	1560	1561	1562	1563	1564	1565	1566	1567	1568	1569	1570	1571	1572	1573	1574	1575	1576	1577	1578	1579	1580	1581	1582	1583	1584	1585	1586	1587	1588	1589	1590	1591	1592	1593	1594	1595	1596	1597	1598	1599	1600	1601	1602	1603	1604	1605	1606	1607	1608	1609	1610	1611	1612	1613	1614	1615	1616	1617	1618	1619	1
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	---

AGEND/DHOKER. . . . and the other documents submitted to a public meeting on the subject of the proposed development.

CONTINUATION SHEET

PAGE _____ OF _____

001	002	003	004	005	006	007	008	009	010	011	012	013	014	015	016	017	018	019	020	021	022	023	024	025	026	027	028	029	030	031	032	033	034	035	036	037	038	039	040	041	042	043	044	045	046	047	048	049	050	051	052	053	054	055	056	057	058	059	060	061	062	063	064	065	066	067	068	069	070	071	072	073	074	075	076	077	078	079	080	081	082	083	084	085	086	087	088	089	090	091	092	093	094	095	096	097	098	099	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476	477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493	494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510	511	512	513	514	515	516	517	518	519	520	521	522	523	524	525	526	527	528	529	530	531	532	533	534	535	536	537	538	539	540	541	542	543	544	545	546	547	548	549	550	551	552	553	554	555	556	557	558	559	560	561	562	563	564	565	566	567	568	569	570	571	572	573	574	575	576	577	578	579	580	581	582	583	584	585	586	587	588	589	590	591	592	593	594	595	596	597	598	599	600	601	602	603	604	605	606	607	608	609	610	611	612	613	614	615	616	617	618	619	620	621	622	623	624	625	626	627	628	629	630	631	632	633	634	635	636	637	638	639	640	641	642	643	644	645	646	647	648	649	650	651	652	653	654	655	656	657	658	659	660	661	662	663	664	665	666	667	668	669	670	671	672	673	674	675	676	677	678	679	680	681	682	683	684	685	686	687	688	689	690	691	692	693	694	695	696	697	698	699	700	701	702	703	704	705	706	707	708	709	710	711	712	713	714	715	716	717	718	719	720	721	722	723	724	725	726	727	728	729	730	731	732	733	734	735	736	737	738	739	740	741	742	743	744	745	746	747	748	749	750	751	752	753	754	755	756	757	758	759	760	761	762	763	764	765	766	767	768	769	770	771	772	773	774	775	776	777	778	779	780	781	782	783	784	785	786	787	788	789	790	791	792	793	794	795	796	797	798	799	800	801	802	803	804	805	806	807	808	809	810	811	812	813	814	815	816	817	818	819	820	821	822	823	824	825	826	827	828	829	830	831	832	833	834	835	836	837	838	839	840	841	842	843	844	845	846	847	848	849	850	851	852	853	854	855	856	857	858	859	860	861	862	863	864	865	866	867	868	869	870	871	872	873	874	875	876	877	878	879	880	881	882	883	884	885	886	887	888	889	890	891	892	893	894	895	896	897	898	899	900	901	902	903	904	905	906	907	908	909	910	911	912	913	914	915	916	917	918	919	920	921	922	923	924	925	926	927	928	929	930	931	932	933	934	935	936	937	938	939	940	941	942	943	944	945	946	947	948	949	950	951	952	953	954	955	956	957	958	959	960	961	962	963	964	965	966	967	968	969	970	971	972	973	974	975	976	977	978	979	980	981	982	983	984	985	986	987	988	989	990	991	992	993	994	995	996	997	998	999	1000
Item No.	Customer Name	Customer Volume (to 11)	Customer Weight (to 11)	Flight or Item	Weight Description	Specialty or on Abandonment Note	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name	Customer Name																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																

DISPOSAL SITE COPY

DATE AND TIME RECEIVED _____

Page _____ of _____

(4) Volume Allocation No. _____

TRANSITION • 1994 • 11

1. Ad. Prisoner (1) -

CONFIDENTIAL

(1) -- (a) Description of Materials	(b)	(c)	(d)	(e)
	Total # of Pys Not Segregated	Total Activity Not Segregated	Total Volume Not Segregated	Types Containers Not Segregated
1. INACTIVE MATERIAL, 1 SA, NOS				
2. INACTIVE MATERIAL, NOS				
3. INACTIVE MATERIAL, SPECIAL CONTAINERS				
4. INACTIVE INVENT NOS (NAT) MATERIAL				

[illegible]

(21)
TOTAL

(22) Yes No THIS VIOLATE IS CONSIDERED EXCLUSIVE USE (OWNERS AND/OR OWNERS MUST USE
ACCOMPLISHED BY CONDUCTING OR CONDUCTING ENTITIES IN SIGNIFICANT ACTS

(23) **REPRESENTATIVE** It is hereby declared that the above named individuals are properly elected, elected, appointed, elected and elected and are in good standing for negotiations according to the applicable provisions of the Government of the United States.

Sepuluh

Company _____ Date _____

(See *Thompson*, 567, for further facts for *Count 4*.) (See *Footnote*)

With Agency's Signature Below Containing Post Office

[illegible]

Date _____ By _____ (Name & Title)

தலை: தலைவர், கருத்துரைகள், 1977-78, பக்க 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841,

[illegible]



DEPARTMENT OF SOCIAL AND HEALTH SERVICES
OLYMPIA, WASHINGTON

LOW-LEVEL RADIOACTIVE WASTE SHIPMENT CERTIFICATION FOR
COMMERCIAL GENERATOR/PACKAGERS, AND BROKERS AND CARRIERS

The following certification, completed as applicable, is made to the State of Washington:

Certification is hereby made to the State of Washington that Radiation Shipment Record No. _____ of low-level radioactive waste has been inspected in accordance with requirements of the Governor of Washington's Executive Order dated November 19, 1979, prior to its shipment. Further certification is made that the inspection has revealed no items of non-compliance with all applicable laws, rules and regulations.

The undersigned shall indemnify and hold harmless the State of Washington, in an amount not to exceed \$1,000,000.00 per individual who may be injured, provided that indemnification shall not exceed \$3,000,000.00 in total, for each occurrence, from any and all claims, suits, losses, damage, injury and expenses to any person whatsoever or to property arising or growing out of or in any manner connected with the activities performed under this order.

Except for any violation of applicable existing state or federal statute or regulation respecting packaging and shipment, inspection and acceptance of any item, or container or material covered by this certification by the State of Washington or a duly authorized contractor shall release the party who executed this certificate from any and all requirements of indemnification from injury or loss.

SECTION A:
FOR THE GENERATOR/PACKAGER:

PERMIT NUMBER: _____
(Company Name)
DATE: _____ BY: _____
TITLE: _____

SECTION B:
FOR THE BROKER:

PERMIT NUMBER: _____
(Company Name)
DATE: _____ BY: _____
TITLE: _____

SECTION C:
FOR THE CARRIER:

DATE: _____ BY: _____
TITLE: _____



STATE OF NEVADA
DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH
BUREAU OF CONSUMER HEALTH PROTECTION SERVICES
CAPITOL COMPLEX
CARSON CITY, NEVADA 89710

TELEPHONE
(702) 843-4750

LOW-LEVEL RADIOACTIVE WASTE SHIPMENT CERTIFICATION

As required by Executive Order dated July 24, 1979, issued by the Governor of the State of Nevada, the following certification, as applicable, is made to the State of Nevada:

SECTION 1:

GENERATOR/PACKAGER: _____

(Company Name)

Certification is hereby made to the State of Nevada that shipment no. _____ of low-level radioactive waste has been inspected in accordance with requirements of the Governor of Nevada's Executive Order dated July 24, 1979, prior to its shipment and further certification is made that the inspection has revealed no items of non-compliance with all applicable laws, rules and regulations. It is further certified that in the case of solidified waste, there is no free-standing liquid in any container in this shipment.

BY: _____

DATE: _____ TITLE: _____

SECTION 2:

BROKER: _____

(Company Name)

Certification is hereby made to the State of Nevada that shipment no. _____ of low-level radioactive waste has been inspected in accordance with the requirements of the Governor of Nevada's Executive Order dated July 24, 1979, prior to its shipment and further certification is made that the inspection has revealed no items of non-compliance with all applicable laws, rules and regulations.

BY: _____

DATE: _____ TITLE: _____

SECTION 3:

CARRIER: _____

(Company Name)

Certification is hereby made to the State of Nevada that the vehicle transportation shipment no. _____ of low-level radioactive waste is properly placarded and that the load is secure for transport and that all shipping papers as required by the United States Department of Transportation (U. S. DOT) have been properly executed and delivered.

BY: _____

DATE: _____ TITLE: _____

BY: _____

DATE: _____ TITLE: _____

BY: _____

CERTIFICATION

THIS IS TO CERTIFY THAT I HAVE READ AND UNDERSTAND THE REQUIREMENTS OF LICENSE #13-11-0043-02 ISSUED TO U.S. ECOLOGY, INC. BY THE NEVADA DEPARTMENT OF HUMAN RESOURCES FOR THE RECEIPT AND DISPOSAL OF RADIOACTIVE MATERIALS AT BEATTY, NEVADA, AS DESCRIBED IN PARAGRAPHS 5.1.1.3; 5.1.1.4; 5.1.1.5; 5.1.1.6 and 5.4.6.1 OF THE U.S. ECOLOGY, INC. SITE OPERATIONS MANUAL, AND I FURTHER CERTIFY THAT THE MATERIALS IN THIS SHIPMENT ARE IN CONFORMITY WITH THOSE REQUIREMENTS.

COMPANY

AUTHORIZED SIGNATURE

TITLE

DATE

INSTRUCTIONS FOR MAINTENANCE OF
EXCLUSIVE USE SHIPMENT CONTROLS

This shipment is to be maintained as an exclusive use shipment. Loading must be performed by a single consignor having the exclusive use of the vehicle. Unloading must be done by the consignee, and only at the designated destination.

Repositioning or movement of any loaded material without the written permission of the consignor or Hittman Nuclear & Development Corporation is prohibited.

STATE POLICE NOTIFICATION FORM

A. CARRIER'S NAME _____

B. COLOR AND NUMBER OF CAB _____

C. COLOR, NUMBER, AND
LENGTH OF TRAILER _____

D. ROUTE FROM PLANT THROUGH
MICHIGAN AND INDIANA _____

E. TYPE AND DESCRIPTION
OF CONTAINER _____

F. DESCRIPTION OF SHIPMENT _____

G. MAXIMUM RADIATION LEVEL
IN MR/HR AT 6 FEET FROM
TRAILER _____

H. TOTAL CURIE CONTENT OF
SHIPMENT _____

I. TIME AND DATE OF SHIPMENT _____


J. COMPANY NAME I & M Electric Co. D. C. Cook Plant
Bridgman, MI.

K. YOUR NAME _____

INCOMING SURVEY - FLATBED

*All smears <50 dpm and all readings <.2 mR/hr, unless noted.

Ver# _____



Date _____


Technician _____

Time _____

Instrument _____

OUTGOING SURVEY - FLATBED

()



Carrier _____

Trailer# _____

Date _____

Time _____

Max. Rad. Level (C) _____

Max. Rad. Level (6') _____

Max. Rad. Level (3') _____


Technician _____

Instrument _____

INCOMING SURVEY - VAN OR RAGTOP

*All smears <50 dpm and all
readings <.2 mR/hr, unless
noted.

Trailer# _____




Date _____

Technician _____

Time _____

Instrument _____

OUTGOING SURVEY - VAN OR RAGTOP



Carrier _____

Trailer# _____

Date _____

Max. Rad. Level (C) _____

Time _____

Max. Rad. Level (6') _____

Technician _____


Max. Rad. Level (3') _____

Instrument _____

INCOMING SURVEY - CASK

*All smears <50 dpm and all
readings <.2 mR/hr, unless
noted.

Trailer# _____




Date _____

Technician _____

Time _____

Instrument _____

OUTGOING SURVEY - CASK



Carrier _____

Trailer# _____

Date _____

Max. Rad. Level (C) _____

Time _____

Max. Rad. Level (6') _____

Technician _____

Max. Rad. Level (3') _____

Instrument _____

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
Radioactive Waste Shipment Certification Form

12 PMA 3150 PCP.G01
Attachment XV

General Instructions and Information: This is a two part form to be used by shippers and carriers of radioactive waste. The certifications contained herein satisfy the requirements of Section 13-7-130, of Act No. 499 of 1980, the South Carolina Radioactive Waste Transportation and Disposal Act. This certification along with a copy of the prior notification form shall accompany each shipment of radioactive waste into and within the State of South Carolina. The shipper is to complete his portion of the form and present it to the carrier as part of the shipping documents. Upon receipt, the carrier shall complete his portion of the form. Upon delivery of the shipment to the consignee, a copy of this certification form, and a copy of the Prior Notification and Manifest form with the consignee acknowledgment, shall be returned to the Department.

Part I: Shipper's Certificate of Compliance

1. Name of Shipper and Address: Telephone No. ()	2. Shipment Identification No. 3. Transport Permit No.
--	---

In compliance with Act No. 499 of 1980, the South Carolina Radioactive Waste Transportation and Disposal Act, I hereby certify on behalf of the above-named shipper to the South Carolina Department of Health and Environmental Control that the above-named shipper has complied with all provisions of Act No. 499 of 1980, and all applicable laws and administrative rules and regulations, both State and Federal, regarding the packaging, transportation, storage, disposal and delivery of such wastes. I further certify that this shipment of radioactive waste has been inspected within 48 hours of the time of departure and that no items of non-compliance with applicable laws, rules or regulations were found.

Date _____

Name and Title of Agent of Shipper _____
Signature _____

Part II: Carrier's Certification

1. Name of Carrier and Address: Telephone No. ()	2. Shipment Identification No. 3. Transport Trailer No.
4. Scheduled Date of Departure of Shipment:	5. Estimated Date of Arrival of Shipment:

Certification is hereby made to the South Carolina Department of Health and Environmental Control that: (a) the shipper has provided the carrier with a copy of the shipment manifest, the certificate of compliance, and the routing instructions; (b) the shipment of radioactive waste has been properly placarded for transport according to applicable U.S. Department of Transportation Regulations; (c) all shipping papers originated or reproduced by the carrier have been properly executed; (d) the transport vehicle has been inspected according to applicable State and Federal regulations within the prescribed intervals and that all safety and operational components are in good working order and meet the requirements of regulations; (e) all drivers who will operate the vehicle within the State of South Carolina are qualified to transport hazardous materials as specified by applicable U.S. Department of Transportation regulations; (f) the Department shall be immediately notified of any variance, occurring after departure, from the shipper's notification of primary routes in South Carolina and estimated date of arrival; (g) all applicable laws and administrative rules and regulations, both State and Federal, regarding the transportation of radioactive wastes will be complied with.

Date _____

Name or Printed Name and Title _____
Signature _____

UN 2912

See Reverse Side for Instructions

1. Name and Address of Shipper:		2. Person Responsible for Radioactive Waste Shipment: (a) Name (b) Title (c) Telephone No. /	
3. Radioactive Waste Transport Permit No.		4. Shipment Identification No.:	
5. Location from which waste will be shipped:		6. Name and Address of Consignee	
7. Scheduled Date of Departure of Shipment:		8. Estimated Date of Arrival of Shipment:	
9. Carrier:	10. Type of Transport Vehicle:	11. Trailer No. and Owner	
12. Routes shipment will follow in State of South Carolina (See Specials):			

Manifest Summary

13. Type Container or Cask:	14. Container Spec.	15. Total No. of Containers		
16. Waste Description: Physical and Chemical Form		17. Potentially Radioisotopes:		
18. Total Casks:	19. Transport Group:	20. Total Cubic Feet:		
21. Waste Classification:				
<input type="checkbox"/> Radioactive LSA	<input type="checkbox"/> Bulk LSA	<input type="checkbox"/> Normal Form	<input type="checkbox"/> Special Form	<input type="checkbox"/> Plutonium
<input type="checkbox"/> Radioactive LSA greater than Type A quantities	<input type="checkbox"/> Limited quantities and radioactive devices	<input type="checkbox"/> Type A quantity	<input type="checkbox"/> Type B quantity	<input type="checkbox"/> Class I
		<input type="checkbox"/> Type 3 quantity	<input type="checkbox"/> Type 3 quantity	<input type="checkbox"/> Class II
		<input type="checkbox"/> Large quantity	<input type="checkbox"/> Large quantity	<input type="checkbox"/> Class III

Declaration

I hereby certify on behalf of the above-named shipper to the South Carolina Department of Health and Environmental Control that the information provided herein is complete and correct to the best of my knowledge; and that the shipper has complied with all the provisions as required by Act No. 499 of 1980, the South Carolina Radioactive Waste Transportation and Disposal Act.

Date _____

Typed Name and Title of Agent of Shipper

Signature _____

Consignee Acknowledgment

This acknowledges to the South Carolina Department of Health and Environmental Control that the above-described radioactive waste shipment was received.

Date of Delivery _____

Signature of Consignee or Authorizing Agent _____

Typed or Printed Name and Title _____

Person Notified



Radioactive Waste Shipment Check Off Sheet

Prior to Shipment Date

Shipment No. _____

Allocation No. _____

Prior Notification Forms Mailed

Requirement: At least seven (7) days prior to date of shipment

<u>Site</u>	<u>Date</u>	<u>Initial</u>
-------------	-------------	----------------

Barnwell
Beatty
Richland

<u>State</u>	<u>Date</u>	<u>Initial</u>
--------------	-------------	----------------

Michigan
South Carolina

Prior Notification Forms Telecopied * (If Mailing Requirement Is Not Met)

Requirement: At least seventy-two (72) hours prior to arrival of shipment at the Burial Site.

<u>Site</u>	<u>Date</u>	<u>Initial</u>
-------------	-------------	----------------

Barnwell
Beatty
Richland

Prior Notification Given (Telephone)

Requirement: At least seven days prior to date of shipment.

<u>State</u>	<u>Date</u>	<u>Initial</u>
--------------	-------------	----------------

Michigan

Shipment Schedule Arranged (Telephone)

Requirement: When shipping schedule has been determined with applicable Burial Site.

<u>HNDC Personnel Contacted</u>	<u>Date</u>	<u>Initial</u>
---------------------------------	-------------	----------------

Shipment Schedule Arranged (Mail)

Requirement: On day of telephone notification.

HNDC Personnel Forms Mailed To (Name)

Date of Shipment

State Police Notification

Requirement: At least one hour prior to shipment departure.

<u>Date</u>	<u>Time</u>	<u>Officer Notified</u>	<u>Initial</u>
-------------	-------------	-------------------------	----------------

Burial Site Notification

Requirement: To be given when shipment departs plant site.

<u>Date</u>	<u>Time</u>	<u>Personnel Contacted</u>	<u>Site</u>	<u>Initial</u>
			Barnwell	
			Beatty	
			Richland	

State Notification

Requirement: Notification given only if there is a change in the PN&M Form.

<u>Date</u>	<u>Time</u>	<u>Personnel Contacted</u>	<u>State</u>	<u>Initial</u>
			South Carolina	

Radioactive Shipment Record (RSR) Check For Completeness

Requirement: Thorough check of every column on RSR for proper wording and correct information.

<u>Date</u>	<u>Time</u>	<u>RSR</u>	<u>Initial</u>
		Chem-Nuclear U.S. Ecology, Inc.	

Vehicle/Package Check

<u>Date</u>	<u>Time</u>	<u>Vehicle</u>	<u>Initial</u>	<u>Package</u>	<u>Initial</u>
		Placarded		Labeled	
		Surveyed		Sealed	
				Surveyed	

- 1 FILTER ELEMENTS
- 2 Dewatering LINE
- 3 MIXER ASSEMBLY
- 4 DEFLECTION CONE
- 5 DRIVE CONNECTION




Figure III
HN-100 Liner
In-Container Cement Solidification

NOTE: NONCOMPRESSIBLE SOLID TRASH ONLY. NO LIQUID OR LIQUID FILLED CONTAINERS.

SMEAR RESULTS

DATE SEALED

TOP _____

CONTACT _____

DATE SHIPPED _____

SIDES

3' _____

WEIGHT

BOTTOM

270125



FILTER CHANGE SIGN-OFF SHEET

NOTE: The time period between Step 1 and Step 2 must be greater than or equal to 15 minutes.

OPERATIONS

DATE / TIME / BY

STEP 1: Filter-Vented and Drained (Clearance hung)
Place this form on RWP Paper at job site.

____/____/____

MAINTENANCE

STEP 2: Remove Filter, Transport to 587' Drumming
Room and place in Drum (time filter removed
from housing).

____/____/____

NOTE: Filter must not have a continuous
flow of water coming from it.
It should only be dripping.

Caution: Use extreme
care, when placing the
filter into the
receiving barrel to
avoid spreading
contamination.

STEP 2 time minus STEP 1 time =

Total Drain Time _____ Minutes

____/____/____

Maintenance personnel should give form to
RP personnel covering the job.

RADIATION PROTECTION

Filter _____

Filter type _____

Drum Number _____

Drum Location _____

Contact Radiation Reading _____

3' Radiation Reading _____

NOTE: If the
contamination results
are greater than 2200
cpm/100 cm² the barrel
must be deconned until
the levels are less
than 2200 cpm/100 cm²
and recorded.

____/____/____

After completing of this sheet, RP should forward to the Environmental
Section.

DEMINERALIZER RESIN CALCULATION SHEET

ISOTOPE	CONCENTRATION FROM LAB	(a) FRACTION OF TOTAL CONCENTRATION	(b) r/10	(c) EXPOSURE CONTRIBUTION (a) x (b)	TOTAL ACTIVITY IN RESIN (a) x (e)
Mn-54			0.47		
Co-57			0.09		
Co-58			0.55		
Co-60			1.32		
Ag-110m			1.43		
I-131			0.22		
Cs-134			0.87		
Cs-136			0.94		
Cs-137			0.33		
BaLa-140			2.37		
Zr-95			0.41		
Nb-95			0.42		
Sb-124			0.98		
TOTAL		1.00			

Exposure Contribution (c) = Fraction of total concentration (a) x r/10 (b)

Exposure at 1 meter from 100 ml sample = _____ R/hr

If reading taken at 3 ft., R/hr at 1 meter = R/hr at 3 ft. x .836
_____ x .836

(B) Resin volume factor = ft³ in cask x 283.2

= _____ x 283.2

= _____ x (d)

(A) Total activity in resin = $\frac{\text{Exposure at 1 meter} \times \text{resin volume factor (d)}}{\text{Total exposure contribution (c)}}$

= $\frac{(\text{_____ R/hr} \times \text{_____})}{(\text{_____})}$

= _____ Ci (e)

Performed by _____

Approved by _____

Date _____

Shipment Number _____

