

REGULATORY INFORMATION DISTRIBUTION SYSTEM (RIDS)

ACCESSION NBR:9909220260	DOC.DATE: 99/09/17	NOTARIZED: NO	DOCKET #
FACIL:50-315	Donald C. Cook Nuclear Power Plant, Unit 1, Indiana M		05000315
AUTH.NAME	AUTHOR AFFILIATION		
RENCHECK,M.W.	Indiana Michigan Power Co.		
RECIP.NAME	RECIPIENT AFFILIATION		
	Records Management Branch (Document Control Desk)		

SUBJECT: Forwards LER 99-022-00,electrical bus degraded voltage setpoints too low for safety related loads.Listed commitment identified in submittal.

DISTRIBUTION CODE: IE22T COPIES RECEIVED: LTR ENCL SIZE:
TITLE: 50.73/50.9 Licensee Event Report (LER), Incident Rpt, etc.

NOTES :

RECIPIENT		COPIES		RECIPIENT		COPIES	
ID CODE/NAME		LTTR	ENCL	ID CODE/NAME		LTTR	ENCL
LPD3-1		1	1	STANG,J		1	1
INTERNAL:	FILE CENTER	1	1		NRR/DIPM/IOLB	1	1
	NRR/DRIP/REXB	1	1		NRR/DSSA/SPLB	1	1
	RES/DET/ERAB	1	1		RES/DRAA/OERAB	1	1
	RGN3 FILE 01	1	1				
EXTERNAL:	L ST LOBBY WARD	1	1		LMITCO MARSHALL	1	1
	NOAC POORE,W.	1	1		NOAC QUEENER,DS	1	1
	NRC PDR	1	1		NUDOCS FULL TXT	1	1

NOTE TO ALL "RIDS" RECIPIENTS:

PLEASE HELP US TO REDUCE WASTE. TO HAVE YOUR NAME OR ORGANIZATION REMOVED FROM DISTRIBUTION LISTS OR REDUCE THE NUMBER OF COPIES RECEIVED BY YOU OR YOUR ORGANIZATION, CONTACT THE DOCUMENT CONTROL DESK (DCD) ON EXTENSION 415-2083

FULL TEXT CONVERSION REQUIRED
TOTAL NUMBER OF COPIES REQUIRED: LTTR 15 ENCL 15

Indiana Michigan
Power Company
Cook Nuclear Plant
One Cook Plant
Bridgman, MI 49106
616 465 5901



September 17, 1999

United States Nuclear Regulatory Commission
Document Control Desk
Washington, DC 20555

Operating License DPR-58
Docket No. 50-315

Document Control Manager:

In accordance with the criteria established by 10 CFR 50.73 entitled Licensee Event Report System, the following report is being submitted:

LER 315/99-022-00, "Electrical Bus Degraded Voltage Setpoints Too Low For Safety Related Loads."

The following commitment was identified in this submittal:

- A new degraded grid voltage relay trip setpoint and tolerance will be established prior to entry into Mode 4, to ensure that all downstream safety related 600 VAC motors and 120 VAC control circuits receive adequate voltage to perform their safety functions during a degraded grid voltage condition.

Sincerely,

A handwritten signature in cursive script, appearing to read 'M. W. Rencheck'.

M. W. Rencheck
Vice President - Nuclear Engineering

/mbd
Attachment

c: J. E. Dyer, Region III
R. P. Powers
J. E. Pollock
R. F. Godley
R. Whale
D. Hahn
Records Center, INPO
NRC Resident Inspector

9909220260 990917
PDR ADOCK 05000315
S PDR

11
IE22