THIRD 10-YEAR INTERVAL LONG-TERM INSERVICE EXAMINATION PLAN FOR CLASS 1, 2, AND 3 SYSTEMS AND COMPONENTS FOR DONALD C. COOK NUCLEAR PLANT, UNIT 1

VOLUME I
FINAL PLAN
SwRI Project 17-7208

Prepared for

American Electric Power Service Corporation
1 Riverside Plaza
Columbus, Ohio 43216-6631

Prepared by

Nondestructive Evaluation Science and Technology Division

November 1995

Written by

Alfred R. Anderson

Alfred R. Anderson
Project Manager
NDE Engineering Section
Department of NDE Services

Approved by

Bruce M. Jacobs

Bruce M. Jacobs
Director
Department of NDE Services
Nondestructive Evaluation Science
and Technology Division

TABLE OF CONTENTS

Page

LIST OF ABBREVIATIONS

AEP	-	American Electric Power Service Corporation
ASME	-	American Society of Mechanical Engineers
CL	-	Cladding
CS	-	Chemical and Volume Control System
Cook 1	-	Donald C. Cook Nuclear Plant, Unit 1
FB	-	Flange Bolting
FW	-	Feedwater System
HL	-	Hanger Lug
HT	-	Hydrostatic Test
I	-	Inside or Inlet
IE	-	Integral Extension
IMP	-	Indianan & Michigan Electric Company
IRS	-	Inside Radius Section
ISI	-	Inservice Examination
IST	-	Inservice Testing
LD	-	Longitudinal Seam Downstream
LHM	-	Lower Head Meridional
Lig	-	Ligament
L_o	-	Zero Reference Location
LT	-	Leak Test
LTP	-	Long-Term Plan
LU	-	Longitudinal Seam Upstream
M	-	Meridional
MB	-	Manway Bolting
M	-	Meridional
MB	-	Manway Bolting
MEF	-	Moderate Energy Fluid System
MS	-	Main Steam System
MT	-	Magnetic Particle Examination
N	-	Nozzle
O	-	Outside or Outlet
PR	-	Pipe Restraint
PRZ	-	Pressurizer
PS	-	Pipe Support
PT	-	Liquid Penetrant Examination
RC	-	Reactor Coolant System
RH	-	Residual Heat Removal
RHE	-	Regenerative Heat Exchanger
RHRHEX	-	Residual Heat Removal Heat
RPV	-	Reactor Pressure Vessel
RT	-	Radiographic Examination
SI	-	Safety Injection System
STM	-	Steam Generator
SwRI	-	Southwest Research Institute
USNRC	-	United States Nuclear Regulatory Commission
UT	-	Ultrasonic Examination
Vol	-	Volumetric
VS	-	Vessel Support
VT	-	Visual Examination
WD	-	Waster Disposal System

I. INTRODUCTION

This document presents the Long-Term Plan (LTP) for inservice examination of Class 1, 2, and 3 systems and components for Indiana Michigan Power Company's (IMP) Donald C. Cook Nuclear Plant, Unit 1 (Cook 1). The examinations are scheduled to be performed during the third 10-year interval for Class 1, 2, and 3 systems and components. The third 10-year interval begins on July 1, 1996, and continues through June 30, 2006.

Volumes I and II contain the plan for Class 1, 2, and 3 systems and components (Subsection IWB, IWC, IWD, and IWF) examinations. The inservice testing (IST) of pumps and valves (Subsections IWP and IWV) will be submitted separately from the ISI program.

A. Applicable Documents

The areas to be examined were selected in accordance with the following documents.

1. Section XI of the American Society of Mechanical Engineers (ASME) Boiler and Pressure Vessel Code, "Rules for Inservice Inspection of Nuclear Power Plant Components," 1989 Edition

2. Section XI of the ASME Boiler and Pressure Vessel Code, "Rules for Inservice Inspection of Nuclear Power Plant Components," 1974 Edition with Addenda through Summer 1975 (for Class 1 B-J piping welds only).

3. Donald C. Cook Nuclear Plant, Unit 1, Technical Specifications

4. Southwest Research Institute (SwRI) "Second 10-year interval Long-Term Inservice Testing Plan for Class 1, 2, and 3 Systems and Components for Donald C. Cook Nuclear Power Plant, Unit 1," December 1985

5. "Rules and Regulations, Title 10, Chapter 1, Code of Federal Regulations, Part 50.55a"

6. United States Nuclear Regulatory Commission (USNRC) Regulatory Guide 1.150, Revision 1, "Ultrasonic Testing of Reactor Vessel Welds During Preservice and Inservice Examinations"

7. USNRC Regulatory Guide 1.65, "Materials and Inspections for Reactor Vessel Closure Studs," October 1973

8. USNRC Regulatory Guide 1.14, Revision 1, "Reactor Coolant Pump Flywheel Integrity," August 1975

9. USNRC Regulatory Guide 1.26, Revision 3, "Quality Group Classifications and Standards for Water, Steam, and Radioactive Waste Containing Components of Nuclear Power Plants"

10. USNRC I. E. Bulletin 82-02, "Degradation of Threaded Fasteners in the Reactor Coolant Pressure Boundary of PWR Plants"

11. USNRC Bulletin 88-08, Supplement 2, "Thermal Stresses in Piping Connected to Reactor Coolant Systems"

12. USNRC Information Notice 90-30, "Ultrasonic Inspection Techniques for Dissimilar Metal Welds"

13. ASME Code Case N-491-1 "Alternative Rules for Examination of Class 1, 2, 3, and MC Component Supports of Light Water Cooled Power Plants," Section XI, Division 1

14. ASME Code Case N-498-1, "Alternative Rules for 10-year Hydrostatic Pressure Testing for Class 1 and Class 2 Systems," Section XI, Division 1

15. ASME Code Case N-509, "Alternative Rules for the Selection and Examination of Class 1, 2, and 3 Integrally Welded Attachments"

16. ASME Code Case N-521, Supplement 6, "Alternative Rules for Deferral of Inspections of Nozzle-to-Vessel Welds, Inside Radius Sections, and Nozzle-to-Safe End Welds of a Pressurized Water Reactor (PWR) Vessel," Section XI, Division 1

17. ASME Code Case N-524, "Alternative Examination Requirements for Longitudinal Welds in Class 1 and Class 2 Piping," Section XI, Division 1

18. ASME Code Case N-481, "Alternative Examination Requirements for Cast Austenitic Pump Casings"

B. Examination Areas

The components included in this LTP are as follows:

Class 1

Vessels

Reactor Pressure Vessel and Closure Head
Pressurizer
Steam Generators (Primary side)

Piping

Reactor Coolant System
Safety Injection System
Chemical and Volume Control System
Residual Heat Removal System
Waste Disposal System

Pumps

Reactor Coolant Pumps

Valves

Reactor Coolant System
Safety Injection System
Chemical and Volume Control System
Residual Heat Removal System
Waste Disposal System

Class 2

Vessels

Steam Generators (Secondary Side)
Regenerative Heat Exchanger
Chemical and Volume Control Tank
Containment Spray Heat Exchangers
Residual Heat Removal Heat Exchangers
Boron Injection Tank

Piping

Emergency Core Cooling System
Chemical and Volume Control System
Containment Spray System
Feedwater System
Main Steam System

Pumps

Safety Injection Pumps
Residual Heat Removal Pumps

Valves

Main Steam Isolation Valves

Piping (Cont'd)

Emergency Core Cooling System

Class 3

Piping

Auxiliary Feedwater System
Component Cooling Water System
Emergency Service Water System
Feedwater System
Spent Fuel Cooling System

Class 1, 2, and 3 Component Supports

Class 1 Component Supports
Class 2 Component Supports
Class 3 Component Supports
Class 3 Integral Attachments

THIS PAGE INTENTIONALLY LEFT BLANK

II. LONG-TERM EXAMINATION PLAN

A. Introduction to the Long-Term Examination Tables

The accompanying LTP examination tables present an outline of the examinations scheduled for the Class 1, 2, and 3 components for Cook 1. Also included in this plan are the components shared between Units 1 and 2.

Not all items listed in the tables are scheduled for examination, but for accountability purposes and to allow future flexibility in the program, each nonexempt component or system identified by SwRI and IMP has been listed.

These tables are separated into sections according to major systems or components and further subdivided to list the actual component, area, or weld to be examined. A discussion of the format and content of these tables follows and is presented in the order of the column headings appearing on each page of the tables. Figure 1, Page 11, provides further explanation of the LTP table format.

1. <u>Summary Number</u>

The number provides a unique sequential, six-digit reference for each table entry. It also provides a future reference to an Examination Summary Sheet which will precede the data package for each inspection area.

2. <u>Examination Area Identification</u>

Each component or system in this column is identified either by listing the name of the component or by a unique coded character as discussed in Section B.

3. <u>ASME Section XI Category and Item Number</u>

ASME Section XI Item Numbers and Categories are assigned for each component and are listed in the first and second columns, respectively. The items and categories are specified in ASME Section XI, 1989 Edition.

4. <u>NDE Method</u>

The nondestructive examination method is listed in this column. The various methods are used :

(a) VT-1, VT-2, and VT-3 (Visual)

(b) PT (Liquid Penetrant)

(c) MT (Magnetic Particle)

(d) UT (Ultrasonic)

(e) AUT (Automated Ultrasonic)

(f) RT (Radiographic)

At the request of IMP, RT is listed for those Class 2 nonexempt feedwater and main steam pipe welds requiring volumetric examinations (ASME Item Nos. C5.51 and C5.52).

The examination method assigned to a given component is based on the requirements of the 1989 Edition of Section XI for the Category and Item Number of that component.

5. Plan Status

The plan status is divided into ten columns to allow for ten 12-month refueling cycles for the inspection interval. For this program, six 18-month refueling outages were scheduled (two outages for each of the three periods). An "X" is placed to designate the cycle each component is scheduled, a "P" is placed to designate a partial examination is completed, and a "C" is placed to designate those examinations completed. The unused columns for each period allow flexibility in scheduling during the 10-year interval should the requirement arise.

6. Instructions

The instructions column is used to provide additional information pertinent to the examinations. Typical information includes the following:

(a) Basic Calibration blocks(s) for each component scheduled for a UT examination. This is to facilitate the users of this plan in selecting the correct calibration block(s) for use during a UT examination.

(b) Special examination requirements unique to a given component or system.

(c) Other information necessary to explain unique examination results or limitations.

B. Examination Area Identification System

In the column, entitled "EXAMINATION AREA IDENTIFICATION," each component is identified either by listing the name of the component or by a unique coded character.

In most cases, component identifiers are preceded by the numeral 1, indicating Cook 1.

1. Vessels

a. Reactor Pressure Vessel (RPV)

Circumferential Welds. Circumferential weld numbers are of the form 1-RPV-X, where X is a particular circumferential weld (e.g., A=vessel-to-flange weld, B= upper shell-to-middle shell weld, etc.).

Longitudinal Welds. Longitudinal weld numbers are of the form 1-RPV-V (XY), where X is the location of the longitudinal weld in a particular shell, and Y is the unique number of that particular weld. For example, 1-RPV-VA1 is the first longitudinal weld (numbered clockwise from the vessel 0° position) located in the upper shell of the reactor pressure vessel.

Nozzle welds. Nozzle weld numbers are of the form 1-N (XA) or N (XB), where X is the number of the loop in which the nozzle functions and A or B designates the particular function of the nozzle (A for inlet or B for outlet). For example, N2B is the outlet nozzle for loop 2.

Safe End Welds. Safe end welds associated with the RPV nozzles are numbered 1-RPV-X-YY, where X is the loop number and YY the unique number of that weld. For example, 1-RPV-3-01 is the outlet nozzle-to-safe end weld in loop 3.

Closure Head Welds. The closure head weld numbers follow the pattern of 1- XX-YY, where XX are letter(s) designating the type of weld and YY are number(s) designating the unique number of a particular weld.

b. Pressurizer

General Welds. For all welds other than nozzle inner radii, the designation is 1-PRZ-XX, where the XX is a unique number for each weld.

Nozzle Inner Radii. For nozzle inner radii numbers, XX-1-RC-YY designates each nozzle, where XX is the diameter of the piping that is associated with that nozzle and YY the particular line number which is associated with that same nozzle. For example, 14-1-RC-5 is the surge nozzle of the pressurizer since the 14-inch diameter surge line is designated as 1-RC-5.

c. Steam Generator

The identifying character for the steam generator welds is STM-XX-YY, where XX is the number assigned to the particular steam generator and YY is the unique number of the weld. For example, STM-11-01 is the lower head-to-tube sheet weld on steam generator number 11.

d. Regenerative Heat Exchanger

The identifying character for the regenerative heat exchanger weld is "RHE-1-" followed by the individual weld number , assigned sequentially in the direction of flow (e.g., RHE-1-01, RHE-1-02, etc.).

e. Chemical and Volume Control Tank

Circumferential Welds. Circumferential weld numbers are of the form X-CVCT-2VS-Y, where VS designates vessel support and X is a unique number for each weld.

Vessel Support Welds. Support weld numbers are of the form 1-CVCT-2VS-X, where VS designates vessel support and X is a unique number for each weld.

f. CTS Heat Exchanger

Circumferential Welds. Circumferential weld numbers are of the form X-CTSHEX-Y, where X designates CTS heat exchanger (East) or W (West) and Y in a unique number for each weld.

Vessel Support Welds. Support weld numbers are of the form X-CTSHEX-YVS, where VS designates vessel support and X is a unique number for each weld.

g. RHR Heat Exchanger

Circumferential Welds. Circumferential weld numbers are of the form X-RHRHEX-Y, where X designates RHR heat exchanger E (East) or W (West) and Y in a unique number for each weld.

Vessel Support Welds. Support weld numbers are of the form X-RHRHEX-YVS where VS designates vessel support and Y is a unique number for each weld.

h. Boron Injection Tank

Circumferential Welds. Circumferential weld numbers are of the form 1-BIT-X, where X is a unique number for each weld.

Nozzle-to-Shell Welds. Nozzle weld numbers are of the form 1-BIT-VS-X, where X designates the flow direction. Also, (i) refers to the inlet nozzle and (0) refers to the outlet nozzles.

Vessel Support Welds. Support weld numbers are of the form 1-BIT-VX-X, where X is a unique number for each weld.

2. Piping

a. Reactor Coolant System Piping Welds

Circumferential Weld and Branch Connection Weld. The general designation for each circumferential weld and branch connection weld is 1-RC-XXX-YY, where XXX is the system line number and YY is unique weld number assigned sequentially in the direction of flow.

Longitudinal Weld. Each longitudinal weld is either upstream or downstream form a circumferential weld and, as a result, each longitudinal weld is numbered with reference to the adjacent circumferential weld number (see above). The letters LU or LD are added to the reference weld number to indicate whether the longitudinal weld is upstream (LU) or downstream (LD) from the reference weld; the letter I or O is added to the LU or LD to indicate that the weld is on the inside (I) or outside (O) radius for the elbow. Therefore, the general designation for a longitudinal weld is 1-RC-XXX-YY (LD or LU)-(I or 0). For example, 1-RC-1-O5LD-I is the longitudinal weld on the inside of the elbow downstream from weld 05 on the RC line 1.

b. Piping Welds, Exclusive of Reactor Cooling Piping

Circumferential Welds. For the remainder of the piping systems, the general format used to identify circumferential welds is 1-XX-YYY-ZZ.

The first group of characters, XX, indicates the system or function as shown in part (a) above (i.e., SI, CS, RH, WD). The second group of characters, YYY, indicates the line number as used on the isometric drawings. The individual weld number is then added, represented by the characters ZZ, sequentially numbered in the direction of flow. For example, weld number 1-SI-29-19 denotes safety injection system, line 29, weld No. 19.

Welds Other than Circumferential Welds. To identify those welds adjacent to but other than circumferential welds, the above format for circumferential welds is combined with the characters -BB-C; i.e., the general designation for such noncircumferential welds is 1-XX-YYY-ZZ-BB-C. The characters BB describe the weld as follows:

HL-Integrally welded hanger lug
PS-Integrally welded pipe support

Should there be more than one component of any certain BB category between successive circumferential welds, a unique number (C in the general designation above) is added to number each such weld, increasing either sequentially from the upstream weld or clockwise from L_0.

3. Component Supports

The general designation for component supports is 1-XXY-ZZZ, where XXX gives the general system designation and Y-ZZZ is the unique number assigned to the support.

III. BASIS FOR PREPARATION

A. Class 1 Components

In accordance with Subarticle IWB-2420 of Section XI, the sequence of component weld examinations established during the second 10-year interval was repeated during the third 10-year interval to the extent practical. The selection and allocation of Class 1 piping welds (Category B-J) were based on the 1974 Edition of Section XI with Addenda through Summer 1975, as allowed by 10CFR50.55a. The selection and allocation of Class 1 vessels, pumps, and valves were based on the 1989 Section XI requirements. The examination methods for all Class 1 components are based on the 1989 Section XI. Class 1 components were allocated among 6 outages occurring at approximately 18-month intervals.

B. Class 2 Components

The selection and allocation of Class 2 vessels, pumps, valves, and piping welds were based on the 1989 Code requirements. The examination methods for all Class 2 components are based on the 1989 Section XI requirements. Based on IWC-1221 requirements, several new safety injection welds were added to the third interval program. Also, AEP/IMP determined that the High Pressure Safety Injection Systems which experienced pressures greater than 600 psi needed to be added to the third interval program. An "H" has been placed after the ASME Section XI Item No. in the database tables to indicate these "High Pressure" areas.

Class 2 components were allocated among 6 outages occurring at approximately 18-month intervals. The examination sequence, as established during the first and second 10-year intervals, was repeated for this interval to the extent practical.

C. Class 3 Components

Class 3 components were developed and incorporated into the Class 3 tables based on the requirements of IWD-2500 of the 1989 Code. The requirements for Class 3 components are visual examination of components during system pressure test and visual examinations of integral attachments. It should be noted that the requirements for examination of integral attachments are the same as the requirements of Subsection IWF for system component supports. Since the Class 3 integral attachments and associated examinations correspond to those component supports listed in the component supports examination tables, a Class 3 table was not generated. Instead, the Class 3 tables list only the systems requiring examinations (see also Paragraph III.D).

D. Class 1, 2, and 3 Component Supports

Examination tables for Class 1, 2, and 3 component supports were developed in accordance with the requirements for Subsection IWF of the 1989 Code. The component supports are organized in the same order as the Class 1, 2, and 3 tables for ease of identification.

The guidelines of Code Case N-509, which do not require examinations for the third and fourth intervals, will be used in the performance and scheduling of examinations in lieu of the IWF, Category F-A requirements of the 1989 Edition of Section XI.

Scope of examination --10 percent of the integral attachments will receive a surface examination on 100 percent of the required areas of each welded attachment. In case of multiple components within a system of similar design, function, and service, only one of the integral attachments of only one of the multiple components shall be examined. The integral attachments selected for examination shall correspond to those component supports selected by IWF-2510(B).

The guidelines of Code Case N-491 will be used to determine the component supports subject to examination and will establish examination requirements for Class 1, 2, and 3 components under Subsection IWF, Section XI.

Supports, hangers, and snubbers (and associated integral attachments) which support the weight of or provide structural stability for nonexempt Class 1, 2, and 3 components were selected for examination.

The requirements of IWF-5000 for snubber testing will be performed by IMP personnel in accordance with Cook 1 technical specifications and plant maintenance schedules. Scheduling of snubber testing is not included in this plan.

E. Code Relief

A number of welds cannot be examined due to inaccessibility or component configuration. Code relief for these areas was granted by the USNRC during the first and second intervals. Since accessibility or configuration for these welds has not changed, and where Code examination requirements are the same, Code relief is requested for the third interval. Alternate examinations or supplementary requirements specified by the USNRC in granting Code relief have been scheduled and will be performed as originally required. These instances are noted in the "Remarks Column" of the summary tables. Details of the Code Relief are contained in Appendix E.

F. System Pressure Test

The guidelines of Code Case N-498-1 will be used in lieu of the Systems Hydrostatic testing requirements of Section XI, Table IWB-2500-1, Categories B-E and B-P; Table IWC-2500-1, Category C-H; and Table IWD-2500-1, Categories D-A, D-B, and D-C. In accordance with Code Case N-498-1, system leakage tests will be performed for the third inspection interval.

DATE: COOK NUCLEAR PLANT UNIT 1 PAGE:
REVISION: INSERVICE INSPECTION LONG TERM PLAN
CLASS 1 ALL STATUS COMPONENTS

				INSPECTION INTERVAL	PLAN STATUS		
REACTOR PRESSURE VESSEL AND CLOSURE HEAD				FIRST PERIOD	SECOND PERIOD	THIRD PERIOD	
		ASME SEC. XI					
SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	CATGY ITEM NO	NDE METH	------ O U T A G E ------			INSTRUCTIONS
				1 2 3	1 2 3 4	1 2 3	**CALIBRATION BLOCK**

The Instructions/Calibration Block column is used to provide additional information such as limitations, amount of weld to be inspected, ultrasonic calibration blocks to be used, etc.

The Inspection Interval column is subdivided into three periods. These periods are then subdivided into 10 cycles. Within each of the cycle columns, an "X" is placed to designate the cycle each component or weld is scheduled, a "P" is placed to designate a partial examination has been completed, and a "C" is placed to designate those examinations which have been completed. The third or fourth cycle, as applicable, for each period does not have examinations scheduled to provide flexibility in scheduling during the 10-year interval should the requirement arise.

The NDE method used for the inspection is listed in this column.

The ASME Section XI Item Number and Category of the inspection area are listed in these columns.

Each Examination Area Identification is listed here. Details of the Weld ID System are located in Section II of Volume I.

This column lists the individual weld or component reference number.

Figure 1. Explanation of the Long-Term Plan Table Format

THIS PAGE INTENTIONALLY LEFT BLANK

INSERVICE INSPECTION LONG TERM PLAN
CLASS 1 ALL STATUS COMPONENTS

REACTOR PRESSURE VESSEL AND CLOSURE HEAD

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	OUTAGE	FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	VESSEL CIRCUMFERENTIAL WELDS (FIG NO A-1)														
000100	1-RPV-B	B-A	AUT	1	-	-	-	-	-	-	-	-	-	C	EXAMINE IN ACCORDANCE WITH
	UPPER SHELL TO MIDDLE SHELL	B1.11		2	-	-	-	-	-	-	-	-	C	-	REG. GUIDE 1.150, REV. 1.
	U. CONT.			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**RV-1/11-CSCL-5-DCC**
000200	1-RPV-C	B-A	AUT	1	-	-	-	-	-	-	-	-	-	C	EXAMINE IN ACCORDANCE WITH
	MIDDLE SHELL TO LOWER SHELL	B1.11		2	-	-	-	-	-	-	-	-	C	-	REG. GUIDE 1.150, REV. 1.
	U. CONT.			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**RV-1/11-CSCL-5-DCC**
000300	1-RPV-D	B-A	AUT	1	-	-	-	-	-	-	-	-	-	C	EXAMINE IN ACCORDANCE WITH
	LOWER SHELL TO LOWER HEAD	B1.11		2	-	-	-	-	-	-	-	-	C	-	REG. GUIDE 1.150, REV. 1.
	U. CONT.			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**RV-3/11-CSCL-5-DCC**
	VESSEL LONGITUDINAL WELDS (FIG NO A-1)														
000400	1-RPV-VA1	B-A	AUT	1	-	-	-	-	-	-	-	-	-	C	EXAMINE IN ACCORDANCE WITH
	UPPER SHELL AT 26.5 DEG.	B1.12		2	-	-	-	-	-	-	-	-	C	-	REG. GUIDE 1.150, REV. 1.
	U. CONT.			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**11-CSCL-5-DCC**
000500	1-RPV-VA2	B-A	AUT	1	-	-	-	-	-	-	-	-	-	C	EXAMINE IN ACCORDANCE WITH
	UPPER SHELL AT 146.5 DEG.	B1.12		2	-	-	-	-	-	-	-	-	C	-	REG. GUIDE 1.150, REV. 1.
	U. CONT.			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**11-CSCL-5-DCC**
000600	1-RPV-VA3	B-A	AUT	1	-	-	-	-	-	-	-	-	-	C	EXAMINE IN ACCORDANCE WITH
	UPPER SHELL AT 266.5 DEG.	B1.12		2	-	-	-	-	-	-	-	-	C	-	REG. GUIDE 1.150, REV. 1.
	U. CONT.			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**11-CSCL-5-DCC**
000700	1-RPV-VB1	B-A	AUT	1	-	-	-	-	-	-	-	-	-	C	EXAMINE IN ACCORDANCE WITH
	MIDDLE SHELL AT 0 DEG.	B1.12		2	-	-	-	-	-	-	-	-	C	-	REG. GUIDE 1.150, REV. 1.
	U. CONT.			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**RV-1/11-CSCL-5-DCC**

REACTOR PRESSURE VESSEL AND CLOSURE HEAD

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	VESSEL LONGITUDINAL WELDS (FIG NO A-1)														
000800	1-RPV-VB2	B-A	AUT	1	-	-	-	-	-	-	-	-	-	C	EXAMINE IN ACCORDANCE WITH
	MIDDLE SHELL AT 120 DEG.	B1.12		2	-	-	-	-	-	-	-	-	C	-	REG. GUIDE 1.150, REV. 1.
	U. CONT.			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**RV-1/11-CSCL-5-DCC**
000900	1-RPV-VB3	B-A	AUT	1	-	-	-	-	-	-	-	-	-	C	EXAMINE IN ACCORDANCE WITH
	MIDDLE SHELL AT 240 DEG.	B1.12		2	-	-	-	-	-	-	-	-	C	-	REG. GUIDE 1.150, REV. 1.
	U. CONT.			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**RV-1/11-CSCL-5-DCC**
001000	1-RPV-VC1	B-A	AUT	1	-	-	-	-	-	-	-	-	-	C	EXAMINE IN ACCORDANCE WITH
	LOWER SHELL AT 60 DEG.	B1.12		2	-	-	-	-	-	-	-	-	C	-	REG. GUIDE 1.150, REV. 1.
	U. CONT.			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**RV-1/11-CSCL-5-DCC**
001100	1-RPV-VC2	B-A	AUT	1	-	-	-	-	-	-	-	-	-	C	EXAMINE IN ACCORDANCE WITH
	LOWER SHELL AT 180 DEG.	B1.12		2	-	-	-	-	-	-	-	-	C	-	REG. GUIDE 1.150, REV. 1.
	U. CONT.			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**RV-1/11-CSCL-5-DCC**
001200	1-RPV-VC3	B-A	AUT	1	-	-	-	-	-	-	-	-	-	C	EXAMINE IN ACCORDANCE WITH
	LOWER SHELL AT 300 DEG.	B1.12		2	-	-	-	-	-	-	-	-	C	-	REG. GUIDE 1.150, REV. 1.
	U. CONT.			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**RV-1/11-CSCL-5-DCC**
	CLOSURE HEAD DOLLAR PLATE WELD (FIG NO A-2)														
001300	1-C-02	B-A	UT	1	C	-	-	-	-	-	-	-	-	-	DURING THE 1987 ISI, THIS WELD
	DOLLAR PLATE WELD	B1.21		2	-	-	-	-	-	-	-	-	-	-	WAS DETERMINED TO BE
				3	-	-	-	-	-	-	-	-	-	-	INACCESSIBLE FOR EXAMINATION
				4	-	-	-	-	-	-	-	-	-	-	DUE TO CRD SHROUD. CODE RELIEF WAS GRANTED FROM EXAMINING BOTH SIDES. **RV-2**

REACTOR PRESSURE VESSEL AND CLOSURE HEAD

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	CLOSURE HEAD MERIDIONAL WELDS (FIG NO A-2)														
001400	1-M-01	B-A	UT	1	C	-	-	-	-	-	-	-	-	-	EXAMINE ACCESSIBLE LENGTH OF
	MERIDIONAL WELD AT 0 DEG.	B1.22		2	C	-	-	-	-	-	-	-	-	-	WELD IN ACCORDANCE WITH REG.
				3	X	-	-	-	-	-	-	-	-	-	GUIDE 1.150, REV. 1.
				4	-	-	-	-	-	-	-	-	-	-	**RV-2**
001500	1-M-02	B-A	UT	1	-	-	-	C	-	-	-	-	-	-	
	MERIDIONAL WELD AT 60 DEG.	B1.22		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**RV-2**
001600	1-M-03	B-A	UT	1	-	-	-	-	-	-	-	C	-	-	
	MERIDIONAL WELD AT 120 DEG.	B1.22		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**RV-2**
001700	1-M-04	B-A	UT	1	C	-	-	-	-	-	-	-	-	-	
	MERIDIONAL WELD AT 180 DEG.	B1.22		2	-	-	-	-	-	-	-	C	-	-	
	U. CONT.			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**RV-2**
001800	1-M-05	B-A	UT	1	-	-	-	C	-	-	-	-	-	-	
	MERIDIONAL WELD AT 240 DEG.	B1.22		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**RV-2**
001900	1-M-06	B-A	UT	1	-	-	-	-	-	-	-	C	-	-	
	MERIDIONAL WELD AT 300 DEG.	B1.22		2	-	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**RV-2**
	LOWER HEAD DOLLAR PLATE WELD (FIG NO A-3)														
002000	1-LHC-01	B-A	AUT	1	-	-	-	-	-	-	-	-	-	-	WELD IS INACCESSIBLE DUE TO
	DOLLAR PLATE WELD	B1.21		2	-	-	-	-	-	-	-	-	-	-	INTERFERENCE OF THE LOWER HEAD
				3	-	-	-	-	-	-	-	-	-	-	INSTRUMENT PENETRATIONS.
				4	-	-	-	-	-	-	-	-	-	-	RELIEF REQUESTED.

REACTOR PRESSURE VESSEL AND CLOSURE HEAD

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LOWER HEAD MERIDIONAL WELDS (FIG NO A-3)														
002100	1-LHM-01	B-A	AUT	1	-	-	-	-	-	-	-	-	-	C	EXAMINE ACCESSIBLE LENGTH OF
	MERIDIONAL WELD AT 30 DEG.	B1.22		2	-	-	-	-	-	-	-	-	-	-	WELD IN ACCORDANCE WITH REG.
				3	-	-	-	-	-	-	-	-	X	-	GUIDE 1.150, REV. 1.
				4	-	-	-	-	-	-	-	-	-	-	**RV-3/11-CSCL-5-DCC**
002150	1-LHM-02	B-A	AUT	1	-	-	-	-	-	-	-	-	-	C	EXAMINE ACCESSIBLE LENGTH OF
	MERIDIONAL WELD AT 90 DEG.	B1.22		2	-	-	-	-	-	-	-	-	-	-	WELD IN ACCORDANCE WITH REG.
				3	-	-	-	-	-	-	-	-	X	-	GUIDE 1.150, REV. 1.
				4	-	-	-	-	-	-	-	-	-	-	**RV-3/11-CSCL-5-DCC**
002200	1-LHM-03	B-A	AUT	1	-	-	-	-	-	-	-	-	-	C	EXAMINE ACCESSIBLE LENGTH OF
	MERIDIONAL WELD AT 150 DEG.	B1.22		2	-	-	-	-	-	-	-	-	C	-	WELD IN ACCORDANCE WITH REG.
	U. CONT.			3	-	-	-	-	-	-	-	-	X	-	GUIDE 1.150, REV. 1.
				4	-	-	-	-	-	-	-	-	-	-	**RV-3/11-CSCL-5-DCC**
002250	1-LHM-04	B-A	AUT	1	-	-	-	-	-	-	-	-	-	C	EXAMINE ACCESSIBLE LENGTH OF
	MERIDIONAL WELD AT 210 DEG.	B1.22		2	-	-	-	-	-	-	-	-	-	-	WELD IN ACCORDANCE WITH REG.
				3	-	-	-	-	-	-	-	-	X	-	GUIDE 1.150, REV. 1.
				4	-	-	-	-	-	-	-	-	-	-	**RV-3/11-CSCL-5-DCC**
002300	1-LHM-05	B-A	AUT	1	-	-	-	-	-	-	-	-	-	C	EXAMINE ACCESSIBLE LENGTH OF
	MERIDIONAL WELD AT 270 DEG.	B1.22		2	-	-	-	-	-	-	-	-	-	-	WELD IN ACCORDANCE WITH REG.
				3	-	-	-	-	-	-	-	-	X	-	GUIDE 1.150, REV. 1.
				4	-	-	-	-	-	-	-	-	-	-	**RV-3/11-CSCL-5-DCC**
002350	1-LHM-06	B-A	AUT	1	-	-	-	-	-	-	-	-	-	C	EXAMINE ACCESSIBLE LENGTH OF
	MERIDIONAL WELD AT 330 DEG.	B1.22		2	-	-	-	-	-	-	-	-	-	-	WELD IN ACCORDANCE WITH REG.
				3	-	-	-	-	-	-	-	-	X	-	GUIDE 1.150, REV. 1.
				4	-	-	-	-	-	-	-	-	-	-	**RV-3/11-CSCL-5-DCC**
	VESSEL TO FLANGE WELD (FIG NO A-1)														
002600	1-RPV-A	B-A	UT	1	-	C	-	-	-	C	-	-	-	C	PARTIAL EXAMINATIONS FROM SEAL
	VESSEL TO FLANGE	B1.30	AUT	2	-	C	-	-	-	-	-	-	C	-	SURFACE DEFERRED UNTIL 3RD
	U. CONT.			3	-	-	-	-	-	-	-	-	X	-	PERIOD. SEE APPENDIX E RELIEF
				4	-	-	-	-	-	-	-	-	-	-	REQUEST. EXAMINE IN
															ACCORDANCE WITH REG. GUIDE
															1.150, REV. 1.
															CSCL-5-DCC/CSCL-34-DCC

INSPECTION INTERVAL PLAN STATUS

REACTOR PRESSURE VESSEL AND CLOSURE HEAD

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	CLOSURE HEAD TO FLANGE WELD (FIG NO A-2)														
002700	1-C-01	B-A	MT	1	C	-	-	C	-	-	-	C	-	-	EXAMINE 33% EACH DESIGNATED
	HEAD TO FLANGE	B1.40	UT	2	P	-	-	P	-	-	-	C	-	-	OUTAGE.
	U. CONT.			3	X	-	-	X	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**RV-2**
	NOZZLE TO SHELL AND SHELL TO NOZZLE WELDS (FIG NO A-1)														
002800	1-N1A	B-D	AUT	1	-	-	-	-	-	-	-	-	-	C	EXAMINE IN ACCORDANCE WITH
	INLET NOZZLE TO SHELL	B3.90		2	-	-	-	-	-	-	-	-	C	-	REG. GUIDE 1.150, REV. 1, AND
	U. CONT.			3	-	-	-	-	-	-	-	-	X	-	CC-N-521.
				4	-	-	-	-	-	-	-	-	-	-	**4-DCC/5-DCC/7-DCC**
002900	1-N1B	B-D	AUT	1	-	C	-	-	-	-	-	-	-	C	EXAMINE IN ACCORDANCE WITH
	OUTLET NOZZLE TO SHELL	B3.90		2	-	C	-	-	-	-	-	-	C	-	REG. GUIDE 1.150, REV. 1, AND
	U. CONT.			3	-	-	-	-	-	-	-	-	X	-	CC-N-521.
				4	-	-	-	-	-	-	-	-	-	-	**4-DCC/5-DCC/7-DCC**
003100	1-N2A	B-D	AUT	1	-	-	-	-	-	-	-	-	-	C	EXAMINE IN ACCORDANCE WITH
	INLET NOZZLE TO SHELL	B3.90		2	-	-	-	-	-	-	-	-	C	-	REG. GUIDE 1.150, REV. 1, AND
	U. CONT.			3	-	-	-	-	-	-	-	-	X	-	CC-N-521.
				4	-	-	-	-	-	-	-	-	-	-	**4-DCC/5-DCC/7-DCC**
003200	1-N2B	B-D	AUT	1	-	C	-	-	-	-	-	-	-	C	EXAMINE IN ACCORDANCE WITH
	OUTLET NOZZLE TO SHELL	B3.90		2	-	C	-	-	-	-	-	-	C	-	REG. GUIDE 1.150, REV. 1, AND
	U. CONT.			3	-	-	-	-	-	-	-	-	X	-	CC-N-521.
				4	-	-	-	-	-	-	-	-	-	-	**4-DCC/5-DCC/7-DCC**
003300	1-N3A	B-D	AUT	1	-	-	-	-	-	-	-	-	-	C	EXAMINE IN ACCORDANCE WITH
	INLET NOZZLE TO SHELL	B3.90		2	-	-	-	-	-	-	-	-	C	-	REG. GUIDE 1.150, REV. 1, AND
	U. CONT.			3	-	-	-	-	-	-	-	-	X	-	CC-N-521.
				4	-	-	-	-	-	-	-	-	-	-	**4-DCC/5-DCC/7-DCC**
003400	1-N3B	B-D	AUT	1	-	-	-	-	-	C	-	-	-	C	EXAMINE IN ACCORDANCE WITH
	OUTLET NOZZLE TO SHELL	B3.90		2	-	C	-	-	-	-	-	-	C	-	REG. GUIDE 1.150, REV. 1, AND
	U. CONT.			3	-	-	-	-	-	-	-	-	X	-	CC-N-521.
				4	-	-	-	-	-	-	-	-	-	-	**4-DCC/5-DCC/7-DCC**

INSPECTION INTERVAL — PLAN STATUS

REACTOR PRESSURE VESSEL AND CLOSURE HEAD

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	OUTAGE	FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	NOZZLE TO SHELL AND SHELL TO NOZZLE WELDS (FIG NO A-1)														
003500	1-N4A	B-D	AUT	1	-	-	-	-	-	-	-	-	-	C	EXAMINE IN ACCORDANCE WITH
	INLET NOZZLE TO SHELL	B3.90		2	-	-	-	-	-	-	-	-	C	-	REG. GUIDE 1.150, REV. 1, AND
	U. CONT.			3	-	-	-	-	-	-	-	-	X	-	CC-N-521.
				4	-	-	-	-	-	-	-	-	-	-	**4-DCC/5-DCC/7-DCC**
003600	1-N4B	B-D	AUT	1	-	-	-	-	-	C	-	-	-	C	EXAMINE IN ACCORDANCE WITH
	OUTLET NOZZLE TO SHELL	B3.90		2	-	C	-	-	-	-	-	-	C	-	REG. GUIDE 1.150, REV. 1, AND
	U. CONT.			3	-	-	-	-	-	-	-	-	X	-	CC-N-521.
				4	-	-	-	-	-	-	-	-	-	-	**4-DCC/5-DCC/7-DCC**
	NOZZLE INSIDE RADIUS SECTION (FIG NO A-3)														
003700	1-N1A-IRS	B-D	AUT	1	-	-	-	-	-	-	-	-	-	C	EXAMINE IN ACCORDANCE WITH
	INLET NOZZLE AT 247 DEG.	B3.100		2	-	-	-	-	-	-	-	-	C	-	CC-N-521.
	U. CONT.			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**IR-CSCL-8-DCC**
003800	1-N1B-IRS	B-D	AUT	1	-	C	-	-	-	-	-	-	-	-	EXAMINE IN ACCORDANCE WITH
	OUTLET NOZZLE AT 202 DEG.	B3.100		2	-	C	-	-	-	-	-	-	-	-	CC-N-521.
				3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**CSCL-4-DCC/IR-CSCL-8-DCC**
004000	1-N2A-IRS	B-D	AUT	1	-	-	-	-	-	-	-	-	-	C	EXAMINE IN ACCORDANCE WITH
	INLET NOZZLE AT 293 DEG.	B3.100		2	-	-	-	-	-	-	-	-	C	-	CC-N-521.
	U. CONT.			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**IR-CSCL-8-DCC**
004100	1-N2B-IRS	B-D	AUT	1	-	C	-	-	-	-	-	-	-	-	EXAMINE IN ACCORDANCE WITH
	OUTLET NOZZLE AT 338 DEG.	B3.100		2	-	C	-	-	-	-	-	-	-	-	CC-N-521.
				3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**CSCL-4-DCC/IR-CSCL-8-DCC**
004300	1-N3A-IRS	B-D	AUT	1	-	-	-	-	-	-	-	-	-	C	EXAMINE IN ACCORDANCE WITH
	INLET NOZZLE AT 67 DEG.	B3.100		2	-	-	-	-	-	-	-	-	C	-	CC-N-521.
	U. CONT.			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**IR-CSCL-8-DCC**

INSPECTION INTERVAL — PLAN STATUS

REACTOR PRESSURE VESSEL AND CLOSURE HEAD

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	OUTAGE	FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	NOZZLE INSIDE RADIUS SECTION (FIG NO A-3)														
004400	1-N3B-IRS	B-D	AUT	1	-	-	-	-	-	C	-	-	-	-	EXAMINE IN ACCORDANCE WITH
	OUTLET NOZZLE AT 22 DEG.	B3.100		2	-	C	-	-	-	-	-	-	-	-	CC-N-521.
				3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**CSCL-4-DCC/IR-CSCL-8-DCC**
004600	1-N4A-IRS	B-D	AUT	1	-	-	-	-	-	-	-	-	-	C	EXAMINE IN ACCORDANCE WITH
	INLET NOZZLE AT 113 DEG.	B3.100		2	-	-	-	-	-	-	-	-	C	-	CC-N-521.
	U. CONT.			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**IR-CSCL-8-DCC**
004700	1-N4B-IRS	B-D	AUT	1	-	-	-	-	-	C	-	-	-	-	EXAMINE IN ACCORDANCE WITH
	OUTLET NOZZLE AT 158 DEG.	B3.100		2	-	C	-	-	-	-	-	-	-	-	CC-N-521.
				3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**CSCL-4-DCC/IR-CSCL-8-DCC**
	LOWER HEAD PENETRATIONS (FIG NO A-3)														
004900	LOWER HEAD PENETRATIONS	B-E	VT-2	1	-	-	-	-	-	-	-	-	C	-	EXAMINE 25% (15 WELDS) DURING
	58 PENETRATION WELDS	B4.13		2	-	-	-	-	-	-	-	-	-	-	SYSTEM LEAKAGE TEST PER
	RX PIT			3	-	-	-	-	-	-	-	-	X	-	CC-N-498-1.
				4	-	-	-	-	-	-	-	-	-	-	
	CLOSURE HEAD PENETRATIONS (FIG NO A-2)														
005000	CLOSURE HEAD CRD PENETRATIONS	B-E	VT-2	1	-	-	-	-	-	-	-	-	C	-	EXAMINE 25% (20 WELDS) DURING
	79 PENETRATION WELDS	B4.12		2	-	-	-	-	-	-	-	-	-	-	SYSTEM LEAKAGE TEST PER
	U. CONT.			3	-	-	-	-	-	-	-	-	X	-	CC-N-498-1.
				4	-	-	-	-	-	-	-	-	-	-	
005010	CLOSURE HEAD VENT LINE	B-E	VT-2	1	-	-	-	-	-	-	-	-	-	-	EXAMINE DURING SYSTEM LEAKAGE
		B4.11		2	-	-	-	-	-	-	-	-	-	-	TEST PER CC-N-498-1.
	U. CONT.			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR PRESSURE VESSEL AND CLOSURE HEAD

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	NOZZLE TO SAFE-END AND SAFE-END TO NOZZLE WELDS (FIG NO A-3)														
005100	1-RPV-1-01	B-F	PT	1	-	C	-	C	-	-	-	-	-	-	PERFORM AUT FROM ID IN LIEU OF
	NOZZLE TO SAFE-END "HOT LEG"	B5.10	AUT	2	P	C	-	-	-	-	-	-	-	-	PT.
				3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**CSCL-4-DCC/39-DCC**
005200	1-RPV-1-02	B-F	PT	1	-	C	-	C	-	-	-	-	-	C	PERFORM AUT FROM ID IN LIEU OF
	SAFE-END TO NOZZLE "COLD LEG"	B5.10	AUT	2	-	-	-	-	-	-	-	-	C	-	PT.
	U. CONT.			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**CSCL-4-DCC/39-DCC**
005300	1-RPV-2-01	B-F	PT	1	-	C	-	C	-	-	-	-	-	-	PERFORM AUT FROM ID IN LIEU OF
	NOZZLE TO SAFE-END "HOT LEG"	B5.10	AUT	2	-	C	-	-	-	-	-	-	-	-	PT.
				3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**CSCL-4-DCC/39-DCC**
005400	1-RPV-2-02	B-F	PT	1	-	C	-	-	-	-	-	-	-	C	PERFORM AUT FROM ID IN LIEU OF
	SAFE-END TO NOZZLE "COLD LEG"	B5.10	AUT	2	-	-	-	-	-	-	-	-	C	-	PT.
	U. CONT.			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**CSCL-4-DCC/39-DCC**
005500	1-RPV-3-01	B-F	PT	1	-	C	-	C	-	C	-	-	-	-	PERFORM AUT FROM ID IN LIEU OF
	NOZZLE TO SAFE-END "HOT LEG"	B5.10	AUT	2	-	C	-	-	-	-	-	-	-	-	PT.
				3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**CSCL-4-DCC/39-DCC**
005600	1-RPV-3-02	B-F	PT	1	-	C	-	-	-	-	-	-	-	C	PERFORM AUT FROM ID IN LIEU OF
	SAFE-END TO NOZZLE "COLD LEG"	B5.10	AUT	2	P	-	-	-	-	-	-	-	C	-	PT.
	U. CONT.			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**CSCL-4-DCC/39-DCC**
005700	1-RPV-4-01	B-F	PT	1	-	C	-	-	-	C	-	-	-	-	PERFORM AUT FROM ID IN LIEU OF
	NOZZLE TO SAFE-END "HOT LEG"	B5.10	AUT	2	-	C	-	-	-	-	-	-	-	-	PT.
				3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**CSCL-4-DCC/39-DCC**

REACTOR PRESSURE VESSEL AND CLOSURE HEAD

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	NOZZLE TO SAFE-END AND SAFE-END TO NOZZLE WELDS (FIG NO A-3)														
005800	1-RPV-4-02	B-F	PT	1	-	C	-	-	-	-	-	-	-	C	PERFORM AUT FROM ID IN LIEU OF
	SAFE-END TO NOZZLE "COLD LEG"	B5.10	AUT	2	-	-	-	-	-	-	-	-	C	-	PT.
	U. CONT.			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**CSCL-4-DCC/39-DCC**
	CLOSURE STUDS														
005900	1-RPV-STUD 1 THROUGH 54	B-G-1	MT	1	C	C	-	C	C	C	-	C	-	-	EXAMINE 33% (18 STUDS) EACH
		B6.30	UT	2	P	-	-	P	-	-	-	C	-	-	DESIGNATED OUTAGE.
	650' AUX.			3	X	-	-	X	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378037 (UNIT-1 RPV STUD)**
	CLOSURE NUTS														
006000	1-RPV-NUT 1 THROUGH 54	B-G-1	MT	1	C	C	-	C	C	C	-	C	C	-	EXAMINE 33% (18) NUTS EACH
		B6.10		2	P	-	-	P	-	-	-	C	-	-	DESIGNATED OUTAGE.
	650' AUX.			3	X	-	-	X	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	CLOSURE WASHERS														
006200	1-RPV-WASHER 1 THROUGH 54	B-G-1	VT-1	1	C	C	-	C	C	C	-	C	-	-	EXAMINE 33% (18 WASHERS) EACH
		B6.50	PT	2	P	-	-	P	-	-	-	C	-	-	DESIGNATED OUTAGE. PERFORM
	650' AUX.			3	X	-	-	X	-	-	-	X	-	-	PT IN ACCORDANCE WITH REG.
				4	-	-	-	-	-	-	-	-	-	-	GUIDE 1.65.
	RPV FLANGE THREADS														
006300	1-RPV-FLANGE THREADS	B-G-1	UT	1	C	-	-	-	C	-	-	C	-	-	EXAMINE 33% (18) OF THE FLANGE
	1 THROUGH 54	B6.40		2	P	-	-	P	-	-	-	C	-	-	THREADS DURING EACH DESIGNATED
	U. CONT.			3	X	-	-	X	-	-	-	X	-	-	OUTAGE.
				4	-	-	-	-	-	-	-	-	-	-	**3378037 (UNIT-1 RPV STUD)**
	RPV INTERIOR SURFACES AND CORE SUPPORT STRUCTURES														
007800	1-RPV-INTERIOR	B-N-1	VT-3	1	-	-	-	C	-	-	-	-	-	C	EXAMINE AREAS ACCESSIBLE
		B13.10		2	-	C	-	-	C	-	-	-	C	-	DURING NORMAL REFUELING
	U. CONT.			3	-	X	-	-	X	-	-	-	X	-	OUTAGES ONCE EACH PERIOD.
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR PRESSURE VESSEL AND CLOSURE HEAD

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	RPV INTERIOR SURFACES AND CORE SUPPORT STRUCTURES														
007900	1-RPV-CS-LUGS 1 THROUGH 6	B-N-2	VT-3	1	-	-	-	-	-	-	-	-	-	C	EXAMINE WHEN CORE BARREL IS
	CORE SUPPORT LUGS	B13.60		2	-	-	-	-	-	-	-	-	C	-	REMOVED.
	U. CONT.			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	
008000	1-RPV-CORE SUPPORT STRUCTURE	B-N-3	VT-3	1	-	-	-	-	-	-	-	-	-	C	EXAMINE WHEN REMOVED.
	(WHEN REMOVED)	B13.70		2	-	-	-	-	-	-	-	-	-	-	
	U. CONT.			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	
	CONTROL ROD DRIVE HOUSINGS WELDS														
008100	CONTROL ROD DRIVE HOUSING WELD	B-O	PT	1	-	-	-	-	-	-	-	-	-	-	EXAMINE THE WELDS ON 10% (8)
	79 WELDS	B14.10		2	-	-	-	-	-	-	-	-	-	-	OF THE PERIPHERAL CRDS.
	U. CONT.			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	

PRESSURIZER

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	CIRCUMFERENTIAL WELDS (FIG NO A-4)														
009000	1-PRZ-11	B-B	UT	1	C	-	-	-	-	-	-	-	-	-	
	LOWER SHELL TO LOWER HEAD	B2.11		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**RV-3**
009100	1-PRZ-12	--	SEE	1	-	-	-	-	-	-	-	C	-	-	NON SECTION XI WELD.
	SHELL TO SHELL	--	INST	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
009200	1-PRZ-13	--	SEE	1	-	-	-	-	-	-	-	C	-	-	NON SECTION XI WELD.
	SHELL TO SHELL	--	INST	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
009300	1-PRZ-14	--	SEE	1	-	-	-	C	-	-	-	-	-	-	NON SECTION XI WELD.
	SHELL TO SHELL	--	INST	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
009400	1-PRZ-15	B-B	UT	1	-	-	-	C	-	-	-	-	-	-	
	UPPER SHELL TO UPPER HEAD	B2.11		2	-	-	-	C	-	-	-	-	-	-	
	PRESS. DH			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**RV-3**
	LONGITUDINAL WELDS (FIG NO A-4)														
009500	1-PRZ-16	B-B	UT	1	C	-	-	-	-	-	-	-	-	-	EXAMINE 1 FOOT OF WELD LENGTH
	LONGITUDINAL SEAM AT +23 DEG.	B2.12		2	C	-	-	-	-	-	-	-	-	-	NEAR HEAD.
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**RV-3**
009600	1-PRZ-17	--	SEE	1	-	-	-	-	-	-	-	C	-	-	NON SECTION XI WELD.
	LONGITUDINAL SEAM AT -25 DEG.	--	INST	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

PRESSURIZER

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LONGITUDINAL WELDS (FIG NO A-4)														
009700	1-PRZ-18	--	SEE	1	-	-	-	C	-	-	-	-	-	-	NON SECTION XI WELD.
	LONGITUDINAL SEAM AT +48 DEG.	--	INST	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
009800	1-PRZ-19	B-B	UT	1	-	-	-	C	-	-	-	-	-	-	EXAMINE 1 FOOT OF WELD LENGTH
	LONGITUDINAL SEAM AT -44 DEG.	B2.12		2	-	-	-	C	-	-	-	-	-	-	NEAR HEAD.
	PRESS. DH			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**RV-3**
	NOZZLE INSIDE RADIUS SECTIONS (FIG NO A-4)														
009900	4"-1-RC-10-IRS	B-D	UT	1	-	-	-	-	-	-	-	C	-	-	
	SPRAY NOZZLE	B3.120		2	-	-	-	-	-	-	-	C	-	-	
	PRESS. DH			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**IR-CSCL-24-DCC**
010100	6"-1-RC-6-IRS	B-D	UT	1	C	-	-	-	-	-	-	-	-	-	
	RELIEF NOZZLE	B3.120		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**IR-CSCL-24-DCC**
010200	6"-1-RC-7-IRS	B-D	UT	1	-	-	-	C	-	-	-	-	-	-	
	RELIEF NOZZLE	B3.120		2	-	-	-	C	-	-	-	-	-	-	
	PRESS. DH			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**IR-CSCL-24-DCC**
010300	6"-1-RC-8-IRS	B-D	UT	1	-	-	-	C	-	-	-	-	-	-	
	RELIEF NOZZLE	B3.120		2	-	-	-	C	-	-	-	-	-	-	
	PRESS. DH			3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**IR-CSCL-24-DCC**
010400	6"-1-RC-9-IRS	B-D	UT	1	C	-	-	-	-	-	-	-	-	-	
	RELIEF NOZZLE	B3.120		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**IR-CSCL-24-DCC**

PRESSURIZER

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	NOZZLE INSIDE RADIUS SECTIONS (FIG NO A-4)							
010500	14"-1-RC-5-IRS	B-D	UT	1	- - -	- - - -	C - -	
	SURGE NOZZLE	B3.120	UT	2	- - -	- - - -	- C -	
	CONT. PRT			3	- - -	X - - -	- - -	
				4	- - -	- - - -	- - -	**IR-CS-33-DCC**
	PARTIAL PENETRATION WELDS (FIG NO A-5)							
010800	HEATER PENETRATIONS	B-E	VT-2	1	- - -	- - - -	- C -	EXAMINE ALL WELDS DURING
	78 PENETRATION WELDS	B4.20		2	- - -	- - - -	- - -	SYSTEM LEAKAGE TEST PER
	CONT. PRT			3	- - -	- - - -	- X -	CC-N-498-1.
				4	- - -	- - - -	- - -	
010850	INSTRUMENT AND SAMPLE NOZZLES	B-E	VT-2	1	- - -	- - - -	- - -	EXAMINE 25% (3 WELDS) DURING
	9 PENETRATIONS	B4.13		2	- - -	- - - -	- - -	SYSTEM LEAKAGE TEST PER
	PRESS.			3	- - -	- - - -	- X -	CC-N-498-1.
				4	- - -	- - - -	- - -	
	NOZZLE TO SAFE-END AND SAFE-END TO NOZZLE WELDS (FIG NO A-4)							
010900	1-PRZ-20	B-F	PT	1	- - -	- - - -	C - -	AUGMENTED UT EXAMINATION
	NOZZLE TO SAFE-END	B5.40	UT	2	C - -	- - - -	- - -	REQUIRED USING 45 DEG.
				3	X - -	- - - -	- - -	REFRACTED LONGITUDINAL WAVE
				4	- - -	- - - -	- - -	PER NRC I.N. 90-30. **8-SS-X-1.4-11-DCC**
011000	1-PRZ-21	B-F	PT	1	- - -	C - - -	- - -	AUGMENTED UT EXAMINATION
	NOZZLE TO SAFE-END	B5.40	UT	2	- - -	C - - -	- - -	REQUIRED USING 45 DEG.
	PRESS. DH			3	- - -	X - - -	- - -	REFRACTED LONGITUDINAL WAVE
				4	- - -	- - - -	- - -	PER NRC I.N. 90-30. **8-SS-X-1.4-11-DCC**
011100	1-PRZ-22	B-F	PT	1	- - -	C - - -	- - -	AUGMENTED UT EXAMINATION
	NOZZLE TO SAFE-END	B5.40	UT	2	- - -	C - - -	- - -	REQUIRED USING 45 DEG.
	PRESS. DH			3	- - -	X - - -	- - -	REFRACTED LONGITUDINAL WAVE
				4	- - -	- - - -	- - -	PER NRC I.N. 90-30. **8-SS-X-1.4-11-DCC**

PRESSURIZER

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS – FIRST PERIOD (OUTAGE 1 2 3)	SECOND PERIOD (OUTAGE 1 2 3 4)	THIRD PERIOD (OUTAGE 1 2 3)	INSTRUCTIONS **CALIBRATION BLOCK**
	NOZZLE TO SAFE-END AND SAFE-END TO NOZZLE WELDS (FIG NO A-4)							
011200	1-PRZ-23	B-F	PT	1	C C -	- - - -	- - -	AUGMENTED UT EXAMINATION
	NOZZLE TO SAFE-END	B5.40	UT	2	C - -	- - - -	- - -	REQUIRED USING 45 DEG.
				3	X - -	- - - -	- - -	REFRACTED LONGITUDINAL WAVE
				4	- - -	- - - -	- - -	PER NRC I.N. 90-30.
								8-SS-X-1.4-11-DCC
011300	1-PRZ-24	B-F	PT	1	- - -	- - - -	C - -	AUGMENTED UT EXAMINATION
	NOZZLE TO SAFE-END	B5.40	UT	2	- - -	- - - -	C - -	REQUIRED USING 45 DEG.
	PRESS. DH			3	- - -	X - - -	- - -	REFRACTED LONGITUDINAL WAVE
				4	- - -	- - - -	- - -	PER NRC I.N. 90-30.
								3378027 (4-SS-120-.430)
011400	1-PRZ-25	B-F	PT	1	C - -	- - - -	- - -	AUGMENTED UT EXAMINATION
	NOZZLE TO SAFE-END	B5.40	UT	2	- - -	- - - -	- C -	REQUIRED USING 45 DEG.
	CONT. PRT			3	- - -	X - - -	- - -	REFRACTED LONGITUDINAL WAVE
				4	- - -	- - - -	- - -	PER NRC I.N. 90-30.
								3378032 (14-SS-160-1.40)
	LOWER HEAD TO SUPPORT SKIRT WELD (FIG NO A-4)							
011500	1-PRZ-26	B-H	MT	1	- - -	C - - -	- - -	EXAMINE 100% OF WELD LENGTH.
	VESSEL SUPPORT	B8.20	UT	2	- - -	C - - -	- - -	
	L. CONT.			3	- - -	X - - -	- - -	
				4	- - -	- - - -	- - -	**PL-1.5-CS-78**
	PRESSURE RETAINING BOLTING (2" AND LESS) (FIG NO A-4)							
011800	1-PRZ-MB-1 THROUGH 16	B-G-2	VT-1	1	- C -	C - - -	- C -	PERFORM MT IN ACCORDANCE WITH
	MANWAY BOLTING	B7.20	MT	2	C - -	- - - -	- - -	IE BULLETIN 82-02 IF BOLTING
	PRESS. DH			3	X - -	- - - -	- - -	IS REMOVED.
				4	- - -	- - - -	- - -	

STEAM GENERATOR NO. 11

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	CIRCUMFERENTIAL WELDS (FIG NO A-6)														
011900	STM-11-01	B-B	UT	1	C	-	-	-	-	-	-	-	-	-	
	LOWER HEAD TO TUBE SHEET	B2.40		2	C	-	-	-	-	-	-	-	C	-	
	CONT. L1			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**HP-20-5-CSCL-47-DCC**
	NOZZLE INSIDE RADIUS SECTIONS (FIG NO A-6)														
012000	STM-11-I-IRS	B-D	UT	1	C	-	-	-	-	-	-	-	-	-	
	INLET NOZZLE INSIDE RADIUS	B3.140		2	C	-	-	-	-	-	-	-	-	-	
	SECTION			3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**IR-CSCL-24-DCC**
012100	STM-11-O-IRS	B-D	UT	1	C	-	-	-	-	-	-	-	-	-	
	OUTLET NOZZLE INSIDE RADIUS	B3.140		2	C	-	-	-	-	-	-	-	-	-	
	SECTION			3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**IR-CSCL-24-DCC**
	NOZZLE TO ELBOW AND ELBOW TO NOZZLE WELDS (FIG NO A-6)														
012200	STM-11-02	B-F	PT	1	C	-	-	-	-	-	-	-	-	-	
	ELBOW TO INLET NOZZLE	B5.70	UT	2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378033 (MAIN RPV COOLANT)**
012300	STM-11-03	B-F	PT	1	C	-	-	-	-	-	-	-	-	-	
	OUTLET NOZZLE TO ELBOW	B5.70	UT	2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378033 (MAIN RPV COOLANT)**
	PRESSURE RETAINING BOLTING (2" AND LESS) (FIG NO A-6)														
012740	STM-11-IMB-1 THROUGH 16	B-G-2	VT-1	1	-	-	-	-	-	-	-	-	C	-	PERFORM MT IN ACCORDANCE WITH
	INLET MANWAY BOLTING	B7.30	MT	2	C	-	-	C	-	-	-	-	-	-	I.E. BULLETIN 82-02 IF BOLTING
	CONT. L1			3	X	-	-	-	-	-	-	-	-	-	IS REMOVED.
				4	-	-	-	-	-	-	-	-	-	-	

STEAM GENERATOR NO. 11

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	PRESSURE RETAINING BOLTING (2" AND LESS) (FIG NO A-6)							
012760	STM-11-OMB-1 THROUGH 16	B-G-2	VT-1	1	- - -	- - - -	- C -	PERFORM MT IN ACCORDANCE WITH
	OUTLET MANWAY BOLTING	B7.30	MT	2	C - -	C - - -	- - -	I.E. BULLETIN 82-02 IF BOLTING
				3	X - -	- - - -	- - -	IS REMOVED.
				4	- - -	- - - -	- - -	

STEAM GENERATOR NO. 12

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD (OUTAGE 1 2 3)	SECOND PERIOD (OUTAGE 1 2 3 4)	THIRD PERIOD (OUTAGE 1 2 3)	INSTRUCTIONS **CALIBRATION BLOCK**
	CIRCUMFERENTIAL WELDS (FIG NO A-6)							
012800	STM-12-01	B-B	UT	1	- - -	C - - -	- - -	
	LOWER HEAD TO TUBE SHEET	B2.40		2	- - -	- - - -	- C -	
	CONT. L2			3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**HP-20-5-CSCL-47-DCC**
	NOZZLE INSIDE RADIUS SECTIONS (FIG NO A-6)							
012900	STM-12-I-IRS	B-D	UT	1	- - -	C - - -	- - -	
	INLET NOZZLE INSIDE RADIUS	B3.140		2	- - -	C - - -	- - -	
	SECTION			3	- - -	X - - -	- - -	
	CONT. L2			4	- - -	- - - -	- - -	**IR-CSCL-24-DCC**
013000	STM-12-O-IRS	B-D	UT	1	- - -	C - - -	- - -	
	OUTLET NOZZLE INSIDE RADIUS	B3.140		2	- - -	C - - -	- - -	
	SECTION			3	- - -	X - - -	- - -	
	CONT. L2			4	- - -	- - - -	- - -	**IR-CSCL-24-DCC**
	NOZZLE TO ELBOW AND ELBOW TO NOZZLE WELDS (FIG NO A-6)							
013100	STM-12-02	B-F	PT	1	- - -	C - - -	- - -	
	ELBOW TO INLET NOZZLE	B5.70	UT	2	- - -	C - - -	- - -	
	CONT. L2			3	- - -	X - - -	- - -	
				4	- - -	- - - -	- - -	**3378033 (MAIN RPV COOLANT)**
013200	STM-12-03	B-F	PT	1	- - -	C - - -	- - -	
	OUTLET NOZZLE TO ELBOW	B5.70	UT	2	- - -	C - - -	- - -	
	CONT. L2			3	- - -	X - - -	- - -	
				4	- - -	- - - -	- - -	**3378033 (MAIN RPV COOLANT)**
	PRESSURE RETAINING BOLTING (2" AND LESS) (FIG NO A-6)							
013400	STM-12-IMB-1 THROUGH 16	B-G-2	VT-1	1	- - -	C - - -	- - -	PERFORM MT IN ACCORDANCE WITH
	INLET MANWAY BOLTING	B7.30	MT	2	C - -	C - - -	- - -	I.E. BULLETIN 82-02 IF BOLTING
	CONT. L2			3	- - -	X - - -	- - -	IS REMOVED.
				4	- - -	- - - -	- - -	

STEAM GENERATOR NO. 12

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL / PLAN STATUS — FIRST PERIOD (OUTAGE 1 2 3)	SECOND PERIOD (OUTAGE 1 2 3 4)	THIRD PERIOD (OUTAGE 1 2 3)	INSTRUCTIONS **CALIBRATION BLOCK**
	PRESSURE RETAINING BOLTING (2" AND LESS) (FIG NO A-6)						
013500	STM-12-OMB-1 THROUGH 16	B-G-2	VT-1	1 - - -	C - - -	- - -	PERFORM MT IN ACCORDANCE WITH
	OUTLET MANWAY BOLTING	B7.30	MT	2 C - -	C - - -	- - -	I.E. BULLETIN 82-02 IF BOLTING
	CONT. L2			3 - - -	X - - -	- - -	IS REMOVED.
				4 - - -	- - - -	- - -	

INSPECTION INTERVAL — PLAN STATUS

STEAM GENERATOR NO. 13

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	CIRCUMFERENTIAL WELDS (FIG NO A-6)														
014000	STM-13-01	B-B	UT	1	-	-	-	-	-	-	-	C	-	-	
	LOWER HEAD TO TUBE SHEET	B2.40		2	-	-	-	-	-	-	-	-	C	-	
	CONT. L3			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**MP-20-5-CSCL-47-DCC**
	NOZZLE INSIDE RADIUS SECTIONS (FIG NO A-6)														
014100	STM-13-I-IRS	B-D	UT	1	-	-	-	-	-	-	-	C	-	-	
	INLET NOZZLE INSIDE RADIUS	B3.140		2	-	-	-	-	-	-	-	C	-	-	
	SECTION			3	-	-	-	X	-	-	-	-	-	-	
	CONT. L3			4	-	-	-	-	-	-	-	-	-	-	**IR-CSCL-24-DCC**
014200	STM-13-O-IRS	B-D	UT	1	-	-	-	-	-	-	-	C	-	-	
	OUTLET NOZZLE INSIDE RADIUS	B3.140		2	-	-	-	-	-	-	-	C	-	-	
	SECTION			3	-	-	-	X	-	-	-	-	-	-	
	CONT. L3			4	-	-	-	-	-	-	-	-	-	-	**IR-CSCL-24-DCC**
	NOZZLE TO ELBOW AND ELBOW TO NOZZLE WELDS (FIG NO A-6)														
014300	STM-13-02	B-F	PT	1	-	-	-	-	-	-	-	C	-	-	
	INLET NOZZLE TO ELBOW	B5.70	UT	2	-	-	-	-	-	-	-	C	-	-	
	CONT. L3			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378033 (MAIN RPV COOLANT)**
014350	STM-13-03	B-F	PT	1	-	-	-	-	-	-	-	C	-	-	
	OUTLET NOZZLE TO ELBOW	B5.70	UT	2	-	-	-	-	-	-	-	C	-	-	
	CONT. L3			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378033 (MAIN RPV COOLANT)**
	PRESSURE RETAINING BOLTING (2" AND LESS) (FIG NO A-6)														
014500	STM-13-IMB-1 THROUGH 16	B-G-2	VT-1	1	C	-	-	-	-	-	-	-	-	-	PERFORM MT IN ACCORDANCE WITH
	INLET MANWAY BOLTING	B7.30	MT	2	C	-	-	C	-	-	-	-	-	-	I.E. BULLETIN 82-02 IF BOLTING
				3	-	-	-	-	-	-	-	X	-	-	IS REMOVED.
				4	-	-	-	-	-	-	-	-	-	-	

STEAM GENERATOR NO. 13

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	PRESSURE RETAINING BOLTING (2" AND LESS) (FIG NO A-6)							
014600	STM-13-OMB-1 THROUGH 16	B-G-2	VT-1	1	C - -	- - - -	- - -	PERFORM MT IN ACCORDANCE WITH
	OUTLET MANWAY BOLTING	B7.30	MT	2	C - -	C - - -	- - -	I.E. BULLETIN 82-02 IF BOLTING
				3	- - -	- - - -	X - -	IS REMOVED.
				4	- - -	- - - -	- - -	

STEAM GENERATOR NO. 14

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	CIRCUMFERENTIAL WELDS (FIG NO A-6)														
014900	STH-14-01	B-B	UT	1	-	-	-	-	-	-	-	C	-	-	
	LOWER HEAD TO TUBE SHEET	B2.40		2	-	-	-	-	-	-	-	-	C	-	
	CONT. L4			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**HP-20-5-CSCL-47-DCC**
	NOZZLE INSIDE RADIUS SECTIONS (FIG NO A-6)														
015000	STH-14-I-IRS	B-D	UT	1	-	-	-	-	-	-	-	C	-	-	
	INLET NOZZLE INSIDE RADIUS	B3.140		2	-	-	-	-	-	-	-	C	-	-	
	SECTION			3	-	-	-	X	-	-	-	-	-	-	
	CONT. L4			4	-	-	-	-	-	-	-	-	-	-	**IR-CSCL-24-DCC**
015100	STH-14-O-IRS	B-D	UT	1	-	-	-	-	-	-	-	C	-	-	
	OUTLET NOZZLE INSIDE RADIUS	B3.140		2	-	-	-	-	-	-	-	C	-	-	
	SECTION			3	-	-	-	X	-	-	-	-	-	-	
	CONT. L4			4	-	-	-	-	-	-	-	-	-	-	**IR-CSCL-24-DCC**
	NOZZLE TO ELBOW AND ELBOW TO NOZZLE WELDS (FIG NO A-6)														
015200	STH-14-02	B-F	PT	1	C	-	-	-	-	-	-	-	-	-	
	ELBOW TO INLET NOZZLE	B5.70	UT	2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**
015300	STH-14-03	B-F	PT	1	-	-	-	-	-	-	-	C	-	-	
	OUTLET NOZZLE TO ELBOW	B5.70	UT	2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS--X-3.0-9-DCC**
	PRESSURE RETAINING BOLTING (2" AND LESS) (FIG NO A-6)														
015800	STH-14-IMB-1 THROUGH 16	B-G-2	VT-1	1	-	-	-	-	-	-	-	-	C	-	PERFORM MT IN ACCORDANCE WITH
	INLET MANWAY BOLTING	B7.30	MT	2	C	-	-	C	-	-	-	-	-	-	I.E. BULLETIN 82-02 IF BOLTING
				3	-	-	-	X	-	-	-	-	-	-	IS REMOVED.
				4	-	-	-	-	-	-	-	-	-	-	

STEAM GENERATOR NO. 14

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	PRESSURE RETAINING BOLTING (2" AND LESS) (FIG NO A-6)							
015900	STM-14-OMB-1 THROUGH 16 OUTLET MANWAY BOLTING	B-G-2 B7.30	VT-1 MT	1	- - -	- - - -	- C -	PERFORM MT IN ACCORDANCE WITH I.E. BULLETIN 82-02 IF BOLTING IS REMOVED.
				2	C - -	C - - -	- - -	
				3	- - -	X - - -	- - -	
				4	- - -	- - - -	- - -	

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-1 (FIG NO A-7)														
020000	1-RC-1-01F	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	SAFE-END TO PIPE	B9.11	AUT	2	C	-	-	-	-	-	-	-	C	-	
				3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**9-DCC/39-DCC**
020100	1-RC-1-01S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**
020200	1-RC-1-01N	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	6-IN. NOZZLE (SET-ON BRANCH	B9.31	UT	2	-	-	-	-	-	-	-	-	-	-	
	CONNECTION)			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**BC-6/27.5-29-SS-42-DCC**
020300	1-RC-1-02N	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	2-1/2IN. NOZZLE (BRANCH	B9.32		2	-	-	-	-	-	-	-	-	-	-	
	CONNECTION)			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
020350	1-RC-1-08F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
020400	1-RC-1-02S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**
	LINE 1-RC-1 (FIG NO A-8)														
020600	1-RC-1-04F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**

INSPECTION INTERVAL PLAN STATUS

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-1 (FIG NO A-8)														
020700	1-RC-1-03S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**
020800	1-RC-1-04S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**
020900	1-RC-1-08N	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	3-IN. NOZZLE (BRANCH	B9.32		2	-	-	-	-	-	-	-	-	-	-	
	CONNECTION)			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
021000	1-RC-1-09N	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	2-IN. NOZZLE (BRANCH	B9.32		2	-	-	-	-	-	-	-	-	-	-	
	CONNECTION)			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
021100	1-RC-1-05S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**
021200	1-RC-1-05SLD-I	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	LONGITUDINAL SEAM	B9.12	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**
021300	1-RC-1-05SLD-O	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	LONGITUDINAL SEAM	B9.12	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**

REACTOR COOLANT SYSTEM

LINE 1-RC-1 (FIG NO A-8)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
021400	1-RC-1-05FLU-I LONGITUDINAL SEAM	B-J B9.12	PT UT	1	-	-	-	-	-	-	-	-	-	-	
				2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**
021500	1-RC-1-05FLU-O LONGITUDINAL SEAM	B-J B9.12	PT UT	1	-	-	-	-	-	-	-	-	-	-	
				2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**
021600	1-RC-1-05F ELBOW TO PUMP	B-J B9.11	PT UT	1	-	-	-	-	-	-	-	-	-	-	
				2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**

LINE 1-RC-1 (FIG NO A-9)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
021700	1-RC-1-06F PUMP TO PIPE	B-J B9.11	PT UT	1	-	-	-	-	-	-	-	-	-	-	
				2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**
021800	1-RC-1-10N 2-IN. NOZZLE (BRANCH CONNECTION)	B-J B9.32	PT	1	-	-	-	-	-	-	-	-	-	-	
				2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
021900	1-RC-1-11N 3-IN. NOZZLE (BRANCH CONNECTION)	B-J B9.32	PT	1	-	-	-	-	-	-	-	-	-	-	
				2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
022000	1-RC-1-12N 2-1/2IN. NOZZLE (BRANCH CONNECTION)	B-J B9.32	PT	1	C	-	-	-	-	-	-	-	-	-	
				2	-	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL — PLAN STATUS

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-1 (FIG NO A-9)							
022050	1-RC-1-10F	B-J	PT	1	- - -	- - - -	- - -	
	PIPE TO PIPE	B9.21		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
022100	1-RC-1-13N	B-J	PT	1	- - -	- - - -	- - -	
	10-IN. NOZZLE (SET-ON BRANCH	B9.31	UT	2	- - -	- - - -	- - -	
	CONNECTION)			3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**BC-10/27.5-SS-43-DCC**
022200	1-RC-1-14N	B-J	PT	1	- - -	C - - -	- - -	
	1-1/2-IN. NOZZLE (BRANCH	B9.32		2	- - -	- - - -	- - -	
	CONNECTION)			3	- - -	X - - -	- - -	
				4	- - -	- - - -	- - -	
022300	1-RC-1-06S	B-J	PT	1	- - -	- - - -	- - -	
	PIPE TO PIPE	B9.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**37-CCSS-X-3.0-9-DCC**
022400	1-RC-1-07S	B-J	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	B9.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**37-CCSS-X-3.0-9-DCC**
022500	1-RC-1-07F	B-J	PT	1	- - -	- - - -	- - -	
	ELBOW TO SAFE-END	B9.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**9-DCC/39-DCC**
	LINE 1-RC-2 (FIG NO A-10)							
022600	1-RC-2-08F	B-J	PT	1	- - -	- - - -	- - -	
	SAFE-END TO PIPE	B9.11	AUT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**9-DCC/39-DCC**

INSPECTION INTERVAL — PLAN STATUS

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-2 (FIG NO A-10)														
022700	1-RC-2-15N	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	6-IN. NOZZLE (SET-ON BRANCH	B9.31	UT	2	-	-	-	-	-	-	-	-	-	-	
	CONNECTION)			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**BC-6/27.5-29-SS-42-DCC**
022800	1-RC2-08S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**
022900	1-RC-2-16N	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	2-1/2IN. NOZZLE (BRANCH	B9.32		2	-	-	-	-	-	-	-	-	-	-	
	CONNECTION)			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
022950	1-RC-2-15F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
023000	1-RC-2-17N	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	14-IN. NOZZLE (SET-ON BRANCH	B9.31	UT	2	-	-	-	C	-	-	-	-	-	-	
	CONNECTION)			3	-	-	-	X	-	-	-	-	-	-	
	CONT. L2			4	-	-	-	-	-	-	-	-	-	-	**BC-14/29-SS-44-DCC**
023100	1-RC-2-09S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**
	LINE 1-RC-2 (FIG NO A-11)														
023400	1-RC-2-11F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-2 (FIG NO A-11)														
023500	1-RC-2-10S	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**
023600	1-RC2-11S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**
023700	1-RC-2-23N	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	2-IN. NOZZLE (BRANCH	B9.32		2	C	-	-	-	-	-	-	-	-	-	
	CONNECTION)			3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
023800	1-RC-2-24N	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	3-IN. NOZZLE (BRANCH	B9.32		2	-	-	-	-	-	-	-	C	-	-	
	CONNECTION)			3	-	-	-	-	-	-	-	X	-	-	
	CONT. L2			4	-	-	-	-	-	-	-	-	-	-	
023900	1-RC-2-12S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	C	-	-	-	-	-	-	
	CONT. L2			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**
024000	1-RC-2-12SLD-I	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	LONGITUDINAL SEAM	B9.12	UT	2	-	-	-	C	-	-	-	-	-	-	
	CONT. L2			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**
024100	1-RC-2-12SLD-O	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	LONGITUDINAL SEAM	B9.12	UT	2	-	-	-	C	-	-	-	-	-	-	
	CONT. L2			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-2 (FIG NO A-11)														
024200	1-RC-2-12FLU-I	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	LONGITUDINAL SEAM	B9.12	UT	2	-	-	-	-	-	-	-	C	-	-	
	CONT. L2			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**
024300	1-RC-2-12FLU-O	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	LONGITUDINAL SEAM	B9.12	UT	2	-	-	-	-	-	-	-	C	-	-	
	CONT. L2			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**
024400	1-RC-2-12F	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	ELBOW TO PUMP	B9.11	UT	2	-	-	-	C	-	-	-	-	-	-	
	CONT. L2			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**
	LINE 1-RC-2 (FIG NO A-12)														
024500	1-RC-2-13F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PUMP TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**
024600	1-RC-2-25N	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	2-IN. NOZZLE (BRANCH	B9.32		2	-	-	-	-	-	-	-	-	-	-	
	CONNECTION)			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
024700	1-RC-2-26N	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	2-1/2IN. NOZZLE (BRANCH	B9.32		2	-	-	-	-	-	-	-	-	-	-	
	CONNECTION)			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
024750	1-RC-2-17F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

INSPECTION INTERVAL — PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-2 (FIG NO A-12)														
024800	1-RC-2-27N	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	10-IN. NOZZLE (SET-ON BRANCH	B9.31	UT	2	-	-	-	-	-	-	-	-	C	-	
	CONNECTION)			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**BC-10/27.5-SS-43-DCC**
024900	1-RC-2-13S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**
025000	1-RC-2-28N	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	1-1/2-IN. NOZZLE (BRANCH	B9.32		2	-	-	-	-	-	-	-	-	-	-	
	CONNECTION)			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
025100	1-RC-2-14S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**
025200	1-RC-2-14F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO SAFE-END	B9.11	AUT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**9-DCC/39-DCC**
	LINE 1-RC-3 (FIG NO A-13)														
025300	1-RC-3-15F	B-J	PT	1	-	-	-	-	-	C	-	-	-	-	
	SAFE-END TO PIPE	B9.11	AUT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**9-DCC/39-DCC**
025400	1-RC-3-15S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-3 (FIG NO A-13)														
025500	1-RC-3-32N	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	6-IN. NOZZLE (SET-ON BRANCH	B9.31	UT	2	-	-	-	-	-	-	-	-	C	-	
	CONNECTION)			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**BC-6/27.5-29-SS-42-DCC**
025600	1-RC-3-33N	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	14-IN. NOZZLE (SET-ON BRANCH	B9.31	UT	2	-	-	-	-	-	-	-	-	C	-	
	CONNECTION)			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**BC-14/29-SS-44-DCC**
025700	1-RC-3-34N	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	2-1/2IN. NOZZLE (BRANCH	B9.32		2	-	-	-	-	-	-	-	-	-	-	
	CONNECTION)			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
025750	1-RC-3-22F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
025800	1-RC-3-16S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**
	LINE 1-RC-3 (FIG NO A-14)														
026100	1-RC-3-18F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**
026200	1-RC-3-17S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-3 (FIG NO A-14)														
026300	1-RC-3-18S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**
026400	1-RC-3-38N	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	3-IN. NOZZLE (BRANCH	B9.32		2	-	-	-	-	-	-	-	-	-	-	
	CONNECTION)			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
026500	1-RC-3-39N	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	2-IN. NOZZLE (BRANCH	B9.32		2	C	-	-	-	-	-	-	-	-	-	
	CONNECTION)			3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
026600	1-RC-3-19S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**
026700	1-RC-3-19SLD-O	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	LONGITUDINAL SEAM	B9.12	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**
026800	1-RC-3-19SLD-I	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	LONGITUDINAL SEAM	B9.12	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**
026900	1-RC-3-19FLU-O	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	LONGITUDINAL SEAM	B9.12	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-3 (FIG NO A-14)														
027000	1-RC-3-19FLU-I	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	LONGITUDINAL SEAM	B9.12	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**
027100	1-RC-3-19F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PUMP	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**
	LINE 1-RC-3 (FIG NO A-15)														
027200	1-RC-3-20F	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	PUMP TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	C	-	-	
	CONT. L3			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**
027300	1-RC-3-40N	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	2-IN. NOZZLE (BRANCH	B9.32		2	-	-	-	-	-	-	-	-	-	-	
	CONNECTION)			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
027400	1-RC-3-41N	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	2-1/2IN. NOZZLE (BRANCH	B9.32		2	-	-	-	-	-	-	-	-	-	-	
	CONNECTION)			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
027450	1-RC-3-24F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	B9.21		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**
027500	1-RC-3-42N	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	10-IN. NOZZLE (SET-ON BRANCH	B9.31	UT	2	-	-	-	-	-	-	-	-	-	-	
	CONNECTION)			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**BC-10/27.5-SS-43-DCC**

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	OUTAGE	FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-3 (FIG NO A-15)														
027600	1-RC-3-43N	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	4-IN. NOZZLE (SET-ON BRANCH	B9.31	UT	2	-	-	-	C	-	-	-	-	-	-	
	CONNECTION)			3	-	-	-	X	-	-	-	-	-	-	
	CONT. L3			4	-	-	-	-	-	-	-	-	-	-	**BC-4/27.5-SS-41-DCC**
027700	1-RC-3-20S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	PIPE TO PIPE	B9.11	UT	2	-	-	-	C	-	-	-	-	-	-	
	CONT. L3			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**
027800	1-RC-3-44N	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	1-1/2-IN. NOZZLE (BRANCH	B9.32		2	-	-	-	-	-	-	-	-	-	-	
	CONNECTION)			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
027900	1-RC-3-21S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**
028000	1-RC-3-21F	B-J	PT	1	-	C	-	-	-	-	-	-	-	-	
	ELBOW TO SAFE-END	B9.11	AUT	2	C	-	-	-	-	-	-	-	C	-	
				3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**9-DCC/39-DCC**
	LINE 1-RC-4 (FIG NO A-16)														
028100	1-RC-4-22F	B-J	PT	1	-	-	-	-	-	C	-	-	-	-	
	SAFE-END TO PIPE	B9.11	AUT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**9-DCC/39-DCC**
028200	1-RC-4-22S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-4 (FIG NO A-16)														
028300	1-RC-4-45N	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	6-IN. NOZZLE (SET-ON BRANCH	B9.31	UT	2	-	-	-	-	-	-	-	-	-	-	
	CONNECTION)			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**BC-6/27.5-29-SS-42-DCC**
028400	1-RC-4-46N	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	2-1/2IN. NOZZLE (BRANCH	B9.32		2	-	-	-	-	-	-	-	-	-	-	
	CONNECTION)			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
028450	1-RC-4-29F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
028500	1-RC-4-23S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	AUT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**9-DCC/39-DCC**
	LINE 1-RC-4 (FIG NO A-17)														
028800	1-RC-4-25F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378033 (MAIN RPV COOLANT)**
028900	1-RC-4-24S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**
029000	1-RC-4-25S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
	CONT. L4			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-4 (FIG NO A-17)														
029100	1-RC-4-52N	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	3-IN. NOZZLE (BRANCH	B9.32		2	-	-	-	C	-	-	-	-	-	-	
	CONNECTION)			3	-	-	-	X	-	-	-	-	-	-	
	CONT. L4			4	-	-	-	-	-	-	-	-	-	-	
029200	1-RC-4-53N	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	3-IN. NOZZLE (BRANCH	B9.32		2	-	-	-	-	-	-	-	-	-	-	
	CONNECTION)			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
029300	1-RC-4-26S	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**
029400	1-RC-4-26SLD-I	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	LONGITUDINAL SEAM	B9.12	UT	2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**
029500	1-RC-4-26SLD-O	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	LONGITUDINAL SEAM	B9.12	UT	2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**
029600	1-RC-4-26FLU-I	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	LONGITUDINAL SEAM	B9.12	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**
029700	1-RC-4-26FLU-O	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	LONGITUDINAL SEAM	B9.12	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1 2 3	PLAN STATUS SECOND PERIOD OUTAGE 1 2 3 4	PLAN STATUS THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-4 (FIG NO A-17)							
029800	1-RC-4-26F	B-J	PT	1	- - -	- - - -	- - -	
	ELBOW TO PUMP	B9.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**37-CCSS-X-3.0-9-DCC**
	LINE 1-RC-4 (FIG NO A-18)							
029900	1-RC-4-27F	B-J	PT	1	- - -	- - - -	- - -	
	PUMP TO PIPE	B9.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**37-CCSS-X-3.0-9-DCC**
030000	1-RC-4-54N	B-J	PT	1	- - -	- - - -	- - -	
	2-IN. NOZZLE (BRANCH	B9.32		2	- - -	- - - -	- - -	
	CONNECTION)			3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
030100	1-RC-4-55N	B-J	PT	1	- - -	- - - -	- - -	
	2-1/2IN. NOZZLE (BRANCH	B9.32		2	- - -	- - - -	- - -	
	CONNECTION)			3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
030150	1-RC-4-31F	B-J	PT	1	- - -	- - - -	- - -	
	PIPE TO PIPE	B9.21		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
030200	1-RC-4-56N	B-J	PT	1	- - -	- - - -	- - -	
	3-IN. NOZZLE (BRANCH	B9.32		2	- - -	- - - -	- - -	
	CONNECTION)			3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
030300	1-RC-4-57N	B-J	PT	1	C - -	- - - -	- - -	
	10-IN. NOZZLE (SET-ON BRANCH	B9.31	UT	2	C - -	- - - -	- - -	
	CONNECTION)			3	X - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**BC-10/27.5-SS-43-DCC**

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-4 (FIG NO A-18)														
030400	1-RC-4-59N	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	4-IN. NOZZLE (SET-ON BRANCH	B9.31	UT	2	-	-	-	-	-	-	-	-	-	-	
	CONNECTION)			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**BC-4/27.5-SS-41-DCC**
030500	1-RC-4-60N	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	1-1/2-IN. NOZZLE (BRANCH	B9.32		2	-	-	-	-	-	-	-	C	-	-	
	CONNECTION)			3	-	-	-	-	-	-	-	X	-	-	
	CONT. L4			4	-	-	-	-	-	-	-	-	-	-	
030600	1-RC-4-27S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	PIPE TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	C	-	-	
	CONT. L4			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**
030700	1-RC-4-28S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**37-CCSS-X-3.0-9-DCC**
030800	1-RC-4-28F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO SAFE-END	B9.11	AUT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**9-DCC/39-DCC**
	LINE 1-RC-5 (FIG NO A-19)														
030900	1-RC-5-01F	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	BRANCH CONNECTION TO PIPE	B9.11	UT	2	-	-	-	C	-	-	-	-	-	-	
	CONT. L3			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378032 (14-SS-160-1.40)**
031000	1-RC-5-02S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378032 (14-SS-160-1.40)**

INSPECTION INTERVAL _ PLAN STATUS

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-5 (FIG NO A-19)														
031100	1-RC-5-03F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378032 (14-SS-160-1.40)**
031200	1-RC-5-04F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378032 (14-SS-160-1.40)**
031300	1-RC-5-05F	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	PIPE TO SAFE-END	B9.11	UT	2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378032 (14-SS-160-1.40)**
	LINE 1-RC-6 (FIG NO A-20)														
031400	1-RC-6-01F	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	SAFE-END TO PIPE	B9.11	UT	2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
031500	1-RC-6-02S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
031600	1-RC-6-03S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
031700	1-RC-6-05S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-6 (FIG NO A-20)														
031800	1-RC-6-06S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
031900	1-RC-6-07S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	C	-	-	-	-	-	-	
	PRESS. DH			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
032000	1-RC-6-08S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
	LINE 1-RC-6 (FIG NO A-21)														
032100	1-RC-6-09F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
032200	1-RC-6-11S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
032300	1-RC-6-12S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	3-IN. NOZZLE (BRANCH CONNECTION)	B9.32		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
032400	1-RC-6-12S-A	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	BRANCH CONNECTION TO PIPE	B9.21		2	-	-	-	-	-	-	-	C	-	-	
	PRESS. DH			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

INSPECTION INTERVAL / PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-6 (FIG NO A-21)														
032500	1-RC-6-13S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
032600	1-RC-6-14S	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
032700	1-RC-6-15F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
032800	1-RC-6-16F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
032900	1-RC-6-17F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.21		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
033100	1-RC-6-19S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO REDUCER	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
033200	1-RC-6-20S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	REDUCER TO PIPE	B9.11	UT	2	-	-	-	C	-	-	-	-	-	-	
	PRESS. DH			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-6 (FIG NO A-21)														
033300	1-RC-6-20S-A	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
033400	1-RC-6-20S-B	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
033500	1-RC-6-21S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
033600	1-RC-6-22F	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	TEE TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
	PRESS. DH			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
033700	1-RC-6-23S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO REDUCER	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
033800	1-RC-6-24F	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	REDUCER TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
	PRESS. DH			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	
033900	1-RC-6-25S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-6 (FIG NO A-21)														
034000	1-RC-6-26S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
034100	1-RC-6-27F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
034200	1-RC-6-28F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
034300	1-RC-6-29F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.21		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RC-6 (FIG NO A-22)														
034500	1-RC-6-31S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
034600	1-RC-6-32S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
034700	1-RC-6-33F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-6 (FIG NO A-22)														
034800	1-RC-6-34F	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	VALVE TO PIPE	B9.21		2	-	-	-	-	-	-	-	C	-	-	
	PRESS. DH			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
034900	1-RC-6-35F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RC-7 (FIG NO A-23)														
035100	1-RC-7-01F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	SAFE-END TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
035200	1-RC-7-02S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
035300	1-RC-7-03S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	C	-	-	
	PRESS. DH			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
035400	1-RC-7-04S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
035500	1-RC-7-05S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-7 (FIG NO A-23)														
035600	1-RC-7-06S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
035700	1-RC-7-08S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
035800	1-RC-7-09S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	PIPE TO FLANGE	B9.11	UT	2	-	-	-	-	-	-	-	C	-	-	
	PRESS. DH			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
035810	1-RC-7-09S-FB	B-G-2	VT-1	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE BOLTING	B7.50		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RC-8 (FIG NO A-24)														
036000	1-RC-8-01F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	SAFE-END TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
036100	1-RC-8-02S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	C	-	-	
	PRESS. DH			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
036200	1-RC-8-03S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-8 (FIG NO A-24)														
036300	1-RC-8-04S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	C	-	-	
				3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
036400	1-RC-8-05S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
	PRESS. DH			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
036500	1-RC-8-06S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
036600	1-RC-8-08S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
036700	1-RC-8-09S	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	PIPE TO FLANGE	B9.11	UT	2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
036800	1-RC-8-09S-FB	B-G-2	VT-1	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE BOLTING	B7.50		2	-	C	-	-	-	-	-	-	-	-	
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RC-9 (FIG NO A-25)														
036900	1-RC-9-01F	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	SAFE-END TO ELBOW	B9.11	UT	2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-9 (FIG NO A-25)														
037000	1-RC-9-02S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
037100	1-RC-9-03S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
037200	1-RC-9-04S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	C	-	-	-	-	-	-	
	PRESS. DH			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
037300	1-RC-9-05S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
037400	1-RC-9-06S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	C	-	
	PRESS. DH			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
037500	1-RC-9-08S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	C	-	-	
	PRESS. DH			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
037600	1-RC-9-09S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO FLANGE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**

INSPECTION INTERVAL — PLAN STATUS

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-9 (FIG NO A-25)							
037700	1-RC-9-09S-FB	B-G-2	VT-1	1	- - -	- - - -	- - -	
	FLANGE BOLTING	B7.50		2	- - -	C - - -	- - -	
	PRESS. DH			3	- - -	X - - -	- - -	
				4	- - -	- - - -	- - -	
	LINE 1-RC-10 (FIG NO A-26)							
037800	1-RC-10-01S	B-J	PT	1	- - -	- - - -	- - -	
	REDUCER TO PIPE	B9.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
037900	1-RC-10-02N	B-J	PT	1	- - -	- - - -	- - -	
	2-IN. NOZZLE (BRANCH	B9.32		2	- - -	- - - -	- - -	
	CONNECTION)			3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
038000	1-RC-10-03S	B-J	PT	1	- - -	- - - -	- - -	WELD INACCESSIBLE DUE TO
	PIPE TO ELBOW	B9.11	UT	2	- - -	- - - -	- - -	RESTRAINT OBSTRUCTION.
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
038100	1-RC-10-04S	B-J	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	B9.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
038200	1-RC-10-05S	B-J	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	B9.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
038300	1-RC-10-06S	B-J	PT	1	- - -	C - - -	- - -	
	ELBOW TO PIPE	B9.11	UT	2	- - -	C - - -	- - -	
	CONT. PRT			3	- - -	X - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-10 (FIG NO A-26)														
038400	1-RC-10-07S	B-J	UT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	B9.11		2	-	-	-	C	C	-	-	C	C	-	
	CONT. PRT			3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
038500	1-RC-10-08F	B-J	UT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	B9.11		2	-	-	-	C	C	-	-	C	C	-	
	CONT. PRT			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
038600	1-RC-10-09F	B-J	UT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	B9.11		2	-	-	-	C	C	-	-	C	C	-	
	CONT. PRT			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
038700	1-RC-10-10S	B-J	UT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11		2	-	-	-	C	C	-	-	C	C	-	
	CONT. PRT			3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
038800	1-RC-10-11S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	C	-	-	
	CONT. PRT			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
038900	1-RC-10-12S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
039000	1-RC-10-13S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**

INSPECTION INTERVAL — PLAN STATUS

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	OUTAGE	FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-10 (FIG NO A-26)														
039100	1-RC-10-14S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
039200	1-RC-10-15S	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
039300	1-RC-10-16S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
039400	1-RC-10-17S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
039500	1-RC-10-18S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
039600	1-RC-10-19F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
	LINE 1-RC-10 (FIG NO A-27)														
040100	1-RC-10-20S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-10 (FIG NO A-27)														
040200	1-RC-10-21S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
040300	1-RC-10-22S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
040400	1-RC-10-23S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
040500	1-RC-10-24F	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	PIPE TO PIPE	B9.11	UT	2	-	-	-	C	-	-	-	-	-	-	
	PRESS. DH			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
040600	1-RC-10-24F-HL 1 THROUGH 4	B-K-1	PT	1	-	-	-	C	-	-	-	-	-	-	
	HANGER LUG	B10.10		2	-	-	-	C	-	-	-	-	-	-	
	PRESS. DH			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
041400	1-RC-10-25S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
041500	1-RC-10-26S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-10 (FIG NO A-27)														
041600	1-RC-10-27S	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
041700	1-RC-10-28S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
041800	1-RC-10-29S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
041900	1-RC-10-30S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	C	-	-	-	-	-	-	
	PRESS. DH			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
042000	1-RC-10-31S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
042100	1-RC-10-32S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
042200	1-RC-10-33F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD (OUTAGE 1 2 3)	SECOND PERIOD (OUTAGE 1 2 3 4)	THIRD PERIOD (OUTAGE 1 2 3)	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-10 (FIG NO A-27)							
042300	1-RC-10-34S	B-J	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	B9.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
042400	1-RC-10-35S	B-J	PT	1	- - -	- - - -	C - -	
	ELBOW TO PIPE	B9.11	UT	2	- - -	- - - -	C - -	
	PRESS. DH			3	- - -	- - - -	X - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
042500	1-RC-10-36S	B-J	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	B9.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
042600	1-RC-10-37S	B-J	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	B9.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
042700	1-RC-10-38S	B-J	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	B9.11	UT	2	C - -	- - - -	- - -	
				3	X - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
042800	1-RC-10-39F	B-J	PT	1	- - -	- - - -	- - -	
	ELBOW TO SAFE-END	B9.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
	LINE 1-RC-11 (FIG NO A-28)							
042900	1-RC-11-01F	B-J	PT	1	- - -	- - - -	- - -	
	BRANCH CONNECTION TO ELBOW	B9.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**

CLASS 1 ALL STATUS COMPONENTS

INSPECTION INTERVAL — PLAN STATUS

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-11 (FIG NO A-28)														
043000	1-RC-11-02S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
043100	1-RC-11-03S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
043200	1-RC-11-04S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
043300	1-RC-11-05F	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	C	-	-	-	-	-	-	
	CONT. PRT			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
043400	1-RC-11-06S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
043500	1-RC-11-07S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
043600	1-RC-11-08S	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**

REACTOR COOLANT SYSTEM

LINE 1-RC-11 (FIG NO A-28)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
043700	1-RC-11-11S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
043800	1-RC-11-12S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
043900	1-RC-11-13S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
044000	1-RC-11-14F	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	ELBOW TO VALVE	B9.11	UT	2	-	-	-	-	-	-	-	C	-	-	
	CONT. PRT			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
044100	1-RC-11-15F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
044200	1-RC-11-16S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
044300	1-RC-11-17S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	C	-	-	-	-	-	-	
	CONT. PRT			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		INSPECTION INTERVAL PLAN STATUS FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-11 (FIG NO A-28)														
044400	1-RC-11-18S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
044500	1-RC-11-19S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
044600	1-RC-11-20S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
044700	1-RC-11-21S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
044800	1-RC-11-22S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
044900	1-RC-11-23S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	C	-	-	
	CONT. PRT			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
	LINE 1-RC-12 (FIG NO A-29)														
045000	1-RC-12-01F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	NOZZLE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-12 (FIG NO A-29)														
045100	1-RC-12-02S	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
045200	1-RC-12-03S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
045300	1-RC-12-04S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
045400	1-RC-12-05S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
045500	1-RC-12-06S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
045600	1-RC-12-07S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
045700	1-RC-12-08F	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	C	-	-	-	-	-	-	
	CONT. PRT			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-12 (FIG NO A-29)														
045800	1-RC-12-09S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
045900	1-RC-12-10S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
046000	1-RC-12-15S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	C	-	-	
	CONT. PRT			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
046100	1-RC-12-16S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
046200	1-RC-12-17S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
046300	1-RC-12-18F	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	ELBOW TO VALVE	B9.11	UT	2	-	-	-	C	-	-	-	-	-	-	
	CONT. PRT			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
046400	1-RC-12-19F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-12 (FIG NO A-29)														
046500	1-RC-12-20S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
046600	1-RC-12-21S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
046700	1-RC-12-22S	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
046800	1-RC-12-23S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
046900	1-RC-12-24F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
	LINE 1-RC-13 (FIG NO A-30)														
047000	1-RC-13-01S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO FLANGE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
047050	1-RC-13-01S-FB	B-G-2	VT-1	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE BOLTING	B7.50		2	-	-	-	C	-	-	-	-	-	-	
	CONT. L1			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

INSPECTION INTERVAL — PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-13 (FIG NO A-30)														
047100	1-RC-13-02S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	FLANGE TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
047200	1-RC-13-03S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.21		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
047300	1-RC-13-04S	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
047400	1-RC-13-05S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
047500	1-RC-13-06S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
047800	1-RC-13-26F	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	PIPE TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
047900	1-RC-13-07S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.21		2	-	-	-	C	-	-	-	-	-	-	
	CONT. L1			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

INSPECTION INTERVAL — PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	OUTAGE	FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-13 (FIG NO A-30)														
048000	1-RC-13-08F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO VALVE	B9.21		2	-	-	-	C	-	-	-	-	-	-	
	CONT. L1			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
048100	1-RC-13-09F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO ELBOW	B9.21		2	-	-	-	C	-	-	-	-	-	-	
	CONT. L1			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
048200	1-RC-13-10S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.21		2	-	-	-	C	-	-	-	-	-	-	
	CONT. L1			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
048300	1-RC-13-11F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
048400	1-RC-13-12F	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	PIPE TO BRANCH CONNECTION	B9.21		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RC-13 (FIG NO A-31)														
048500	1-RC-13-13S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	REDUCER TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
048600	1-RC-13-14S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	PIPE TO ELBOW	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-13 (FIG NO A-31)														
048700	1-RC-13-15S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
049100	1-RC-13-17F	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	PIPE TO VALVE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
049200	1-RC-13-18F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
049300	1-RC-13-19S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
049400	1-RC-13-20S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
049500	1-RC-13-21S	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	B9.21		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
049600	1-RC-13-23S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-13 (FIG NO A-31)														
049700	1-RC-13-24S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
049800	1-RC-13-25F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RC-14 (FIG NO A-32)														
049900	1-RC-14-01S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	REDUCER TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
050000	1-RC-14-02S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	PIPE TO ELBOW	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
050100	1-RC-14-03S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
050500	1-RC-14-05F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
050600	1-RC-14-06F	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	B9.21		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL — PLAN STATUS

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-14 (FIG NO A-32)														
050700	1-RC-14-07S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
050800	1-RC-14-08S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
050900	1-RC-14-31F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
051000	1-RC-14-09S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	PIPE TO TEE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
051100	1-RC-14-10S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
051200	1-RC-14-11F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RC-14 (FIG NO A-33)														
051300	1-RC-14-12S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

INSPECTION INTERVAL / PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-14 (FIG NO A-33)														
051400	1-RC-14-30F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
051500	1-RC-14-13S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO FLANGE	B9.21		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L2			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
051550	1-RC-14-13S-FB	B-G-2	VT-1	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE BOLTING	B7.50		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L2			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
051600	1-RC-14-16S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE TO PIPE	B9.21		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L2			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
051900	1-RC-14-17S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.21		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L2			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
052000	1-RC-14-18S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	ELBOW TO PIPE	B9.21		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L2			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
052200	1-RC-14-19S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.21		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-14 (FIG NO A-33)														
052300	1-RC-14-20S	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
052400	1-RC-14-24F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
052500	1-RC-14-25F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
052600	1-RC-14-26S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
052700	1-RC-14-27S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
052800	1-RC-14-28F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
052900	1-RC-14-29F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO BRANCH CONNECTION	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL — PLAN STATUS

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-15 (FIG NO A-34)														
053000	1-RC-15-01S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	REDUCER TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
053300	1-RC-15-01S-A	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	B9.21		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L3			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
053400	1-RC-15-02S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.21		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L3			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
053500	1-RC-15-03S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.21		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L3			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
053900	1-RC-15-05F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.21		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L3			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
054000	1-RC-15-06F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	B9.21		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L3			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
054100	1-RC-15-07S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-15 (FIG NO A-34)														
054200	1-RC-15-08S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
054300	1-RC-15-09S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	PIPE TO TEE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
054400	1-RC-15-10S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
054500	1-RC-15-11F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RC-15 (FIG NO A-35)														
054600	1-RC-15-12S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
054700	1-RC-15-13S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO FLANGE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
054750	1-RC-15-13S-FB	B-G-2	VT-1	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE BOLTING	B7.50		2	-	-	-	-	-	-	-	-	-	-	
	CONT. L3			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	OUTAGE	INSPECTION INTERVAL / PLAN STATUS: FIRST PERIOD 1 2 3	SECOND PERIOD 1 2 3 4	THIRD PERIOD 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-15 (FIG NO A-35)							
054800	1-RC-15-16S	B-J	PT	1	- - -	C - - -	- - -	
	FLANGE TO PIPE	B9.21		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
055000	1-RC-15-17S	B-J	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	B9.21		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
055100	1-RC-15-18S	B-J	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	B9.21		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
055300	1-RC-15-19S	B-J	PT	1	C - -	- - - -	- - -	
	PIPE TO ELBOW	B9.21		2	C - -	- - - -	- - -	
				3	X - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
055400	1-RC-15-20S	B-J	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	B9.21		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
055500	1-RC-15-21F	B-J	PT	1	- - -	- - - -	- - -	
	PIPE TO VALVE	B9.21		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
055600	1-RC-15-22F	B-J	PT	1	- - -	- - - -	- - -	
	VALVE TO PIPE	B9.21		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-15 (FIG NO A-35)														
055700	1-RC-15-23S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
055800	1-RC-15-24S	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.21		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
055900	1-RC-15-24S-A	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
056000	1-RC-15-25F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO BRANCH CONNECTION	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RC-16 (FIG NO A-36)														
056100	1-RC-16-01S	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	REDUCER TO PIPE	B9.21		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
056200	1-RC-16-02S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
056300	1-RC-16-03S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

INSPECTION INTERVAL — PLAN STATUS (FIRST PERIOD / SECOND PERIOD / THIRD PERIOD — OUTAGE)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-16 (FIG NO A-36)							
056700	1-RC-16-05F	B-J	PT	1	C - -	- - - -	- - -	
	PIPE TO VALVE	B9.21		2	C - -	- - - -	- - -	
				3	X - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
056800	1-RC-16-06F	B-J	PT	1	- - -	- - - -	- - -	
	VALVE TO PIPE	B9.21		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
056900	1-RC-16-07S	B-J	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	B9.21		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
057000	1-RC-16-08S	B-J	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	B9.21		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
057100	1-RC-16-09S	B-J	PT	1	- - -	- - - -	- - -	
	PIPE TO TEE	B9.21		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
057200	1-RC-16-10S	B-J	PT	1	C - -	- - - -	- - -	
	TEE TO PIPE	B9.21		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
057300	1-RC-16-11F	B-J	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	B9.21		2	C - -	- - - -	- - -	
				3	X - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS: FIRST PERIOD (OUTAGE) 1	2	3	SECOND PERIOD (OUTAGE) 1	2	3	4	THIRD PERIOD (OUTAGE) 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-16 (FIG NO A-37)														
057400	1-RC-16-12S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
057500	1-RC-16-13S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO FLANGE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
057550	1-RC-16-13S-FB	B-G-2	VT-1	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE BOLTING	B7.50		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
057600	1-RC-16-16S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	FLANGE TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
057700	1-RC-16-16S-PS	B-K-1	PT	1	-	-	-	C	-	-	-	-	-	-	
	PIPE SUPPORT	B10.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
057800	1-RC-16-17S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
057900	1-RC-16-18S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY / ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS: FIRST PERIOD (OUTAGE) 1	2	3	SECOND PERIOD (OUTAGE) 1	2	3	4	THIRD PERIOD (OUTAGE) 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-16 (FIG NO A-37)														
058000	1-RC-16-30F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
058200	1-RC-16-19S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
058300	1-RC-16-20S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
058400	1-RC-16-21F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
058500	1-RC-16-22F	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	VALVE TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
058600	1-RC-16-23S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
058700	1-RC-16-24S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.21		2	-	-	-	C	-	-	-	-	-	-	
	CONT. L4			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-16 (FIG NO A-37)														
058800	1-RC-16-25S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.21		2	-	-	-	C	-	-	-	-	-	-	
	CONT. L4			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
058900	1-RC-16-26S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.21		2	-	-	-	C	-	-	-	-	-	-	
	CONT. L4			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
059000	1-RC-16-28F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.21		2	-	-	-	C	-	-	-	-	-	-	
	CONT. L4			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
059100	1-RC-16-29F	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	ELBOW TO PIPE	B9.21		2	-	-	-	C	-	-	-	-	-	-	
	CONT. L4			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
059200	1-RC-16-27F	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	PIPE TO BRANCH CONNECTION	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RC-501 (FIG NO A-38)														
059300	1-RC-501-01S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	REDUCER TO TEE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
059400	1-RC-501-02S	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	TEE TO REDUCER	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-501 (FIG NO A-38)														
059500	1-RC-501-03S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
060000	1-RC-501-04S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
060100	1-RC-501-05S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
060200	1-RC-501-06S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	C	-	-	-	-	-	-	
	CONT. PRT			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
060300	1-RC-501-07F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
060400	1-RC-501-08S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
060500	1-RC-501-09S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-501 (FIG NO A-38)														
060600	1-RC-501-10S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
060700	1-RC-501-11F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
060800	1-RC-501-12F	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	PIPE TO TEE	B9.40		2	-	-	-	-	-	-	-	C	-	-	
	CONT. PRT			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RC-504 (FIG NO A-39)														
060900	1-RC-504-01S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	REDUCER TO ELBOW	B9.40		2	-	-	-	C	-	-	-	-	-	-	
	CONT. L1			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
061000	1-RC-504-02S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	C	-	-	-	-	-	-	
	CONT. L1			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
061100	1-RC-504-03S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	PIPE TO CROSS	B9.40		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
061200	1-RC-504-04S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	CROSS TO REDUCER	B9.40		2	-	-	-	C	-	-	-	-	-	-	
	CONT. L1			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-504 (FIG NO A-39)														
061300	1-RC-504-05S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	CROSS TO REDUCER	B9.40		2	-	-	-	C	-	-	-	-	-	-	
	CONT. L1			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
061400	1-RC-504-06S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	CROSS TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
061500	1-RC-504-07S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
061600	1-RC-504-08F	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
061700	1-RC-504-09S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
061800	1-RC-504-10S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
061900	1-RC-504-11S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-504 (FIG NO A-39)														
062000	1-RC-504-12S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	VALVE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
062100	1-RC-504-13S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
062200	1-RC-504-14S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
062300	1-RC-504-15S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
062400	1-RC-504-16F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
062500	1-RC-504-17S	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
062600	1-RC-504-18S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-504 (FIG NO A-39)							
062700	1-RC-504-19S PIPE TO VALVE	B-J B9.40	PT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
062800	1-RC-504-20S VALVE TO PIPE	B-J B9.40	PT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
062900	1-RC-504-21S PIPE TO FLANGE	B-J B9.40	PT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
062950	1-RC-504-21S-FB FLANGE BOLTING CONT. L1	B-G-2 B7.50	VT-1	1	- - -	- - - -	- - -	
				2	- - -	C - - -	- - -	
				3	- - -	X - - -	- - -	
				4	- - -	- - - -	- - -	
063000	1-RC-504-22S TEE TO PIPE	B-J B9.40	PT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
063100	1-RC-504-23S PIPE TO MANIFOLD	B-J B9.40	PT	1	C - -	- - - -	- - -	
				2	C - -	- - - -	- - -	
				3	X - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
063200	1-RC-504-24S MANIFOLD TO PIPE	B-J B9.40	PT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

INSERVICE INSPECTION LONG TERM PLAN

CLASS 1 ALL STATUS COMPONENTS

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-504 (FIG NO A-39)														
063300	1-RC-504-25S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
063400	1-RC-504-26S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
063500	1-RC-504-27F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO REDUCER	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RC-505 (FIG NO A-40)														
063600	1-RC-505-01F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	BRANCH CONNECTION TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
063700	1-RC-505-02S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
063800	1-RC-505-03S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
063900	1-RC-505-04S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-505 (FIG NO A-40)														
064000	1-RC-505-05S ELBOW TO PIPE	B-J B9.40	PT	1	-	-	-	-	-	-	-	-	-	-	
				2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
064100	1-RC-505-06S PIPE TO ELBOW	B-J B9.40	PT	1	-	-	-	-	-	-	-	-	-	-	
				2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
064200	1-RC-505-07S ELBOW TO PIPE	B-J B9.40	PT	1	-	-	-	-	-	-	-	-	-	-	
				2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
064300	1-RC-505-08S PIPE TO ELBOW	B-J B9.40	PT	1	-	-	-	-	-	-	-	-	-	-	
				2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
064400	1-RC-505-09F ELBOW TO PIPE	B-J B9.40	PT	1	-	-	-	-	-	-	-	-	-	-	
				2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
064500	1-RC-505-10S PIPE TO ELBOW	B-J B9.40	PT	1	-	-	-	-	-	-	-	C	-	-	
				2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
064600	1-RC-505-11S ELBOW TO PIPE	B-J B9.40	PT	1	-	-	-	-	-	-	-	-	-	-	
				2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-505 (FIG NO A-40)														
064700	1-RC-505-12S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
064800	1-RC-505-13S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
064900	1-RC-505-14S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
065000	1-RC-505-15F	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	VALVE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
065100	1-RC-505-16S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
065200	1-RC-505-17S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO REDUCER	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
065300	1-RC-505-18S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-505 (FIG NO A-40)														
065400	1-RC-505-19S	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	PIPE TO MANIFOLD	B9.40		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
065500	1-RC-505-20S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	MANIFOLD TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
065600	1-RC-505-21S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
065700	1-RC-505-22S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
065800	1-RC-505-23F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
065900	1-RC-505-24S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	TEE TO REDUCER	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
066000	1-RC-505-25S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL / PLAN STATUS

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-505 (FIG NO A-40)														
066100	1-RC-505-26S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO FLANGE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
066150	1-RC-505-26S-FB	B-G-2	VT-1	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE BOLTING	B7.50		2	-	-	-	C	-	-	-	-	-	-	
	CONT. L1			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
066200	1-RC-505-27S	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	FLANGE TO PIPE	B9.40		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
066600	1-RC-505-28S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
066700	1-RC-505-29S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
066800	1-RC-505-30S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	C	-	-	-	-	-	-	
	CONT. L1			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
066900	1-RC-505-31S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	C	-	-	-	-	-	-	
	CONT. L1			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL — PLAN STATUS

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-505 (FIG NO A-40)														
067000	1-RC-505-32S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.40		2	-	-	-	C	-	-	-	-	-	-	
	CONT. L1			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
067100	1-RC-505-33S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	VALVE TO PIPE	B9.40		2	-	-	-	C	-	-	-	-	-	-	
	CONT. L1			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
067200	1-RC-505-34F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	B9.21		2	-	-	-	C	-	-	-	-	-	-	
	CONT. L1			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RC-506 (FIG NO A-41)														
067300	1-RC-506-01F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	BRANCH CONNECTION TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
067400	1-RC-506-02S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
067500	1-RC-506-03S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
067600	1-RC-506-04S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

LINE 1-RC-506 (FIG NO A-41)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
067700	1-RC-506-05S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
067800	1-RC-506-06S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
067900	1-RC-506-07S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
068000	1-RC-506-08S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
068100	1-RC-506-09S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
068200	1-RC-506-10S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	PIPE TO VALVE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
068300	1-RC-506-11S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-506 (FIG NO A-41)														
068400	1-RC-506-12S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
068500	1-RC-506-13S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	VALVE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
068700	1-RC-506-14F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
068800	1-RC-506-15S	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
068900	1-RC-506-16S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	B9.40		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L2			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
069000	1-RC-506-17S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO REDUCER	B9.40		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L2			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
069100	1-RC-506-18S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	B9.40		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L2			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-506 (FIG NO A-41)														
069200	1-RC-506-19S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO MANIFOLD	B9.40		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L2			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
069300	1-RC-506-20S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	MANIFOLD TO PIPE	B9.40		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L2			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
069400	1-RC-506-21S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L2			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
069500	1-RC-506-22S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L2			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
069600	1-RC-506-23F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
069700	1-RC-506-24S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	TEE TO REDUCER	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
069800	1-RC-506-25S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

LINE 1-RC-506 (FIG NO A-41)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
069900	1-RC-506-26S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
070000	1-RC-506-27S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
070100	1-RC-506-28S	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	PIPE TO FLANGE	B9.40		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
070150	1-RC-506-28S-FB	B-G-2	VT-1	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE BOLTING	B7.50		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
070200	1-RC-506-29S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
070600	1-RC-506-30S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
070700	1-RC-506-31S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-506 (FIG NO A-41)														
070800	1-RC-506-32S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
070900	1-RC-506-33S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
071000	1-RC-506-34S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
071100	1-RC-506-35S	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	B9.40		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
071200	1-RC-506-36F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RC-507 (FIG NO A-42)														
071300	1-RC-507-01S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	REDUCER TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
071400	1-RC-507-02S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-507 (FIG NO A-42)														
071500	1-RC-507-03S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO CROSS	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
071600	1-RC-507-04S	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	CROSS TO REDUCER	B9.40		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
071700	1-RC-507-05S	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	CROSS TO REDUCER	B9.40		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
071800	1-RC-507-06S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	CROSS TO PIPE	B9.40		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L2			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
071900	1-RC-507-07S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L2			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
072000	1-RC-507-08F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L2			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
072100	1-RC-507-09S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.40		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L2			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-507 (FIG NO A-42)														
072200	1-RC-507-10S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	B9.40		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L2			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
072300	1-RC-507-11S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	PIPE TO VALVE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
072400	1-RC-507-12S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	VALVE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
072500	1-RC-507-13S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
072600	1-RC-507-14S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
072700	1-RC-507-14S-PS	B-K-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT	B10.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
072800	1-RC-507-15S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

LINE 1-RC-507 (FIG NO A-42)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
072900	1-RC-507-16F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
073000	1-RC-507-17S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
073100	1-RC-507-18S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	TEE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
073200	1-RC-507-19S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
073300	1-RC-507-20S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
073400	1-RC-507-21S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO FLANGE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
073450	1-RC-507-21S-FB	B-G-2	VT-1	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE BOLTING	B7.50		2	-	-	-	-	-	-	-	-	-	-	
	CONT. L2			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-507 (FIG NO A-42)														
073500	1-RC-507-22S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	TEE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
073600	1-RC-507-23S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	PIPE TO MANIFOLD	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
073700	1-RC-507-24S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	MANIFOLD TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
073800	1-RC-507-25S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
073900	1-RC-507-26S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
074000	1-RC-507-27F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO REDUCER	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RC-508 (FIG NO A-43)														
074100	1-RC-508-01S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	REDUCER TO TEE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-508 (FIG NO A-43)														
074200	1-RC-508-02S	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	REDUCER TO TEE	B9.40		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
074300	1-RC-508-03S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
074400	1-RC-508-04S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
074500	1-RC-508-05S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO REDUCER	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
074600	1-RC-508-06S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	TEE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
074700	1-RC-508-07S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
074800	1-RC-508-08S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

INSERVICE INSPECTION LONG TERM PLAN
CLASS 1 ALL STATUS COMPONENTS

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-508 (FIG NO A-43)														
074900	1-RC-508-09S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
075000	1-RC-508-10S	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
075100	1-RC-508-11S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
075200	1-RC-508-12S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
075300	1-RC-508-13S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
075400	1-RC-508-14S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
075500	1-RC-508-15S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-508 (FIG NO A-43)														
075600	1-RC-508-16S	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	B9.40		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
076400	1-RC-508-17S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L3			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
076500	1-RC-508-18S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L3			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
076600	1-RC-508-19S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	B9.40		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L3			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
076700	1-RC-508-20S	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	B9.40		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
076800	1-RC-508-21S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
076900	1-RC-508-22S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-508 (FIG NO A-43)														
077000	1-RC-508-23S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
077100	1-RC-508-24S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
077200	1-RC-508-25S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	PIPE TO VALVE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
077300	1-RC-508-26S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
077400	1-RC-508-27S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO FLANGE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
077450	1-RC-508-27S-FB	B-G-2	VT-1	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE BOLTING	B7.50		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L3			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
077500	1-RC-508-28S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	TEE TO PIPE	B9.40		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L3			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL PLAN STATUS

REACTOR COOLANT SYSTEM

LINE 1-RC-508 (FIG NO A-43)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
077600	1-RC-508-29S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO MANIFOLD	B9.40		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L3			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
077700	1-RC-508-30S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	MANIFOLD TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
077800	1-RC-508-31S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
077810	1-RC-508-32S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
077820	1-RC-508-33S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
077830	1-RC-508-34S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
077840	1-RC-508-35S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

LINE 1-RC-508 (FIG NO A-43)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
077850	1-RC-508-36S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
077860	1-RC-508-37F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO REDUCER	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

LINE 1-RC-509 (FIG NO A-44)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
077900	1-RC-509-01F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	BRANCH CONNECTION TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
078000	1-RC-509-02S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
078100	1-RC-509-03S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
078200	1-RC-509-04S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
078300	1-RC-509-05S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

INSPECTION INTERVAL — PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-509 (FIG NO A-44)														
078400	1-RC-509-06S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
078500	1-RC-509-07S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
078600	1-RC-509-08S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
078700	1-RC-509-09S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
078800	1-RC-509-10S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
078900	1-RC-509-11S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
079000	1-RC-509-12S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-509 (FIG NO A-44)														
079100	1-RC-509-13S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	VALVE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
079200	1-RC-509-14F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
079300	1-RC-509-15S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
079400	1-RC-509-16S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
079500	1-RC-509-17S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO REDUCER	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
079600	1-RC-509-18S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	TEE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
079900	1-RC-509-19S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO MANIFOLD	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL PLAN STATUS

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-509 (FIG NO A-44)														
080000	1-RC-509-20S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	MANIFOLD TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
080100	1-RC-509-21S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
080200	1-RC-509-22S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
080300	1-RC-509-23F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	B9.40		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L3			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
080400	1-RC-509-24S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO REDUCER	B9.40		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L3			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
080500	1-RC-509-25S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	TEE TO PIPE	B9.40		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L3			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
080600	1-RC-509-26S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L3			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-509 (FIG NO A-44)														
080700	1-RC-509-27S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L3			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
080800	1-RC-509-28S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO FLANGE	B9.40		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L3			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
080850	1-RC-509-28S-FB	B-G-2	VT-1	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE BOLTING	B7.50		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L3			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
080900	1-RC-509-29S	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	FLANGE TO PIPE	B9.40		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
081000	1-RC-509-29S-A	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO COUPLING	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
081100	1-RC-509-29S-B	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	COUPLING TO PIPE	B9.40		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
081500	1-RC-509-30S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-509 (FIG NO A-44)							
081600	1-RC-509-31S ELBOW TO PIPE	B-J B9.40	PT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
081700	1-RC-509-32S PIPE TO ELBOW	B-J B9.40	PT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
081800	1-RC-509-33S ELBOW TO PIPE	B-J B9.40	PT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
081900	1-RC-509-34S PIPE TO VALVE	B-J B9.40	PT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
082000	1-RC-509-35S VALVE TO PIPE	B-J B9.40	PT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
082100	1-RC-509-36F PIPE TO TEE	B-J B9.21	PT	1	C - -	- - - -	- - -	
				2	C - -	- - - -	- - -	
				3	X - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	LINE 1-RC-510 (FIG NO A-45)							
082200	1-RC-510-01S REDUCER TO ELBOW	B-J B9.40	PT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-510 (FIG NO A-45)														
082300	1-RC-510-02S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
082400	1-RC-510-03S	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	PIPE TO CROSS	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
082500	1-RC-510-04S	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	CROSS TO REDUCER	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
082600	1-RC-510-05S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	CROSS TO REDUCER	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
082700	1-RC-510-06S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	CROSS TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
082800	1-RC-510-07S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
082900	1-RC-510-08F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD (OUTAGE 1 2 3)	SECOND PERIOD (OUTAGE 1 2 3 4)	THIRD PERIOD (OUTAGE 1 2 3)	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-510 (FIG NO A-45)							
083000	1-RC-510-09S	B-J	PT	1	- - -	- - - -	- - -	
	PIPE TO VALVE	B9.40		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
083100	1-RC-510-10S	B-J	PT	1	- - -	- - - -	C - -	
	VALVE TO PIPE	B9.40		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
083200	1-RC-510-11S	B-J	PT	1	- - -	- - - -	- - -	
	PIPE TO VALVE	B9.40		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
083300	1-RC-510-12S	B-J	PT	1	- - -	- - - -	- - -	
	VALVE TO PIPE	B9.40		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
083400	1-RC-510-13S	B-J	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	B9.40		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
083500	1-RC-510-14S	B-J	PT	1	- - -	- - - -	C - -	
	ELBOW TO PIPE	B9.40		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
083700	1-RC-510-15S	B-J	PT	1	- - -	C - - -	- - -	
	PIPE TO ELBOW	B9.40		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-510 (FIG NO A-45)														
083800	1-RC-510-16F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
083900	1-RC-510-17S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
084000	1-RC-510-18S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	B9.40		2	-	-	-	C	-	-	-	-	-	-	
	CONT. L4			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
084100	1-RC-510-19S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.40		2	-	-	-	C	-	-	-	-	-	-	
	CONT. L4			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
084200	1-RC-510-20S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	B9.40		2	-	-	-	C	-	-	-	-	-	-	
	CONT. L4			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
084300	1-RC-510-21S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	PIPE TO FLANGE	B9.40		2	-	-	-	C	-	-	-	-	-	-	
	CONT. L4			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
084350	1-RC-510-21S-FB	B-G-2	VT-1	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE BOLTING	B7.50		2	-	-	-	C	-	-	-	-	-	-	
	CONT. L4			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL OUTAGE	FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-510 (FIG NO A-45)														
084400	1-RC-510-22S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	B9.40		2	-	-	-	C	-	-	-	-	-	-	
	CONT. L4			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
084500	1-RC-510-23S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO MANIFOLD	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
084600	1-RC-510-24S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	MANIFOLD TO PIPE	B9.40		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
084700	1-RC-510-25S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
084800	1-RC-510-26S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
084900	1-RC-510-27F	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	PIPE TO REDUCER	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RC-511 (FIG NO A-46)														
085000	1-RC-511-01F	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	BRANCH CONNECTION TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

LINE 1-RC-511 (FIG NO A-46)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
085100	1-RC-511-02S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
085200	1-RC-511-03S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
085300	1-RC-511-04S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
085400	1-RC-511-05S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
085500	1-RC-511-06S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
085600	1-RC-511-07S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
085700	1-RC-511-08F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	C	-	-	-	-	-	-	
	CONT. L4			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-511 (FIG NO A-46)														
085800	1-RC-511-09S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	C	-	-	-	-	-	-	
	CONT. L4			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
085900	1-RC-511-10S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.40		2	-	-	-	C	-	-	-	-	-	-	
	CONT. L4			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
086000	1-RC-511-11S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	VALVE TO PIPE	B9.40		2	-	-	-	C	-	-	-	-	-	-	
	CONT. L4			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
086100	1-RC-511-12S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.40		2	-	-	-	C	-	-	-	-	-	-	
	CONT. L4			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
086200	1-RC-511-13S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	B9.40		2	-	-	-	C	-	-	-	-	-	-	
	CONT. L4			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
086300	1-RC-511-14S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
086400	1-RC-511-15F	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-511 (FIG NO A-46)														
086700	1-RC-511-16S	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	B9.40		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
086800	1-RC-511-17S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO REDUCER	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
086900	1-RC-511-18S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
087000	1-RC-511-19S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO MANIFOLD	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
087100	1-RC-511-20S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	MANIFOLD TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
087200	1-RC-511-21S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
087300	1-RC-511-22S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-511 (FIG NO A-46)														
087400	1-RC-511-23F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
087500	1-RC-511-24S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO REDUCER	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
087600	1-RC-511-25S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
087700	1-RC-511-26S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
087800	1-RC-511-27S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
087900	1-RC-511-28S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO FLANGE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
087950	1-RC-511-28S-FB	B-G-2	VT-1	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE BOLTING	B7.50		2	-	-	-	C	-	-	-	-	-	-	
	CONT. L4			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-511 (FIG NO A-46)														
088000	1-RC-511-29S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
088100	1-RC-511-30S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
088200	1-RC-511-31S	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
088300	1-RC-511-32S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
088400	1-RC-511-33S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
088500	1-RC-511-34S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
088600	1-RC-511-35S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL — PLAN STATUS

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-511 (FIG NO A-46)														
088700	1-RC-511-36F	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	B9.21		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-21 (FIG NO A-47)														
088900	1-SI-21-26F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
089200	1-SI-21-26F-HL 1 THROUGH 4	B-K-1	PT	1	C	-	-	-	-	-	-	-	-	-	
	HANGER LUG	B10.10		2	-	C	-	-	-	-	-	-	-	-	
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
089400	1-SI-21-27S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
089500	1-SI-21-27S-HL 1 THROUGH 4	B-K-1	PT	1	-	-	-	-	-	-	-	C	-	-	
	HANGER LUG	B10.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
089900	1-SI-21-28S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
090000	1-SI-21-29S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
090100	1-SI-21-30S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-21 (FIG NO A-47)														
090200	1-SI-21-31S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
090300	1-SI-21-32F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
090400	1-SI-21-34S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
090500	1-SI-21-35S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	ELBOW TO TEE	B9.11	UT	2	-	-	-	C	-	-	-	-	-	-	
	ANNULUS			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
090600	1-SI-21-37S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO REDUCER	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
090700	1-SI-21-38S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	REDUCER TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
090800	1-SI-21-39S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	TEE TO REDUCER	B9.11	UT	2	-	-	-	-	-	-	-	C	-	-	
	ANNULUS			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-21 (FIG NO A-47)														
090900	1-SI-21-40S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	REDUCER TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
091000	1-SI-21-41S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
	LINE 1-SI-22 (FIG NO A-48)														
091100	1-SI-22-01F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
091200	1-SI-22-02S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
091300	1-SI-22-03S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	C	-	-	
	CONT. L2			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
091400	1-SI-22-04S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
091500	1-SI-22-05F	B-K-1	PT	1	-	-	-	-	-	-	-	-	-	-	WELD INACCESSIBLE FOR
	PIPE TO COLLAR	B10.10		2	-	-	-	-	-	-	-	-	-	-	EXAMINATION DUE TO COLLAR
				3	-	-	-	-	-	-	-	-	-	-	CONFIGURATION.
				4	-	-	-	-	-	-	-	-	-	-	

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-22 (FIG NO A-48)														
091600	1-SI-22-06F	B-K-1	PT	1	C	-	-	-	-	-	-	-	-	-	100% UT NOT FEASIBLE DUE TO
	COLLAR TO PIPE	B10.10		2	C	-	-	-	-	-	-	-	-	-	WELD CONFIGURATION.
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
091700	1-SI-22-07F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
091800	1-SI-22-08S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
091900	1-SI-22-09S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
092000	1-SI-22-10S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
092100	1-SI-22-11F	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	C	-	-	-	-	-	-	
	CONT. L2			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
092200	1-SI-22-12S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**

SAFETY INJECTION SYSTEM

INSPECTION INTERVAL PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-22 (FIG NO A-48)														
092300	1-SI-22-14S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
092400	1-SI-22-15S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
092500	1-SI-22-16F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
092600	1-SI-22-17S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	C	-	-	-	-	-	-	
	CONT. L2			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
092700	1-SI-22-18F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
092800	1-SI-22-19F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
092900	1-SI-22-20F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO BRANCH CONNECTION	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-23 (FIG NO A-49)														
093000	1-SI-23-01F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
093100	1-SI-23-01F-A	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
093200	1-SI-23-02F	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	ELBOW TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	C	-	-	
	ANNULUS			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
093300	1-SI-23-03S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
093400	1-SI-23-04F	B-K-1	PT	1	-	-	-	-	-	-	-	-	-	-	WELD INACCESSIBLE FOR
	PIPE TO COLLAR	B10.10		2	-	-	-	-	-	-	-	-	-	-	EXAMINATION DUE TO COLLAR
				3	-	-	-	-	-	-	-	-	-	-	CONFIGURATION.
				4	-	-	-	-	-	-	-	-	-	-	
093500	1-SI-23-05F	B-K-1	PT	1	-	-	-	-	-	-	-	-	-	-	100% UT NOT FEASIBLE DUE TO
	COLLAR TO PIPE	B10.10		2	-	-	-	-	C	-	-	-	-	-	WELD CONFIGURATION.
	CONT. L3			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
093600	1-SI-23-06F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-23 (FIG NO A-49)														
093700	1-SI-23-07S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	C	-	-	
	CONT. L3			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
093800	1-SI-23-08S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
093900	1-SI-23-09S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
094000	1-SI-23-10F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
094100	1-SI-23-11S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	ELBOW TO PIPE	B9.11	UT	2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
094200	1-SI-23-13S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
094300	1-SI-23-14S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-23 (FIG NO A-49)														
094400	1-SI-23-15F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
094500	1-SI-23-16S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	C	-	-	-	-	-	-	
	CONT. L3			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
094600	1-SI-23-17F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
094700	1-SI-23-18F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
094800	1-SI-23-19F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO BRANCH CONNECTION	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
	LINE 1-SI-25 (FIG NO A-50)														
095000	1-SI-25-22F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
095100	1-SI-25-23S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-25 (FIG NO A-50)														
095200	1-SI-25-23S-HL 1 THROUGH 4	B-K-1	PT	1	-	-	-	-	-	-	-	C	-	-	
	HANGER LUG	B10.10		2	-	-	-	C	-	-	-	-	-	-	
	ANNULUS			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
095300	1-SI-25-23S-HL 5 THROUGH 8	B-K-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	HANGER LUG	B10.10		2	-	-	-	-	-	-	-	-	-	-	
	ANNULUS			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
096000	1-SI-25-24F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
096100	1-SI-25-25S	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
096200	1-SI-25-26S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
096300	1-SI-25-27S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
096400	1-SI-25-28S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-25 (FIG NO A-50)														
096500	1-SI-25-29S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO TEE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
096600	1-SI-25-31S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	TEE TO REDUCER	B9.11	UT	2	-	-	-	C	-	-	-	-	-	-	
	ANNULUS			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
096700	1-SI-25-32S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	REDUCER TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
096800	1-SI-25-33S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO REDUCER	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
096900	1-SI-25-34S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	REDUCER TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	C	-	-	
	ANNULUS			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
097000	1-SI-25-35F	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	C	-	-	
	ANNULUS			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
	LINE 1-SI-26 (FIG NO A-51)														
097100	1-SI-26-01F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-26 (FIG NO A-51)														
097200	1-SI-26-02F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
097300	1-SI-26-03F	B-K-1	PT	1	-	-	-	-	-	-	-	-	-	-	WELD INACCESSIBLE FOR
	PIPE TO COLLAR	B10.10		2	-	-	-	-	-	-	-	-	-	-	EXAMINATION DUE TO COLLAR
				3	-	-	-	-	-	-	-	-	-	-	CONFIGURATION.
				4	-	-	-	-	-	-	-	-	-	-	
097400	1-SI-26-04F	B-K-1	PT	1	-	-	-	-	-	-	-	-	-	-	100% UT NOT FEASIBLE DUE TO
	COLLAR TO PIPE	B10.10		2	-	C	-	-	-	-	-	-	-	-	WELD CONFIGURATION.
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
097500	1-SI-26-05S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
097600	1-SI-26-06F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
097700	1-SI-26-07S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
097800	1-SI-26-08F	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	C	-	-	-	-	-	-	
	CONT. L1			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		INSPECTION INTERVAL — PLAN STATUS — FIRST PERIOD — OUTAGE 1	2	3	SECOND PERIOD — OUTAGE 1	2	3	4	THIRD PERIOD — OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-26 (FIG NO A-51)														
097900	1-SI-26-10S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	C	-	
	CONT. L1			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
098000	1-SI-26-11S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
098100	1-SI-26-12F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
098200	1-SI-26-13S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
098300	1-SI-26-15F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
098400	1-SI-26-16F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
098500	1-SI-26-17F	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	ELBOW TO BRANCH CONNECTION	B9.11	UT	2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-27 (FIG NO A-52)														
098600	1-SI-27-01F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
098700	1-SI-27-02F	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	ELBOW TO ELBOW	B9.11	UT	2	-	-	-	C	-	-	-	-	-	-	
	ANNULUS			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
098800	1-SI-27-03F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
098900	1-SI-27-04F	B-K-1	PT	1	-	-	-	-	-	-	-	-	-	-	WELD INACCESSIBLE FOR
	PIPE TO COLLAR	B10.10		2	-	-	-	-	-	-	-	-	-	-	EXAMINATION DUE TO COLLAR
				3	-	-	-	-	-	-	-	-	-	-	CONFIGURATION.
				4	-	-	-	-	-	-	-	-	-	-	
099000	1-SI-27-05F	B-K-1	PT	1	-	-	-	-	-	-	-	-	-	-	100% UT NOT FEASIBLE DUE TO
	COLLAR TO PIPE	B10.10		2	-	-	-	-	-	-	-	-	-	-	WELD CONFIGURATION.
	CONT. L4			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
099100	1-SI-27-06F	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	C	-	-	
	CONT. L4			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
099200	1-SI-27-07S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-27 (FIG NO A-52)														
099300	1-SI-27-08S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
099400	1-SI-27-09S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
099500	1-SI-27-10F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
099600	1-SI-27-11S	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
099700	1-SI-27-13S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
099800	1-SI-27-14S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
099900	1-SI-27-15F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		INSPECTION INTERVAL PLAN STATUS FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-27 (FIG NO A-52)														
100000	1-SI-27-16S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
100100	1-SI-27-17F	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
100200	1-SI-27-18F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO ELBOW	B9.11	UT	2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
100300	1-SI-27-19F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO BRANCH CONNECTION	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
	LINE 1-SI-68 (FIG NO A-53)														
100500	1-SI-68-22F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO REDUCER	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
	LINE 1-SI-28 (FIG NO A-53)														
100700	1-SI-28-05F	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	VALVE TO PIPE	B9.11	UT	2	-	-	-	C	-	-	-	-	-	-	
	ANNULUS			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-29 (FIG NO A-53)														
100800	1-SI-29-03S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	WELD INACCESSIBLE (BOXED IN
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	I-BEAM RESTRAINT).
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
100900	1-SI-29-03S-HL	B-K-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	HANGER LUG	B10.10		2	-	-	-	-	-	-	-	C	-	-	
	ANNULUS			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
101000	1-SI-29-04F	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	C	-	-	-	-	-	-	
	ANNULUS			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
101100	1-SI-29-05F	B-K-1	PT	1	-	-	-	-	-	-	-	-	-	-	WELD INACCESSIBLE FOR
	PIPE TO COLLAR	B10.10		2	-	-	-	-	-	-	-	-	-	-	EXAMINATION DUE TO COLLAR
				3	-	-	-	-	-	-	-	-	-	-	CONFIGURATION.
				4	-	-	-	-	-	-	-	-	-	-	
101200	1-SI-29-06F	B-K-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	COLLAR TO PIPE	B10.10	UT	2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
101300	1-SI-29-07S	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	C	-	-	-	-	-	-	
	CONT. L1			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
101400	1-SI-29-08F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD (OUTAGE 1 2 3)	SECOND PERIOD (OUTAGE 1 2 3 4)	THIRD PERIOD (OUTAGE 1 2 3)	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-29 (FIG NO A-53)							
101500	1-SI-29-09S	B-J	PT	1	- - -	- - - -	C - -	
	PIPE TO ELBOW	B9.11	UT	2	- - -	- - - -	C - -	
	CONT. L1			3	- - -	- - - -	X - -	
				4	- - -	- - - -	- - -	**3378030 (10-SS-140-1.0)**
101600	1-SI-29-10S	B-J	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	B9.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378030 (10-SS-140-1.0)**
101700	1-SI-29-11S	B-J	PT	1	- - -	C - - -	- - -	
	PIPE TO ELBOW	B9.11	UT	2	- - -	C - - -	- - -	
	CONT. L1			3	- - -	X - - -	- - -	
				4	- - -	- - - -	- - -	**3378030 (10-SS-140-1.0)**
101800	1-SI-29-12S	B-J	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	B9.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378030 (10-SS-140-1.0)**
101900	1-SI-29-13S	B-J	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	B9.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378030 (10-SS-140-1.0)**
102000	1-SI-29-14F	B-J	PT	1	- - -	- - - -	C - -	
	ELBOW TO PIPE	B9.11	UT	2	- - -	- - - -	C - -	
	CONT. L1			3	- - -	- - - -	X - -	
				4	- - -	- - - -	- - -	**3378030 (10-SS-140-1.0)**
102100	1-SI-29-16S	B-J	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	B9.11	UT	2	C - -	- - - -	- - -	
				3	X - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378030 (10-SS-140-1.0)**

INSPECTION INTERVAL — PLAN STATUS

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-29 (FIG NO A-53)							
102200	1-SI-29-17S	B-J	PT	1	C - -	- - - -	- - -	
	ELBOW TO PIPE	B9.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378030 (10-SS-140-1.0)**
102300	1-SI-29-18S	B-J	PT	1	- - -	- - - -	- - -	
	PIPE TO PIPE	B9.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378030 (10-SS-140-1.0)**
102400	1-SI-29-19S	B-J	PT	1	- - -	- - - -	- - -	
	PIPE TO TEE	B9.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378030 (10-SS-140-1.0)**
102500	1-SI-29-20S	B-J	PT	1	- - -	- - - -	- - -	
	ELBOW TO TEE	B9.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378030 (10-SS-140-1.0)**
102600	1-SI-29-21S	B-J	PT	1	- - -	- - - -	- - -	
	REDUCER TO ELBOW	B9.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378030 (10-SS-140-1.0)**
102700	1-SI-29-23S	B-J	PT	1	- - -	C - - -	- - -	
	TEE TO PIPE	B9.11	UT	2	- - -	C - - -	- - -	
	CONT. L1			3	- - -	X - - -	- - -	
				4	- - -	- - - -	- - -	**3378030 (10-SS-140-1.0)**
102800	1-SI-29-24F	B-J	PT	1	- - -	- - - -	- - -	
	PIPE TO VALVE	B9.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378030 (10-SS-140-1.0)**

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-29 (FIG NO A-53)														
102900	1-SI-29-25F	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	VALVE TO ELBOW	B9.11	UT	2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
103000	1-SI-29-26F	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	ELBOW TO BRANCH CONNECTION	B9.11	UT	2	-	-	-	-	-	-	-	C	-	-	
	CONT. L1			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
	LINE 1-SI-69 (FIG NO A-54)														
103100	1-SI-69-23F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO REDUCER	B9.11	UT	2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
	LINE 1-SI-30 (FIG NO A-54)														
103200	1-SI-30-06F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
	LINE 1-SI-31 (FIG NO A-54)														
103300	1-SI-31-01S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
103400	1-SI-31-02S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	TEE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	C	-	-	
	ANNULUS			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-31 (FIG NO A-54)														
103500	1-SI-31-02S-HL	B-K-1	PT	1	C	-	-	-	-	-	-	-	-	-	
	HANGER LUG	B10.10		2	-	-	-	-	-	-	-	-	-	-	
	ANNULUS			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
103600	1-SI-31-03S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
103700	1-SI-31-04S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
103800	1-SI-31-05F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
103900	1-SI-31-06F	B-K-1	PT	1	-	-	-	-	-	-	-	-	-	-	WELD INACCESSIBLE FOR
	PIPE TO COLLAR	B10.10		2	-	-	-	-	-	-	-	-	-	-	EXAMINATION DUE TO COLLAR
				3	-	-	-	-	-	-	-	-	-	-	CONFIGURATION.
				4	-	-	-	-	-	-	-	-	-	-	
104000	1-SI-31-07F	B-K-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	COLLAR TO PIPE	B10.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
104100	1-SI-31-08S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**

SAFETY INJECTION SYSTEM

LINE 1-SI-31 (FIG NO A-54)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
104200	1-SI-31-09F	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
104300	1-SI-31-10S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
104400	1-SI-31-11F	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	C	-	-	
	CONT. L2			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
104500	1-SI-31-12S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
104600	1-SI-31-13S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
104700	1-SI-31-14S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
104800	1-SI-31-15S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	C	-	-	-	-	-	-	
	CONT. L2			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL OUTAGE	FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-31 (FIG NO A-54)														
104900	1-SI-31-17S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
105000	1-SI-31-18S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	C	-	-	-	-	-	-	
	CONT. L2			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
105100	1-SI-31-19S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	PIPE TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	C	-	-	
	CONT. L2			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
105200	1-SI-31-20S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
105300	1-SI-31-21S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO TEE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
105400	1-SI-31-22S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	REDUCER TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
105600	1-SI-31-24S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-31 (FIG NO A-54)							
105700	1-SI-31-25F	B-J	PT	1	- - -	- - - -	- - -	
	PIPE TO VALVE	B9.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378030 (10-SS-140-1.0)**
105800	1-SI-31-26F	B-J	PT	1	- - -	- - - -	- - -	
	VALVE TO ELBOW	B9.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378030 (10-SS-140-1.0)**
105900	1-SI-31-27F	B-J	PT	1	- - -	- - - -	- - -	
	ELBOW TO BRANCH CONNECTION	B9.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378030 (10-SS-140-1.0)**
	LINE 1-SI-70 (FIG NO A-55)							
106100	1-SI-70-29F	B-J	PT	1	- - -	- - - -	- - -	
	VALVE TO REDUCER	B9.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378028 (6-SS-160-.71)**
	LINE 1-SI-32 (FIG NO A-55)							
106200	1-SI-32-05F	B-J	PT	1	- - -	- - - -	- - -	
	VALVE TO PIPE	B9.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378030 (10-SS-140-1.0)**
	LINE 1-SI-33 (FIG NO A-55)							
106300	1-SI-33-02S	B-J	PT	1	- - -	- - - -	- - -	DIFFICULT TO ACCESS.
	PIPE TO TEE	B9.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378030 (10-SS-140-1.0)**

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-33 (FIG NO A-55)							
106400	1-SI-33-03S	B-J	PT	1	- - -	- - - -	- - -	
	PIPE TO TEE	B9.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378029 (8-SS-140-.81)**
106500	1-SI-33-04S	B-J	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	B9.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378029 (8-SS-140-.81)**
106600	1-SI-33-05S	B-J	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	B9.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378029 (8-SS-140-.81)**
106700	1-SI-33-06S	B-J	PT	1	- - -	- - - -	- - -	
	TEE TO ELBOW	B9.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378030 (10-SS-140-1.0)**
106800	1-SI-33-06S-RL	B-K-1	PT	1	- - -	- - - -	- - -	
	RESTRAINT LUG	B10.10		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
106900	1-SI-33-07F	B-J	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	B9.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378030 (10-SS-140-1.0)**
107100	1-SI-33-08F	B-K-1	PT	1	- - -	- - - -	- - -	WELD INACCESSIBLE FOR
	PIPE TO COLLAR	B10.10		2	- - -	- - - -	- - -	EXAMINATION DUE TO COLLAR
				3	- - -	- - - -	- - -	CONFIGURATION.
				4	- - -	- - - -	- - -	

INSPECTION INTERVAL — PLAN STATUS

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	OUTAGE	FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-33 (FIG NO A-55)														
107200	1-SI-33-09F	B-K-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	COLLAR TO PIPE	B10.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
107300	1-SI-33-10S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
107400	1-SI-33-11F	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
107500	1-SI-33-12S	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
107600	1-SI-33-13S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
107700	1-SI-33-14S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	C	-	-	
	CONT. L3			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
107800	1-SI-33-15S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	C	-	-	-	-	-	-	
	CONT. L3			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-33 (FIG NO A-55)														
107900	1-SI-33-16S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
108000	1-SI-33-17F	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	C	-	-	-	-	-	-	
	CONT. L3			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
108100	1-SI-33-19S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
108200	1-SI-33-20S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	C	-	
	CONT. L3			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
108300	1-SI-33-21S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
108400	1-SI-33-22S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
108500	1-SI-33-23S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	TEE TO PIPE	B9.11	UT	2	-	-	-	C	-	-	-	-	-	-	
	CONT. L3			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**

SAFETY INJECTION SYSTEM

INSPECTION INTERVAL — PLAN STATUS

LINE 1-SI-33 (FIG NO A-55)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
108600	1-SI-33-24F	B-J	PT	1	- - -	- - - -	- - -	
	PIPE TO VALVE	B9.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378030 (10-SS-140-1.0)**
108700	1-SI-33-25F	B-J	PT	1	- - -	- - - -	- - -	
	VALVE TO ELBOW	B9.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378030 (10-SS-140-1.0)**
108800	1-SI-33-26F	B-J	PT	1	C - -	- - - -	- - -	
	ELBOW TO BRANCH CONNECTION	B9.11	UT	2	C - -	- - - -	- - -	
				3	X - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378030 (10-SS-140-1.0)**
108900	1-SI-33-27S	B-J	PT	1	- - -	- - - -	- - -	
	ELBOW TO TEE	B9.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378030 (10-SS-140-1.0)**
109000	1-SI-33-28S	B-J	PT	1	- - -	- - - -	C - -	
	REDUCER TO ELBOW	B9.11	UT	2	- - -	- - - -	C - -	
	CONT. L3			3	- - -	- - - -	X - -	
				4	- - -	- - - -	- - -	**3378030 (10-SS-140-1.0)**

LINE 1-SI-34 (FIG NO A-56)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
109400	1-SI-34-06F	B-J	PT	1	- - -	- - - -	- - -	
	VALVE TO PIPE	B9.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378030 (10-SS-140-1.0)**

LINE 1-SI-35 (FIG NO A-56)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
109500	1-SI-35-02S	B-J	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	B9.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378030 (10-SS-140-1.0)**

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-35 (FIG NO A-56)														
109600	1-SI-35-02S-HL	B-K-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	HANGER LUG	B10.10		2	-	-	-	-	-	-	-	-	-	-	
	ANNULUS			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
109700	1-SI-35-03F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
109800	1-SI-35-04F	B-K-1	PT	1	-	-	-	-	-	-	-	-	-	-	WELD INACCESSIBLE FOR
	PIPE TO COLLAR	B10.10		2	-	-	-	-	-	-	-	-	-	-	EXAMINATION DUE TO COLLAR
				3	-	-	-	-	-	-	-	-	-	-	CONFIGURATION.
				4	-	-	-	-	-	-	-	-	-	-	
109900	1-SI-35-05F	B-K-1	PT	1	-	-	-	-	-	-	-	-	-	-	100% UT NOT FEASIBLE DUE TO
	COLLAR TO PIPE	B10.10		2	-	-	-	-	-	-	-	-	-	-	WELD CONFIGURATION.
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
110000	1-SI-35-06S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	C	-	-	-	-	-	-	
	CONT. L4			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
110100	1-SI-35-07F	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	C	-	-	-	-	-	-	
	CONT. L4			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
110200	1-SI-35-07F-A	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-35 (FIG NO A-56)														
110300	1-SI-35-08S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	C	-	-	
	CONT. L4			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
110400	1-SI-35-09S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
110500	1-SI-35-09S-A	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
110600	1-SI-35-10S	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
110700	1-SI-35-11S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
110800	1-SI-35-12F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
110900	1-SI-35-13S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-35 (FIG NO A-56)														
111000	1-SI-35-13S-A	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
111100	1-SI-35-13S-A1	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
111200	1-SI-35-15S	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
111300	1-SI-35-16S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
111400	1-SI-35-17S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
111500	1-SI-35-18S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
111600	1-SI-35-19S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-35 (FIG NO A-56)														
111700	1-SI-35-20F	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.11	UT	2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
111800	1-SI-35-21F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
111900	1-SI-35-22F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO BRANCH CONNECTION	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
112000	1-SI-35-23S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	REDUCER TO TEE	B9.11	UT	2	-	-	-	-	-	-	-	C	-	-	
	CONT. L4			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
112100	1-SI-35-24S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO REDUCER	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
112200	1-SI-35-25S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
112300	1-SI-35-26S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	C	-	-	
	CONT. L4			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**

INSPECTION INTERVAL PLAN STATUS

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-35 (FIG NO A-56)														
112400	1-SI-35-27F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
	LINE 1-SI-39 (FIG NO A-57)														
112402	1-SI-39-01F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PENETRATION #44 TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
112404	1-SI-39-02S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
112406	1-SI-39-03S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
112408	1-SI-39-04F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
112410	1-SI-39-05S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO REDUCER	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
112412	1-SI-39-06S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	REDUCER TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL / PLAN STATUS: FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-39 (FIG NO A-57)						
112414	1-SI-39-07 PIPE TO ELBOW	B-J B9.21	PT	1 - - - / 2 - - - / 3 - - - / 4 - - -	- - - -	- - -	
112416	1-SI-39-08S TEE TO REDUCER	B-J B9.21	PT	1 - - - / 2 - - - / 3 - - - / 4 - - -	- - - -	- - -	
112418	1-SI-39-09S REDUCER TO PIPE	B-J B9.21	PT	1 - - - / 2 - - - / 3 - - - / 4 - - -	- - - -	- - -	
112420	1-SI-39-10S PIPE TO ELBOW	B-J B9.21	PT	1 - - - / 2 - - - / 3 - - - / 4 - - -	- - - -	- - -	
112422	1-SI-39-11S ELBOW TO PIPE	B-J B9.21	PT	1 - - - / 2 - - - / 3 - - - / 4 - - -	- - - -	- - -	
112424	1-SI-39-12S PIPE TO ELBOW	B-J B9.21	PT	1 - - - / 2 - - - / 3 - - - / 4 - - -	- - - -	- - -	
112426	1-SI-39-13S ELBOW TO PIPE	B-J B9.21	PT	1 - - - / 2 - - - / 3 - - - / 4 - - -	- - - -	- - -	

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-39 (FIG NO A-57)														
112428	1-SI-39-14S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
112430	1-SI-39-15S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
112432	1-SI-39-16S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
112434	1-SI-39-17F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
112436	1-SI-39-18S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO REDUCER	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-40 (FIG NO A-58)														
112438	1-SI-40-01F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
112440	1-SI-40-02S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

SAFETY INJECTION SYSTEM

LINE 1-SI-40 (FIG NO A-58)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
112442	1-SI-40-03S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
112444	1-SI-40-04S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
112446	1-SI-40-05S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
112448	1-SI-40-06S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
112450	1-SI-40-07S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
112452	1-SI-40-08S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
112454	1-SI-40-09S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

DATE: 11/15/95
REVISION: 0

COOK NUCLEAR PLANT UNIT 1
INSERVICE INSPECTION LONG TERM PLAN
CLASS 1 ALL STATUS COMPONENTS

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-40 (FIG NO A-58)														
112456	1-SI-40-10F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
112458	1-SI-40-11S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
112460	1-SI-40-12S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
112462	1-SI-40-13S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
112464	1-SI-40-14S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
112466	1-SI-40-15S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
112468	1-SI-40-16F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL — PLAN STATUS

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-40 (FIG NO A-58)							
112470	1-SI-40-17S	B-J	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	B9.21		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
112472	1-SI-40-18S	B-J	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	B9.21		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
112474	1-SI-40-19S	B-J	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	B9.21		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
112476	1-SI-40-20S	B-J	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	B9.21		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
112478	1-SI-40-21S	B-J	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	B9.21		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
112480	1-SI-40-22S	B-J	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	B9.21		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
112482	1-SI-40-23S	B-J	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	B9.21		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-40 (FIG NO A-58)														
112484	1-SI-40-24S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
112486	1-SI-40-25S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	
112488	1-SI-40-26S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO REDUCER	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-51 (FIG NO A-59)														
112528	1-SI-51-20F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO REDUCER	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	
112530	1-SI-51-21F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	REDUCER TO ELBOW	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	
112532	1-SI-51-22F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO TEE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
112534	1-SI-51-23S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO REDUCER	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-51 (FIG NO A-59)														
112536	1-SI-51-24F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	REDUCER TO VALVE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
112538	1-SI-51-27F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
112540	1-SI-51-28S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
112542	1-SI-51-29S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
112544	1-SI-51-30F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PENETRATION #44	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-545 (FIG NO A-60)														
112605	1-SI-545-09F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	REDUCER TO BEND	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
112610	1-SI-545-10F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	BEND TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

SAFETY INJECTION SYSTEM

LINE 1-SI-545 (FIG NO A-60)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
112615	1-SI-545-11S	B-J	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	B9.40		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
112620	1-SI-545-12S	B-J	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	B9.40		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
112625	1-SI-545-13S	B-J	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	B9.40		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
112630	1-SI-545-14S	B-J	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	B9.40		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
112635	1-SI-545-15S	B-J	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	B9.40		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
112640	1-SI-545-16S	B-J	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	B9.40		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
112645	1-SI-545-17S	B-J	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	B9.40		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

INSPECTION INTERVAL PLAN STATUS

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-545 (FIG NO A-60)														
112650	1-SI-545-18S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
112655	1-SI-545-19S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
112660	1-SI-545-20S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
112665	1-SI-545-21S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
112670	1-SI-545-22S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
112675	1-SI-545-23F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
112680	1-SI-545-24S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

SAFETY INJECTION SYSTEM

INSPECTION INTERVAL — PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-545 (FIG NO A-60)														
112685	1-SI-545-25S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
112690	1-SI-545-26F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-545 (FIG NO A-61)														
112700	1-SI-545-27F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
112800	1-SI-545-28S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	PIPE TO VALVE	B9.40		2	-	-	-	-	-	-	-	C	-	-	
	ANNULUS			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
112900	1-SI-545-29S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
113000	1-SI-545-30F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
113100	1-SI-545-31S	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-545 (FIG NO A-61)														
113200	1-SI-545-32S PIPE TO ELBOW	B-J B9.40	PT	1	-	-	-	-	-	-	-	-	-	-	
				2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
113300	1-SI-545-33S ELBOW TO PIPE	B-J B9.40	PT	1	-	-	-	-	-	-	-	-	-	-	
				2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
113400	1-SI-545-34S PIPE TO ELBOW ANNULUS	B-J B9.40	PT	1	-	-	-	-	-	-	-	C	-	-	
				2	-	-	-	-	-	-	-	C	-	-	
				3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
113500	1-SI-545-35F ELBOW TO PIPE ANNULUS	B-J B9.40	PT	1	-	-	-	-	-	-	-	-	-	-	
				2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
113600	1-SI-545-36S PIPE TO COLLAR	B-K-1 B10.10	PT	1	-	-	-	-	-	-	-	-	-	-	WELD INACCESSIBLE FOR EXAMINATION DUE TO COLLAR CONFIGURATION.
				2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
113700	1-SI-545-37S COLLAR TO PIPE	B-K-1 B10.10	PT	1	-	-	-	C	-	-	-	-	-	-	
				2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-545 (FIG NO A-62)														
113800	1-SI-545-38F PIPE TO ELBOW	B-J B9.40	PT	1	-	-	-	-	-	-	-	-	-	-	
				2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-545 (FIG NO A-62)														
113900	1-SI-545-39S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
114000	1-SI-545-40S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
114100	1-SI-545-41S	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
114200	1-SI-545-42F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
114300	1-SI-545-43S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
114400	1-SI-545-44S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L3			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
114500	1-SI-545-45S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL — PLAN STATUS

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-545 (FIG NO A-62)														
114600	1-SI-545-46S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
114700	1-SI-545-47S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
114800	1-SI-545-48S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
114900	1-SI-545-49S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	C	-	-	-	-	-	-	
	CONT. L3			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
115000	1-SI-545-50S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
115100	1-SI-545-51S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
115200	1-SI-545-52S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-545 (FIG NO A-62)														
115300	1-SI-545-53F	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
115400	1-SI-545-54S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
115500	1-SI-545-55S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
115600	1-SI-545-56S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
115700	1-SI-545-57S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	VALVE TO PIPE	B9.40		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L3			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
115800	1-SI-545-58S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
115900	1-SI-545-59S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	OUTAGE	FIRST PERIOD 1 2 3	SECOND PERIOD 1 2 3 4	THIRD PERIOD 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-545 (FIG NO A-62)							
116000	1-SI-545-60F PIPE TO BRANCH CONNECTION CONT. L3	B-J B9.40	PT	1 2 3 4	- - - - - - - - - - - -	C - - - C - - - X - - - - - - -	- - - - - - - - - - - -	
	LINE 1-SI-546 (FIG NO A-63)							
116060	1-SI-545-06S REDUCER TO TEE	B-J B9.40	PT	1 2 3 4	- - - - - - - - - - - -	- - - - - - - - - - - - - - - -	- - - - - - - - - - - -	
116080	1-SI-546-07F TEE TO ELBOW	B-J B9.40	PT	1 2 3 4	- - - - - - - - - - - -	- - - - - - - - - - - - - - - -	- - - - - - - - - - - -	
116090	1-SI-546-08S ELBOW TO TEE	B-J B9.40	PT	1 2 3 4	- - - - - - - - - - - -	- - - - - - - - - - - - - - - -	- - - - - - - - - - - -	
116100	1-SI-546-09S TEE TO PIPE	B-J B9.40	PT	1 2 3 4	- - - - - - - - - - - -	- - - - - - - - - - - - - - - -	- - - - - - - - - - - -	
116110	1-SI-546-10S PIPE TO TEE	B-J B9.40	PT	1 2 3 4	- - - - - - - - - - - -	- - - - - - - - - - - - - - - -	- - - - - - - - - - - -	
116120	1-SI-546-11S TEE TO PIPE	B-J B9.40	PT	1 2 3 4	- - - - - - - - - - - -	- - - - - - - - - - - - - - - -	- - - - - - - - - - - -	

INSPECTION INTERVAL — PLAN STATUS

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-546 (FIG NO A-63)														
116130	1-SI-546-12S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
116140	1-SI-546-13S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
116150	1-SI-546-14S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
116160	1-SI-546-15S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
116170	1-SI-546-16F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
116180	1-SI-546-17S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
116190	1-SI-546-18F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-546 (FIG NO A-64)														
116200	1-SI-546-19F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
116300	1-SI-546-20S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
116400	1-SI-546-21S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	VALVE TO PIPE	B9.40		2	-	-	-	C	-	-	-	-	-	-	
	ANNULUS			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
116500	1-SI-546-22S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
116600	1-SI-546-23S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
116700	1-SI-546-24F	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	C	-	-	
	ANNULUS			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
116800	1-SI-546-25S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-546 (FIG NO A-64)														
116900	1-SI-546-26S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
117000	1-SI-546-27F	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	C	-	-	-	-	-	-	
	ANNULUS			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
117025	1-SI-546-27F-A	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO COUPLING	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
117050	1-SI-546-27F-B	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	COUPLING TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
117100	1-SI-546-28S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
117200	1-SI-546-28S-A	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
117300	1-SI-546-28S-B	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-546 (FIG NO A-65)														
117400	1-SI-546-29F	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	C	-	-	-	-	-	-	
	ANNULUS			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
117500	1-SI-546-30S	B-K-1	PT	1	-	-	-	-	-	-	-	-	-	-	WELD INACCESSIBLE FOR
	PIPE TO COLLAR	B10.10		2	-	-	-	-	-	-	-	-	-	-	EXAMINATION DUE TO COLLAR
				3	-	-	-	-	-	-	-	-	-	-	CONFIGURATION.
				4	-	-	-	-	-	-	-	-	-	-	
117600	1-SI-546-31S	B-K-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	COLLAR TO PIPE	B10.10		2	-	-	-	-	C	-	-	-	-	-	
	CONT. L2			3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
117700	1-SI-546-32S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
117800	1-SI-546-33F	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
117900	1-SI-546-34S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
118000	1-SI-546-35S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-546 (FIG NO A-65)														
118100	1-SI-546-36S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
118200	1-SI-546-37S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
118300	1-SI-546-38F	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
118400	1-SI-546-39S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L2			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
118500	1-SI-546-40S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
118600	1-SI-546-41F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
118900	1-SI-546-42S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL_ PLAN STATUS

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-546 (FIG NO A-65)														
119000	1-SI-546-43S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
119100	1-SI-546-44S	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.40		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
119200	1-SI-546-45S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
119300	1-SI-546-46S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
119400	1-SI-546-47S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L2			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
119500	1-SI-546-48F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO BRANCH CONNECTION	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-548 (FIG NO A-66)														
119535	1-SI-548-04S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	OUTAGE	FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-548 (FIG NO A-66)														
119540	1-SI-548-05S ELBOW TO PIPE	B-J B9.40	PT	1	-	-	-	-	-	-	-	-	-	-	
				2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
119545	1-SI-548-06S PIPE TO ELBOW	B-J B9.40	PT	1	-	-	-	-	-	-	-	-	-	-	
				2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
119550	1-SI-548-07S ELBOW TO PIPE	B-J B9.40	PT	1	-	-	-	-	-	-	-	-	-	-	
				2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
119555	1-SI-548-08S PIPE TO ELBOW	B-J B9.40	PT	1	-	-	-	-	-	-	-	-	-	-	
				2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
119560	1-SI-548-09S ELBOW TO PIPE	B-J B9.40	PT	1	-	-	-	-	-	-	-	-	-	-	
				2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
119565	1-SI-548-10S PIPE TO TEE	B-J B9.40	PT	1	-	-	-	-	-	-	-	-	-	-	
				2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
119570	1-SI-548-11S TEE TO PIPE	B-J B9.40	PT	1	-	-	-	-	-	-	-	-	-	-	
				2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-548 (FIG NO A-66)							
119575	1-SI-548-12S	B-J	PT	1	- - -	- - - -	- - -	
	PIPE TO TEE	B9.40		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
119580	1-SI-548-13S	B-J	PT	1	- - -	- - - -	- - -	
	TEE TO PIPE	B9.40		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
119590	1-SI-548-14S	B-J	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	B9.40		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
119600	1-SI-548-15S	B-J	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	B9.40		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
119610	1-SI-548-16S	B-J	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	B9.40		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
119620	1-SI-548-17S	B-J	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	B9.40		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
119630	1-SI-548-18S	B-J	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	B9.40		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-548 (FIG NO A-66)														
119640	1-SI-548-19S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
119650	1-SI-548-20S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
119660	1-SI-548-21F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
119670	1-SI-548-22S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
119680	1-SI-548-23S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO BEND	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
119690	1-SI-548-24F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	BEND TO VALVE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-548 (FIG NO A-67)														
119700	1-SI-548-25F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-548 (FIG NO A-67)														
119800	1-SI-548-26S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
119900	1-SI-548-27S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
120000	1-SI-548-28S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
120100	1-SI-548-29F	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
120300	1-SI-548-30S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	C	-	-	-	-	-	-	
	ANNULUS			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
120400	1-SI-548-31S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
120500	1-SI-548-32S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-548 (FIG NO A-67)														
120600	1-SI-548-33F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
120700	1-SI-548-33F-A	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
120800	1-SI-548-33F-B	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
120900	1-SI-548-33F-C	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
121000	1-SI-548-33F-D	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
121100	1-SI-548-34S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	C	-	-	-	-	-	-	
	ANNULUS			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-548 (FIG NO A-68)														
121200	1-SI-548-35F	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	C	-	-	
	ANNULUS			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-548 (FIG NO A-68)														
121300	1-SI-548-36S	B-K-1	PT	1	-	-	-	-	-	-	-	-	-	-	WELD INACCESSIBLE FOR
	PIPE TO COLLAR	B10.10		2	-	-	-	-	-	-	-	-	-	-	EXAMINATION DUE TO COLLAR
				3	-	-	-	-	-	-	-	-	-	-	CONFIGURATION.
				4	-	-	-	-	-	-	-	-	-	-	
121400	1-SI-548-37S	B-K-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	COLLAR TO PIPE	B10.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
121500	1-SI-548-38F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO COUPLING	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
121600	1-SI-548-39S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	COUPLING TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
121700	1-SI-548-40S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
121800	1-SI-548-41F	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L1			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
121900	1-SI-548-42S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-548 (FIG NO A-68)														
122000	1-SI-548-43S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
122100	1-SI-548-44S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
122200	1-SI-548-45S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
122300	1-SI-548-46S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
122400	1-SI-548-47S	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
122500	1-SI-548-48F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO BRANCH CONNECTION	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-549 (FIG NO A-69)														
123240	1-SI-549-11F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	REDUCER TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL — PLAN STATUS

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-549 (FIG NO A-69)														
123250	1-SI-549-12S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
123260	1-SI-549-13F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
123270	1-SI-549-14S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
123280	1-SI-549-15S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
123290	1-SI-549-16S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
123300	1-SI-549-17S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
123310	1-SI-549-18S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

SAFETY INJECTION SYSTEM

INSPECTION INTERVAL / PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-549 (FIG NO A-69)														
123320	1-SI-549-19S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
123330	1-SI-549-20F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-549 (FIG NO A-70)														
123340	1-SI-549-21S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
123350	1-SI-549-22S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
123360	1-SI-549-23S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
123370	1-SI-549-24S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
123380	1-SI-549-25S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

SAFETY INJECTION SYSTEM

INSPECTION INTERVAL / PLAN STATUS

LINE 1-SI-549 (FIG NO A-70)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
123390	1-SI-549-26S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
123400	1-SI-549-27S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
123410	1-SI-549-28S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
123420	1-SI-549-29S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
123430	1-SI-549-30F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

LINE 1-SI-549 (FIG NO A-71)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
123440	1-SI-549-31S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
123450	1-SI-549-32S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

SAFETY INJECTION SYSTEM

INSPECTION INTERVAL — PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-549 (FIG NO A-71)														
123460	1-SI-549-33S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
123470	1-SI-549-34S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
123480	1-SI-549-35S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
123490	1-SI-549-36F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-549 (FIG NO A-72)														
123500	1-SI-549-37F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
123600	1-SI-549-38S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
123700	1-SI-549-39S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-549 (FIG NO A-72)														
123800	1-SI-549-40S	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
123900	1-SI-549-41S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
124000	1-SI-549-42S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
124100	1-SI-549-43F	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	C	-	-	-	-	-	-	
	ANNULUS			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
124200	1-SI-549-44S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
124300	1-SI-549-45S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
124400	1-SI-549-46S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL — PLAN STATUS

SAFETY INJECTION SYSTEM

LINE 1-SI-549 (FIG NO A-72)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
124500	1-SI-549-47F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
124600	1-SI-549-48S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

LINE 1-SI-549 (FIG NO A-73)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
124700	1-SI-549-49F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
124800	1-SI-549-50S	B-K-1	PT	1	-	-	-	-	-	-	-	-	-	-	WELD INACCESSIBLE FOR
	PIPE TO COLLAR	B10.10		2	-	-	-	-	-	-	-	-	-	-	EXAMINATION DUE TO COLLAR
				3	-	-	-	-	-	-	-	-	-	-	CONFIGURATION.
				4	-	-	-	-	-	-	-	-	-	-	
124900	1-SI-549-51S	B-K-1	PT	1	C	-	-	-	-	-	-	-	-	-	100% UT NOT FEASIBLE DUE TO
	COLLAR TO PIPE	B10.10		2	-	-	-	-	-	-	-	-	-	-	WELD CONFIGURATION.
	CONT. L4			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
125000	1-SI-549-52F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO COUPLING	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
125100	1-SI-549-53S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	COUPLING TO PIPE	B9.40		2	-	-	-	C	-	-	-	-	-	-	
	CONT. L4			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-549 (FIG NO A-73)														
125200	1-SI-549-53S-A	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
125300	1-SI-549-53S-B	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
125400	1-SI-549-53S-C	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
125500	1-SI-549-53S-D	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L4			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
125600	1-SI-549-53S-E	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
125700	1-SI-549-53S-F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
125800	1-SI-549-54S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-549 (FIG NO A-73)														
125900	1-SI-549-55F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
126000	1-SI-549-56S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
126100	1-SI-549-57S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
126200	1-SI-549-58S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	PIPE TO VALVE	B9.40		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L4			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
126300	1-SI-549-59S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
126400	1-SI-549-60S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L4			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
126500	1-SI-549-61S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-549 (FIG NO A-73)							
126600	1-SI-549-62F	B-J	PT	1	- - -	- - - -	- - -	
	PIPE TO BRANCH CONNECTION	B9.40		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

INSPECTION INTERVAL / PLAN STATUS

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-92 (FIG NO A-74)														
126800	1-CS-92-22F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
127100	1-CS-92-23F	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	PIPE TO VALVE	B9.21		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L4			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
127200	1-CS-92-24F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
127300	1-CS-92-25S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
127400	1-CS-92-26S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO ELBOW	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
127500	1-CS-92-27S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
127600	1-CS-92-28S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-92 (FIG NO A-74)														
127700	1-CS-92-29S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO ELBOW	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
127800	1-CS-92-30S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
127900	1-CS-92-31F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO BRANCH CONNECTION	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-CS-96 (FIG NO A-75)														
128100	1-CS-96-48F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
128200	1-CS-96-49F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
128300	1-CS-96-50F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
128400	1-CS-96-51F	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.21		2	-	-	-	C	-	-	-	-	-	-	
	CONT. L1			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-96 (FIG NO A-75)							
128500	1-CS-96-52S	B-J	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	B9.21		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
128600	1-CS-96-53S	B-J	PT	1	C - -	- - - -	- - -	
	PIPE TO ELBOW	B9.21		2	C - -	- - - -	- - -	
				3	X - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
128700	1-CS-96-54S	B-J	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	B9.21		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
128800	1-CS-96-55S	B-J	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	B9.21		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
128900	1-CS-96-56S	B-J	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	B9.21		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
129000	1-CS-96-57S	B-J	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	B9.21		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
129100	1-CS-96-58S	B-J	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	B9.21		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-96 (FIG NO A-75)														
129200	1-CS-96-59S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.21	UT	2	-	C	-	-	-	-	-	-	-	-	
	CONT. L1			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**
129300	1-CS-96-60F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO BRANCH CONNECTION	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-CS-99 (FIG NO A-76)														
129400	1-CS-99-01F	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	REDUCER TO TEE	B9.21		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
129500	1-CS-99-02S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	PIPE TO TEE	B9.21		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L4			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
129600	1-CS-99-03F	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	PIPE TO PIPE	B9.21		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L4			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
129700	1-CS-99-04F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	BRANCH CONNECTION TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
129800	1-CS-99-05S	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	B9.21		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-99 (FIG NO A-76)														
129900	1-CS-99-06F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
130000	1-CS-99-07F	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	VALVE TO PIPE	B9.21		2	-	-	-	C	-	-	-	-	-	-	
	CONT. L4			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	
130100	1-CS-99-09F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
130200	1-CS-99-10F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
130300	1-CS-99-11F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
130400	1-CS-99-12F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
130500	1-CS-99-12F-A	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-99 (FIG NO A-76)														
130600	1-CS-99-13F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
130700	1-CS-99-14S	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.21		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
131200	1-CS-99-15S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.21		2	-	-	-	C	-	-	-	-	-	-	
	CONT. PRT			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
131300	1-CS-99-16S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
131400	1-CS-99-17S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
131500	1-CS-99-18S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO ELBOW	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
131600	1-CS-99-19S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.21		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-99 (FIG NO A-76)														
131700	1-CS-99-19S-A	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	PIPE TO REDUCER	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
131800	1-CS-99-20F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	REDUCER TO VALVE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
131900	1-CS-99-21F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	B9.21		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
132000	1-CS-99-22F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	WELD PARTIALLY COVERED (50%)
	PIPE TO VALVE	B9.21		2	-	-	-	-	-	-	-	-	-	-	BY PERMANENT PIPE RESTRAINT
				3	-	-	-	-	-	-	-	-	-	-	AND IS LOCATED IN HIGH
				4	-	-	-	-	-	-	-	-	-	-	RADIATION AREA.
	LINE 1-CS-780 (FIG NO A-77)														
140080	1-CS-780-01F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	BRANCH CONNECTION TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
140100	1-CS-780-02F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
140200	1-CS-780-03F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

CHEMICAL AND VOLUME CONTROL SYSTEM

INSPECTION INTERVAL — PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	OUTAGE	FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-780 (FIG NO A-77)														
140300	1-CS-780-04S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
140400	1-CS-780-05S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
140500	1-CS-780-06S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	C	-	-	
	REGEN HXRM			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
140600	1-CS-780-07S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
140700	1-CS-780-08S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
140800	1-CS-780-09S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
140900	1-CS-780-10S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL PLAN STATUS

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	OUTAGE	FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-780 (FIG NO A-78)														
141000	1-CS-780-11F	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	C	-	-	
	REGEN HXRM			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
141100	1-CS-780-11F-A	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
141200	1-CS-780-11F-B	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	PT NOT FEASIBLE DUE TO
	PIPE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	INACESSIBILITY.
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
141700	1-CS-780-12S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
	CONT. L4			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
141800	1-CS-780-13S	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
141900	1-CS-780-14F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
142000	1-CS-780-15S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	C	-	-	-	-	-	-	
	CONT. L4			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL — PLAN STATUS

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-780 (FIG NO A-78)														
142100	1-CS-780-15S-A	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
142200	1-CS-780-15S-B	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
142600	1-CS-780-16S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.40		2	-	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
142700	1-CS-780-17S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
142800	1-CS-780-17S-A	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO COUPLING	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
142900	1-CS-780-17S-B	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	COUPLING TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
143000	1-CS-780-18F	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	PIPE TO REDUCER	B9.21		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

RESIDUAL HEAT REMOVAL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-27 (FIG NO A-79)														
143200	1-RH-27-10F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
143300	1-RH-27-11S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
143400	1-RH-27-12S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
143500	1-RH-27-13F	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	PIPE TO TEE	B9.11	UT	2	-	-	-	-	-	-	-	C	-	-	
	ANNULUS			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
	LINE 1-RH-28 (FIG NO A-80)														
143600	1-RH-28-01S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	C	-	-	-	-	-	-	
	CONT. L2			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378032 (14-SS-160-1.40)**
143700	1-RH-28-01S-HL	B-K-1	PT	1	C	-	-	-	-	-	-	-	-	-	
	HANGER LUG	B10.10		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L2			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
143800	1-RH-28-02S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378032 (14-SS-160-1.40)**

RESIDUAL HEAT REMOVAL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-28 (FIG NO A-80)														
143900	1-RH-28-03S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378032 (14-SS-160-1.40)**
144000	1-RH-28-04F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE BEND	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378032 (14-SS-160-1.40)**
144100	1-RH-28-17F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE BEND TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378032 (14-SS-160-1.40)**
144200	1-RH-28-05F	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	PIPE TO PIPE	B9.11	UT	2	-	-	-	C	-	-	-	-	-	-	
	CONT. L2			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378032 (14-SS-160-1.40)**
144300	1-RH-28-06S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378032 (14-SS-160-1.40)**
144400	1-RH-28-07F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378032 (14-SS-160-1.40)**
144500	1-RH-28-08F	B-K-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO COLLAR	B10.10		2	-	-	-	-	-	-	-	-	-	-	
	CONT. L2			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

RESIDUAL HEAT REMOVAL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-28 (FIG NO A-80)														
144600	1-RH-28-09F	B-K-1	PT	1	-	-	-	-	-	-	-	-	-	-	THIS WELD INACCESSIBLE FOR
	COLLAR TO PIPE	B10.10		2	-	-	-	-	-	-	-	-	-	-	EXAMINATION DUE TO COLLAR
				3	-	-	-	-	-	-	-	-	-	-	CONFIGURATION.
				4	-	-	-	-	-	-	-	-	-	-	
144700	1-RH-28-10S	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378032 (14-SS-160-1.40)**
144800	1-RH-28-10S-HL	B-K-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	HANGER LUG	B10.10		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
144900	1-RH-28-11F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378032 (14-SS-160-1.40)**
145000	1-RH-28-12S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378032 (14-SS-160-1.40)**
145100	1-RH-28-13S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	ELBOW TO PIPE	B9.11	UT	2	-	-	-	-	-	-	-	C	-	-	
	ANNULUS			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378032 (14-SS-160-1.40)**
145200	1-RH-28-15F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378032 (14-SS-160-1.40)**

RESIDUAL HEAT REMOVAL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD (OUTAGE 1 2 3)	SECOND PERIOD (OUTAGE 1 2 3 4)	THIRD PERIOD (OUTAGE 1 2 3)	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-29 (FIG NO A-81)							
145400	1-RH-29-01F	B-J	PT	1	C - -	- - - -	- - -	
	BRANCH CONNECTION TO PIPE	B9.11	UT	2	C - -	- - - -	- - -	
				3	X - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378032 (14-SS-160-1.40)**
145500	1-RH-29-03S	B-J	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	B9.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378032 (14-SS-160-1.40)**
145600	1-RH-29-04F	B-J	PT	1	- - -	- - - -	- - -	
	ELBOW TO VALVE	B9.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378032 (14-SS-160-1.40)**
145700	1-RH-29-05F	B-J	PT	1	- - -	- - - -	- - -	
	VALVE TO PIPE	B9.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378032 (14-SS-160-1.40)**
	LINE 1-RH-30 (FIG NO A-55)							
145900	1-RH-30-07F	B-J	PT	1	- - -	- - - -	- - -	
	VALVE TO PIPE	B9.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378029 (8-SS-140-.81)**

WASTE DISPOSAL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-WD-640 (FIG NO A-82)														
146000	1-WD-640-01F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	BRANCH CONNECTION TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
146100	1-WD-640-02S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	PIPE TO VALVE	B9.40		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L1			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
146200	1-WD-640-03S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
146300	1-WD-640-04S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-WD-642 (FIG NO A-83)														
146500	1-WD-642-01F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	BRANCH CONNECTION TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
146600	1-WD-642-02S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
146700	1-WD-642-03S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	VALVE TO PIPE	B9.40		2	-	-	-	C	-	-	-	-	-	-	
	CONT. L2			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL PLAN STATUS

WASTE DISPOSAL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-WD-642 (FIG NO A-83)														
146800	1-WD-642-04S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-WD-644 (FIG NO A-84)														
147000	1-WD-644-01F	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	BRANCH CONNECTION TO PIPE	B9.40		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L3			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
147100	1-WD-644-02S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
147200	1-WD-644-03S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
147300	1-WD-644-04S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	PIPE TO VALVE	B9.40		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L3			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
147400	1-WD-644-05S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
147500	1-WD-644-06S	B-J	PT	1	C	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	B9.40		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

WASTE DISPOSAL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-WD-644 (FIG NO A-84)														
147600	1-WD-644-07S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO REDUCER	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
147700	1-WD-644-08S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
147800	1-WD-644-09S	B-J	PT	1	-	-	-	C	-	-	-	-	-	-	
	PIPE TO VALVE	B9.40		2	-	-	-	C	-	-	-	-	-	-	
	CONT. L3			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-WD-651 (FIG NO A-85)														
147910	1-WD-651-01F	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	REDUCER TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
147920	1-WD-651-02S	B-J	PT	1	-	-	-	-	-	-	-	C	-	-	
	PIPE TO VALVE	B9.40		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L4			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
147930	1-WD-651-03S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
147940	1-WD-651-04S	B-J	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	B9.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT PUMP NO. 11

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD (OUTAGE 1 2 3)	SECOND PERIOD (OUTAGE 1 2 3 4)	THIRD PERIOD (OUTAGE 1 2 3)	INSTRUCTIONS **CALIBRATION BLOCK**
	PRESSURE RETAINING BOLTING (GREATER THAN 2") (FIG NO A-86)							
148000	PUMP BOLTS, 1 THROUGH 24	B-G-1	UT	1	- - -	- - - -	C - -	
		B6.180		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378042 (PUMP STUD)**
148075	PUMP BOLTS	B-G-2	VT-1	1	- - -	- - - -	- - -	12 BOLTS TO BE EXAMINED WHEN
	LOWER SEAL HOUSING (2")	B7.60		2	- - -	- - - -	- - -	REMOVED.
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	SUPPORT COMPONENTS							
148100	SUPPORT LUG NO. 1	B-K-1	PT	1	- - -	- - - -	C - -	UT OF WELD NOT FEASIBLE DUE
		B10.20		2	- - -	- - - -	- - -	TO ATTENUATIVE PROPERTIES OF
				3	- - -	- - - -	- - -	PUMP CASING MATERIAL.
				4	- - -	- - - -	- - -	
148200	SUPPORT LUG NO. 2	B-K-1	PT	1	- - -	- - - -	C - -	UT OF WELD NOT FEASIBLE DUE
		B10.20		2	- - -	- - - -	- - -	TO ATTENUATIVE PROPERTIES OF
				3	- - -	- - - -	- - -	PUMP CASING MATERIAL.
				4	- - -	- - - -	- - -	
148300	SUPPORT LUG NO. 3	B-K-1	PT	1	- - -	- - - -	C - -	UT OF WELD NOT FEASIBLE DUE
		B10.20		2	- - -	- - - -	- - -	TO ATTENUATIVE PROPERTIES OF
				3	- - -	- - - -	- - -	PUMP CASING MATERIAL.
				4	- - -	- - - -	- - -	
	CIRCUMFERENTIAL WELDS							
148400	PUMP CASING WELD	B-L-1	VT-1	1	- - -	- - - -	- - -	EXAMINATION TO BE PERFORMED IN
		B12.10		2	- - -	- - - -	- - -	ACCORDANCE WITH CC-N-481.
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

REACTOR COOLANT PUMP NO. 11

INSPECTION INTERVAL — PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	PUMP CASING (FIG NO A-86)														
148500	PUMP CASING INTERNAL SURFACE	B-L-2	VT-3	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION TO BE PERFORMED IN
		B12.20		2	-	-	-	-	-	-	-	-	-	-	ACCORDANCE WITH CC-N-481.
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
148510	PUMP FLANGE SURFACE	B-G-1	VT-1	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION TO BE PERFORMED IN
		B6.190		2	-	-	-	-	-	-	-	-	-	-	ACCORDANCE WITH CC-N-481.
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	PUMP FLYWHEEL														
148600	FLYWHEEL	--	UT	1	C	-	-	-	-	C	-	-	-	-	UT OF BORE & KEYWAY.
	(IN PLACE)	RG1.14		2	C	-	-	C	-	-	-	C	-	-	
	CONT. L1			3	X	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**RC-FLYWHEEL-CS-31-DCC**
148700	FLYWHEEL	--	PT	1	-	-	-	-	-	-	-	C	-	-	PT OF THE BORE AND MT OF ALL
	(WHEN REMOVED)	RG1.14	MT	2	-	-	-	-	C	-	-	-	-	-	REMAINING ACCESSIBLE SURFACES.
	U. CONT.		UT	3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**RC-FLYWHEEL-CS-31-DCC**

REACTOR COOLANT PUMP NO. 12

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	PRESSURE RETAINING BOLTING (GREATER THAN 2") (FIG NO A-86)														
148800	PUMP BOLTS, 1 THROUGH 24	B-G-1	UT	1	-	-	-	C	-	-	-	-	-	-	
		B6.180		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378042 (PUMP STUD)**
148875	PUMP BOLTS	B-G-2	VT-1	1	-	-	-	-	-	-	-	-	-	-	12 BOLTS TO BE EXAMINED WHEN
	LOWER SEAL HOUSING (2")	B7.60		2	-	-	-	-	-	-	-	-	-	-	REMOVED.
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SUPPORT COMPONENTS														
148900	SUPPORT LUG NO. 1	B-K-1	PT	1	-	-	-	-	-	-	-	C	-	-	UT OF WELD NOT FEASIBLE DUE
		B10.20		2	-	-	-	-	-	-	-	-	-	-	TO ATTENUATIVE PROPERTIES OF
				3	-	-	-	-	-	-	-	-	-	-	PUMP CASING MATERIAL.
				4	-	-	-	-	-	-	-	-	-	-	
149000	SUPPORT LUG NO. 2	B-K-1	PT	1	-	-	-	C	-	-	-	C	-	-	UT OF WELD NOT FEASIBLE DUE
		B10.20		2	-	-	-	-	-	-	-	-	-	-	TO ATTENUATIVE PROPERTIES OF
				3	-	-	-	-	-	-	-	-	-	-	PUMP CASING MATERIAL.
				4	-	-	-	-	-	-	-	-	-	-	
149100	SUPPORT LUG NO. 3	B-K-1	PT	1	-	-	-	-	-	-	-	C	-	-	UT OF WELD NOT FEASIBLE DUE
		B10.20		2	-	-	-	-	-	-	-	-	-	-	TO ATTENUATIVE PROPERTIES OF
				3	-	-	-	-	-	-	-	-	-	-	PUMP CASING MATERIAL.
				4	-	-	-	-	-	-	-	-	-	-	
	CIRCUMFERENTIAL WELDS														
149200	PUMP CASING WELD	B-L-1	RT	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION TO BE PERFORMED IN
		B12.10		2	-	-	-	-	-	-	-	-	-	-	ACCORDANCE WITH CC-N-481.
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT PUMP NO. 12

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	PUMP CASING (FIG NO A-86)														
149300	PUMP CASING INTERNAL SURFACE	B-L-2	VT-3	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION TO BE PERFORMED IN
		B12.20		2	-	-	-	-	-	-	-	-	-	-	ACCORDANCE WITH CC-N-481.
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
149310	PUMP FLANGE SURFACE	B-G-1	VT-1	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION TO BE PERFORMED IN
		B6.190		2	-	-	-	-	-	-	-	-	-	-	ACCORDANCE WITH CC-N-481.
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	PUMP FLYWHEEL														
149400	FLYWHEEL	--	UT	1	-	-	-	-	-	-	-	-	C	-	UT OF BORE & KEYWAYS.
	(IN PLACE)	RG1.14		2	C	-	-	-	-	-	-	C	-	-	
	CONT. L2			3	X	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**RC-FLYWHEEL-CS-31-DCC**
149500	FLYWHEEL	--	PT	1	-	-	-	-	-	C	-	-	-	-	PT OF THE BORE AND MT OF ALL
	(WHEN REMOVED)	RG1.14	MT	2	-	-	-	C	-	-	-	-	-	-	REMAINING ACCESSIBLE SURFACES.
	U. CONT.		UT	3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**RC-FLYWHEEL-CS-31-DCC**

REACTOR COOLANT PUMP NO. 13

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	PRESSURE RETAINING BOLTING (GREATER THAN 2") (FIG NO A-86)							
149600	PUMP BOLTS, 1 THROUGH 24	B-G-1	UT	1	C - -	- - - -	- - -	
		B6.180		2	P - -	- - - -	- - -	
				3	X - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378042 (PUMP STUD)**
149675	PUMP BOLTS	B-G-2	VT-1	1	- - -	- - - -	- - -	12 BOLTS TO BE EXAMINED WHEN
	LOWER SEAL HOUSING (2")	B7.60		2	- - -	- - - -	- - -	REMOVED.
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	SUPPORT COMPONENTS							
149700	SUPPORT LUG NO. 1	B-K-1	PT	1	C - -	- - - -	C - -	UT OF WELD NOT FEASIBLE DUE
		B10.20		2	- - -	- - - -	C - -	TO ATTENUATIVE PROPERTIES OF
	CONT. L3			3	- - -	- - - -	X - -	PUMP CASING MATERIAL.
				4	- - -	- - - -	- - -	
149800	SUPPORT LUG NO. 2	B-K-1	PT	1	- - -	- - - -	C - -	UT OF WELD NOT FEASIBLE DUE
		B10.20		2	- - -	- - - -	C - -	TO ATTENUATIVE PROPERTIES OF
	CONT. L3			3	- - -	- - - -	X - -	PUMP CASING MATERIAL.
				4	- - -	- - - -	- - -	
149900	SUPPORT LUG NO. 3	B-K-1	PT	1	- - -	- - - -	C - -	UT OF WELD NOT FEASIBLE DUE
		B10.20		2	- - -	- - - -	C - -	TO ATTENUATIVE PROPERTIES OF
	CONT. L3			3	- - -	- - - -	X - -	PUMP CASING MATERIAL.
				4	- - -	- - - -	- - -	
	CIRCUMFERENTIAL WELDS							
150000	PUMP CASING WELD	B-L-1	VT-1	1	- - -	- - - -	- - C	EXAMINATION TO BE PERFORMED IN
		B12.10		2	- - -	- - - -	C - -	ACCORDANCE WITH CC-N-481.
	CONT. L3			3	- - -	- - - -	X - -	
				4	- - -	- - - -	- - -	

REACTOR COOLANT PUMP NO. 13

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	PUMP CASING (FIG NO A-86)														
150100	PUMP CASING INTERNAL SURFACE	B-L-2	VT-3	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION TO BE PERFORMED IN
		B12.20		2	-	-	-	-	-	-	-	-	-	-	ACCORDANCE WITH CC-N-481.
				3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	
150110	PUMP FLANGE SURFACE	B-G-1	VT-1	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION TO BE PERFORMED IN
		B6.190		2	-	-	-	-	-	-	-	-	-	-	ACCORDANCE WITH CC-N-481.
	CONT. L3			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	
	PUMP FLYWHEEL (FIG NO A-86)														
150200	FLYWHEEL	--	UT	1	-	-	-	-	-	-	-	-	C	-	UT OF EXPOSED SURFACES.
	(IN PLACE)	RG1.14		2	-	-	-	C	-	-	-	C	-	-	
	CONT. L3			3	-	-	-	X	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**RC-FLYWHEEL-CS-31-DCC**
150300	FLYWHEEL	--	PT	1	-	-	-	-	-	C	-	-	-	-	PT OF THE BORE AND MT OF ALL
	(WHEN REMOVED)	RG1.14	MT	2	C	-	-	-	-	-	-	-	-	-	REMAINING ACCESSIBLE SURFACES.
			UT	3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**RC-FLYWHEEL-CS-31-DCC**

REACTOR COOLANT PUMP NO. 14

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	PRESSURE RETAINING BOLTING (GREATER THAN 2") (FIG NO A-86)														
150400	PUMP BOLTS, 1 THROUGH 24	B-G-1	UT	1	-	-	-	-	-	-	-	C	-	-	
		B6.180		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378042 (PUMP STUD)**
150475	PUMP BOLTS	B-G-2	VT-1	1	-	-	-	-	-	-	-	-	-	-	12 BOLTS TO BE EXAMINED WHEN
	LOWER SEAL HOUSING (2")	B7.60		2	-	-	-	-	-	-	-	-	-	-	REMOVED.
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SUPPORT COMPONENTS														
150500	SUPPORT LUG NO. 1	B-K-1	PT	1	-	-	-	-	-	-	-	C	-	-	UT OF WELD NOT FEASIBLE DUE
		B10.20		2	-	-	-	-	-	-	-	-	-	-	TO ATTENUATIVE PROPERTIES OF
				3	-	-	-	-	-	-	-	-	-	-	PUMP CASING MATERIAL.
				4	-	-	-	-	-	-	-	-	-	-	
150600	SUPPORT LUG NO. 2	B-K-1	PT	1	-	-	-	-	-	-	-	-	-	-	UT OF WELD NOT FEASIBLE DUE
		B10.20		2	-	-	-	-	-	-	-	-	-	-	TO ATTENUATIVE PROPERTIES OF
				3	-	-	-	-	-	-	-	-	-	-	PUMP CASING MATERIAL.
				4	-	-	-	-	-	-	-	-	-	-	
150700	SUPPORT LUG NO. 3	B-K-1	PT	1	-	-	-	-	-	-	-	C	-	-	UT OF WELD NOT FEASIBLE DUE
		B10.20		2	-	-	-	-	-	-	-	-	-	-	TO ATTENUATIVE PROPERTIES OF
				3	-	-	-	-	-	-	-	-	-	-	PUMP CASING MATERIAL.
				4	-	-	-	-	-	-	-	-	-	-	
	CIRCUMFERENTIAL WELDS														
150800	PUMP CASING WELD	B-L-1	VT-1	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION TO BE PERFORMED IN
		B12.10		2	-	-	-	-	-	-	-	-	-	-	ACCORDANCE WITH CC-N-481.
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL PLAN STATUS

REACTOR COOLANT PUMP NO. 14

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	PUMP CASING (FIG NO A-86)														
150900	PUMP CASING INTERNAL SURFACE	B-L-2	VT-3	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION TO BE PERFORMED IN
		B12.20		2	-	-	-	-	-	-	-	-	-	-	ACCORDANCE WITH CC-N-481.
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
150910	PUMP FLANGE SURFACE	B-G-1	VT-1	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION TO BE PERFORMED IN
		B6.190		2	-	-	-	-	-	-	-	-	-	-	ACCORDANCE WITH CC-N-481.
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	PUMP FLYWHEEL (FIG NO A-86)														
151000	FLYWHEEL	--	UT	1	-	-	-	-	-	C	-	-	-	-	
	(IN PLACE)	RG1.14		2	C	-	-	C	-	-	-	C	-	-	
	CONT. L4			3	X	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**RC-FLYWHEEL-CS-31-DCC**
151100	FLYWHEEL	--	PT	1	-	-	-	-	-	-	-	C	-	-	PT OF THE BORE AND MT OF ALL
	(WHEN REMOVED)	RG1.14	MT	2	-	-	-	-	C	-	-	-	-	-	REMAINING ACCESSIBLE SURFACES.
	U. CONT.		UT	3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**RC-FLYWHEEL-CS-31-DCC**

VALVE PRESSURE RETAINING BOLTING (2" AND LESS)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY / ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-7 (FIG NO A-23)														
224000	SV-45-C	B-G-2	VT-1	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE BOLTING	B7.70		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RC-8 (FIG NO A-24)														
224100	SV-45-B	B-G-2	VT-1	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE BOLTING	B7.70		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RC-9 (FIG NO A-25)														
224200	SV-45-A	B-G-2	VT-1	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE BOLTING	B7.70		2	-	-	-	C	-	-	-	-	-	-	
	PRESS. DH			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-21 (FIG NO A-47)														
224300	IMO-325	B-G-2	VT-1	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE BOLTING	B7.70		2	C	-	-	-	-	-	-	-	-	-	
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-27 (FIG NO A-52)														
224600	SI-158-L4	B-G-2	VT-1	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE BOLTING	B7.70		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L4			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-23 (FIG NO A-49)														
224700	SI-158-L3	B-G-2	VT-1	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE BOLTING	B7.70		2	-	-	-	-	-	-	-	-	-	-	
	CONT. L3			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

VALVE PRESSURE RETAINING BOLTING (2" AND LESS)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-25 (FIG NO A-50)														
224800	IMO-315	B-G-2	VT-1	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE BOLTING	B7.70		2	-	-	-	C	-	-	-	-	-	-	
	ANNULUS			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-26 (FIG NO A-51)														
224900	SI-158-L1	B-G-2	VT-1	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE BOLTING	B7.70		2	-	C	-	-	-	-	-	-	-	-	
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-22 (FIG NO A-48)														
225000	SI-158-L2	B-G-2	VT-1	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE BOLTING	B7.70		2	-	-	-	C	-	-	-	-	-	-	
	CONT. L2			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-29 (FIG NO A-53)														
225100	SI-170-L1	B-G-2	VT-1	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE BOLTING	B7.70		2	-	-	-	-	C	-	-	-	-	-	
	CONT. L1			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-30 (FIG NO A-54)														
225200	SI-166-L2	B-G-2	VT-1	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE BOLTING	B7.70		2	-	-	-	-	-	-	-	-	-	-	
	ANNULUS			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-31 (FIG NO A-54)														
225300	SI-170-L2	B-G-2	VT-1	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE BOLTING	B7.70		2	-	-	-	-	-	-	-	-	-	-	
	CONT. L2			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	

VALVE PRESSURE RETAINING BOLTING (2" AND LESS)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-32 (FIG NO A-55)														
225400	SI-166-L3	B-G-2	VT-1	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE BOLTING	B7.70		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-33 (FIG NO A-55)														
225500	SI-170-L3	B-G-2	VT-1	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE BOLTING	B7.70		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-34 (FIG NO A-56)														
225600	SI-166-L4	B-G-2	VT-1	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE BOLTING	B7.70		2	-	-	-	C	-	-	-	-	-	-	
	ANNULUS			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-35 (FIG NO A-56)														
225700	SI-170-L4	B-G-2	VT-1	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE BOLTING	B7.70		2	-	-	-	-	C	-	-	-	-	-	
	CONT. L4			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-68 (FIG NO A-53)														
225750	SI-161-L1	B-G-2	VT-1	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE BOLTING	B7.70		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L1			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
225800	SI-166-L1	B-G-2	VT-1	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE BOLTING	B7.70		2	-	-	-	-	-	-	-	-	-	-	
	ANNULUS			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

VALVE PRESSURE RETAINING BOLTING (2" AND LESS)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-69 (FIG NO A-54)														
225900	SI-161-L2	B-G-2	VT-1	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE BOLTING	B7.70		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-70 (FIG NO A-55)														
226000	SI-161-L3	B-G-2	VT-1	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE BOLTING	B7.70		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-71 (FIG NO A-56)														
226100	SI-161-L4	B-G-2	VT-1	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE BOLTING	B7.70		2	-	-	-	C	-	-	-	-	-	-	
	CONT. L4			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RH-27 (FIG NO A-79)														
226200	RH-133	B-G-2	VT-1	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE BOLTING	B7.70		2	-	-	-	-	C	-	-	-	-	-	
	ANNULUS			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RH-30 (FIG NO A-55)														
226300	RH-134	B-G-2	VT-1	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE BOLTING	B7.70		2	-	-	-	-	-	-	-	C	-	-	
	ANNULUS			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL — PLAN STATUS

ALOYCO SWING CHECK VALVES

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	OUTAGE	FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-26 (FIG NO A-51)														
231300	S1-158-L1	B-M-2	VT-3	1	-	-	-	-	C	-	-	-	-	-	ONE ALOYCO SWING CHECK VALVE
	VALVE BODY INTERNAL SURFACE	B12.50		2	-	-	-	-	-	-	-	-	-	-	TO BE EXAMINED BY I&M
				3	-	-	-	-	-	-	-	-	-	-	PERSONNEL DURING THE INTERVAL.
				4	-	-	-	-	-	-	-	-	-	-	THE CHOICE DEPENDS ON MAINTENANCE REQUIREMENTS.
	LINE 1-SI-27 (FIG NO A-52)														
231400	S1-158-L4	B-M-2	VT-3	1	-	-	-	-	C	-	-	-	-	-	
	VALVE BODY INTERNAL SURFACE	B12.50		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-23 (FIG NO A-49)														
231500	S1-158-L3	B-M-2	VT-3	1	-	-	-	-	C	-	-	-	-	-	
	VALVE BODY INTERNAL SURFACE	B12.50		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-22 (FIG NO A-48)														
231600	S1-158-L2	B-M-2	VT-3	1	-	-	-	-	C	-	-	-	-	-	
	VALVE BODY INTERNAL SURFACE	B12.50		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-68 (FIG NO A-53)														
231700	S1-161-L1	B-M-2	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	VALVE BODY INTERNAL SURFACE	B12.50		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

ALOYCO SWING CHECK VALVES

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-69 (FIG NO A-54)							
231800	S1-161-L2	B-M-2	VT-3	1	- - -	- - - -	- - -	
	VALVE BODY INTERNAL SURFACE	B12.50		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	LINE 1-SI-70 (FIG NO A-55)							
231900	S1-161-L3	B-M-2	VT-3	1	- - -	- - - -	- - -	
	VALVE BODY INTERNAL SURFACE	B12.50		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	LINE 1-SI-71 (FIG NO A-56)							
232000	S1-161-L4	B-M-2	VT-3	1	- - -	- - - -	- - -	
	VALVE BODY INTERNAL SURFACE	B12.50		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

DARLING SWING CHECK VALVES

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-30 (FIG NO A-55)														
232100	RH-133	B-M-2	VT-3	1	-	-	-	-	-	-	-	-	-	-	ONE EIGHT INCH DARLING SWING
	VALVE BODY INTERNAL SURFACE	B12.50		2	-	-	-	-	-	-	-	-	-	-	CHECK VALVE TO BE EXAMINED BY
	ANNULUS			3	-	-	-	X	-	-	-	-	-	-	I&M PERSONNEL DURING THE
				4	-	-	-	-	-	-	-	-	-	-	INTERVAL. THE CHOICE DEPENDS
															ON MAINTENANCE REQUIREMENTS.
232200	RH-134	B-M-2	VT-3	1	-	-	-	-	-	-	-	-	-	-	ONE EIGHT INCH DARLING SWING
	VALVE BODY INTERNAL SURFACE	B12.50		2	-	-	-	-	-	-	-	-	-	-	CHECK VALVE TO BE EXAMINED BY
	ANNULUS			3	-	-	-	-	-	-	-	-	-	-	I&M PERSONNEDL DURING THE
				4	-	-	-	-	-	-	-	-	-	-	INTERVAL. THE CHOICE DEPENDS
															ON MAINTENANCE REQUIREMENTS.
	LINE 1-SI-68 (FIG NO A-53)														
232300	SI-166-L1	B-M-2	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	VALVE BODY INTERNAL SURFACE	B12.50		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-30 (FIG NO A-54)														
232400	SI-166-L2	B-M-2	VT-3	1	-	-	-	-	-	-	-	-	-	-	ONE TEN INCH DARLING SWING
	VALVE BODY INTERNAL SURFACE	B12.50		2	C	-	-	-	-	-	-	-	-	-	CHECK VALVE TO BE EXAMINED BY
				3	-	-	-	X	-	-	-	-	-	-	I&M PERSONNEL DURING THE
				4	-	-	-	-	-	-	-	-	-	-	INTERVAL. THE CHOICE DEPENDS
															ON MAINTENANCE REQUIREMENTS.
	LINE 1-SI-32 (FIG NO A-55)														
233200	SI-166-L3	B-M-2	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	VALVE BODY INTERNAL SURFACE	B12.50		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL — PLAN STATUS

DARLING SWING CHECK VALVES

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-34 (FIG NO A-56)														
233300	SI-166-L4	B-M-2	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	VALVE BODY INTERNAL SURFACE	B12.50		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-29 (FIG NO A-53)														
233400	SI-170-L1	B-M-2	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	VALVE BODY INTERNAL SURFACE	B12.50		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-31 (FIG NO A-54)														
233500	SI-170-L2	B-M-2	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	VALVE BODY INTERNAL SURFACE	B12.50		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-33 (FIG NO A-55)														
233600	SI-170-L3	B-M-2	VT-3	1	-	-	-	-	-	-	-	-	C	-	
	VALVE BODY INTERNAL SURFACE	B12.50		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-35 (FIG NO A-56)														
233700	SI-170-L4	B-M-2	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	VALVE BODY INTERNAL SURFACE	B12.50		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

CROSBY SAFETY VALVES

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-7 (FIG NO A-23)														
234000	SV-45-C	B-M-2	VT-3	1	-	-	-	-	-	-	-	-	-	-	ONE CROSBY SAFETY VALVE TO BE
	VALVE BODY INTERNAL SURFACE	B12.50		2	-	-	-	-	-	-	-	-	-	-	EXAMINED BY I&M PERSONNEL
	PRESS. DH			3	-	-	-	-	-	-	-	-	X	-	DURING THE INTERVAL. THE
				4	-	-	-	-	-	-	-	-	-	-	CHOICE DEPENDS ON MAINTENANCE
															REQUIREMENTS.
	LINE 1-RC-8 (FIG NO A-24)														
234100	SV-45-B	B-M-2	VT-3	1	-	-	-	-	-	-	-	-	-	-	ONE CROSBY SAFETY VALVE TO BE
	VALVE BODY INTERNAL SURFACE	B12.50		2	-	-	-	-	-	-	-	-	-	-	EXAMINED BY I&M PERSONNEL
	PRESS. DH			3	-	-	-	-	-	-	-	-	-	-	DURING THE INTERVAL. THE
				4	-	-	-	-	-	-	-	-	-	-	CHOICE DEPENDS ON MAINTENANCE
															REQUIREMENTS.
	LINE 1-RC-9 (FIG NO A-25)														
234200	SV-45-A	B-M-2	VT-3	1	-	-	-	-	-	-	-	-	-	-	ONE CROSBY SAFETY VALVE TO BE
	VALVE BODY INTERNAL SURFACE	B12.50		2	-	-	-	-	-	-	-	-	-	-	EXAMINED BY I&M PERSONNED
	PRESS. DH			3	-	-	-	-	-	-	-	-	-	-	DURING THE INTERVAL. THE
				4	-	-	-	-	-	-	-	-	-	-	CHOICE DEPENDS ON MAINTENANCE
															REQUIREMENTS.

LUNKENHEIMER GATE VALVES

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-21 (FIG NO A-47)							
234300	IMO-325	B-M-2	VT-3	1	- - -	- - - -	- - -	ONE LUNKENHEIMER GATE VALVE TO
	VALVE BODY INTERNAL SURFACE	B12.50		2	- - -	- - - -	- - -	BE EXAMINED BY I&M PERSONNEL
	ANNULUS			3	- - -	- - - -	- X -	DURING THE INTERVAL. THE
				4	- - -	- - - -	- - -	CHOICE DEPENDS ON MAINTENANCE
								REQUIREMENTS.
	LINE 1-SI-25 (FIG NO A-50)							
234400	IMO-315	B-M-2	VT-3	1	- - -	- - - -	- - -	ONE LUNKENHEIMER GATE VALVE TO
	VALVE BODY INTERNAL SURFACE	B12.50		2	- - -	- - - -	- - -	BE EXAMINED BY I&M PERSONNEL
	ANNULUS			3	- - -	- - - -	- - -	DURING THE INTERVAL. THE
				4	- - -	- - - -	- - -	CHOICE DEPENDS ON MAINTENANCE
								REQUIREMENTS.

INSPECTION INTERVAL ______PLAN STATUS______

COPES VULCAN GLOBE VALVES

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-29 (FIG NO A-81)							
234500	IMO-128	B-M-2	VT-3	1	- - -	- - - -	- - C	ONE COPES VULCAN GLOBE VALVE
	VALVE BODY INTERNAL SURFACE	B12.50		2	- - -	- - - -	- - -	TO BE EXAMINED BY I&M
	CONT. L2			3	- - -	- - - -	- X -	PERSONNEL DURING THE INTERVAL.
				4	- - -	- - - -	- - -	THE CHOICE DEPENDS ON MAINTENANCE REQUIREMENTS.
	LINE 1-RH-28 (FIG NO A-80)							
234600	ICM-129	B-M-2	VT-3	1	- - -	- - - -	- - C	ONE COPES VULCAN GLOBE VALVE
	VALVE BODY INTERNAL SURFACE	B12.50		2	- - -	- - - -	- - -	TO BE EXAMINED BY I&M
	ANNULUS			3	- - -	- - - -	- - -	PERSONNEL DURING THE INTERVAL.
				4	- - -	- - - -	- - -	THE CHOICE DEPENDS ON MAINTENANCE REQUIREMENTS.

COOK NUCLEAR PLANT UNIT 1
INSERVICE INSPECTION LONG TERM PLAN
CLASS 2 ALL STATUS COMPONENTS

STEAM GENERATOR NO. 11

CIRCUMFERENTIAL WELDS (FIG NO B-1)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
300000	STM-11-04	C-A	UT	1	-	-	-	-	C	-	-	-	-	-	
	TUBE SHEET TO STUB BARREL	C1.30		2	C	-	-	-	-	-	-	-	C	-	
	CONT. L1			3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**PL-3.0-CS-22-DCC**
300010	STM-11-05	C-A	UT	1	-	-	-	-	C	-	-	-	-	-	
	STUB BARREL TO SHELL	C1.10		2	-	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**PL-3.0-CS-22-DCC**
300020	STM-11-06	C-A	SEE	1	-	-	-	-	-	-	-	-	-	-	NO EXAMINATION REQUIRED FOR
	SHELL TO SHELL	C1.10	INST	2	-	-	-	-	-	-	-	-	-	-	WELDS WITH IDENTICAL SHELL
				3	-	-	-	-	-	-	-	-	-	-	COURSE THICKNESSES AND WITH NO
				4	-	-	-	-	-	-	-	-	-	-	GROSS STRUCTURAL DISCONTINUITY. **PL-3.0-CS-22-DCC**
300030	STM-11-07	C-A	UT	1	-	-	-	-	-	-	-	-	-	-	
	SHELL TO TRANSITION CONE	C1.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**PL-3.0-CS-22-DCC**
300040	STM-11-08	C-A	UT	1	-	-	-	-	-	-	-	-	-	-	
	TRANSITION CONE TO SHELL	C1.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**PL-3.0-CS-22-DCC**
300050	STM-11-09	C-A	SEE	1	-	-	-	-	-	-	-	-	-	-	NO EXAMINATION REQUIRED FOR
	SHELL TO SHELL	C1.10	INST	2	-	-	-	-	-	-	-	-	-	-	WELDS WITH IDENTICAL SHELL
				3	-	-	-	-	-	-	-	-	-	-	COURSE THICKNESSES AND WITH NO
				4	-	-	-	-	-	-	-	-	-	-	GROSS STRUCTURAL DISCONTINUITY. **PL-3.0-CS-22-DCC**

STEAM GENERATOR NO. 11

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	CIRCUMFERENTIAL WELDS (FIG NO B-1)														
300060	STM-11-10	C-A	UT	1	-	-	-	-	-	-	-	-	-	-	
	SHELL TO HEAD	C1.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**CAL. BLK. TO BE DETERMINED**
	NOZZLE TO SHELL AND SHELL TO NOZZLE WELDS (FIG NO B-1)														
300070	STM-11-FWN	C-B	MT	1	-	-	-	-	-	-	-	-	-	-	
	NOZZLE TO SHELL	C2.21	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**PL-3.0-CS-22-DCC**
300080	STM-11-MSN	C-B	MT	1	-	-	-	-	C	-	-	-	-	-	
	SHELL TO NOZZLE	C2.21	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**PL-3.0-CS-22-DCC**
	NOZZLE INSIDE RADIUS SECTIONS (FIG NO B-1)														
300090	STM-11-FWN-IRS	C-B	UT	1	-	-	-	-	-	-	-	-	-	-	
	INSIDE RADIUS SECTION	C2.22		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**IR-CS-33-DCC**
300100	STM-11-MSN-IRS	C-B	UT	1	-	-	-	-	-	-	-	-	-	-	
	INSIDE RADIUS SECTION	C2.22		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**IR-CS-33-DCC**

STEAM GENERATOR NO. 12

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		INSPECTION INTERVAL / PLAN STATUS — FIRST PERIOD (OUTAGE) 1	2	3	SECOND PERIOD (OUTAGE) 1	2	3	4	THIRD PERIOD (OUTAGE) 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	CIRCUMFERENTIAL WELDS (FIG NO B-2)														
300110	STM-12-04	C-A	UT	1	-	-	-	-	-	-	-	-	-	-	
	TUBE SHEET TO STUB BARREL	C1.30		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**PL-3.0-CS-22-DCC**
300120	STM-12-05	C-A	UT	1	-	-	-	-	-	-	-	-	-	-	SUPPLEMENTAL 35 DEGREE ANGLE
	STUB BARREL TO SHELL	C1.10		2	-	-	-	-	C	-	-	-	-	-	BEAM EXAMINATION FOR
	CONT. L2			3	-	-	-	-	-	-	-	-	-	-	ADDITIONAL COVERAGE DUE TO
				4	-	-	-	-	-	-	-	-	-	-	RESTRICTED ACCESS.
															PL-3.0-CS-22-DCC
300130	STM-12-06	C-A	SEE	1	-	-	-	-	-	-	-	-	-	-	NO EXAMINATION REQUIRED FOR
	SHELL TO SHELL	C1.10	INST	2	-	-	-	-	-	-	-	-	-	-	WELDS WITH IDENTICAL SHELL
				3	-	-	-	-	-	-	-	-	-	-	COURSE THICKNESSES AND WITH NO
				4	-	-	-	-	-	-	-	-	-	-	GROSS STRUCTURAL
															DISCONTINUITY.
															PL-3.0-CS-22-DCC
300140	STM-12-07	C-A	UT	1	-	-	-	-	-	-	-	-	-	-	
	SHELL TO TRANSITION CONE	C1.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**PL-3.0-CS-22-DCC**
300150	STM-12-08	C-A	UT	1	-	-	-	-	-	-	-	-	-	-	
	TRANSITION CONE TO SHELL	C1.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**PL-3.0-CS-22-DCC**
300160	STM-12-09	C-A	SEE	1	-	-	-	-	-	-	-	-	-	-	NO EXAMINATION REQUIRED FOR
	SHELL TO SHELL	C1.10	INST	2	-	-	-	-	-	-	-	-	-	-	WELDS WITH IDENTICAL SHELL
				3	-	-	-	-	-	-	-	-	-	-	COURSE THICKNESSES AND WITH NO
				4	-	-	-	-	-	-	-	-	-	-	GROSS STRUCTURAL
															DISCONTINUITY.
															PL-3.0-CS-22-DCC

STEAM GENERATOR NO. 12

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	CIRCUMFERENTIAL WELDS (FIG NO B-2)														
300170	STM-12-10	C-A	UT	1	-	-	-	-	-	-	-	-	-	-	
	SHELL TO HEAD	C1.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**CAL. BLK. TO BE DETERMINED**
	NOZZLE TO SHELL AND SHELL TO NOZZLE WELDS (FIG NO B-2)														
300180	STM-12-FWN	C-B	MT	1	-	-	-	-	-	-	-	-	-	-	
	NOZZLE TO SHELL	C2.21	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**PL-3.0-CS-22-DCC**
300190	STM-12-MSN	C-B	MT	1	-	-	-	-	-	-	-	-	-	-	
	SHELL TO NOZZLE	C2.21	UT	2	-	-	-	-	-	-	-	C	-	-	
	CONT. L2			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**PL-3.0-CS-22-DCC**
	NOZZLE INSIDE RADIUS SECTIONS (FIG NO B-2)														
300200	STM-12-FWN-IRS	C-B	UT	1	-	-	-	-	-	-	-	-	-	-	
	INSIDE RADIUS SECTION	C2.22		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**IR-CS-33-DCC**
300210	STM-12-MSN-IRS	C-B	UT	1	-	-	-	-	-	-	-	-	-	-	
	INSIDE RADIUS SECTION	C2.22		2	-	-	-	-	C	-	-	-	-	-	
	CONT. L2			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**IR-CS-33-DCC**

STEAM GENERATOR NO. 13

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	CIRCUMFERENTIAL WELDS (FIG NO B-3)														
300220	STM-13-04	C-A	UT	1	-	-	-	-	-	-	-	-	-	-	
	TUBE SHEET TO STUB BARREL	C1.30		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**PL-3.0-CS-22-DCC**
300230	STM-13-05	C-A	UT	1	-	-	-	-	-	-	-	-	-	-	
	STUB BARREL TO SHELL	C1.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**PL-3.0-CS-22-DCC**
300240	STM-13-06	C-A	SEE	1	-	-	-	-	-	-	-	-	-	-	NO EXAMINATION REQUIRED FOR
	SHELL TO SHELL	C1.10	INST	2	-	-	-	-	-	-	-	-	-	-	WELDS WITH IDENTICAL SHELL
				3	-	-	-	-	-	-	-	-	-	-	COURSE THICKNESSES AND WITH NO
				4	-	-	-	-	-	-	-	-	-	-	GROSS STRUCTURAL DISCONTINUITY. **PL-3.0-CS-22-DCC**
300250	STM-13-07	C-A	UT	1	-	-	-	-	-	-	-	-	-	-	
	SHELL TO TRANSITION CONE	C1.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**PL-3.0-CS-22-DCC**
300260	STM-13-08	C-A	UT	1	-	-	-	-	-	-	-	C	-	-	SUPPLEMENTAL 35 DEGREE ANGLE
	TRANSITION CONE TO SHELL	C1.10		2	-	-	-	-	C	-	-	-	-	-	BEAM EXAMINATION FOR
	CONT. L3			3	-	-	-	-	X	-	-	-	-	-	ADDITIONAL COVERAGE DUE TO
				4	-	-	-	-	-	-	-	-	-	-	RESTRICTED ACCESS. **PL-3.0-CS-22-DCC**
300270	STM-13-09	C-A	SEE	1	-	-	-	-	-	-	-	-	-	-	NO EXAMINATION REQUIRED FOR
	SHELL TO SHELL	C1.10	INST	2	-	-	-	-	-	-	-	-	-	-	WELDS WITH IDENTICAL SHELL
				3	-	-	-	-	-	-	-	-	-	-	COURSE THICKNESSES AND WITH NO
				4	-	-	-	-	-	-	-	-	-	-	GROSS STRUCTURAL DISCONTINUITY. **PL-3.0-CS-22-DCC**

STEAM GENERATOR NO. 13

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD 1 2 3	SECOND PERIOD 1 2 3 4	THIRD PERIOD 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	CIRCUMFERENTIAL WELDS (FIG NO B-3)							
300280	STM-13-10	C-A	UT	1	- - -	- - - -	- - -	
	SHELL TO HEAD	C1.20		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**CAL. BLK. TO BE DETERMINED**
	NOZZLE TO SHELL AND SHELL TO NOZZLE WELDS (FIG NO B-3)							
300290	STM-13-FWN	C-B	MT	1	- - -	- - - -	- - -	
	NOZZLE TO SHELL	C2.21	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**PL-3.0-CS-22-DCC**
300300	STM-13-MSN	C-B	MT	1	- - -	- - - -	- - -	
	SHELL TO NOZZLE	C2.21	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**PL-3.0-CS-22-DCC**
	NOZZLE INSIDE RADIUS SECTIONS (FIG NO B-3)							
300310	STM-13-FWN-IRS	C-B	UT	1	- - -	- - - -	- - -	
	INSIDE RADIUS SECTION	C2.22		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**IR-CS-33-DCC**
300320	STM-13-MSN-IRS	C-B	UT	1	- - -	- - - -	- - -	
	INSIDE RADIUS SECTION	C2.22		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**IR-CS-33-DCC**

STEAM GENERATOR NO. 14

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	OUTAGE	FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	CIRCUMFERENTIAL WELDS (FIG NO B-4)														
300330	STM-14-04	C-A	UT	1	-	-	-	-	-	-	-	-	-	-	
	TUBE SHEET TO STUB BARREL	C1.30		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**PL-3.0-CS-22-DCC**
300340	STM-14-05	C-A	UT	1	-	-	-	-	-	-	-	-	-	-	
	STUB BARREL TO SHELL	C1.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**PL-3.0-CS-22-DCC**
300350	STM-14-06	C-A	SEE	1	-	-	-	-	-	-	-	-	-	-	NO EXAMINATION REQUIRED FOR
	SHELL TO SHELL	C1.10	INST	2	-	-	-	-	-	-	-	-	-	-	WELDS WITH IDENTICAL SHELL
				3	-	-	-	-	-	-	-	-	-	-	COURSE THICKNESSES AND WITH NO
				4	-	-	-	-	-	-	-	-	-	-	GROSS STRUCTURAL DISCONTINUITY. **PL-3.0-CS-22-DCC**
300360	STM-14-07	C-A	UT	1	-	-	-	-	-	-	-	-	-	-	
	SHELL TO TRANSITION CONE	C1.10		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L4			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**PL-3.0-CS-22-DCC**
300370	STM-14-08	C-A	UT	1	-	-	-	-	-	-	-	-	-	-	
	TRANSITION CONE TO SHELL	C1.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**PL-3.0-CS-22-DCC**
300380	STM-14-09	C-A	SEE	1	-	-	-	-	-	-	-	-	-	-	NO EXAMINATION REQUIRED FOR
	SHELL TO SHELL	C1.10	INST	2	-	-	-	-	-	-	-	-	-	-	WELDS WITH IDENTICAL SHELL
				3	-	-	-	-	-	-	-	-	-	-	COURSE THICKNESSES AND WITH NO
				4	-	-	-	-	-	-	-	-	-	-	GROSS STRUCTURAL DISCONTINUITY. **PL-3.0-CS-22-DCC**

STEAM GENERATOR NO. 14

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL OUTAGE	FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	CIRCUMFERENTIAL WELDS (FIG NO B-4)														
300390	STM-14-10	C-A	UT	1	-	-	-	-	-	-	-	-	-	-	
	SHELL TO HEAD	C1.20		2	-	-	-	-	-	-	-	-	C	-	
	CONT. L4			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**CAL. BLK. TO BE DETERMINED**
	NOZZLE TO SHELL AND SHELL TO NOZZLE WELDS (FIG NO B-4)														
300400	STM-14-FWN	C-B	MT	1	-	-	-	-	-	-	-	-	-	-	
	NOZZLE TO SHELL	C2.21	UT	2	-	P	-	-	-	-	-	C	-	-	
	CONT. L4			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**PL-3.0-CS-22-DCC**
300410	STM-14-MSN	C-B	MT	1	-	-	-	-	-	-	-	-	-	-	
	SHELL TO NOZZLE	C2.21	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**PL-3.0-CS-22-DCC**
	NOZZLE INSIDE RADIUS SECTIONS (FIG NO B-4)														
300420	STM-14-FWN-IRS	C-B	UT	1	-	-	-	-	-	-	-	-	-	-	
	INSIDE RADIUS SECTION	C2.22		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**IR-CS-33-DCC**
300430	STM-14-MSN-IRS	C-B	UT	1	-	-	-	-	-	-	-	-	-	-	
	INSIDE RADIUS SECTION	C2.22		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**IR-CS-33-DCC**

REGENERATIVE HEAT EXCHANGER

CIRCUMFERENTIAL WELDS (FIG NO B-5)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		INSPECTION INTERVAL PLAN STATUS: FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
300440	RHE-1-01	C-A	UT	1	-	-	-	-	-	-	-	-	-	-	
	CAP TO SHELL	C1.20		2	-	-	-	C	-	-	-	-	-	-	
	REGEN HXRM			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**9.625-CCSS-X-1.0-2-DCC**
300450	RHE-1-05	C-A	UT	1	-	-	-	-	-	-	-	-	-	-	
	SHELL TO TUBE SHEET	C1.30		2	-	-	-	C	-	-	-	-	-	-	
	REGEN HXRM			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**9.625-CCSS-X-1.0-2-DCC**
300460	RHE-1-06	C-A	UT	1	-	-	-	-	-	-	-	-	-	-	
	TUBE SHEET TO SHELL	C1.30		2	-	-	-	C	-	-	-	-	-	-	
	REGEN HXRM			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**9.625-CCSS-X-1.0-2-DCC**
300470	RHE-1-08	C-A	UT	1	-	-	-	-	-	-	-	-	-	-	
	SHELL TO CAP	C1.20		2	-	-	-	C	-	-	-	-	-	-	
	REGEN HXRM			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**9.625-CCSS-X-1.0-2-DCC**
300480	RHE-1-13	C-A	UT	1	-	-	-	-	-	-	-	-	-	-	
	CAP TO SHELL	C1.20		2	-	-	-	-	C	-	-	-	-	-	
	REGEN HXRM			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**9.625-CCSS-X-1.0-2-DCC**
300490	RHE-1-16	C-A	UT	1	-	-	-	-	-	-	-	-	-	-	
	SHELL TO TUBE SHEET	C1.30		2	-	-	-	-	C	-	-	-	-	-	
	REGEN HXRM			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**9.625-CCSS-X-1.0-2-DCC**
300500	RHE-1-17	C-A	UT	1	-	-	-	-	C	-	-	-	-	-	
	TUBE SHEET TO SHELL	C1.30		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**9.625-CCSS-X-1.0-2-DCC**

REGENERATIVE HEAT EXCHANGER

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	CIRCUMFERENTIAL WELDS (FIG NO B-5)														
300510	RHE-1-20	C-A	UT	1	-	-	-	-	-	-	-	-	-	-	
	SHELL TO CAP	C1.20		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**9.625-CCSS-X-1.0-2-DCC**
300520	RHE-1-26	C-A	UT	1	-	-	-	-	-	-	-	-	-	-	
	CAP TO SHELL	C1.20		2	-	-	-	-	-	-	-	C	-	-	
	REGEN HXRM			3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**9.625-CCSS-X-1.0-2-DCC**
300530	RHE-1-28	C-A	UT	1	-	C	-	-	-	-	-	C	-	-	
	TUBE SHEET TO SHELL	C1.30		2	-	-	-	-	-	-	-	C	-	-	
	REGEN HXRM			3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**9.625-CCSS-X-1.0-2-DCC**
300540	RHE-1-29	C-A	UT	1	-	-	-	-	-	-	-	-	-	-	
	SHELL TO TUBE SHEET	C1.30		2	-	-	-	-	-	-	-	C	-	-	
	REGEN HXRM			3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**9.625-CCSS-X-1.0-2-DCC**
300550	RHE-1-32	C-A	UT	1	-	C	-	-	-	-	-	-	C	-	
	SHELL TO CAP	C1.20		2	-	-	-	-	-	-	-	C	-	-	
	REGEN HXRM			3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**9.625-CCSS-X-1.0-2-DCC**

INSPECTION INTERVAL PLAN STATUS

CHEMICAL AND VOLUME CONTROL TANK

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	CIRCUMFERENTIAL WELDS (FIG NO B-6)														
300680	1-CVCT-1	C-A	UT	1	-	-	-	-	-	-	-	C	-	-	
	UPPER HEAD TO SHELL	C1.20		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**PL-.312-SS-23R-DCC**
300690	1-CVCT-2	C-A	UT	1	-	-	-	-	-	-	-	-	-	-	
	SHELL TO LOWER HEAD	C1.20		2	-	-	-	C	-	-	-	-	-	-	
	VCT RM			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**PL-.312-SS-23R-DCC**
	INTEGRALLY WELDED VESSEL SUPPORTS (FIG NO B-6)														
300700	1-CVCT-2VS-1, 2, & 3	C-C	PT	1	-	-	-	-	-	-	-	C	-	-	
		C3.10		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
300710	1-CVCT-2VS-4, 5, & 6	C-C	PT	1	-	-	-	-	-	-	-	C	-	-	
		C3.10		2	-	-	-	C	-	-	-	-	-	-	
	VCT RM			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
300720	1-CVCT-2VS-7, 8, & 9	C-C	PT	1	-	-	-	-	-	-	-	-	-	-	
		C3.10		2	-	-	-	-	C	-	-	-	-	-	
	VCT RM			3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
300730	1-CVCT-2VS-10, 11, & 12	C-C	PT	1	-	-	-	-	-	-	-	-	-	-	
		C3.10		2	-	-	-	-	-	-	-	C	-	-	
	VCT RM			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

CTS HEAT EXCHANGER EAST

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	CIRCUMFERENTIAL WELDS (FIG NO B-7)														
300731	E-CTSHEX-1	C-A	UT	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION FROM THE TUBESHEET
	TUBE SHEET TO SHELL	C1.30		2	C	-	-	C	-	-	-	-	-	-	SIDE TO BE PERFORMED IN THE
	E CTS HXRM			3	X	-	-	-	-	-	-	-	-	-	SECOND PERIOD.
				4	-	-	-	-	-	-	-	-	-	-	**SS-27-DCC/CS-37-DCC**
300732	E-CTSHEX-2	C-A	UT	1	-	-	-	-	-	-	-	-	-	-	
	SHELL TO FLANGE	C1.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**PL-1.000-SS-27-DCC**
	NOZZLE TO SHELL AND SHELL TO NOZZLE WELDS (FIG NO B-7)														
300733	E-CTSHEX-IN	C-B	PT	1	-	-	-	-	-	-	-	-	-	-	
	NOZZLE TO SHELL	C2.11		2	-	-	-	-	C	-	-	-	-	-	
	E CTS HXRM			3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
300734	E-CTSHEX-OUT	C-B	PT	1	-	-	-	-	-	-	-	-	-	-	
	SHELL TO NOZZLE	C2.11		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL — PLAN STATUS

CTS HEAT EXCHANGER WEST

CIRCUMFERENTIAL WELDS (FIG NO B-8)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
300739	W-CTSHEX-1	C-A	UT	1	-	-	-	-	-	-	-	-	-	-	
	TUBE SHEET TO SHELL	C1.30		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**SS-27-DCC/CS-37-DCC**
300740	W-CTSHEX-2	C-A	UT	1	-	-	-	-	-	-	-	-	-	-	
	SHELL TO FLANGE	C1.10		2	-	-	-	C	-	-	-	-	-	-	
	W CTS HXRM			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**PL-1.000-SS-27-DCC**

NOZZLE TO SHELL AND SHELL TO NOZZLE WELDS (FIG NO B-8)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
300741	W-CTSHEX-IN	C-B	PT	1	-	-	-	-	-	-	-	-	-	-	
	NOZZLE TO SHELL	C2.11		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
300742	W-CTSHEX-OUT	C-B	PT	1	-	-	-	-	-	-	-	-	-	-	
	SHELL TO NOZZLE	C2.11		2	-	-	-	-	-	-	-	-	X	-	
	W CTS HXRM			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	

RHR HEAT EXCHANGER EAST

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD 1 2 3	SECOND PERIOD 1 2 3 4	THIRD PERIOD 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	CIRCUMFERENTIAL WELDS (FIG NO B-9)							
300749	E-RHRHEX-1	C-A	UT	1	- - -	- - - -	- - C	
	FLANGE TO SHELL	C1.10		2	C - -	- - - -	- - -	
				3	X - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**PL-SS-1.0-27-DCC**
300750	E-RHRHEX-2	C-A	UT	1	- - -	- - - -	- - -	
	SHELL TO HEAD	C1.20		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**PL-SS-1.0-27-DCC**
	NOZZLE TO SHELL AND SHELL TO NOZZLE WELDS (FIG NO B-9)							
300760	E-RHRHEX-IN	C-B	PT	1	- - -	- - - -	- - -	
	NOZZLE TO SHELL	C2.21	UT	2	C - -	- - - -	- - -	
				3	X - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**PL-SS-1.0-27-DCC**
300770	E-RHRHEX-OUT	C-B	PT	1	- - -	- - - -	- - -	
	SHELL TO NOZZLE	C2.21	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**PL-SS-1.0-27-DCC**
	NOZZLE INSIDE RADIUS SECTIONS (FIG NO B-9)							
300780	E-RHRHEX-IN-IRS	C-B	UT	1	- - -	- - - -	- - -	UT NOT FEASIBLE DUE TO
	INSIDE RADIUS SECTION	C2.22		2	- - -	- - - -	- - -	CONFIGURATION. RELIEF
				3	- - -	- - - -	- - -	REQUESTED.
				4	- - -	- - - -	- - -	
300790	E-RHRHEX-OUT-IRS	C-B	UT	1	- - -	- - - -	- - -	UT NOT FEASIBLE DUE TO
	INSIDE RADIUS SECTION	C2.22		2	- - -	- - - -	- - -	CONFIGURATION. RELIEF
				3	- - -	- - - -	- - -	REQUESTED.
				4	- - -	- - - -	- - -	

RHR HEAT EXCHANGER EAST

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	INTEGRALLY WELDED VESSEL SUPPORTS (FIG NO B-9)														
300800	E-RHRHEX-1VS	C-C	PT	1	-	-	-	-	-	-	-	-	-	-	
	VESSEL SUPPORT	C3.10		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
300810	E-RHRHEX-2VS	C-C	PT	1	-	-	-	-	-	-	-	-	-	-	
	VESSEL SUPPORT	C3.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL PLAN STATUS

RHR HEAT EXCHANGER WEST

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	OUTAGE	FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	CIRCUMFERENTIAL WELDS (FIG NO B-10)														
300820	W-RHRHEX-1	C-A	UT	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE TO SHELL	C1.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**PL-SS-1.0-27-DCC**
300830	W-RHRHEX-2	C-A	UT	1	-	-	-	-	-	-	-	-	-	-	
	SHELL TO HEAD	C1.20		2	-	-	-	-	-	-	-	C	-	-	
	W RHR HXRM			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**PL-SS-1.0-27-DCC**
	NOZZLE TO SHELL AND SHELL TO NOZZLE WELDS (FIG NO B-10)														
300840	W-RHRHEX-IN	C-B	PT	1	-	-	-	-	-	-	-	-	-	-	
	NOZZLE TO SHELL	C2.21	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**PL-SS-1.0-27-DCC**
300850	W-RHRHEX-OUT	C-B	PT	1	-	-	-	-	-	-	-	-	-	-	
	SHELL TO NOZZLE	C2.21	UT	2	-	-	-	C	-	-	-	-	-	-	
	W RHR HXRM			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**PL-SS-1.0-27-DCC**
	NOZZLE INSIDE RADIUS SECTIONS (FIG NO B-10)														
300853	W-RHRHEX-IN-IRS	C-B	UT	1	-	-	-	-	-	-	-	-	-	-	UT NOT FEASIBLE DUE TO
	INSIDE RADIUS SECTION	C2.22		2	-	-	-	-	-	-	-	-	-	-	CONFIGURATION. RELIEF
				3	-	-	-	-	-	-	-	-	-	-	REQUESTED.
				4	-	-	-	-	-	-	-	-	-	-	
300857	W-RHRHEX-OUT-IRS	C-B	UT	1	-	-	-	-	-	-	-	-	-	-	UT NOT FEASIBLE DUE TO
	INSIDE RADIUS SECTION	C2.22		2	-	-	-	-	-	-	-	-	-	-	CONFIGURATION. RELIEF
				3	-	-	-	-	-	-	-	-	-	-	REQUESTED.
				4	-	-	-	-	-	-	-	-	-	-	

RHR HEAT EXCHANGER WEST

INSPECTION INTERVAL — PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	INTEGRALLY WELDED VESSEL SUPPORTS (FIG NO B-10)														
300860	W-RHRHEX-1VS	C-C	PT	1	-	-	-	-	-	-	-	-	-	-	
	VESSEL SUPPORT	C3.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
300870	W-RHRHEX-2VS	C-C	PT	1	-	-	-	-	-	-	-	-	-	-	
	VESSEL SUPPORT	C3.10		2	-	-	-	C	-	-	-	-	-	-	
	W RHR HXRM			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

BOROON INJECTION TANK

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL OUTAGE	FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	CIRCUMFERENTIAL WELDS (FIG NO B-11)														
300880	1-BIT-A	C-A	UT	1	-	-	-	-	-	-	-	-	-	-	
	SHELL TO LOWER HEAD	C1.20		2	-	-	-	C	-	-	-	-	-	-	
	BIT RM			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**TO BE DETERMINED**
300890	1-BIT-B	C-A	UT	1	-	-	-	-	-	-	-	-	-	-	
	SHELL TO UPPER HEAD	C1.20		2	-	-	-	-	C	-	-	-	-	-	
	BIT RM			3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**PL-3.0-CSCL-4-DCC**
	NOZZLE TO SHELL AND SHELL TO NOZZLE WELDS (FIG NO B-11)														
300900	1-BIT-INS	C-B	MT	1	-	-	-	-	-	-	-	-	-	-	NO EXAMINATION REQUIRED PER
	INLET NOZZLE TO SHELL	C2.21	UT	2	-	-	-	-	-	-	-	-	-	-	TABLE IWC-2500, CATEGORY C-B,
				3	-	-	-	-	-	-	-	-	-	-	NOTE 2.
				4	-	-	-	-	-	-	-	-	-	-	
300910	1-BIT-ONS	C-B	MT	1	-	-	-	-	-	-	-	-	-	-	NO EXAMINATION REQUIRED PER
	OUTLET NOZZLE TO SHELL	C2.21	UT	2	-	-	-	-	-	-	-	-	-	-	TABLE IWC-2500, CATEGORY C-B,
				3	-	-	-	-	-	-	-	-	-	-	NOTE 2.
				4	-	-	-	-	-	-	-	-	-	-	
	NOZZLE INSIDE RADIUS SECTIONS (FIG NO B-11)														
300913	1-BIT-INS-IRS	C-B	UT	1	-	-	-	-	-	-	-	-	-	-	NO EXAMINATION REQUIRED PER
	INSIDE RADIUS SECTION	C2.22		2	-	-	-	-	-	-	-	-	-	-	FIGURE IWC-2500-4.
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
300917	1-BIT-ONS-IRS	C-B	UT	1	-	-	-	-	-	-	-	-	-	-	NO EXAMINATION REQUIRED PER
	INSIDE RADIUS SECTION	C2.22		2	-	-	-	-	-	-	-	-	-	-	FIGURE IWC-2500-4.
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

BOROWN INJECTION TANK

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD (OUTAGE 1 2 3)	SECOND PERIOD (OUTAGE 1 2 3 4)	THIRD PERIOD (OUTAGE 1 2 3)	INSTRUCTIONS **CALIBRATION BLOCK**
	INTEGRALLY WELDED VESSEL SUPPORTS (FIG NO B-11)							
300920	1-BIT-VS-1	C-C	MT	1	- - -	- - - -	- C -	
		C3.10		2	C - -	- - - -	- - -	
				3	X - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
300930	1-BIT-VS-2	C-C	MT	1	- - -	- - - -	- - -	
		C3.10		2	- - -	C - - -	- - -	
	BIT RM			3	- - -	X - - -	- - -	
				4	- - -	- - - -	- - -	
300940	1-BIT-VS-3	C-C	MT	1	- - -	- - - -	- - -	
		C3.10		2	- - -	- - - -	C - -	
	BIT RM			3	- - -	- - - -	X - -	
				4	- - -	- - - -	- - -	
300950	1-BIT-VS-4	C-C	MT	1	- - -	- - - -	- - -	
		C3.10		2	- - -	- - - -	- - -	
	BIT RM			3	- - -	- - - -	- X -	
				4	- - -	- - - -	- - -	

COOK NUCLEAR PLANT UNIT 1
INSERVICE INSPECTION LONG TERM PLAN
CLASS 2 ALL STATUS COMPONENTS

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-2 (FIG NO B-12)														
300960	1-SI-2-01F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION TO BE PERFORMED IN
	VALVE TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	ACCORDANCE WITH CC-N-524.
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**18-SS-40-.562-32-DCC**
300965	1-SI-2-02S-LU	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION TO BE PERFORMED IN
	PIPE LONGITUDINAL WELD	C5.12	UT	2	-	-	-	-	C	-	-	-	-	-	ACCORDANCE WITH CC-N-524.
	VESTIBULE			3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**18-SS-40-.562-32-DCC**
300970	1-SI-2-02S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	C	-	-	-	-	-	
	VESTIBULE			3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**18-SS-40-.562-32-DCC**
300971	1-SI-2-02S-LDI	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION TO BE PERFORMED IN
	PIPE LONGITUDINAL WELD	C5.12	UT	2	-	-	-	-	C	-	-	-	-	-	ACCORDANCE WITH CC-N-524.
	VESTIBULE			3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**18-SS-40-.562-32-DCC**
300972	1-SI-2-02S-LDO	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION TO BE PERFORMED IN
	PIPE LONGITUDINAL WELD	C5.12	UT	2	-	-	-	-	C	-	-	-	-	-	ACCORDANCE WITH CC-N-524.
	VESTIBULE			3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**18-SS-40-.562-32-DCC**
300980	1-SI-2-03S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**18-SS-40-.562-32-DCC**
300990	1-SI-2-04S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**18-SS-40-.562-32-DCC**

EMERGENCY CORE COOLING SYSTEM

INSPECTION INTERVAL — PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-2 (FIG NO B-12)														
301000	1-SI-2-05S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO TEE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**18-SS-40-.562-32-DCC**
301010	1-SI-2-06S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO REDUCER	C5.11	UT	2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**18-SS-40-.562-32-DCC**
301020	1-SI-2-07F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
301030	1-SI-2-08S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
301040	1-SI-2-09S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE.TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
301050	1-SI-2-10S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
301070	1-SI-2-11S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-2 (FIG NO B-12)														
301080	1-SI-2-12F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
301090	1-SI-2-13S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
301100	1-SI-2-14S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
	W RHR PPRM			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
301110	1-SI-2-15S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
301140	1-SI-2-16F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO VALVE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
301150	1-SI-2-17F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
301160	1-SI-2-18S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	C	-	-	-	-	-	-	
	W RHR PPRM			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		INSPECTION INTERVAL / PLAN STATUS: FIRST PERIOD (OUTAGE 1)	(2)	(3)	SECOND PERIOD (OUTAGE 1)	(2)	(3)	(4)	THIRD PERIOD (OUTAGE 1)	(2)	(3)	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-2 (FIG NO B-12)														
301170	1-SI-2-19S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
301180	1-SI-2-20S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
301210	1-SI-2-21F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
301220	1-SI-2-22F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO TEE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
301230	1-SI-2-23S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO FLANGE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
301260	1-SI-2-24F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
301270	1-SI-2-25S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PUMP	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	OUTAGE	FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-2 (FIG NO B-12)														
301280	1-SI-2-26F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	REDUCER TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**12-SS-40-.406-29-DCC**
301290	1-SI-2-27S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**12-SS-40-.406-29-DCC**
301300	1-SI-2-28S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**12-SS-40-.406-29-DCC**
301310	1-SI-2-29F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**12-SS-40-.406-29-DCC**
301320	1-SI-2-30S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**12-SS-40-.406-29-DCC**
301350	1-SI-2-31S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	C	-	-	
	W CTS PPRM			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**12-SS-40-.406-29-DCC**
301360	1-SI-2-32S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**12-SS-40-.406-29-DCC**

INSPECTION INTERVAL — PLAN STATUS

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-2 (FIG NO B-12)							
301370	1-SI-2-32S-PS	C-C	PT	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	PIPE SUPPORT	C3.20		2	- - -	- - - -	- - -	SUPPORT THICKNESS 0.322".
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
301390	1-SI-2-33F	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO VALVE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**12-SS-40-.406-29-DCC**
301400	1-SI-2-34F	C-F-1	PT	1	- - -	- - - -	- - -	
	VALVE TO ELBOW	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**12-SS-40-.406-29-DCC**
301410	1-SI-2-35S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**12-SS-40-.406-29-DCC**
301420	1-SI-2-36S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO TEE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**12-SS-40-.406-29-DCC**
301450	1-SI-2-37F	C-F-1	PT	1	- - -	- - - -	- - -	
	VALVE TO TEE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**12-SS-40-.406-29-DCC**
301460	1-SI-2-38F	C-F-1	PT	1	- - -	- - - -	- - -	
	VALVE TO VALVE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**12-SS-40-.406-29-DCC**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-2 (FIG NO B-12)														
301470	1-SI-2-39S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	C	
	TEE TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**12-SS-40-.406-29-DCC**
301480	1-SI-2-40F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**12-SS-40-.406-29-DCC**
301490	1-SI-2-41F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**12-SS-40-.406-29-DCC**
301500	1-SI-2-42S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PUMP	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**12-SS-40-.406-29-DCC**
	LINE 1-SI-3 (FIG NO B-13)														
301520	1-SI-3-01F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**18-SS-40-.562-32-DCC**
301530	1-SI-3-02S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**18-SS-40-.562-32-DCC**
301540	1-SI-3-03S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**18-SS-40-.562-32-DCC**

EMERGENCY CORE COOLING SYSTEM

INSPECTION INTERVAL — PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	OUTAGE	FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-3 (FIG NO B-13)														
301545	1-SI-3-04S-LU	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION TO BE PERFORMED IN
	PIPE LONGITUDINAL WELD	C5.12	UT	2	-	-	-	-	C	-	-	-	-	-	ACCORDANCE WITH CC-N-524.
	VESTIBULE			3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**18-SS-40-.562-32-DCC**
301550	1-SI-3-04S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	C	-	-	-	-	-	
	VESTIBULE			3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**18-SS-40-.562-32-DCC**
301551	1-SI-3-04S-LDI	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION TO BE PERFORMED IN
	PIPE LONGITUDINAL WELD	C5.12	UT	2	-	-	-	-	C	-	-	-	-	-	ACCORDANCE WITH CC-N-524.
	VESTIBULE			3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**18-SS-40-.562-32-DCC**
301552	1-SI-3-04S-LDO	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION TO BE PERFORMED IN
	PIPE LONGITUDINAL WELD	C5.12	UT	2	-	-	-	-	C	-	-	-	-	-	ACCORDANCE WITH CC-N-524.
	VESTIBULE			3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**18-SS-40-.562-32-DCC**
301560	1-SI-3-05S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO TEE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**18-SS-40-.562-32-DCC**
301570	1-SI-3-06S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO REDUCER	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**18-SS-40-.562-32-DCC**
301580	1-SI-3-07F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**12-SS-40-.406-29-DCC**

EMERGENCY CORE COOLING SYSTEM

INSPECTION INTERVAL — PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-3 (FIG NO 8-13)														
301590	1-SI-3-08S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**12-SS-40-.406-29-DCC**
301600	1-SI-3-09S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	C	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**12-SS-40-.406-29-DCC**
301610	1-SI-3-10S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**12-SS-40-.406-29-DCC**
301670	1-SI-3-11S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**12-SS-40-.406-29-DCC**
301680	1-SI-3-12F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**12-SS-40-.406-29-DCC**
301690	1-SI-3-13S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**12-SS-40-.406-29-DCC**
301720	1-SI-3-14S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**12-SS-40-.406-29-DCC**

EMERGENCY CORE COOLING SYSTEM

INSPECTION INTERVAL — PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-3 (FIG NO B-13)							
301730	1-SI-3-15S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**12-SS-40-.406-29-DCC**
301760	1-SI-3-16F	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO VALVE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**12-SS-40-.406-29-DCC**
301770	1-SI-3-17F	C-F-1	PT	1	- - -	- - - -	- - -	
	VALVE TO ELBOW	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**12-SS-40-.406-29-DCC**
301780	1-SI-3-18S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**12-SS-40-.406-29-DCC**
301790	1-SI-3-19S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO TEE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**12-SS-40-.406-29-DCC**
301820	1-SI-3-20F	C-F-1	PT	1	- - -	- - - -	- - -	
	VALVE TO TEE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**12-SS-40-.406-29-DCC**
301830	1-SI-3-21F	C-F-1	PT	1	- - -	- - - -	- - -	
	VALVE TO VALVE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**12-SS-40-.406-29-DCC**

EMERGENCY CORE COOLING SYSTEM

INSPECTION INTERVAL — PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-3 (FIG NO B-13)														
301840	1-SI-3-22S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**12-SS-40-.406-29-DCC**
301850	1-SI-3-23F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**12-SS-40-.406-29-DCC**
301860	1-SI-3-25F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PUMP	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**12-SS-40-.406-29-DCC**
301870	1-SI-3-26S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	REDUCER TO ELBOW	C5.11	UT	2	-	-	-	C	-	-	-	-	-	-	
	VESTIBULE			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
301890	1-SI-3-28F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
301930	1-SI-3-29F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
301960	1-SI-3-30S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-3 (FIG NO B-13)							
301970	1-SI-3-31S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.11	UT	2	C - -	- - - -	- - -	
				3	X - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-SS-40-.438-30-DCC**
302000	1-SI-3-32F	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO VALVE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-SS-40-.438-30-DCC**
302010	1-SI-3-33F	C-F-1	PT	1	- - -	- - - -	- - -	
	VALVE TO ELBOW	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-SS-40-.438-30-DCC**
302020	1-SI-3-34S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-SS-40-.438-30-DCC**
302030	1-SI-3-35S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO TEE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-SS-40-.438-30-DCC**
302060	1-SI-3-36S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO TEE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-SS-40-.438-30-DCC**
302070	1-SI-3-37S	C-F-1	PT	1	- - -	- - - -	- - -	
	VALVE TO PIPE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-SS-40-.438-30-DCC**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-3 (FIG NO B-13)														
302080	1-SI-3-38F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO TEE	C5.11	UT	2	-	-	-	-	-	-	-	C	-	-	
	W CTS PPRM			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
302090	1-SI-3-39S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO FLANGE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
302100	1-SI-3-40S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
302120	1-SI-3-41F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PUMP	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
	LINE 1-SI-4 (FIG NO B-14)														
302130	1-SI-4-01F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	C	
	PENETRATION TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
302140	1-SI-4-02S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
302150	1-SI-4-03S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-4 (FIG NO B-14)														
302160	1-SI-4-04F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
302170	1-SI-4-05S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
302180	1-SI-4-05S-PL 1 THROUGH 4	C-C	PT	1	-	-	-	-	-	-	-	-	-	-	BASE MATERIAL 1.5".
	PIPE LUG	C3.20		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
302190	1-SI-4-06S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
302210	1-SI-4-07F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO TEE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**12-SS-40-.406-29-DCC**
302220	1-SI-4-08F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO VALVE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
	VESTIBULE			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**12-SS-40-.406-29-DCC**
302230	1-SI-4-09S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-4 (FIG NO B-14)														
302240	1-SI-4-10S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
302250	1-SI-4-11F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	C	-	-	-	-	-	-	
	VESTIBULE			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
302270	1-SI-4-12S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
302280	1-SI-4-13F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
302290	1-SI-4-14S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	C	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
302300	1-SI-4-15S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	C	-	-	
	VESTIBULE			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
302310	1-SI-4-16F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-4 (FIG NO B-14)														
302320	1-SI-4-17F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
302330	1-SI-4-18F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
302340	1-SI-4-19S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
302350	1-SI-4-20S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	C	-	-	
	VESTIBULE			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
302360	1-SI-4-21F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	C	-	-	-	-	-	-	-	-	
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
302370	1-SI-4-22S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
302380	1-SI-4-23F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	C	
	PIPE TO VALVE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-20 (FIG NO B-15)														
302390	1-SI-20-01F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PENETRATION TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
302400	1-SI-20-02F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO VALVE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
302410	1-SI-20-03F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
302420	1-SI-20-04S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
302430	1-SI-20-05S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
302440	1-SI-20-06F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
302450	1-SI-20-06F-HL 1 AND 2	C-C	PT	1	-	-	-	-	-	-	-	-	-	-	
	HANGER LUG	C3.20		2	-	-	-	C	-	-	-	-	-	-	
	U. CONT.			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-20 (FIG NO B-15)														
302480	1-SI-20-07S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
302490	1-SI-20-08F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
302510	1-SI-20-09F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
	LINE 1-SI-21 (FIG NO B-16)														
302520	1-SI-21-01S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
302530	1-SI-21-02S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	C	-	-	
	ANNULUS			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
302540	1-SI-21-03F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
302550	1-SI-21-04S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**

EMERGENCY CORE COOLING SYSTEM

LINE 1-SI-21 (FIG NO B-16)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
302560	1-SI-21-05F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
302570	1-SI-21-06F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
302580	1-SI-21-07F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
302590	1-SI-21-08S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
302600	1-SI-21-09S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	C	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
302610	1-SI-21-10F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
302620	1-SI-21-11S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY / ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-21 (FIG NO B-16)														
302630	1-SI-21-12S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
302640	1-SI-21-13S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	C	-	
	ANNULUS			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
302645	1-SI-21-13S-HL 1 THROUGH 4	C-C	PT	1	-	-	-	-	-	-	-	-	-	-	BASE MATERIAL 1.0".
	HANGER LUG	C3.20		2	-	-	-	-	C	-	-	-	-	-	
	ANNULUS			3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
302650	1-SI-21-14S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
302660	1-SI-21-15F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
302670	1-SI-21-16S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
302675	1-SI-21-16S-HL 1 THROUGH 4	C-C	PT	1	-	-	-	-	-	-	-	-	-	-	
	HANGER LUG	C3.20		2	-	-	-	-	-	-	-	C	-	-	
	ANNULUS			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	OUTAGE	FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-21 (FIG NO B-16)														
302680	1-SI-21-17S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
302690	1-SI-21-18S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
302700	1-SI-21-19F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO VALVE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
302710	1-SI-21-20S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
302720	1-SI-21-21S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
302730	1-SI-21-22F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO VALVE	C5.11	UT	2	-	-	-	-	-	-	-	C	-	-	
	ANNULUS			3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
	LINE 1-SI-24 (FIG NO B-17)														
302740	1-SI-24-01F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PENETRATION TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**

EMERGENCY CORE COOLING SYSTEM

LINE 1-SI-24 (FIG NO B-17)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
302750	1-SI-24-02F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
302760	1-SI-24-03F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO VALVE	C5.11	UT	2	-	-	-	-	-	-	-	C	-	-	
	U. CONT.			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
302770	1-SI-24-04F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
302780	1-SI-24-05S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
302820	1-SI-24-06F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	C5.11	UT	2	-	C	-	-	-	-	-	-	-	-	
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
302830	1-SI-24-07F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
302840	1-SI-24-08S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	C	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-24 (FIG NO B-17)														
302850	1-SI-24-09S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
302860	1-SI-24-10F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
	LINE 1-SI-25 (FIG NO B-18)														
302870	1-SI-25-01F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	C	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
302890	1-SI-25-02S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
302900	1-SI-25-03S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	C	-	-	-	-	-	
	ANNULUS			3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
302920	1-SI-25-04F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
302930	1-SI-25-05S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-25 (FIG NO B-18)							
302950	1-SI-25-06S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378029 (8-SS-140-.81)**
302960	1-SI-25-07F	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378029 (8-SS-140-.81)**
302980	1-SI-25-08S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO PIPE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378029 (8-SS-140-.81)**
302990	1-SI-25-09S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO PIPE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378029 (8-SS-140-.81)**
303000	1-SI-25-10S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO PIPE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378029 (8-SS-140-.81)**
303010	1-SI-25-11S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO PIPE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378029 (8-SS-140-.81)**
303030	1-SI-25-12S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO PIPE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378029 (8-SS-140-.81)**

EMERGENCY CORE COOLING SYSTEM

LINE 1-SI-25 (FIG NO B-18)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
303040	1-SI-25-13S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
303050	1-SI-25-14F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
303070	1-SI-25-15F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
303090	1-SI-25-16S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
303100	1-SI-25-17S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
303110	1-SI-25-18F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	C	-	-	
	ANNULUS			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
303120	1-SI-25-19S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-25 (FIG NO B-18)														
303130	1-SI-25-20S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
303140	1-SI-25-21S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO TEE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
303150	1-SI-25-22S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
303160	1-SI-25-22S-HL 1 THROUGH 4	C-C	PT	1	-	-	-	-	-	-	-	-	-	-	
	HANGER LUG	C3.20		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
303180	1-SI-25-23F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
303190	1-SI-25-24F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO VALVE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
	LINE 1-SI-28 (FIG NO B-19)														
303200	1-SI-28-01F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	NOZZLE TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-28 (FIG NO B-19)														
303210	1-SI-28-02S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
303220	1-SI-28-03S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	C	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
303230	1-SI-28-04S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
303240	1-SI-28-05S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
303250	1-SI-28-06S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
303280	1-SI-28-07S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
303290	1-SI-28-08F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO VALVE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD (OUTAGE 1 2 3)	SECOND PERIOD (OUTAGE 1 2 3 4)	THIRD PERIOD (OUTAGE 1 2 3)	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-28 (FIG NO B-19)							
303300	1-SI-28-09F	C-F-1	PT	1	- - -	- - - -	- - -	
	VALVE TO ELBOW	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378030 (10-SS-140-1.0)**
303310	1-SI-28-10F	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO VALVE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378030 (10-SS-140-1.0)**
	LINE 1-SI-30 (FIG NO B-20)							
303320	1-SI-30-01F	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	NOZZLE TO PIPE	--	INST	2	- - -	C - - -	- - -	PIPE THICKNESS LESS THAN
	ANNULUS			3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
303330	1-SI-30-02S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
303340	1-SI-30-03S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
303350	1-SI-30-04S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
303360	1-SI-30-05S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-30 (FIG NO B-20)														
303370	1-SI-30-06F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
303400	1-SI-30-07F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO VALVE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
303410	1-SI-30-08F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
303420	1-SI-30-09S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
303430	1-SI-30-10F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO VALVE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
	LINE 1-SI-32 (FIG NO B-21)														
303440	1-SI-32-01F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	NOZZLE TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
303450	1-SI-32-02S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	C	-	-	PIPE THICKNESS LESS THAN
	ANNULUS			3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-32 (FIG NO B-21)							
303460	1-SI-32-03S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
303470	1-SI-32-04S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
303480	1-SI-32-05S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
303490	1-SI-32-06S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	PIPE TO PIPE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
303500	1-SI-32-07F	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
303530	1-SI-32-08S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
303560	1-SI-32-09F	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	PIPE TO VALVE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	

EMERGENCY CORE COOLING SYSTEM

INSPECTION INTERVAL — PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	OUTAGE	FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-32 (FIG NO B-21)														
303570	1-SI-32-10F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
303580	1-SI-32-11F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO VALVE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378030 (10-SS-140-1.0)**
	LINE 1-SI-34 (FIG NO B-22)														
303590	1-SI-34-01F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	NOZZLE TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
303600	1-SI-34-02S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
303610	1-SI-34-03S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	C	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
303620	1-SI-34-04S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
303630	1-SI-34-05F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-34 (FIG NO B-22)							
303640	1-SI-34-06F	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	PIPE TO PIPE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
303650	1-SI-34-07S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
303680	1-SI-34-08F	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	ELBOW TO VALVE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
303690	1-SI-34-09F	C-F-1	PT	1	- - -	- - - -	- - -	
	VALVE TO PIPE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378030 (10-SS-140-1.0)**
303700	1-SI-34-10S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378030 (10-SS-140-1.0)**
303710	1-SI-34-11F	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO VALVE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- X -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378030 (10-SS-140-1.0)**
	LINE 1-SI-68 (FIG NO B-23)							
303720	1-SI-68-01F	C-F-1	PT	1	- - -	- - - -	- - -	
	REDUCER TO ELBOW	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378028 (6-SS-160-.71)**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-68 (FIG NO B-23)														
303730	1-SI-68-02S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
303740	1-SI-68-03S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
303750	1-SI-68-04S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
303760	1-SI-68-05S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
303790	1-SI-68-06S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
303800	1-SI-68-07S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	C	-	-	-	-	-	-	-	-	
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
303810	1-SI-68-08S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-68 (FIG NO B-23)														
303820	1-SI-68-09S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
303830	1-SI-68-10F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	C	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
303840	1-SI-68-11F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO FLANGE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
303850	1-SI-68-12F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
303860	1-SI-68-13F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
303870	1-SI-68-14S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
303880	1-SI-68-15F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	C	-	
	CONT. L1			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-68 (FIG NO B-23)														
303890	1-SI-68-16S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
303910	1-SI-68-17F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
303920	1-SI-68-18S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
303930	1-SI-68-19S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
303940	1-SI-68-20S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
303950	1-SI-68-21S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
303970	1-SI-68-22F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	C5.11	UT	2	-	-	-	-	-	-	-	C	-	-	
	CONT. L1			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-69 (FIG NO B-24)														
303980	1-SI-69-01F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
304000	1-SI-69-02F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
304010	1-SI-69-03S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
304020	1-SI-69-04S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	C	-	-	
	ANNULUS			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
304030	1-SI-69-05S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
304040	1-SI-69-06S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
304050	1-SI-69-07S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-69 (FIG NO B-24)														
304060	1-SI-69-08F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
304070	1-SI-69-09F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO FLANGE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
304080	1-SI-69-10F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
304090	1-SI-69-11F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
304100	1-SI-69-12S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
304110	1-SI-69-13F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
304120	1-SI-69-14F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**

EMERGENCY CORE COOLING SYSTEM

INSPECTION INTERVAL / PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	OUTAGE	FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-69 (FIG NO B-24)														
304140	1-SI-69-15F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
304150	1-SI-69-16S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
304180	1-SI-69-17F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	C	
	PIPE TO VALVE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
	LINE 1-SI-70 (FIG NO B-25)														
304190	1-SI-70-01F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
304200	1-SI-70-02S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
304205	1-SI-70-02S-PL 1 THROUGH 4	C-C	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE LUG	C3.20		2	-	-	-	-	-	-	-	-	-	-	
	ANNULUS			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
304210	1-SI-70-03S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-70 (FIG NO B-25)														
304220	1-SI-70-04S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	C	-	-	
	ANNULUS			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
304230	1-SI-70-05S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
304240	1-SI-70-06S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO REDUCER	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
304250	1-SI-70-07S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	REDUCER TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
304260	1-SI-70-08S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
304270	1-SI-70-09S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
304280	1-SI-70-10S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**

EMERGENCY CORE COOLING SYSTEM

INSPECTION INTERVAL — PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-70 (FIG NO B-25)							
304290	1-SI-70-11F	C-F-1	PT	1	- - -	- - - -	- - C	
	ELBOW TO PIPE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- X - -	- - -	
				4	- - -	- - - -	- - -	**3378028 (6-SS-160-.71)**
304300	1-SI-70-12F	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO FLANGE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378028 (6-SS-160-.71)**
304310	1-SI-70-13F	C-F-1	PT	1	- - -	- - - -	- - -	
	FLANGE TO PIPE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378028 (6-SS-160-.71)**
304320	1-SI-70-14F	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378028 (6-SS-160-.71)**
304330	1-SI-70-15S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378028 (6-SS-160-.71)**
304340	1-SI-70-16F	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378028 (6-SS-160-.71)**
304350	1-SI-70-17S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378028 (6-SS-160-.71)**

EMERGENCY CORE COOLING SYSTEM

INSPECTION INTERVAL — PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	OUTAGE	FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-70 (FIG NO B-25)														
304370	1-SI-70-18F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	C	-	-	
	CONT. L3			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
304380	1-SI-70-19S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
304400	1-SI-70-20F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
	LINE 1-SI-71 (FIG NO B-26)														
304410	1-SI-71-01S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO ELBOW	C5.11	UT	2	-	-	-	-	C	-	-	-	-	-	
	ANNULUS			3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
304420	1-SI-71-02S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
304430	1-SI-71-02S-HL 1 THROUGH 4	C-C	PT	1	-	-	-	-	-	-	-	-	-	-	
	HANGER LUG	C3.20		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
304440	1-SI-71-03S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-71 (FIG NO B-26)														
304450	1-SI-71-04F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO VALVE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
304460	1-SI-71-05F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	C	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
304470	1-SI-71-06S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
	ANNULUS			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
304490	1-SI-71-07S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
304500	1-SI-71-08S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO REDUCER	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
304510	1-SI-71-10S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO REDUCER	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
304520	1-SI-71-11S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	REDUCER TO PIPE	C5.11	UT	2	-	-	-	C	-	-	-	-	-	-	
	ANNULUS			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-71 (FIG NO B-26)							
304540	1-SI-71-12F	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378028 (6-SS-160-.71)**
304550	1-SI-71-13S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378028 (6-SS-160-.71)**
304560	1-SI-71-14S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378028 (6-SS-160-.71)**
304570	1-SI-71-15S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378028 (6-SS-160-.71)**
304580	1-SI-71-16S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378028 (6-SS-160-.71)**
304590	1-SI-71-17S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO ELBOW	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378028 (6-SS-160-.71)**
304600	1-SI-71-18F	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378028 (6-SS-160-.71)**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-71 (FIG NO B-26)							
304610	1-SI-71-19F	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO FLANGE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378028 (6-SS-160-.71)**
304620	1-SI-71-20F	C-F-1	PT	1	- - -	- - - -	- - -	
	FLANGE TO PIPE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378028 (6-SS-160-.71)**
304630	1-SI-71-21F	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378028 (6-SS-160-.71)**
304640	1-SI-71-22S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378028 (6-SS-160-.71)**
304650	1-SI-71-23F	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378028 (6-SS-160-.71)**
304660	1-SI-71-24S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378028 (6-SS-160-.71)**
304680	1-SI-71-25F	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378028 (6-SS-160-.71)**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD 1	2	3	SECOND PERIOD (OUTAGE) 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-71 (FIG NO B-26)														
304690	1-SI-71-26S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
304710	1-SI-71-27F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	C	
	PIPE TO VALVE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
	LINE 1-RH-1 (FIG NO B-27)														
304720	1-RH-1-01F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PUMP TO VALVE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
304730	1-RH-1-02F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	VALVE TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
304740	1-RH-1-03S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	C	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
	E RHR PPRM			3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
304770	1-RH-1-04S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO VALVE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
304780	1-RH-1-05S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	VALVE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-1 (FIG NO B-27)							
304790	1-RH-1-06S	C-F-1	SEE	1	- - -	- - - -	- - C	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
304820	1-RH-1-07S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
304830	1-RH-1-08S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	ELBOW TO ELBOW	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
304840	1-RH-1-09F	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
304860	1-RH-1-10S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
304870	1-RH-1-11S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	- - -	- - - -	C - -	PIPE THICKNESS LESS THAN
	E RHR PPRM			3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
304880	1-RH-1-12S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-1 (FIG NO B-27)														
304890	1-RH-1-13S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
304910	1-RH-1-14S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	C	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
	E RHR PPRM			3	-	-	-	X	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
304920	1-RH-1-15F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
304940	1-RH-1-16F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
304945	1-RH-1-16F-PS	C-C	PT	1	-	-	-	-	-	-	-	-	-	-	BASE MATERIAL 1.0".
	PIPE SUPPORT	C3.20		2	-	-	-	-	-	-	-	C	-	-	
	E CHG PPRM			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
304950	1-RH-1-17S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
304960	1-RH-1-18S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

INSPECTION INTERVAL — PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-1 (FIG NO B-27)														
304970	1-RH-1-19S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
304980	1-RH-1-20S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO TEE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
304990	1-RH-1-21F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	TEE TO VALVE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
305000	1-RH-1-22F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	TEE TO VALVE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
305010	1-RH-1-23F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	VALVE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
305020	1-RH-1-24S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
305030	1-RH-1-25S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	

DATE: 11/15/95
REVISION: 0

COOK NUCLEAR PLANT UNIT 1
INSERVICE INSPECTION LONG TERM PLAN
CLASS 2 ALL STATUS COMPONENTS

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-1 (FIG NO B-27)														
305040	1-RH-1-26S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
305050	1-RH-1-27S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
305060	1-RH-1-28S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO REDUCER	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
305070	1-RH-1-29S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	REDUCER TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
305080	1-RH-1-30F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO NOZZLE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
	LINE 1-RH-2 (FIG NO B-28)														
305090	1-RH-2-01F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PUMP TO VALVE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
305100	1-RH-2-02F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	C	EXAMINATION NOT REQUIRED.
	VALVE TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

INSPECTION INTERVAL — PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-2 (FIG NO B-28)														
305110	1-RH-2-03S PIPE TO ELBOW	C-F-1 --	SEE INST	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED. PIPE THICKNESS LESS THAN .375".
				2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
305120	1-RH-2-04F ELBOW TO VALVE	C-F-1 --	SEE INST	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED. PIPE THICKNESS LESS THAN .375".
				2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
305130	1-RH-2-05F VALVE TO ELBOW	C-F-1 --	SEE INST	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED. PIPE THICKNESS LESS THAN .375".
				2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
305140	1-RH-2-06S ELBOW TO PIPE	C-F-1 --	SEE INST	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED. PIPE THICKNESS LESS THAN .375".
				2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
305170	1-RH-2-07S PIPE TO ELBOW W RHR PPRM	C-F-1 --	SEE INST	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED. PIPE THICKNESS LESS THAN .375".
				2	-	-	-	-	-	-	-	C	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
305180	1-RH-2-08F ELBOW TO PIPE	C-F-1 --	SEE INST	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED. PIPE THICKNESS LESS THAN .375".
				2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
305200	1-RH-2-09S PIPE TO ELBOW	C-F-1 --	SEE INST	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED. PIPE THICKNESS LESS THAN .375".
				2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

INSPECTION INTERVAL — PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-2 (FIG NO B-28)														
305210	1-RH-2-10S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	C	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
305220	1-RH-2-11S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
305230	1-RH-2-12S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
305250	1-RH-2-13F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
305260	1-RH-2-14S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
305270	1-RH-2-15F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
305275	1-RH-2-15F-PS	C-C	PT	1	-	-	-	-	-	-	-	-	-	-	BASE MATERIAL 1.0".
	PIPE SUPPORT	C3.20		2	-	-	-	-	-	-	-	C	-	-	
	W CHG PPRM			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS: FIRST PERIOD (OUTAGE 1 2 3)	SECOND PERIOD (OUTAGE 1 2 3 4)	THIRD PERIOD (OUTAGE 1 2 3)	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-2 (FIG NO 8-28)							
305280	1-RH-2-16S PIPE TO ELBOW	C-F-1 --	SEE INST	1 2 3 4	- - - - - - - - - - - -	- - - - - - - - - - - - - - - -	- - - - - - - - - - - -	EXAMINATION NOT REQUIRED. PIPE THICKNESS LESS THAN .375".
305290	1-RH-2-17S ELBOW TO PIPE	C-F-1 --	SEE INST	1 2 3 4	- - - - - - - - - - - -	- - - - - - - - - - - - - - - -	- - - - - - - - - - - -	EXAMINATION NOT REQUIRED. PIPE THICKNESS LESS THAN .375".
305300	1-RH-2-18S PIPE TO ELBOW	C-F-1 --	SEE INST	1 2 3 4	- - - - - - - - - - - -	- - - - - - - - - - - - - - - -	- - - - - - - - - - - -	EXAMINATION NOT REQUIRED. PIPE THICKNESS LESS THAN .375".
305310	1-RH-2-19S ELBOW TO TEE W RHR HXRM	C-F-1 --	SEE INST	1 2 3 4	- - - - - - - - - - - -	- - - - - - - - - - - - - - - -	- - - - - - - - - - - -	EXAMINATION NOT REQUIRED. PIPE THICKNESS LESS THAN .375".
305320	1-RH-2-20F TEE TO VALVE	C-F-1 --	SEE INST	1 2 3 4	- - - - - - - - - - - -	- - - - - - - - - - - - - - - -	- - - - - - - - - - - -	EXAMINATION NOT REQUIRED. PIPE THICKNESS LESS THAN .375".
305330	1-RH-2-21F TEE TO VALVE	C-F-1 --	SEE INST	1 2 3 4	- - - - - - - - - - - -	- - - - - - - - - - - - - - - -	- - - - - - - - - - - -	EXAMINATION NOT REQUIRED. PIPE THICKNESS LESS THAN .375".
305340	1-RH-2-22F VALVE TO PIPE	C-F-1 --	SEE INST	1 2 3 4	- - - - - - - - - - - -	- - - - - - - - - - - - - - - -	- - - - - - - - - - - -	EXAMINATION NOT REQUIRED. PIPE THICKNESS LESS THAN .375".

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-2 (FIG NO B-28)														
305350	1-RH-2-23S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
305360	1-RH-2-24S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
305370	1-RH-2-25S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO REDUCER	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
305380	1-RH-2-26S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	REDUCER TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
305390	1-RH-2-27F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO NOZZLE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
	LINE 1-RH-3 (FIG NO B-29)														
305400	1-RH-3-01F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	VALVE TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
305410	1-RH-3-02S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-3 (FIG NO B-29)														
305420	1-RH-3-03S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO TEE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
305430	1-RH-3-04F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	TEE TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
	E RHR HXRM			3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
305440	1-RH-3-05S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
305450	1-RH-3-06S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
305460	1-RH-3-07S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	C	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
305470	1-RH-3-08F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	C	EXAMINATION NOT REQUIRED.
	ELBOW TO VALVE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
305480	1-RH-3-09S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	TEE TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-3 (FIG NO B-29)														
305490	1-RH-3-10F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO VALVE	--	INST	2	-	C	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
305500	1-RH-3-11F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	VALVE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
305510	1-RH-3-12S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO VALVE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
305520	1-RH-3-13S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	C	EXAMINATION NOT REQUIRED.
	VALVE TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
305530	1-RH-3-14S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	C	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
	E RHR HXRM			3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
305540	1-RH-3-15S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
305550	1-RH-3-16S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO REDUCER	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

				INSPECTION INTERVAL	PLAN STATUS										
		ASME			FIRST PERIOD			SECOND PERIOD				THIRD PERIOD			
		SEC. XI			OUTAGE										
SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	CATGY ITEM NO	NDE METH		1	2	3	1	2	3	4	1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-3 (FIG NO B-29)														
305560	1-RH-3-17S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	REDUCER TO TEE	C5.11	UT	2	-	-	-	-	C	-	-	-	-	-	
	E RHR HXRM			3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**12-SS-40-.406-29-DCC**
305570	1-RH-3-18F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	TEE TO VALVE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
305580	1-RH-3-19S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO TEE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**12-SS-40-.406-29-DCC**
305590	1-RH-3-20S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**12-SS-40-.406-29-DCC**
305600	1-RH-3-21S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	TEE TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
	E RHR HXRM			3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
305610	1-RH-3-22S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	C	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
305620	1-RH-3-23F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-3 (FIG NO B-29)							
305630	1-RH-3-24S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
305640	1-RH-3-25S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	ELBOW TO VALVE	--	INST	2	C - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
	LINE 1-RH-4 (FIG NO B-30)							
305650	1-RH-4-01F	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**12-SS-40-.406-29-DCC**
305660	1-RH-4-02S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO TEE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**12-SS-40-.406-29-DCC**
305670	1-RH-4-03F	C-F-1	PT	1	- - -	- - - -	- - -	
	TEE TO ELBOW	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**12-SS-40-.406-29-DCC**
305680	1-RH-4-04S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**12-SS-40-.406-29-DCC**
305690	1-RH-4-05S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**12-SS-40-.406-29-DCC**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-4 (FIG NO B-30)							
305700	1-RH-4-06F	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**12-SS-40-.406-29-DCC**
305710	1-RH-4-07S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**12-SS-40-.406-29-DCC**
305720	1-RH-4-08S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.11	UT	2	- C -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**12-SS-40-.406-29-DCC**
305750	1-RH-4-09F	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**12-SS-40-.406-29-DCC**
305760	1-RH-4-10S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.11	UT	2	- - -	- - - -	C - -	
	VESTIBULE			3	- - -	- - - -	X - -	
				4	- - -	- - - -	- - -	**12-SS-40-.406-29-DCC**
305780	1-RH-4-11S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**12-SS-40-.406-29-DCC**
305790	1-RH-4-12F	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**12-SS-40-.406-29-DCC**

5

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-4 (FIG NO B-30)														
305820	1-RH-4-13S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	C	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**12-SS-40-.406-29-DCC**
305830	1-RH-4-14S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	C	-	-	-	-	-	
	VESTIBULE			3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**12-SS-40-.406-29-DCC**
305840	1-RH-4-15F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO REDUCER	C5.11	UT	2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**12-SS-40-.406-29-DCC**
305850	1-RH-4-16S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	REDUCER TO PENETRATION	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**12-SS-40-.406-29-DCC**
	LINE 1-RH-5 (FIG NO B-31)														
305860	1-RH-5-01F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	NOZZLE TO REDUCER	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
305870	1-RH-5-02S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	REDUCER TO PIPE	--	INST	2	-	-	-	-	-	-	-	C	-	-	PIPE THICKNESS LESS THAN
	W RHR HXRM			3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
305880	1-RH-5-03S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO TEE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-5 (FIG NO B-31)														
305890	1-RH-5-04S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	TEE TO PIPE	--	INST	2	-	-	-	C	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
	W RHR HXRH			3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
305900	1-RH-5-05S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
305910	1-RH-5-06S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
305920	1-RH-5-07S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	C	EXAMINATION NOT REQUIRED.
	PIPE TO TEE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
305930	1-RH-5-08S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	TEE TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
305940	1-RH-5-09S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO VALVE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
305950	1-RH-5-10F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	TEE TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD (OUTAGE 1 2 3)	SECOND PERIOD (OUTAGE 1 2 3 4)	THIRD PERIOD (OUTAGE 1 2 3)	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-5 (FIG NO B-31)							
305970	1-RH-5-11S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
305980	1-RH-5-12S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
306010	1-RH-5-13S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
306020	1-RH-5-14S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
306030	1-RH-5-15S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
306040	1-RH-5-16F	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
306060	1-RH-5-17F	C-F-1	SEE	1	- - -	- - - -	- - C	EXAMINATION NOT REQUIRED.
	PIPE TO VALVE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-5 (FIG NO B-31)														
306070	1-RH-5-18F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	PIPE SCHEDULE CHANGE.
	VALVE TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
				3	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				4	-	-	-	-	-	-	-	-	-	-	.375".
306080	1-RH-5-19S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
306090	1-RH-5-20S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO ELBOW	--	INST	2	-	-	-	-	-	-	-	C	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
306100	1-RH-5-21S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
306110	1-RH-5-22F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
306120	1-RH-5-23S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
306150	1-RH-5-24S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-5 (FIG NO B-31)														
306160	1-RH-5-25S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
306170	1-RH-5-26F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
306180	1-RH-5-27S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
306190	1-RH-5-27S-A	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
306220	1-RH-5-28S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
306230	1-RH-5-29F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
306250	1-RH-5-30S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-5 (FIG NO B-31)														
306260	1-RH-5-31F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
306270	1-RH-5-32S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
306280	1-RH-5-33F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
306290	1-RH-5-34F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO PENETRATION	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
	VESTIBULE			3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RH-6 (FIG NO B-32)														
306300	1-RH-6-01F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	HEAT EXCHANGER TO REDUCER	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
306310	1-RH-6-02S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	REDUCER TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
306320	1-RH-6-03S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-6 (FIG NO B-32)														
306330	1-RH-6-04S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
306340	1-RH-6-05F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO TEE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
306350	1-RH-6-06F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	TEE TO PIPE	--	INST	2	-	C	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
306360	1-RH-6-07S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO TEE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
306370	1-RH-6-08S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	TEE TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
306380	1-RH-6-09S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
306390	1-RH-6-10S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-6 (FIG NO B-32)														
306400	1-RH-6-11S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO TEE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
306410	1-RH-6-12S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	TEE TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
306420	1-RH-6-13S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO VALVE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
306430	1-RH-6-14F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	C	EXAMINATION NOT REQUIRED.
	TEE TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
306460	1-RH-6-15S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	C	-	-	PIPE THICKNESS LESS THAN
	E RHR HXRM			3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
306470	1-RH-6-16S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
306480	1-RH-6-17S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-6 (FIG NO B-32)														
306490	1-RH-6-18S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
306500	1-RH-6-19S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
306510	1-RH-6-20F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
306530	1-RH-6-21F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO VALVE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
306540	1-RH-6-22F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	PIPE SCHEDULE CHANGE.
	VALVE TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
				3	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				4	-	-	-	-	-	-	-	-	-	-	.375".
306550	1-RH-6-23S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	C	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
306560	1-RH-6-24S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	C	EXAMINATION NOT REQUIRED.
	ELBOW TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-6 (FIG NO B-32)							
306570	1-RH-6-25S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
306580	1-RH-6-26F	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
306590	1-RH-6-27F	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
306620	1-RH-6-28F	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	PIPE TO PIPE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
306630	1-RH-6-29F	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	PIPE TO PIPE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
306670	1-RH-6-30S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	C - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
306680	1-RH-6-31F	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-6 (FIG NO B-32)							
306690	1-RH-6-32S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
306700	1-RH-6-33F	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
306710	1-RH-6-34S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
	VESTIBULE			3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
306720	1-RH-6-35F	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
306730	1-RH-6-36F	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	PIPE TO PENETRATION	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
	LINE 1-RH-7 (FIG NO B-33)							
306740	1-RH-7-01F	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	VALVE TO ELBOW	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
306750	1-RH-7-02S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	

EMERGENCY CORE COOLING SYSTEM

INSPECTION INTERVAL / PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-7 (FIG NO B-33)														
306770	1-RH-7-03S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
306780	1-RH-7-04S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
306790	1-RH-7-05S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
306800	1-RH-7-05F-A	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	C	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
306810	1-RH-7-06S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO TEE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
306820	1-RH-7-07S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	TEE TO VALVE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
306830	1-RH-7-08F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	TEE TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-7 (FIG NO B-33)							
306860	1-RH-7-09S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	PIPE TO FLANGE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
306870	1-RH-7-10S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	FLANGE TO PIPE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
306880	1-RH-7-11S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
306890	1-RH-7-12S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
306900	1-RH-7-13F	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	PIPE TO VALVE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
	E RHR HXRM			3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
306910	1-RH-7-14F	C-F-1	PT	1	- - -	- - - -	- - -	PIPE SCHEDULE CHANGE.
	VALVE TO PIPE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378029 (8-SS-140-.81)**
306920	1-RH-7-15S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378029 (8-SS-140-.81)**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-7 (FIG NO B-33)							
306930	1-RH-7-16S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.11	UT	2	C - -	- - - -	- - -	
				3	X - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378029 (8-SS-140-.81)**
306940	1-RH-7-16S-HL 1 THROUGH 4	C-C	PT	1	- - -	- - - -	- - C	BASE MATERIAL LESS THAN 0.75".
	HANGER LUG	C3.20		2	- - -	- - - -	- - -	
	E RHR HXRM			3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
306960	1-RH-7-17S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378029 (8-SS-140-.81)**
306970	1-RH-7-18S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378029 (8-SS-140-.81)**
306980	1-RH-7-19F	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378029 (8-SS-140-.81)**
306990	1-RH-7-20S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378029 (8-SS-140-.81)**
307000	1-RH-7-21F	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO PIPE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378029 (8-SS-140-.81)**

EMERGENCY CORE COOLING SYSTEM

LINE 1-RH-7 (FIG NO B-33)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
307030	1-RH-7-22F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
307050	1-RH-7-23F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
307070	1-RH-7-24F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
307090	1-RH-7-25F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	C	-	-	-	-	-	
	VESTIBULE			3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
307100	1-RH-7-26S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
307110	1-RH-7-27F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO REDUCER	C5.11	UT	2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
307120	1-RH-7-28S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	REDUCER TO PENETRATION	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378031 (12-SS-160-1.31)**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-8 (FIG NO B-34)														
307130	1-RH-8-01F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	VALVE TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
	W RHR HXRM			3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
307140	1-RH-8-02S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
307150	1-RH-8-03S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO ELBOW	--	INST	2	C	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
307160	1-RH-8-04S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
307170	1-RH-8-05S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO TEE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
307180	1-RH-8-06S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	TEE TO VALVE	--	INST	2	-	-	-	-	C	-	-	-	-	-	PIPE THICKNESS LESS THAN
	W RHR HXRM			3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
307190	1-RH-8-07F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	TEE TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-8 (FIG NO B-34)														
307200	1-RH-8-08S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
307210	1-RH-8-09S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO FLANGE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
307220	1-RH-8-10S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
307230	1-RH-8-11S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
307240	1-RH-8-12F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO VALVE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
307250	1-RH-8-13F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO ELBOW	C5.11	UT	2	-	-	-	-	C	-	-	-	-	-	
	W RHR HXRM			3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
307260	1-RH-8-14S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-8 (FIG NO B-34)							
307270	1-RH-8-15S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378029 (8-SS-140-.81)**
307280	1-RH-8-16S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378029 (8-SS-140-.81)**
307310	1-RH-8-17S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378029 (8-SS-140-.81)**
307320	1-RH-8-18F	C-F-1	PT	1	- - -	- - - -	- - C	
	ELBOW TO PIPE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- X -	
				4	- - -	- - - -	- - -	**3378029 (8-SS-140-.81)**
307330	1-RH-8-19S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO PIPE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378029 (8-SS-140-.81)**
307340	1-RH-8-20S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378029 (8-SS-140-.81)**
307350	1-RH-8-21F	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378029 (8-SS-140-.81)**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-8 (FIG NO B-34)														
307380	1-RH-8-22F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
307400	1-RH-8-23F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
307430	1-RH-8-24S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
307440	1-RH-8-25S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
307460	1-RH-8-26S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
307470	1-RH-8-27F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
307480	1-RH-8-28S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**

EMERGENCY CORE COOLING SYSTEM

INSPECTION INTERVAL — PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD (OUTAGE 1 2 3)	SECOND PERIOD (OUTAGE 1 2 3 4)	THIRD PERIOD (OUTAGE 1 2 3)	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-8 (FIG NO B-34)							
307490	1-RH-8-29S	C-F-1	PT	1	- - -	- - - -	- - C	
	PIPE TO ELBOW	C5.11	UT	2	- - -	- - - -	- - -	
				3	- X -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378029 (8-SS-140-.81)**
307500	1-RH-8-30S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378029 (8-SS-140-.81)**
307510	1-RH-8-31F	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO PENETRATION	C5.11	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378029 (8-SS-140-.81)**
	LINE 1-RH-9 (FIG NO B-35)							
307520	1-RH-9-01F	C-F-1	SEE	1	- - -	- - - -	- - C	EXAMINATION NOT REQUIRED.
	TEE TO PIPE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
307530	1-RH-9-02S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
307540	1-RH-9-03S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	- C -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
307550	1-RH-9-04S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-9 (FIG NO B-35)							
307560	1-RH-9-05S ELBOW TO PIPE	C-F-1 --	SEE INST	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED. PIPE THICKNESS LESS THAN .375".
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
307570	1-RH-9-06S PIPE TO ELBOW	C-F-1 --	SEE INST	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED. PIPE THICKNESS LESS THAN .375".
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
307590	1-RH-9-07F ELBOW TO VALVE	C-F-1 --	SEE INST	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED. PIPE THICKNESS LESS THAN .375".
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
307600	1-RH-9-08F VALVE TO ELBOW	C-F-1 --	SEE INST	1	- - -	- - - -	- - -	PIPE SCHEDULE CHANGE. EXAMINATION NOT REQUIRED. PIPE THICKNESS LESS THAN .375".
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
307610	1-RH-9-09S ELBOW TO PIPE	C-F-1 --	SEE INST	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED. PIPE THICKNESS LESS THAN .375".
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
307620	1-RH-9-10F PIPE TO PIPE	C-F-1 --	SEE INST	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED. PIPE THICKNESS LESS THAN .375".
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
307630	1-RH-9-11F PIPE TO ELBOW	C-F-1 --	SEE INST	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED. PIPE THICKNESS LESS THAN .375".
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-9 (FIG NO B-35)							
307640	1-RH-9-12F	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
307660	1-RH-9-13F	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	PIPE TO PIPE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
307680	1-RH-9-14F	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	PIPE TO PIPE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
307690	1-RH-9-15S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
307700	1-RH-9-16S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
307710	1-RH-9-17F	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
307720	1-RH-9-18S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	OUTAGE	FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-9 (FIG NO B-35)														
307730	1-RH-9-19F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
307740	1-RH-9-20S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
307750	1-RH-9-21S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
	SI PPRM			3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
307760	1-RH-9-22F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO PIPE	--	INST	2	-	-	-	C	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
	SI PPRM			3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
307770	1-RH-9-23F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	C	EXAMINATION NOT REQUIRED.
	PIPE TO TEE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RH-10 (FIG NO B-36)														
307780	1-RH-10-01F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	TEE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
307790	1-RH-10-02S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	C	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-10 (FIG NO B-36)														
307810	1-RH-10-03S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
307820	1-RH-10-04S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	C	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
307850	1-RH-10-05S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
307860	1-RH-10-06F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO VALVE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
307870	1-RH-10-07F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	VALVE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
307880	1-RH-10-08S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
307890	1-RH-10-09S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-10 (FIG NO B-36)							
307900	1-RH-10-10S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
307910	1-RH-10-11S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
307920	1-RH-10-12S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
307940	1-RH-10-13F	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	PIPE TO TEE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
307950	1-RH-10-14S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	TEE TO PIPE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
307960	1-RH-10-15S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	- - -	- C - -	- - -	PIPE THICKNESS LESS THAN
	W CHG PPRM			3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
307970	1-RH-10-16S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	

INSPECTION INTERVAL PLAN STATUS

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-10 (FIG NO B-36)														
307990	1-RH-10-17F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO TEE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RH-11 (FIG NO B-37)														
308000	1-RH-11-01F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	TEE TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
308010	1-RH-11-02S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
308020	1-RH-11-03F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
308030	1-RH-11-04F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO VALVE	--	INST	2	-	-	-	C	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
	E RHR HXRM			3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
308040	1-RH-11-05F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	VALVE TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
308050	1-RH-11-06S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

INSPECTION INTERVAL — PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-11 (FIG NO B-37)														
308060	1-RH-11-07S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	C	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
308080	1-RH-11-07S-HL 1 THROUGH 4	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	
	HANGER LUG	--	INST	2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
308100	1-RH-11-08S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	C	-	-	PIPE THICKNESS LESS THAN
	VESTIBULE			3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
308110	1-RH-11-09S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
308120	1-RH-11-10S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
308130	1-RH-11-11S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
308140	1-RH-11-12F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO TEE	--	INST	2	C	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL PLAN STATUS

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INTERVAL	FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-27 (FIG NO B-38)														
308150	1-RH-27-01F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PENETRATION TO REDUCER	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**12-SS-40-.406-29-DCC**
308160	1-RH-27-02S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	C	
	REDUCER TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**12-SS-40-.406-29-DCC**
308170	1-RH-27-03F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**12-SS-40-.406-29-DCC**
308180	1-RH-27-04S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**12-SS-40-.406-29-DCC**
308190	1-RH-27-05S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	C	-	-	-	-	-	-	-	-	
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**12-SS-40-.406-29-DCC**
308200	1-RH-27-06F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**12-SS-40-.406-29-DCC**
308210	1-RH-27-07F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**12-SS-40-.406-29-DCC**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-27 (FIG NO B-38)														
308220	1-RH-27-08F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO VALVE	C5.11	UT	2	-	-	-	-	C	-	-	-	-	-	
	ANNULUS			3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**12-SS-40-.406-29-DCC**
308230	1-RH-27-09F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	PIPE SCHEDULE CHANGE.
	VALVE TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378031 (12-SS-160-1.31)**
308240	1-RH-27-10F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378031 (12-SS-160-1.31)**
308250	1-RH-27-11S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378031 (12-SS-160-1.31)**
308260	1-RH-27-12S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO REDUCER	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378031 (12-SS-160-1.31)**
308270	1-RH-27-13F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
308280	1-RH-27-14S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-27 (FIG NO B-38)														
308290	1-RH-27-15F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO VALVE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
	LINE 1-RH-28 (FIG NO B-39)														
308300	1-RH-28-01F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
308310	1-RH-28-02S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	C	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
308320	1-RH-28-03F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
308330	1-RH-28-04S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
308340	1-RH-28-05F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PENETRATION	C5.11	UT	2	-	C	-	-	-	-	-	-	-	-	
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-SS-40-.438-30-DCC**
	LINE 1-RH-30 (FIG NO B-40)														
308350	1-RH-30-01F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	REDUCER TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-30 (FIG NO B-40)														
308360	1-RH-30-02F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
308370	1-RH-30-03F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
308380	1-RH-30-04F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
308390	1-RH-30-05S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**
308400	1-RH-30-06F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	C	
	ELBOW TO VALVE	C5.11	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378029 (8-SS-140-.81)**

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD (OUTAGE 1 2 3)	SECOND PERIOD (OUTAGE 1 2 3 4)	THIRD PERIOD (OUTAGE 1 2 3)	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-33 (FIG NO B-41)							
308410	1-CS-33-06F	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	VALVE TO ELBOW	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
308420	1-CS-33-07S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
308430	1-CS-33-08F	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	PIPE TO TEE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
308440	1-CS-33-12F	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	VALVE TO PIPE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
308450	1-CS-33-13S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	PIPE TO TEE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
308460	1-CS-33-14S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	TEE TO ELBOW	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
308470	1-CS-33-15F	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	- - -	- C - -	- - -	PIPE THICKNESS LESS THAN
	E CHG PPRM			3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	

CHEMICAL AND VOLUME CONTROL SYSTEM

LINE 1-CS-33 (FIG NO B-41)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
308480	1-CS-33-16S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
308490	1-CS-33-17S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
308500	1-CS-33-18S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	C	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
308510	1-CS-33-19F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO VALVE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
308520	1-CS-33-20F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	VALVE TO TEE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
308530	1-CS-33-21F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	TEE TO TEE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
308540	1-CS-33-22F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	TEE TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-33 (FIG NO B-41)							
308550	1-CS-33-23S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	TEE TO ELBOW	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
308560	1-CS-33-24S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
	E CHG PPRM			3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
308570	1-CS-33-25S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
308580	1-CS-33-26S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
308590	1-CS-33-27F	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	PIPE TO VALVE	--	INST	2	C - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
308600	1-CS-33-28F	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	VALVE TO ELBOW	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
308610	1-CS-33-29S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS: FIRST PERIOD (OUTAGE 1 2 3)	SECOND PERIOD (OUTAGE 1 2 3 4)	THIRD PERIOD (OUTAGE 1 2 3)	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-33 (FIG NO B-41)							
308620	1-CS-33-30F	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	PIPE TO STRAINER	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
308630	1-CS-33-31F	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	STRAINER TO ELBOW	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
308640	1-CS-33-32S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	ELBOW TO FLANGE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
308650	1-CS-33-33S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	TEE TO REDUCER	--	INST	2	- C -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
	LINE 1-CS-35 (FIG NO B-42)							
308660	1-CS-35-17S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	REDUCER TO TEE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
	W CHG PPRM			3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
308670	1-CS-35-18S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	TEE TO PIPE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
308680	1-CS-35-19S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-35 (FIG NO B-42)														
308690	1-CS-35-20F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
308700	1-CS-35-21S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	C	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
	W CHG PPRM			3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
308710	1-CS-35-22S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO REDUCER	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
308720	1-CS-35-23S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	REDUCER TO TEE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
308730	1-CS-35-24S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	C	EXAMINATION NOT REQUIRED.
	TEE TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
308740	1-CS-35-25S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	TEE TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
308750	1-CS-35-26F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO VALVE	--	INST	2	-	-	-	-	-	-	-	C	-	-	PIPE THICKNESS LESS THAN
	W CHG PPRM			3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL — PLAN STATUS

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-35 (FIG NO B-42)														
308760	1-CS-35-27F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	VALVE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
308770	1-CS-35-28S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
308780	1-CS-35-29F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO STRAINER	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
308790	1-CS-35-30F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	STRAINER TO ELBOW	--	INST	2	C	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
308800	1-CS-35-31S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO FLANGE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	

CONTAINMENT SPRAY PIPING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CTS-1 (FIG NO B-43)														
308810	1-CTS-1-01F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PUMP TO REDUCER	--	INST	2	-	-	-	-	-	-	-	C	-	-	PIPE THICKNESS LESS THAN
	W CTS PPRM			3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
308820	1-CTS-1-02S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	REDUCER TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
308830	1-CTS-1-03S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
308840	1-CTS-1-35F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO VALVE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
308850	1-CTS-1-04F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	VALVE TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	C	-	PIPE THICKNESS LESS THAN
	W CTS PPRM			3	-	-	-	-	-	-	-	-	X	-	.375". 7.5% AUGMENTED UT
				4	-	-	-	-	-	-	-	-	-	-	REQUIREMENT.
															10-SS-40-.365-26-DCC
308860	1-CTS-1-05F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
308870	1-CTS-1-06S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	

CONTAINMENT SPRAY PIPING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CTS-1 (FIG NO B-43)														
308880	1-CTS-1-07S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO TEE	--	INST	2	C	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
308890	1-CTS-1-08S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	TEE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
308900	1-CTS-1-09S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
308910	1-CTS-1-10F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO VALVE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
308920	1-CTS-1-11F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	VALVE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
308930	1-CTS-1-12S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO TEE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
308940	1-CTS-1-13S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	TEE TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	

CONTAINMENT SPRAY PIPING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	OUTAGE	FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CTS-1 (FIG NO B-43)														
308950	1-CTS-1-14F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO VALVE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
308960	1-CTS-1-15F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	VALVE TO TEE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
308970	1-CTS-1-16S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	TEE TO ELBOW	--	INST	2	-	-	-	-	C	-	-	-	-	-	PIPE THICKNESS LESS THAN
	W CTS PPRM			3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
308980	1-CTS-1-17S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	-	-	-	-	-	C	-	PIPE THICKNESS LESS THAN
	W CTS PPRM			3	-	-	-	-	-	-	-	-	X	-	.375". 7.5% AUGMENTED UT
				4	-	-	-	-	-	-	-	-	-	-	REQUIREMENT.
															10-SS-40-.365-26-DCC
308990	1-CTS-1-18S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309000	1-CTS-1-19S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309010	1-CTS-1-20F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	

CONTAINMENT SPRAY PIPING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CTS-1 (FIG NO B-43)														
309030	1-CTS-1-21F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309040	1-CTS-1-22S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309050	1-CTS-1-23S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309060	1-CTS-1-24S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309070	1-CTS-1-25F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO VALVE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309080	1-CTS-1-26F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	VALVE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309090	1-CTS-1-27S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
	W CTS HXRM			3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL — PLAN STATUS

CONTAINMENT SPRAY PIPING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INTERVAL	FIRST PERIOD (OUTAGE 1 2 3)	SECOND PERIOD (OUTAGE 1 2 3 4)	THIRD PERIOD (OUTAGE 1 2 3)	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CTS-1 (FIG NO B-43)							
309100	1-CTS-1-28S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
309110	1-CTS-1-29S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
309120	1-CTS-1-30S	C-F-1	SEE	1	- - -	- - - -	- - C	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
309140	1-CTS-1-32S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	ELBOW TO ELBOW	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
	W CTS HXRM			3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
309160	1-CTS-1-33S	C-F-1	PT	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	C5.11	UT	2	- - -	C - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	X - - -	- - -	.375". 7.5% AUGMENTED UT
				4	- - -	- - - -	- - -	REQUIREMENT.
								10-SS-40-.365-26-DCC
309170	1-CTS-1-34F	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	PIPE TO HEAT EXCHANGER	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
	LINE 1-CTS-2 (FIG NO B-44)							
309180	1-CTS-2-01F	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	HEAT EXCHANGER TO REDUCER	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	

CONTAINMENT SPRAY PIPING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CTS-2 (FIG NO B-44)														
309190	1-CTS-2-02S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	REDUCER TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309200	1-CTS-2-03F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO VALVE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309210	1-CTS-2-04F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	VALVE TO TEE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309220	1-CTS-2-05S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	TEE TO ELBOW	C5.11	UT	2	-	C	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	X	-	-	-	-	-	-	-	-	.375". 7.5% AUGMENTED UT
				4	-	-	-	-	-	-	-	-	-	-	REQUIREMENT.
															10-SS-40-.365-26-DCC
309230	1-CTS-2-06S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO REDUCER	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309240	1-CTS-2-07S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	REDUCER TO PIPE	C5.11	UT	2	-	-	-	-	C	-	-	-	-	-	PIPE THICKNESS LESS THAN
	W CTS HXRM			3	-	-	-	-	X	-	-	-	-	-	.375". 7.5% AUGMENTED UT
				4	-	-	-	-	-	-	-	-	-	-	REQUIREMENT.
															6-SS-40-.280-28-DCC
309250	1-CTS-2-08F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO VALVE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL — PLAN STATUS

CONTAINMENT SPRAY PIPING SYSTEM

LINE 1-CTS-2 (FIG NO B-44)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
309260	1-CTS-2-09F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	VALVE TO TEE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
	W CTS HXRM			3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309270	1-CTS-2-10S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	TEE TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309290	1-CTS-2-11S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309300	1-CTS-2-12S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309310	1-CTS-2-13S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	C	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	C	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	X	-	-	-	-	-	-	-	-	.375". 7.5% AUGMENTED UT
				4	-	-	-	-	-	-	-	-	-	-	REQUIREMENT.
															6-SS-40-.280-28-DCC
309320	1-CTS-2-14S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO FLANGE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309330	1-CTS-2-15S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	FLANGE TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	

CONTAINMENT SPRAY PIPING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CTS-2 (FIG NO B-44)														
309340	1-CTS-2-16F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309350	1-CTS-2-17F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO FLANGE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309360	1-CTS-2-18F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	FLANGE TO PIPE	C5.11	UT	2	-	-	-	-	C	-	-	-	-	-	PIPE THICKNESS LESS THAN
	W CTS HXRM			3	-	X	-	-	-	-	-	-	-	-	.375". 7.5% AUGMENTED UT
				4	-	-	-	-	-	-	-	-	-	-	REQUIREMENT.
															6-SS-40-.280-28-DCC
309370	1-CTS-2-30F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309380	1-CTS-2-19F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309390	1-CTS-2-20S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO ELBOW	--	INST	2	C	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309400	1-CTS-2-31S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	C	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
	VESTIBULE			3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	

CONTAINMENT SPRAY PIPING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CTS-2 (FIG NO B-44)														
309410	1-CTS-2-21F PIPE TO PIPE	C-F-1 --	SEE INST	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED. PIPE THICKNESS LESS THAN .375".
				2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
309450	1-CTS-2-22S PIPE TO ELBOW	C-F-1 --	SEE INST	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED. PIPE THICKNESS LESS THAN .375".
				2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
309460	1-CTS-2-23F ELBOW TO PIPE	C-F-1 --	SEE INST	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED. PIPE THICKNESS LESS THAN .375".
				2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
309480	1-CTS-2-24S PIPE TO ELBOW	C-F-1 C5.11	PT UT	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED. PIPE THICKNESS LESS THAN .375". 7.5% AUGMENTED UT REQUIREMENT. **6-SS-10S-.134-21-DCC**
				2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
309490	1-CTS-2-25F ELBOW TO PIPE	C-F-1 --	SEE INST	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED. PIPE THICKNESS LESS THAN .375".
				2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
309500	1-CTS-2-26S PIPE TO ELBOW	C-F-1 --	SEE INST	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED. PIPE THICKNESS LESS THAN .375".
				2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
309510	1-CTS-2-27F ELBOW TO PIPE	C-F-1 --	SEE INST	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED. PIPE THICKNESS LESS THAN .375".
				2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

CONTAINMENT SPRAY PIPING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CTS-2 (FIG NO B-44)														
309520	1-CTS-2-28S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO REDUCER	--	INST	2	-	C	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309530	1-CTS-2-29F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	REDUCER TO PENETRATION	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-CTS-3 (FIG NO B-45)														
309540	1-CTS-3-01F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	TEE TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309550	1-CTS-3-02F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO VALVE	C5.11	UT	2	-	-	-	-	-	-	-	-	C	-	PIPE THICKNESS LESS THAN
	W CTS HXRH			3	-	-	-	-	-	-	-	-	X	-	.375". 7.5% AUGMENTED UT
				4	-	-	-	-	-	-	-	-	-	-	REQUIREMENT.
															8-SS-40-.322-17-DCC
309560	1-CTS-3-03F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	VALVE TO TEE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309570	1-CTS-3-04S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	TEE TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	

CONTAINMENT SPRAY PIPING SYSTEM

INSPECTION INTERVAL — PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CTS-3 (FIG NO B-45)														
309590	1-CTS-3-05S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309600	1-CTS-3-06S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309610	1-CTS-3-07S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	C	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309620	1-CTS-3-08S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	C5.11	UT	2	-	-	-	C	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
	W CTS HXRM			3	-	-	-	X	-	-	-	-	-	-	.375". 7.5% AUGMENTED UT
				4	-	-	-	-	-	-	-	-	-	-	REQUIREMENT.
															8-SS-40-.322-17-DCC
309630	1-CTS-3-09S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	C	EXAMINATION NOT REQUIRED.
	PIPE TO FLANGE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309640	1-CTS-3-10S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	FLANGE TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309650	1-CTS-3-11F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	PIPE SCHEDULE CHANGE.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
				3	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				4	-	-	-	-	-	-	-	-	-	-	.375".

CONTAINMENT SPRAY PIPING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CTS-3 (FIG NO B-45)														
309660	1-CTS-3-12S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309670	1-CTS-3-13S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309710	1-CTS-3-14F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	C	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309720	1-CTS-3-15S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309740	1-CTS-3-16F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309750	1-CTS-3-17S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309760	1-CTS-3-18F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL / PLAN STATUS

CONTAINMENT SPRAY PIPING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CTS-3 (FIG NO B-45)														
309770	1-CTS-3-19F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309780	1-CTS-3-20F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO PENETRATION	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-CTS-4 (FIG NO B-46)														
309790	1-CTS-4-01F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PUMP TO REDUCER	C5.11		2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309800	1-CTS-4-02S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	REDUCER TO PIPE	C5.11		2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309810	1-CTS-4-03F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO VALVE	C5.11		2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309820	1-CTS-4-04F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	VALVE TO TEE	C5.11		2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309830	1-CTS-4-05S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	TEE TO ELBOW	C5.11	UT	2	-	-	-	-	-	-	-	C	-	-	PIPE THICKNESS LESS THAN
	E CTS PPRM			3	-	-	-	-	-	-	-	X	-	-	.375". 7.5% AUGMENTED UT
				4	-	-	-	-	-	-	-	-	-	-	REQUIREMENT. **10-SS-40-.365-26-DCC**

CONTAINMENT SPRAY PIPING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CTS-4 (FIG NO 8-46)														
309840	1-CTS-4-06F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO VALVE	C5.11		2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309850	1-CTS-4-07F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	VALVE TO PIPE	C5.11		2	C	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309860	1-CTS-4-08S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	C5.11		2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309870	1-CTS-4-09S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO TEE	C5.11		2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309880	1-CTS-4-10S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	TEE TO PIPE	C5.11		2	-	-	-	C	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
	E CTS PPRM			3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309890	1-CTS-4-11F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO VALVE	C5.11		2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309900	1-CTS-4-12F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	VALVE TO TEE	C5.11		2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	

CONTAINMENT SPRAY PIPING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CTS-4 (FIG NO B-46)														
309930	1-CTS-4-13S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	TEE TO ELBOW	C5.11	UT	2	-	-	-	C	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
	E CTS PPRM			3	-	-	-	X	-	-	-	-	-	-	.375". 7.5% AUGMENTED UT
				4	-	-	-	-	-	-	-	-	-	-	REQUIREMENT.
															10-SS-40-.365-26-DCC
309940	1-CTS-4-14S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	C5.11		2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309950	1-CTS-4-15S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	C5.11		2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309960	1-CTS-4-16S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	C5.11		2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309970	1-CTS-4-17F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO PIPE	C5.11		2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309980	1-CTS-4-18S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	C5.11		2	-	-	-	-	-	-	-	C	-	-	PIPE THICKNESS LESS THAN
	E CTS PPRM			3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
309990	1-CTS-4-19S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	C5.11		2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	

CONTAINMENT SPRAY PIPING SYSTEM

LINE 1-CTS-4 (FIG NO B-46)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
310000	1-CTS-4-20F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO PIPE	C5.11		2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
310010	1-CTS-4-21S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	C5.11		2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
310020	1-CTS-4-22S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	C5.11		2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
310030	1-CTS-4-23S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	C5.11		2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
310040	1-CTS-4-24F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO VALVE	C5.11		2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
310050	1-CTS-4-25F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	VALVE TO ELBOW	C5.11		2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
310060	1-CTS-4-26S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	C5.11		2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL — PLAN STATUS

CONTAINMENT SPRAY PIPING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CTS-4 (FIG NO B-46)							
310070	1-CTS-4-27S PIPE TO ELBOW	C-F-1 C5.11	PT	1 2 3 4	- - - - - - - - - - - -	- - - - - - - - - - - - - - - -	- - - - - - - - - - - -	EXAMINATION NOT REQUIRED. PIPE THICKNESS LESS THAN .375".
310080	1-CTS-4-28S ELBOW TO PIPE	C-F-1 C5.11	PT	1 2 3 4	- - - - - - - - - - - -	- - - - - - - - - - - - - - - -	- - - - - - - - - - - -	EXAMINATION NOT REQUIRED. PIPE THICKNESS LESS THAN .375".
310090	1-CTS-4-29S PIPE TO ELBOW	C-F-1 C5.11	PT	1 2 3 4	- - - - - - - - - - - -	- - - - - - - - - - - - - - - -	- - - - - - - - - - - -	EXAMINATION NOT REQUIRED. PIPE THICKNESS LESS THAN .375".
310100	1-CTS-4-30S ELBOW TO ELBOW	C-F-1 C5.11	PT	1 2 3 4	- - - - - - - - - - - -	- - - - - - - - - - - - - - - -	- - - - - - - - - - - -	EXAMINATION NOT REQUIRED. PIPE THICKNESS LESS THAN .375".
310120	1-CTS-4-31F ELBOW TO HEAT EXCHANGER	C-F-1 C5.11	PT	1 2 3 4	- - - C - - - - - - - -	- - - - - - - - - - - - - - - -	- - - - - - - - - - - -	EXAMINATION NOT REQUIRED. PIPE THICKNESS LESS THAN .375".
	LINE 1-CTS-5 (FIG NO B-47)							
310130	1-CTS-5-01F HEAT EXCHANGER TO REDUCER	C-F-1 --	SEE INST	1 2 3 4	- - - C - - - - - - - -	- - - - - - - - - - - - - - - -	- - - - - - - - - - - -	EXAMINATION NOT REQUIRED. PIPE THICKNESS LESS THAN .375".
310140	1-CTS-5-02S REDUCER TO PIPE	C-F-1 --	SEE INST	1 2 3 4	- - - - - - - - - - - -	- - - - - - - - - - - - - - - -	- - - - - - - - - - - -	EXAMINATION NOT REQUIRED. PIPE THICKNESS LESS THAN .375".

CONTAINMENT SPRAY PIPING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CTS-5 (FIG NO B-47)														
310150	1-CTS-5-03S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	C5.11	UT	2	-	-	-	-	C	-	-	-	-	-	PIPE THICKNESS LESS THAN
	E CTS HXRM			3	-	-	-	-	X	-	-	-	-	-	.375". 7.5% AUGMENTED UT
				4	-	-	-	-	-	-	-	-	-	-	REQUIREMENT.
															10-SS-40-.365-26-DCC
310160	1-CTS-5-04F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO VALVE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
310170	1-CTS-5-05F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	VALVE TO TEE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
310180	1-CTS-5-06S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	TEE TO ELBOW	--	INST	2	-	-	-	-	C	-	-	-	-	-	PIPE THICKNESS LESS THAN
	E CTS HXRM			3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
310190	1-CTS-5-07S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO REDUCER	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
310200	1-CTS-5-08S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	REDUCER TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
310210	1-CTS-5-09F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO VALVE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	

CONTAINMENT SPRAY PIPING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CTS-5 (FIG NO B-47)														
310220	1-CTS-5-10F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	VALVE TO TEE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
310230	1-CTS-5-11S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	TEE TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
310250	1-CTS-5-12S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
	E CTS HXRM			3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
310260	1-CTS-5-13S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	C	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
310270	1-CTS-5-14S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
310280	1-CTS-5-15S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO FLANGE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
310290	1-CTS-5-16S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	FLANGE TO PIPE	--	INST	2	-	-	-	-	-	-	-	C	-	-	PIPE THICKNESS LESS THAN
	E CTS HXRM			3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	

CONTAINMENT SPRAY PIPING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CTS-5 (FIG NO B-47)							
310300	1-CTS-5-17F	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	PIPE TO PIPE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
310310	1-CTS-5-18S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	PIPE TO FLANGE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
310320	1-CTS-5-19S	C-F-1	SEE	1	- - -	- - - -	- - C	EXAMINATION NOT REQUIRED.
	FLANGE TO PIPE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
310330	1-CTS-5-20F	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	PIPE TO PIPE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
310340	1-CTS-5-21F	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
310350	1-CTS-5-22S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	ELBOW TO ELBOW	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	
310360	1-CTS-5-23S	C-F-1	SEE	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	- - -	- - - -	- - -	PIPE THICKNESS LESS THAN
				3	- - -	- - - -	- - -	.375".
				4	- - -	- - - -	- - -	

CONTAINMENT SPRAY PIPING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CTS-5 (FIG NO B-47)														
310370	1-CTS-5-24F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	PIPE SCHEDULE CHANGE.
	PIPE TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
				3	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				4	-	-	-	-	-	-	-	-	-	-	.375".
310420	1-CTS-5-25F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
310430	1-CTS-5-26F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
310440	1-CTS-5-27S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO REDUCER	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
310450	1-CTS-5-28F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	REDUCER TO PENETRATION	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-CTS-6 (FIG NO B-48)														
310460	1-CTS-6-01F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	TEE TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
310470	1-CTS-6-02F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO VALVE	--	INST	2	-	-	-	C	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
	E CTS HXRM			3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	

CONTAINMENT SPRAY PIPING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CTS-6 (FIG NO B-48)							
310480	1-CTS-6-03F VALVE TO PIPE	C-F-1 --	SEE INST	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED. PIPE THICKNESS LESS THAN .375".
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
310500	1-CTS-6-04S PIPE TO ELBOW	C-F-1 --	SEE INST	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED. PIPE THICKNESS LESS THAN .375".
				2	C - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
310510	1-CTS-6-05S ELBOW TO PIPE	C-F-1 --	SEE INST	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED. PIPE THICKNESS LESS THAN .375".
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
310520	1-CTS-6-06S PIPE TO ELBOW	C-F-1 --	SEE INST	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED. PIPE THICKNESS LESS THAN .375".
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
310530	1-CTS-6-07S ELBOW TO PIPE	C-F-1 C5.11	PT UT	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED. PIPE THICKNESS LESS THAN .375". 7.5% AUGMENTED UT REQUIREMENT. **8-SS-40-.322-17-DCC**
				2	C - -	- - - -	- - -	
				3	X - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
310540	1-CTS-6-08S PIPE TO FLANGE E CTS HXRM	C-F-1 --	SEE INST	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED. PIPE THICKNESS LESS THAN .375".
				2	- - -	- - - -	C - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
310550	1-CTS-6-09S FLANGE TO PIPE	C-F-1 --	SEE INST	1	- - -	- - - -	- - -	EXAMINATION NOT REQUIRED. PIPE THICKNESS LESS THAN .375".
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

CONTAINMENT SPRAY PIPING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD			SECOND PERIOD				THIRD PERIOD			INSTRUCTIONS **CALIBRATION BLOCK**
					OUTAGE 1	2	3	1	2	3	4	1	2	3	
	LINE 1-CTS-6 (FIG NO B-48)														
310560	1-CTS-6-10F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
310570	1-CTS-6-11S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
310580	1-CTS-6-12S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
310600	1-CTS-6-13F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
310640	1-CTS-6-14F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
310650	1-CTS-6-15F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
310660	1-CTS-6-16S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	

CONTAINMENT SPRAY PIPING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CTS-6 (FIG NO B-48)														
310670	1-CTS-6-17S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
310680	1-CTS-6-18F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
310690	1-CTS-6-19S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO ELBOW	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
310700	1-CTS-6-20S	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	ELBOW TO PIPE	--	INST	2	C	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	
310710	1-CTS-6-21F	C-F-1	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO PENETRATION	--	INST	2	-	-	-	-	-	-	-	-	-	-	PIPE THICKNESS LESS THAN
				3	-	-	-	-	-	-	-	-	-	-	.375".
				4	-	-	-	-	-	-	-	-	-	-	

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD (OUTAGE 1 2 3)	SECOND PERIOD (OUTAGE 1 2 3 4)	THIRD PERIOD (OUTAGE 1 2 3)	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-FW-10 (FIG NO B-49)							
310720	1-FW-10-01F	C-F-2	MT	1	- - -	- - - -	- - -	
	VALVE TO PIPE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-CS-80-.750-12-DCC**
310730	1-FW-10-02S	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-CS-80-.750-12-DCC**
310750	1-FW-10-03S	C-F-2	MT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-CS-80-.750-12-DCC**
310760	1-FW-10-04S	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-CS-80-.750-12-DCC**
310770	1-FW-10-05F	C-F-2	MT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-CS-80-.750-12-DCC**
310780	1-FW-10-06S	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-CS-80-.750-12-DCC**
310790	1-FW-10-07S	C-F-2	MT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.51	UT	2	- - -	C - - -	- - -	
	MS ACC			3	- - -	X - - -	- - -	
				4	- - -	- - - -	- - -	**14-CS-80-.750-12-DCC**

FEEDWATER SYSTEM

LINE 1-FW-10 (FIG NO B-49)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
310800	1-FW-10-08F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
310810	1-FW-10-09F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
310820	1-FW-10-10S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	BASE MATERIAL 1.0".
	PIPE TO ELBOW	C5.51		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
310830	1-FW-10-11F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
310840	1-FW-10-12S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
310850	1-FW-10-12S-PL 1 AND 2	C-C	MT	1	-	-	-	-	-	-	-	-	-	-	BASE MATERIAL 1.0".
	PIPE LUG	C3.20		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
310860	1-FW-10-13F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**

FEEDWATER SYSTEM

LINE 1-FW-10 (FIG NO B-49)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
310870	1-FW-10-13F-A-PL	C-C	MT	1	- - -	- - - -	- - -	BASE MATERIAL 1.0".
	PIPE LUG	C3.20		2	- - -	C - - -	- - -	
	MS ACC			3	- - -	X - - -	- - -	
				4	- - -	- - - -	- - -	
310874	1-FW-10-13F-B-PL 1 AND 2	C-C	MT	1	- - -	- - - -	- - -	BASE MATERIAL 1.0".
	PIPE LUG	C3.20		2	- - -	C - - -	- - -	
	MS ACC			3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
310880	1-FW-10-14S	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-CS-80-.750-12-DCC**
310910	1-FW-10-15F	C-F-2	MT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-CS-80-.750-12-DCC**
310920	1-FW-10-16S	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-CS-80-.750-12-DCC**
310930	1-FW-10-17S	C-F-2	MT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.51	UT	2	- - -	C - - -	- - -	
	W MS ENC			3	- - -	- - - -	X - -	
				4	- - -	- - - -	- - -	**14-CS-80-.750-12-DCC**
310935	1-FW-10-17S-PS	C-C	MT	1	- - -	- - - -	- - -	INACCESSIBLE DUE TO WELDED
	PIPE SUPPORT	C3.20		2	- - -	- - - -	- - -	INSULATION ATTACHMENT.
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-FW-10 (FIG NO B-49)							
310940	1-FW-10-18F	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO PIPE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-CS-80-.750-12-DCC**
310950	1-FW-10-19F	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO VALVE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-CS-80-.750-12-DCC**
310960	1-FW-10-20F	C-F-2	MT	1	- - -	- - - -	- - -	
	VALVE TO PIPE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-CS-80-.750-12-DCC**
310970	1-FW-10-21F	C-F-2	MT	1	- - -	- - - -	- - -	WELD IS PARTIALLY INACCESSIBLE
	PIPE TO PENETRATION	C5.51	UT	2	- - -	- - - -	- - -	FOR EXAMINATION. SUMMARY NO.
				3	- - -	- - - -	- - -	310930 WILL BE UTILIZIED AS A
				4	- - -	- - - -	- - -	SUBSTITUTION.
								14-CS-80-.750-12-DCC
310980	1-FW-10-22S-PS	C-C	MT	1	- - -	- - - -	- - -	
	PIPE TO PENETRATION SEAL WELD	C3.20		2	- - -	- - - -	C - -	
	W MS ENC			3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
311000	1-FW-10-44	C-F	MT	1	- - -	- - - -	- - -	
	BRANCH CONNECTION TO PIPE	C5.80		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
311010	1-FW-10-45	C-F-2	MT	1	- - -	- - - -	- - -	
	SADDLE TO PIPE	C5.51		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-FW-10 (FIG NO B-49)							
311020	1-FW-10-46	C-F-2	MT	1	- - -	- - - -	- - -	CODE RELIEF WAS GRANTED FIRST
	SADDLE TO BRANCH CONNECTION	C5.51	UT	2	- - -	- - - -	- - -	INTERVAL FROM VOLUMETRIC
				3	- - -	- - - -	- - -	EXAMINATION. SEE BASIS FOR
				4	- - -	- - - -	- - -	PREPARATION, SECTION 3.5.
	LINE 1-FW-11 (FIG NO B-50)							
311030	1-FW-11-01S	C-F-2	MT	1	- - -	- - - -	- - -	WELD INACCESSIBLE FOR
	PIPE TO FLUED HEAD	C5.51	UT	2	- - -	- - - -	- - -	EXAMINATION. SEE BASIS FOR
				3	- - -	- - - -	- - -	PREPARATION, SECTION 3.5. CODE
				4	- - -	- - - -	- - -	RELIEF GRANTED FROM EXAMINATION.
311040	1-FW-11-02S-PS	C-F-2	MT	1	- - -	- - - -	- - -	
	PENETRATION SUPPORT WELD	C5.51		2	- - -	- - - -	- - -	
	ANNULUS			3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
311050	1-FW-11-03F	C-F-2	MT	1	- - -	- - - -	- - -	
	FLUED HEAD TO PIPE	C5.51	UT	2	- - -	C - - -	- - -	
	ANNULUS			3	- - -	X - - -	- - -	
				4	- - -	- - - -	- - -	**14-CS-80-.750-12-DCC**
311060	1-FW-11-04S	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-CS-80-.750-12-DCC**
311070	1-FW-11-05S	C-F-2	MT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-CS-80-.750-12-DCC**

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-FW-11 (FIG NO B-50)														
311080	1-FW-11-06F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
311090	1-FW-11-07S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
311100	1-FW-11-08F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
311110	1-FW-11-09S	C-F-2	MT	1	-	-	-	-	C	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
311140	1-FW-11-10S	C-F-2	MT	1	-	-	-	-	C	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
311150	1-FW-11-11F	C-F-2	MT	1	-	-	-	-	C	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
311160	1-FW-11-12F	C-F-2	MT	1	-	-	-	-	C	-	-	-	-	-	
	PIPE TO REDUCER	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-FW-11 (FIG NO B-50)														
311170	1-FW-11-13S	C-F-2	MT	1	-	-	-	-	C	-	-	-	-	-	
	REDUCER TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**FW-16-CS-80-.844-45-DCC**
311180	1-FW-11-14F	C-F-2	MT	1	-	-	-	-	C	-	-	-	-	-	
	ELBOW TO NOZZLE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**FW-16-CS-80-.844-45-DCC**
	LINE 1-FW-12 (FIG NO B-51)														
311190	1-FW-12-01F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
311200	1-FW-12-02S	C-F-2	MT	1	-	-	-	-	-	-	-	C	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
311220	1-FW-12-03S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
311230	1-FW-12-04S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
311240	1-FW-12-05S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	C	-	-	
	MS ACC			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-FW-12 (FIG NO B-51)														
311250	1-FW-12-06S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
311260	1-FW-12-07F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
311280	1-FW-12-07F-PL 1 AND 2	C-C	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE LUG	C3.20		2	-	-	-	C	-	-	-	-	-	-	
	MS ACC			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
311290	1-FW-12-08F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
311300	1-FW-12-09F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	WELD REMOVED AND REPLACED BY
	PIPE TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	1-FW-12-09F-A UNDER PM-1305.
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
311310	1-FW-12-09F-PL 1 AND 2	C-C	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE LUG	C3.20		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
311330	1-FW-12-10F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD (OUTAGE 1 2 3)	SECOND PERIOD (OUTAGE 1 2 3 4)	THIRD PERIOD (OUTAGE 1 2 3)	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-FW-12 (FIG NO B-51)							
311340	1-FW-12-11S ELBOW TO PIPE	C-F-2 C5.51	MT UT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-CS-80-.750-12-DCC**
311360	1-FW-12-12S PIPE TO ELBOW	C-F-2 C5.51	MT UT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-CS-80-.750-12-DCC**
311370	1-FW-12-13F ELBOW TO PIPE	C-F-2 C5.51	MT UT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-CS-80-.750-12-DCC**
311380	1-FW-12-14S PIPE TO ELBOW	C-F-2 C5.51	MT UT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-CS-80-.750-12-DCC**
311390	1-FW-12-15F ELBOW TO PIPE	C-F-2 C5.51	MT UT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-CS-80-.750-12-DCC**
311395	1-FW-12-15F-PS PIPE SUPPORT	C-C C3.20	MT	1	- - -	- - - -	- - -	INACCESSIBLE DUE TO WELDED INSULATION ATTACHMENT.
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
311400	1-FW-12-16F PIPE TO VALVE	C-F-2 C5.51	MT UT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-CS-80-.750-12-DCC**

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD (OUTAGE 1 2 3)	SECOND PERIOD (OUTAGE 1 2 3 4)	THIRD PERIOD (OUTAGE 1 2 3)	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-FW-12 (FIG NO B-51)							
311410	1-FW-12-17F	C-F-2	MT	1	- - -	- - - -	- - -	
	VALVE TO PIPE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-CS-80-.750-12-DCC**
311420	1-FW-12-18F	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO PIPE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-CS-80-.750-12-DCC**
311430	1-FW-12-19S-PS	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO PENETRATION SEAL WELD	C5.51		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-CS-80-.750-12-DCC**
311450	1-FW-12-39	C-F-2	MT	1	- - -	- - - -	- - -	
	BRANCH CONNECTION TO PIPE	C5.51		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
311460	1-FW-12-40	C-F-2	MT	1	- - -	- - - -	- - -	
	SADDLE TO PIPE	C5.51		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
311470	1-FW-12-41	C-F-2	MT	1	- - -	- - - -	- - -	CODE RELIEF WAS GRANTED FIRST
	SADDLE TO BRANCH CONNECTION	C5.51		2	- - -	- - - -	- - -	INTERVAL FROM VOLUMETRIC
				3	- - -	- - - -	- - -	EXAMINATION. SEE BASIS FOR
				4	- - -	- - - -	- - -	PREPARATION, SECTION 3.5.
	LINE 1-FW-13 (FIG NO B-52)							
311480	1-FW-13-01S	C-F-2	MT	1	- - -	- - - -	- - -	WELD INACCESSIBLE FOR
	PIPE TO FLUED HEAD	C5.51	UT	2	- - -	- - - -	- - -	EXAMINATION. SEE BASIS FOR
				3	- - -	- - - -	- - -	PREPARATION, SECTION 3.5. CODE
				4	- - -	- - - -	- - -	RELIEF GRANTED FROM EXAMINATION.

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD (OUTAGE 1 2 3)	SECOND PERIOD (OUTAGE 1 2 3 4)	THIRD PERIOD (OUTAGE 1 2 3)	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-FW-13 (FIG NO B-52)							
311490	1-FW-13-02S-PS	C-C	MT	1	- - -	- - - -	- - -	
	PENETRATION SUPPORT WELD	C3.20		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
311500	1-FW-13-03F	C-F-2	MT	1	- - -	- - - -	- - -	
	FLUED HEAD TO PIPE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-CS-80-.750-12-DCC**
311510	1-FW-13-04S	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-CS-80-.750-12-DCC**
311520	1-FW-13-05S	C-F-2	MT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-CS-80-.750-12-DCC**
311530	1-FW-13-06F	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-CS-80-.750-12-DCC**
311540	1-FW-13-07S	C-F-2	MT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-CS-80-.750-12-DCC**
311550	1-FW-13-08F	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-CS-80-.750-12-DCC**

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-FW-13 (FIG NO B-52)														
311560	1-FW-13-09S	C-F-2	MT	1	-	-	-	-	C	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
311580	1-FW-13-10S	C-F-2	MT	1	-	-	-	-	C	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
311590	1-FW-13-11F	C-F-2	MT	1	-	-	-	-	C	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	C	-	-	-	-	-	-	
	CONT. L2			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
311600	1-FW-13-12F	C-F-2	MT	1	-	-	-	-	C	-	-	-	-	-	
	PIPE TO REDUCER	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
311610	1-FW-13-13S	C-F-2	MT	1	-	-	-	-	C	-	-	-	-	-	
	REDUCER TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**FW-16-CS-80-.844-45-DCC**
311620	1-FW-13-14F	C-F-2	MT	1	-	-	-	-	C	-	-	-	-	-	
	ELBOW TO NOZZLE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**FW-16-CS-80-.844-45-DCC**
	LINE 1-FW-15 (FIG NO B-53)														
311630	1-FW-15-01F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-FW-15 (FIG NO B-53)														
311640	1-FW-15-02S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
311660	1-FW-15-03S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
311670	1-FW-15-04S	C-F-2	MT	1	-	-	-	-	-	-	-	C	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
311680	1-FW-15-05F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
311690	1-FW-15-06F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
311700	1-FW-15-07F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
311710	1-FW-15-08F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	WELD REMOVED AND REPLACED BY
	PIPE TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	1-FW-15-8F-A UNDER PM-1305.
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**

FEEDWATER SYSTEM

LINE 1-FW-15 (FIG NO B-53)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
311720	1-FW-15-09S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
311730	1-FW-15-10F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
311735	1-FW-15-10F-PS	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	INACCESSIBLE DUE TO WELDED
	PIPE SUPPORT	C5.51		2	-	-	-	-	-	-	-	-	-	-	INSULATION ATTACHMENT.
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
311740	1-FW-15-11F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
311750	1-FW-15-12F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
311760	1-FW-15-13F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.51	UT	2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
311770	1-FW-15-14S-PS	C-C	MT	1	-	-	-	-	-	-	-	C	-	-	
	PIPE TO PENETRATION SEAL WELD	C3.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-FW-15 (FIG NO B-53)							
311790	1-FW-15-39S	C-F	MT	1	- - -	- - - -	- - -	
	BRANCH CONNECTION TO PIPE	C5.21		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
311800	1-FW-15-40	C-F-2	MT	1	- - -	- - - -	C - -	
	SADDLE TO PIPE	C5.51		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
311810	1-FW-15-41	C-F-2	MT	1	- - -	- - - -	- - -	CODE RELIEF WAS GRANTED FIRST
	SADDLE TO BRANCH CONNECTION	C5.51		2	- - -	- - - -	- - -	INTERVAL FROM VOLUMETRIC
				3	- - -	- - - -	- - -	EXAMINATION. SEE BASIS FOR
				4	- - -	- - - -	- - -	PREPARATION, SECTION 3.5.
311820	1-FW-15-42	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO PIPE	C5.51		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	LINE 1-FW-16 (FIG NO B-54)							
311830	1-FW-16-01S	C-F-2	MT	1	- - -	- - - -	- - -	WELD INACCESSIBLE FOR
	PIPE TO FLUED HEAD	C5.51	UT	2	- - -	- - - -	- - -	EXAMINATION. SEE BASIS FOR
				3	- - -	- - - -	- - -	PREPARATION, SECTION 3.5. CODE
				4	- - -	- - - -	- - -	RELIEF GRANTED FROM EXAMINATION.
311840	1-FW-16-02S-PS	C-F-2	MT	1	- - -	- - - -	- - -	
	PENETRATION SUPPORT WELD	C5.51		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		INSPECTION INTERVAL / PLAN STATUS: FIRST PERIOD (OUTAGE) 1	2	3	SECOND PERIOD (OUTAGE) 1	2	3	4	THIRD PERIOD (OUTAGE) 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-FW-16 (FIG NO B-54)														
311850	1-FW-16-03F	C-F-2	MT	1	-	-	-	-	C	-	-	-	-	-	
	FLUED HEAD TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
311860	1-FW-16-04S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
311870	1-FW-16-05S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
311880	1-FW-16-06F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
311890	1-FW-16-07S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
311900	1-FW-16-08F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
311910	1-FW-16-09S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-FW-16 (FIG NO B-54)														
311940	1-FW-16-10S	C-F-2	MT	1	-	-	-	-	C	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
311950	1-FW-16-11F	C-F-2	MT	1	-	-	-	-	C	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
311960	1-FW-16-12F	C-F-2	MT	1	-	-	-	-	C	-	-	-	-	-	
	PIPE TO REDUCER	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
311970	1-FW-16-13S	C-F-2	MT	1	-	-	-	-	C	-	-	-	-	-	
	REDUCER TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**FW-16-CS-80-.844-45-DCC**
311980	1-FW-16-14F	C-F-2	MT	1	-	-	-	-	C	-	-	C	-	-	
	ELBOW TO NOZZLE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**FW-16-CS-80-.844-45-DCC**
	LINE 1-FW-17 (FIG NO B-55)														
311990	1-FW-17-01F	C-F-2	MT	1	-	-	-	-	-	-	-	C	-	-	
	VALVE TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
312000	1-FW-17-02S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-FW-17 (FIG NO B-55)														
312020	1-FW-17-03S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
312030	1-FW-17-04F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
312040	1-FW-17-05S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
312050	1-FW-17-06S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
312060	1-FW-17-07S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	C	-	-	-	-	-	-	
	E MS ENC			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
312070	1-FW-17-08F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
312080	1-FW-17-09F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	WELD REMOVED AND REPLACED BY
	PIPE TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	1-FW-17-09F-A UNDER PM-1305.
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-FW-17 (FIG NO B-55)							
312086	1-FW-17-17S	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO TEE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-CS-80-.750-12-DCC**
312087	1-FW-17-18S	C-F-2	MT	1	- - -	- - - -	- - -	
	TEE TO FLANGE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-CS-80-.750-12-DCC**
312088	1-FW-17-19F	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-CS-80-.750-12-DCC**
312090	1-FW-17-10F	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO PIPE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-CS-80-.750-12-DCC**
312100	1-FW-17-11S	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-CS-80-.750-12-DCC**
312110	1-FW-17-12F	C-F-2	MT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-CS-80-.750-12-DCC**
312115	1-FW-17-12F-PS	C-C	MT	1	- - -	- - - -	- - -	INACCESSIBLE DUE TO WELDED
	PIPE SUPPORT	C3.20		2	- - -	- - - -	- - -	INSULATION ATTACHMENT.
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-FW-17 (FIG NO B-55)							
312120	1-FW-17-13F	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO VALVE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-CS-80-.750-12-DCC**
312130	1-FW-17-14F	C-F-2	MT	1	- - -	- - - -	- - -	
	VALVE TO PIPE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-CS-80-.750-12-DCC**
312140	1-FW-17-15F	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO PIPE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-CS-80-.750-12-DCC**
312150	1-FW-17-16S-PS	C-C	MT	1	- - -	- - - -	- - -	
	PIPE TO PENETRATION SEAL WELD	C3.20		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-CS-80-.750-12-DCC**
312170	1-FW-17-44	C-F-2	MT	1	- - -	- - - -	- - -	
	BRANCH CONNECTION TO PIPE	C5.51		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
312180	1-FW-17-45	C-F-2	MT	1	- - -	- - - -	- - -	
	SADDLE TO PIPE	C5.51		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
312190	1-FW-17-46	C-F-2	MT	1	- - -	- - - -	- - -	CODE RELIEF WAS GRANTED FIRST
	SADDLE TO BRANCH CONNECTION	C5.51	UT	2	- - -	- - - -	- - -	INTERVAL FROM VOLUMETRIC
				3	- - -	- - - -	- - -	EXAMINATION. SEE BASIS FOR
				4	- - -	- - - -	- - -	PREPARATION, SECTION 3.5.

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-FW-18 (FIG NO 8-56)							
312200	1-FW-18-01S	C-F-2	MT	1	- - -	- - - -	- - -	WELD INACCESSIBLE FOR
	PIPE TO FLUED HEAD	C5.51	UT	2	- - -	- - - -	- - -	EXAMINATION. SEE BASIS FOR
				3	- - -	- - - -	- - -	PREPARATION, SECTION 3.5. CODE
				4	- - -	- - - -	- - -	RELIEF GRANTED FROM
								EXAMINATION.
312210	1-FW-18-02S-PS	C-C	MT	1	- - -	- - - -	- - -	
	PENETRATION SUPPORT WELD	C3.20		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
312220	1-FW-18-03F	C-F-2	MT	1	- - -	- - - -	- - -	
	FLUED HEAD TO PIPE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-CS-80-.750-12-DCC**
312230	1-FW-18-04S	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-CS-80-.750-12-DCC**
312240	1-FW-18-05S	C-F-2	MT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-CS-80-.750-12-DCC**
312250	1-FW-18-06F	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-CS-80-.750-12-DCC**
312260	1-FW-18-07S	C-F-2	MT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**14-CS-80-.750-12-DCC**

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-FW-18 (FIG NO B-56)														
312270	1-FW-18-08F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
312280	1-FW-18-09S	C-F-2	MT	1	-	-	-	-	-	-	-	C	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
312310	1-FW-18-10S	C-F-2	MT	1	-	-	-	-	C	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
312320	1-FW-18-11F	C-F-2	MT	1	-	-	-	-	C	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
312330	1-FW-18-12F	C-F-2	MT	1	-	-	-	-	C	-	-	-	-	-	
	PIPE TO REDUCER	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**14-CS-80-.750-12-DCC**
312340	1-FW-18-13S	C-F-2	MT	1	-	-	-	-	C	-	-	-	-	-	
	REDUCER TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**FW-16-CS-80-.844-45-DCC**
312350	1-FW-18-14F	C-F-2	MT	1	-	-	-	-	C	-	-	-	-	-	
	ELBOW TO NOZZLE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**FW-16-CS-80-.844-45-DCC**

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-FW-26 (FIG NO B-57)														
312360	1-FW-26-01S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	CAP TO TEE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
312370	1-FW-26-02S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
312390	1-FW-26-03S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
312400	1-FW-26-04S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
312420	1-FW-26-05S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	C	-	-	
	596' PLAT			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
312430	1-FW-26-06F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
312435	1-FW-26-22	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**

FEEDWATER SYSTEM

LINE 1-FW-26 (FIG NO B-57)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
312440	1-FW-26-07S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
312450	1-FW-26-08F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
312480	1-FW-26-09S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
312490	1-FW-26-10F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
312500	1-FW-26-11S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
312510	1-FW-26-12S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
312515	1-FW-26-23	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-FW-26 (FIG NO B-57)							
312516	1-FW-26-24	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO FLANGE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-CS-80-.432-13-DCC**
312518	1-FW-26-25	C-F-2	MT	1	- - -	- - - -	- - -	
	FLANGE TO PIPE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-CS-80-.432-13-DCC**
312520	1-FW-26-13S	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-CS-80-.432-13-DCC**
312530	1-FW-26-14S	C-F-2	MT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-CS-80-.432-13-DCC**
312540	1-FW-26-15F	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO PIPE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-CS-80-.432-13-DCC**
	LINE 1-FW-27 (FIG NO B-58)							
312590	1-FW-27-01S	C-F-2	MT	1	- - -	- - - -	- - -	
	CAP TO TEE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-CS-80-.432-13-DCC**
312600	1-FW-27-02S	C-F-2	MT	1	- - -	- - - -	- - -	
	TEE TO PIPE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-CS-80-.432-13-DCC**

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-FW-27 (FIG NO B-58)														
312620	1-FW-27-03S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	C5.51	UT	2	-	-	-	-	-	-	-	C	-	-	
	596' PLAT			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
312630	1-FW-27-04S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
312640	1-FW-27-05S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
312650	1-FW-27-06S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
312660	1-FW-27-07F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
312670	1-FW-27-08S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
312675	1-FW-27-20	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-FW-27 (FIG NO B-58)														
312690	1-FW-27-09F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
312700	1-FW-27-10S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
312710	1-FW-27-11S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
312720	1-FW-27-12S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
312722	1-FW-27-21	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
312724	1-FW-27-22	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO FLANGE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
312728	1-FW-27-23	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		INSPECTION INTERVAL PLAN STATUS FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-FW-27 (FIG NO B-58)														
312730	1-FW-27-13S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
312740	1-FW-27-14S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
312750	1-FW-27-15F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
	LINE 1-FW-30 (FIG NO B-59)														
312800	1-FW-30-01S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	CAP TO TEE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
312810	1-FW-30-02S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
312820	1-FW-30-03S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
312830	1-FW-30-04S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-FW-30 (FIG NO B-59)							
312840	1-FW-30-05S	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-CS-80-.432-13-DCC**
312850	1-FW-30-06S	C-F-2	MT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-CS-80-.432-13-DCC**
312860	1-FW-30-07F	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO PIPE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-CS-80-.432-13-DCC**
312870	1-FW-30-08S	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-CS-80-.432-13-DCC**
312880	1-FW-30-09S	C-F-2	MT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-CS-80-.432-13-DCC**
312900	1-FW-30-10F	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-CS-80-.432-13-DCC**
312910	1-FW-30-11S	C-F-2	MT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-CS-80-.432-13-DCC**

FEEDWATER SYSTEM

LINE 1-FW-30 (FIG NO B-59)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
312920	1-FW-30-12S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
312930	1-FW-30-13S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
312933	1-FW-30-26	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO FLANGE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
312935	1-FW-30-27	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
312940	1-FW-30-14S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
312950	1-FW-30-15S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
312960	1-FW-30-16S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	OUTAGE	FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-FW-30 (FIG NO B-59)														
312970	1-FW-30-17F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
	LINE 1-FW-31 (FIG NO B-60)														
313000	1-FW-31-01S	C-F-2	MT	1	-	-	-	-	-	-	-	C	-	-	
	CAP TO TEE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
313010	1-FW-31-02S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
313020	1-FW-31-03S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
313030	1-FW-31-04S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
313040	1-FW-31-04S-A	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
313050	1-FW-31-04S-B	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**

FEEDWATER SYSTEM

INSPECTION INTERVAL — PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-FW-31 (FIG NO 8-60)														
313060	1-FW-31-05F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
313070	1-FW-31-06S	C-F-2	MT	1	-	-	-	-	-	-	-	C	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
313080	1-FW-31-07S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
313100	1-FW-31-08F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
313110	1-FW-31-09S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
313120	1-FW-31-10S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
313130	1-FW-31-11S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**

INSPECTION INTERVAL — PLAN STATUS

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-FW-31 (FIG NO B-60)						
313132	1-FW-31-23	C-F-2	MT	1 - - -	- - - -	- - -	
	PIPE TO FLANGE	C5.51	UT	2 - - -	- - - -	- - -	
				3 - - -	- - - -	- - -	
				4 - - -	- - - -	- - -	**6-CS-80-.432-13-DCC**
313136	1-FW-31-24	C-F-2	MT	1 - - -	- - - -	- - -	
	FLANGE TO PIPE	C5.51	UT	2 - - -	- - - -	- - -	
				3 - - -	- - - -	- - -	
				4 - - -	- - - -	- - -	**6-CS-80-.432-13-DCC**
313140	1-FW-31-12S	C-F-2	MT	1 - - -	- - - -	- - -	
	PIPE TO ELBOW	C5.51	UT	2 - - -	- - - -	- - -	
				3 - - -	- - - -	- - -	
				4 - - -	- - - -	- - -	**6-CS-80-.432-13-DCC**
313150	1-FW-31-13S	C-F-2	MT	1 - - -	- - - -	- - -	
	ELBOW TO PIPE	C5.51	UT	2 - - -	- - - -	- - -	
				3 - - -	- - - -	- - -	
				4 - - -	- - - -	- - -	**6-CS-80-.432-13-DCC**
313160	1-FW-31-14F	C-F-2	MT	1 - - -	- - - -	- - -	
	PIPE TO PIPE	C5.51	UT	2 - - -	- - - -	- - -	
				3 - - -	- - - -	- - -	
				4 - - -	- - - -	- - -	**6-CS-80-.432-13-DCC**

MAIN STEAM SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-MS-1 (FIG NO B-61)														
313190	1-MS-1-01F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	NOZZLE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**30-CS-X-1.00-38-DCC**
313200	1-MS-1-02S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**30-CS-X-1.00-38-DCC**
313210	1-MS-1-03S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**30-CS-X-1.00-38-DCC**
313220	1-MS-1-04S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO REDUCER	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**30-CS-X-1.00-38-DCC**
313230	1-MS-1-05F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	REDUCER TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**30-CS-X-1.00-38-DCC**
313240	1-MS-1-06F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**30-CS-X-1.00-38-DCC**
313250	1-MS-1-07S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**30-CS-X-1.00-38-DCC**

MAIN STEAM SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-MS-1 (FIG NO B-61)														
313260	1-MS-1-08S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**30-CS-X-1.00-38-DCC**
313270	1-MS-1-09F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**30-CS-X-1.00-38-DCC**
313310	1-MS-1-10F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	WELD INACCESSIBLE FOR
	PIPE TO FLUED HEAD	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	EXAMINATION. SEE BASIS FOR
				3	-	-	-	-	-	-	-	-	-	-	PREPARATION, SECTION 3.5. CODE
				4	-	-	-	-	-	-	-	-	-	-	RELIEF GRANTED FROM EXAMINATION. **30-CS-X-1.00-38-DCC**
313320	1-MS-1-11S-PS	C-C	MT	1	-	-	-	-	-	-	-	-	-	-	
	PENETRATION SUPPORT WELD	C3.20		2	-	-	-	C	-	-	-	-	-	-	
	ANNULUS			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
313330	1-MS-1-12F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	WELD INACCESSIBLE FOR
	FLUED HEAD TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	EXAMINATION. SEE BASIS FOR
				3	-	-	-	-	-	-	-	-	-	-	PREPARATION, SECTION 3.5. CODE
				4	-	-	-	-	-	-	-	-	-	-	RELIEF GRANTED FROM EXAMINATION.
	LINE 1-MS-2 (FIG NO B-62)														
313340	1-MS-2-01S-PS	C-C	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PENETRATION SEAL WELD	C3.20		2	-	-	-	-	C	-	-	-	-	-	
	E MS ENC			3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

MAIN STEAM SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-MS-2 (FIG NO B-62)							
313350	1-MS-2-02F	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO TEE	C5.51	UT	2	C - -	- - - -	- - -	
				3	X - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**30-CS-X-1.00-38-DCC**
313360	1-MS-2-03F	C-F-2	MT	1	- - -	- - - -	- - -	
	TEE TO VALVE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**30-CS-X-1.00-38-DCC**
313370	1-MS-2-04F	C-F-2	MT	1	- - -	- - - -	- - -	
	TEE TO PIPE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**30-CS-X-1.00-38-DCC**
313380	1-MS-2-05S	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO TEE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**30-CS-X-1.00-38-DCC**
313390	1-MS-2-06S	C-F-2	MT	1	- - -	- - - -	- - -	
	TEE TO PIPE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**30-CS-X-1.00-38-DCC**
313400	1-MS-2-07S	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO CAP	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**30-CS-X-1.00-38-DCC**
313410	1-MS-2-08S	C-F-2	MT	1	- - -	- - - -	- - -	
	TEE TO PIPE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**30-CS-X-1.00-38-DCC**

MAIN STEAM SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-MS-2 (FIG NO B-62)														
313420	1-MS-2-09S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO CAP	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**30-CS-X-1.00-38-DCC**
313430	1-MS-2-10F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
313440	1-MS-2-11S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO FLANGE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
313450	1-MS-2-12S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO FLANGE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
313460	1-MS-2-13S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO FLANGE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
313470	1-MS-2-14S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO FLANGE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
313480	1-MS-2-15S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO FLANGE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**

MAIN STEAM SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD (OUTAGE 1 2 3)	SECOND PERIOD (OUTAGE 1 2 3 4)	THIRD PERIOD (OUTAGE 1 2 3)	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-MS-2 (FIG NO B-62)							
313490	1-MS-2-23	C-F-2	MT	1	- - -	- - - -	- - -	CODE RELIEF WAS GRANTED FIRST
	SADDLE TO BRANCH CONNECTION	C5.51	UT	2	- - -	- - - -	- - -	INTERVAL FROM VOLUMETRIC
				3	- - -	- - - -	- - -	EXAMINATION. SEE BASIS FOR
				4	- - -	- - - -	- - -	PREPARATION, SECTION 3.5.
313500	1-MS-2-24	C-F-2	MT	1	- - -	- - - -	C - -	
	SADDLE TO PIPE	C5.51		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
313510	1-MS-2-25	C-F-2	MT	1	- - -	- - - -	- - -	
	BRANCH CONNECTION TO PIPE	C5.51		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
313520	1-MS-2-26	C-F-2	MT	1	- - -	- - - -	- - -	CODE RELIEF WAS GRANTED FIRST
	SADDLE TO BRANCH CONNECTION	C5.51	UT	2	- - -	- - - -	- - -	INTERVAL FROM VOLUMETRIC
				3	- - -	- - - -	- - -	EXAMINATION. SEE BASIS FOR
				4	- - -	- - - -	- - -	PREPARATION, SECTION 3.5.
313530	1-MS-2-27	C-F-2	MT	1	- - -	- - - -	- C -	
	SADDLE TO PIPE	C5.51		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
313540	1-MS-2-28	C-F-2	MT	1	- - -	- - - -	- - -	
	BRANCH CONNECTION TO PIPE	C5.51		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
313550	1-MS-2-29	C-F-2	MT	1	- - -	- - - -	- - -	CODE RELIEF WAS GRANTED FIRST
	SADDLE TO BRANCH CONNECTION	C5.51	UT	2	- - -	- - - -	- - -	INTERVAL FROM VOLUMETRIC
				3	- - -	- - - -	- - -	EXAMINATION. SEE BASIS FOR
				4	- - -	- - - -	- - -	PREPARATION, SECTION 3.5.

MAIN STEAM SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-MS-2 (FIG NO B-62)							
313560	1-MS-2-30 SADDLE TO PIPE	C-F-2 C5.51	MT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
313570	1-MS-2-31 BRANCH CONNECTION TO PIPE	C-F-2 C5.51	MT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
313580	1-MS-2-32 SADDLE TO BRANCH CONNECTION	C-F-2 C5.51	MT UT	1	- - -	- - - -	- - -	CODE RELIEF WAS GRANTED FIRST INTERVAL FROM VOLUMETRIC EXAMINATION. SEE BASIS FOR PREPARATION, SECTION 3.5.
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
313590	1-MS-2-33 SADDLE TO PIPE	C-F-2 C5.51	MT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
313600	1-MS-2-34 BRANCH CONNECTION TO PIPE	C-F-2 C5.51	MT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
313610	1-MS-2-35 SADDLE TO BRANCH CONNECTION	C-F-2 C5.51	MT UT	1	- - -	- - - -	- - -	CODE RELIEF WAS GRANTED FIRST INTERVAL FROM VOLUMETRIC EXAMINATION. SEE BASIS FOR PREPARATION, SECTION 3.5.
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
313620	1-MS-2-36 SADDLE TO PIPE	C-F-2 C5.51	MT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

MAIN STEAM SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD (OUTAGE 1 2 3)	SECOND PERIOD (OUTAGE 1 2 3 4)	THIRD PERIOD (OUTAGE 1 2 3)	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-MS-2 (FIG NO B-62)							
313630	1-MS-2-37	C-F-2	MT	1	- - -	- - - -	- - -	
	BRANCH CONNECTION TO PIPE	C5.51		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
313640	1-MS-2-38	C-F-2	MT	1	- - -	- - - -	- - -	CODE RELIEF WAS GRANTED FIRST
	SADDLE TO BRANCH CONNECTION	C5.51	UT	2	- - -	- - - -	- - -	INTERVAL FROM VOLUMETRIC
				3	- - -	- - - -	- - -	EXAMINATION. SEE BASIS FOR
				4	- - -	- - - -	- - -	PREPARATION, SECTION 3.5.
313650	1-MS-2-39	C-F-2	MT	1	- - -	- - - -	- - -	
	SADDLE TO PIPE	C5.51		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
313660	1-MS-2-40	C-F-2	MT	1	- - -	- - - -	- - -	
	BRANCH CONNECTION TO PIPE	C5.51		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	LINE 1-MS-6 (FIG NO B-63)							
313670	1-MS-6-01F	C-F-2	MT	1	- - -	- - - -	- - -	
	NOZZLE TO PIPE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**30-CS-X-1.00-38-DCC**
313680	1-MS-6-02S	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**30-CS-X-1.00-38-DCC**
313690	1-MS-6-03S	C-F-2	MT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**30-CS-X-1.00-38-DCC**

MAIN STEAM SYSTEM

LINE 1-MS-6 (FIG NO B-63)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
313700	1-MS-6-04S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**30-CS-X-1.00-38-DCC**
313710	1-MS-6-05S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO REDUCER	C5.51	UT	2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**30-CS-X-1.00-38-DCC**
313720	1-MS-6-06F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	REDUCER TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**30-CS-X-1.00-38-DCC**
313730	1-MS-6-07F	C-F-2	MT	1	-	-	-	-	-	C	-	-	-	-	
	PIPE TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**30-CS-X-1.00-38-DCC**
313740	1-MS-6-08S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**30-CS-X-1.00-38-DCC**
313760	1-MS-6-09F	C-F-2	SEE	1	-	-	-	-	-	-	-	-	-	-	EXAMINATION NOT REQUIRED.
	PIPE TO PIPE	C5.51	INST	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**30-CS-X-1.00-38-DCC**
313770	1-MS-6-09F-PL-1	C-C	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE LUG	C3.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

MAIN STEAM SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-MS-6 (FIG NO B-63)														
313780	1-MS-6-09F-PL-2 1 THROUGH 3	C-C	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE LUG	C3.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
313790	1-MS-6-10F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	WELD INACCESSIBLE FOR
	PIPE TO FLUED HEAD	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	EXAMINATION. SEE BASIS FOR
				3	-	-	-	-	-	-	-	-	-	-	PREPARATION, SECTION 3.5. CODE
				4	-	-	-	-	-	-	-	-	-	-	RELIEF GRANTED FROM
															EXAMINATION.
															30-CS-X-1.00-38-DCC
313800	1-MS-6-11S-PS	C-C	MT	1	-	-	-	-	-	-	-	-	-	-	
	PENETRATION SUPPORT WELD	C3.20		2	-	-	-	-	-	-	-	-	-	-	
	ANNULUS			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	
313810	1-MS-6-12F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	WELD INACCESSIBLE FOR
	FLUED HEAD TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	EXAMINATION. SEE BASIS FOR
				3	-	-	-	-	-	-	-	-	-	-	PREPARATION, SECTION 3.5. CODE
				4	-	-	-	-	-	-	-	-	-	-	RELIEF GRANTED FROM
															EXAMINATION.
	LINE 1-MS-7 (FIG NO B-64)														
313820	1-MS-7-01S-PS	C-C	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PENETRATION SEAL WELD	C3.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
313830	1-MS-7-02F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**30-CS-X-1.00-38-DCC**

MAIN STEAM SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-MS-7 (FIG NO B-64)														
313840	1-MS-7-03S	C-F-2	MT	1	-	-	-	-	-	C	-	-	-	-	
	PIPE TO TEE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**30-CS-X-1.00-38-DCC**
313850	1-MS-7-04F	C-F-2	MT	1	-	-	-	-	-	C	-	-	-	-	
	TEE TO VALVE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**30-CS-X-1.00-38-DCC**
313860	1-MS-7-05F	C-F-2	MT	1	-	-	-	-	-	C	-	-	-	-	
	TEE TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**30-CS-X-1.00-38-DCC**
313870	1-MS-7-06S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**30-CS-X-1.00-38-DCC**
313880	1-MS-7-07S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**30-CS-X-1.00-38-DCC**
313890	1-MS-7-08S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO CAP	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**30-CS-X-1.00-38-DCC**
313900	1-MS-7-09S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**30-CS-X-1.00-38-DCC**

MAIN STEAM SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD (OUTAGE 1 2 3)	SECOND PERIOD (OUTAGE 1 2 3 4)	THIRD PERIOD (OUTAGE 1 2 3)	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-MS-7 (FIG NO B-64)							
313910	1-MS-7-10S	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO CAP	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**30-CS-X-1.00-38-DCC**
313920	1-MS-7-11S	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO FLANGE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- X - -	- - -	
				4	- - -	- - - -	- - -	**6-CS-80-.432-13-DCC**
313930	1-MS-7-12S	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO FLANGE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-CS-80-.432-13-DCC**
313940	1-MS-7-13S	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO FLANGE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-CS-80-.432-13-DCC**
313950	1-MS-7-14S	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO FLANGE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-CS-80-.432-13-DCC**
313960	1-MS-7-15S	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO FLANGE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-CS-80-.432-13-DCC**
313970	1-MS-7-22F	C-F-2	MT	1	- - -	- - - -	- - -	CODE RELIEF WAS GRANTED FIRST
	SADDLE TO BRANCH CONNECTION	C5.51	UT	2	- - -	- - - -	- - -	INTERVAL FROM VOLUMETRIC
				3	- - -	- - - -	- - -	EXAMINATION. SEE BASIS FOR
				4	- - -	- - - -	- - -	PREPARATION, SECTION 3.5.

MAIN STEAM SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-MS-7 (FIG NO B-64)														
313980	1-MS-7-23	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	SADDLE TO PIPE	C5.51		2	-	-	-	C	-	-	-	-	-	-	
	W MS ENC			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
313990	1-MS-7-25	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	CODE RELIEF WAS GRANTED FIRST
	SADDLE TO BRANCH CONNECTION	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	INTERVAL FROM VOLUMETRIC
				3	-	-	-	-	-	-	-	-	-	-	EXAMINATION. SEE BASIS FOR
				4	-	-	-	-	-	-	-	-	-	-	PREPARATION, SECTION 3.5.
314000	1-MS-7-26	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	SADDLE TO PIPE	C5.51		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
314010	1-MS-7-27	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	BRANCH CONNECTION TO PIPE	C5.51		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
314020	1-MS-7-28	C-F-2	MT	1	-	-	-	-	-	-	-	C	-	-	CODE RELIEF WAS GRANTED FIRST
	SADDLE TO BRANCH CONNECTION	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	INTERVAL FROM VOLUMETRIC
				3	-	-	-	-	-	-	-	-	-	-	EXAMINATION. SEE BASIS FOR
				4	-	-	-	-	-	-	-	-	-	-	PREPARATION, SECTION 3.5.
314030	1-MS-7-29	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	SADDLE TO PIPE	C5.51		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
314040	1-MS-7-30	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	BRANCH CONNECTION TO PIPE	C5.51		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

MAIN STEAM SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD (OUTAGE 1 2 3)	SECOND PERIOD (OUTAGE 1 2 3 4)	THIRD PERIOD (OUTAGE 1 2 3)	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-MS-7 (FIG NO B-64)							
314050	1-MS-7-31	C-F-2	MT	1	- - -	- - - -	- - -	CODE RELIEF WAS GRANTED FIRST
	SADDLE TO BRANCH CONNECTION	C5.51	UT	2	- - -	- - - -	- - -	INTERVAL FROM VOLUMETRIC
				3	- - -	- - - -	- - -	EXAMINATION. SEE BASIS FOR
				4	- - -	- - - -	- - -	PREPARATION, SECTION 3.5.
314060	1-MS-7-32	C-F-2	MT	1	- - -	- - - -	- - -	
	SADDLE TO PIPE	C5.51		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
314070	1-MS-7-33	C-F-2	MT	1	- - -	- - - -	- - -	
	BRANCH CONNECTION TO PIPE	C5.51		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
314080	1-MS-7-34	C-F-2	MT	1	- - -	- - - -	- - -	CODE RELIEF WAS GRANTED FIRST
	SADDLE TO BRANCH CONNECTION	C5.51	UT	2	- - -	- - - -	- - -	INTERVAL FROM VOLUMETRIC
				3	- - -	- - - -	- - -	EXAMINATION. SEE BASIS FOR
				4	- - -	- - - -	- - -	PREPARATION, SECTION 3.5.
314090	1-MS-7-35	C-F-2	MT	1	- - -	- - - -	- - -	
	SADDLE TO PIPE	C5.51		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
314100	1-MS-7-36	C-F-2	MT	1	- - -	- - - -	- - -	
	BRANCH CONNECTION TO PIPE	C5.51		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
314110	1-MS-7-37	C-F-2	MT	1	- - -	- - - -	- - -	CODE RELIEF WAS GRANTED FIRST
	SADDLE TO BRANCH CONNECTION	C5.51	UT	2	- - -	- - - -	- - -	INTERVAL FROM VOLUMETRIC
				3	- - -	- - - -	- - -	EXAMINATION. SEE BASIS FOR
				4	- - -	- - - -	- - -	PREPARATION, SECTION 3.5.

MAIN STEAM SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-MS-7 (FIG NO B-64)							
314120	1-MS-7-38	C-F-2	MT	1	- - -	- - - -	- - -	
	SADDLE TO PIPE	C5.51		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
314130	1-MS-7-39	C-F-2	MT	1	- - -	- - - -	- - -	
	BRANCH CONNECTION TO PIPE	C5.51		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
314140	1-MS-7-40	C-F-2	MT	1	- - -	- - - -	- - -	
	BRANCH CONNECTION TO PIPE	C5.51		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	LINE 1-MS-10 (FIG NO B-65)							
314150	1-MS-10-01F	C-F-2	MT	1	- - -	- - - -	- - -	
	NOZZLE TO ELBOW	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**30-CS-X-1.00-38-DCC**
314160	1-MS-10-02S	C-F-2	MT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**30-CS-X-1.00-38-DCC**
314170	1-MS-10-03S	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO PIPE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**30-CS-X-1.00-38-DCC**
314180	1-MS-10-04S	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO REDUCER	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**30-CS-X-1.00-38-DCC**

MAIN STEAM SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-MS-10 (FIG NO B-65)														
314190	1-MS-10-05F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	REDUCER TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**30-CS-X-1.00-38-DCC**
314200	1-MS-10-06F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**30-CS-X-1.00-38-DCC**
314210	1-MS-10-07S	C-F-2	MT	1	-	-	-	-	-	-	-	C	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**30-CS-X-1.00-38-DCC**
314230	1-MS-10-07S-PL	C-C	MT	1	-	-	-	-	-	-	-	-	-	-	BASE MATERIAL 0.5".
	PIPE LUG	C3.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
314240	1-MS-10-08F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**30-CS-X-1.00-38-DCC**
314250	1-MS-10-08F-PL 1 THROUGH 3	C-C	MT	1	-	-	-	-	-	-	-	-	-	-	BASE MATERIAL 0.5".
	PIPE LUG	C3.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
314260	1-MS-10-09F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	WELD INACCESSIBLE FOR
	PIPE TO FLUED HEAD	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	EXAMINATION. SEE BASIS FOR
				3	-	-	-	-	-	-	-	-	-	-	PREPARATION, SECTION 3.5. CODE
				4	-	-	-	-	-	-	-	-	-	-	RELIEF GRANTED FROM
															EXAMINATION.
															30-CS-X-1.00-38-DCC

INSPECTION INTERVAL PLAN STATUS

MAIN STEAM SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-MS-10 (FIG NO B-65)						
314270	1-MS-10-10S-PS	C-C	MT	1 - - -	- - - -	- - -	
	PENETRATION SUPPORT WELD	C3.20		2 - - -	- - - -	- - -	
				3 - - -	- - - -	- - -	
				4 - - -	- - - -	- - -	
314280	1-MS-10-11F	C-F-2	MT	1 - - -	- - - -	- - -	WELD INACCESSIBLE FOR
	FLUED HEAD TO PIPE	C5.51	UT	2 - - -	- - - -	- - -	EXAMINATION. SEE BASIS FOR
				3 - - -	- - - -	- - -	PREPARATION, SECTION 3.5. CODE
				4 - - -	- - - -	- - -	RELIEF GRANTED FROM
							EXAMINATION.
	LINE 1-MS-11 (FIG NO B-66)						
314290	1-MS-11-01S	C-C	MT	1 - - -	- - - -	- - -	
	PIPE TO PENETRATION SEAL WELD	C3.20		2 - - -	- - - -	- - -	
				3 - - -	- - - -	- - -	
				4 - - -	- - - -	- - -	
314300	1-MS-11-02F	C-F-2	MT	1 - - -	- - - -	- - -	
	PIPE TO PIPE	C5.51	UT	2 - - -	- - - -	- - -	
				3 - - -	- - - -	- - -	
				4 - - -	- - - -	- - -	**30-CS-X-1.00-38-DCC**
314310	1-MS-11-03S	C-F-2	MT	1 - - -	- - - -	- - -	
	PIPE TO TEE	C5.51	UT	2 - - -	- - - -	- - -	
				3 - - -	- - - -	- - -	
				4 - - -	- - - -	- - -	**30-CS-X-1.00-38-DCC**
314320	1-MS-11-04F	C-F-2	MT	1 - - -	- - - -	- - -	
	PIPE TO VALVE	C5.51	UT	2 - - -	- - - -	- - -	
				3 - - -	- - - -	- - -	
				4 - - -	- - - -	- - -	**30-CS-X-1.00-38-DCC**

MAIN STEAM SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD (OUTAGE 1 2 3)	SECOND PERIOD (OUTAGE 1 2 3 4)	THIRD PERIOD (OUTAGE 1 2 3)	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-MS-11 (FIG NO B-66)							
314330	1-MS-11-05F	C-F-2	MT	1	- - -	- - - -	- - -	
	TEE TO PIPE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**30-CS-X-1.00-38-DCC**
314340	1-MS-11-06S	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO TEE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**30-CS-X-1.00-38-DCC**
314350	1-MS-11-07S	C-F-2	MT	1	- - -	- - - -	- - -	
	TEE TO PIPE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**30-CS-X-1.00-38-DCC**
314360	1-MS-11-08S	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO CAP	C5.51	UT	2	- - -	- - - -	C - -	
	W MS ENC			3	- - -	- - - -	X - -	
				4	- - -	- - - -	- - -	**30-CS-X-1.00-38-DCC**
314370	1-MS-11-09S	C-F-2	MT	1	- - -	- - - -	- - -	
	TEE TO PIPE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**30-CS-X-1.00-38-DCC**
314380	1-MS-11-10S	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO CAP	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**30-CS-X-1.00-38-DCC**
314390	1-MS-11-11S	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO FLANGE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-CS-80-.432-13-DCC**

MAIN STEAM SYSTEM

INSPECTION INTERVAL / PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-MS-11 (FIG NO B-66)														
314400	1-MS-11-12S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO FLANGE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
314410	1-MS-11-13S	C-F-2	MT	1	-	-	-	-	-	C	-	-	-	-	
	PIPE TO FLANGE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	X	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
314420	1-MS-11-14S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO FLANGE	C5.51		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
314430	1-MS-11-15S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO FLANGE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
314440	1-MS-11-23	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	CODE RELIEF WAS GRANTED FIRST
	SADDLE TO BRANCH CONNECTION	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	INTERVAL FROM VOLUMETRIC
				3	-	-	-	-	-	-	-	-	-	-	EXAMINATION. SEE BASIS FOR
				4	-	-	-	-	-	-	-	-	-	-	PREPARATION, SECTION 3.5.
314450	1-MS-11-24	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	SADDLE TO PIPE	C5.51		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
314460	1-MS-11-25	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	BRANCH CONNECTION TO PIPE	C5.51		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

MAIN STEAM SYSTEM

INSPECTION INTERVAL / PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-MS-11 (FIG NO B-66)							
314470	1-MS-11-26	C-F	MT	1	- - -	- - - -	- - -	
	PIPE TO PIPE	C5.11		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
314480	1-MS-11-27	C-F-2	MT	1	- - -	- - - -	- - -	CODE RELIEF WAS GRANTED FIRST
	SADDLE TO BRANCH CONNECTION	C5.51	UT	2	- - -	- - - -	- - -	INTERVAL FROM VOLUMETRIC
				3	- - -	- - - -	- - -	EXAMINATION. SEE BASIS FOR
				4	- - -	- - - -	- - -	PREPARATION, SECTION 3.5.
314490	1-MS-11-28	C-F-2	MT	1	- - -	- - - -	- - -	
	SADDLE TO PIPE	C5.51		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
314495	1-MS-11-41	C-F-2	MT	1	- - -	- - - -	- - -	
	BRANCH CONNECTION TO PIPE	C5.51		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
314500	1-MS-11-29	C-F-2	MT	1	- - -	- - - -	- - -	CODE RELIEF WAS GRANTED FIRST
	SADDLE TO BRANCH CONNECTION	C5.51		2	- - -	C - - -	- - -	INTERVAL FROM VOLUMETRIC
	W MS ENC			3	- - -	X - - -	- - -	EXAMINATION. SEE BASIS FOR
				4	- - -	- - - -	- - -	PREPARATION, SECTION 3.5.
314510	1-MS-11-30	C-F-2	MT	1	- - -	- - - -	- - -	
	SADDLE TO PIPE	C5.51		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
314520	1-MS-11-31	C-F-2	MT	1	- - -	- - - -	- - -	
	BRANCH CONNECTION TO PIPE	C5.51		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

MAIN STEAM SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD (OUTAGE 1 2 3)	SECOND PERIOD (OUTAGE 1 2 3 4)	THIRD PERIOD (OUTAGE 1 2 3)	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-MS-11 (FIG NO B-66)							
314530	1-MS-11-32	C-F-2	MT	1	- - -	- - - -	- - -	CODE RELIEF WAS GRANTED FIRST
	SADDLE TO BRANCH CONNECTION	C5.51	UT	2	- - -	- - - -	- - -	INTERVAL FROM VOLUMETRIC
				3	- - -	- - - -	- - -	EXAMINATION. SEE BASIS FOR
				4	- - -	- - - -	- - -	PREPARATION, SECTION 3.5.
314540	1-MS-11-33	C-F-2	MT	1	- - -	- - - -	- - -	
	SADDLE TO PIPE	C5.51		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
314550	1-MS-11-34	C-F-2	MT	1	- - -	- - - -	- - -	
	BRANCH CONNECTION TO PIPE	C5.51		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
314560	1-MS-11-35	C-F-2	MT	1	- - -	- - - -	C - -	CODE RELIEF WAS GRANTED FIRST
	SADDLE TO BRANCH CONNECTION	C5.51		2	- - -	- - - -	- - -	INTERVAL FROM VOLUMETRIC
				3	- - -	- - - -	X - -	EXAMINATION. SEE BASIS FOR
				4	- - -	- - - -	- - -	PREPARATION, SECTION 3.5.
314570	1-MS-11-36	C-F-2	MT	1	- - -	- - - -	- - -	CODE RELIEF WAS GRANTED FIRST
	SADDLE TO PIPE	C5.51		2	- - -	- - - -	- - -	INTERVAL FROM VOLUMETRIC
				3	- - -	- - - -	- - -	EXAMINATION. SEE BASIS FOR
				4	- - -	- - - -	- - -	PREPARATION, SECTION 3.5.
314580	1-MS-11-37	C-F-2	MT	1	- - -	- - - -	- - -	
	BRANCH CONNECTION TO PIPE	C5.51		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
314590	1-MS-11-38	C-F-2	MT	1	- - -	- - - -	- - -	CODE RELIEF WAS GRANTED FIRST
	SADDLE TO BRANCH CONNECTION	C5.51	UT	2	- - -	- - - -	- - -	INTERVAL FROM VOLUMETRIC
				3	- - -	- - - -	- - -	EXAMINATION. SEE BASIS FOR
				4	- - -	- - - -	- - -	PREPARATION, SECTION 3.5.

MAIN STEAM SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD (OUTAGE 1 2 3)	SECOND PERIOD (OUTAGE 1 2 3 4)	THIRD PERIOD (OUTAGE 1 2 3)	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-MS-11 (FIG NO B-66)							
314600	1-MS-11-39	C-F-2	MT	1	- - -	- - - -	- - -	
	SADDLE TO PIPE	C5.51		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
314610	1-MS-11-40	C-F-2	MT	1	- - -	- - - -	- - -	
	BRANCH CONNECTION TO PIPE	C5.51		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	LINE 1-MS-14 (FIG NO B-67)							
314630	1-MS-14-01F	C-F-2	MT	1	- - -	- - - -	- - -	
	NOZZLE TO ELBOW	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**30-CS-X-1.00-38-DCC**
314640	1-MS-14-02S	C-F-2	MT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**30-CS-X-1.00-38-DCC**
314650	1-MS-14-03S	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**30-CS-X-1.00-38-DCC**
314660	1-MS-14-04S	C-F-2	MT	1	- - -	- - - -	- - -	
	ELBOW TO REDUCER	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**30-CS-X-1.00-38-DCC**
314670	1-MS-14-05F	C-F-2	MT	1	- - -	- - - -	- - -	
	REDUCER TO PIPE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**30-CS-X-1.00-38-DCC**

MAIN STEAM SYSTEM

INSPECTION INTERVAL / PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-MS-14 (FIG NO B-67)							
314680	1-MS-14-06F	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO PIPE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**30-CS-X-1.00-38-DCC**
314690	1-MS-14-07S	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**30-CS-X-1.00-38-DCC**
314710	1-MS-14-08F	C-F-2	MT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**30-CS-X-1.00-38-DCC**
314740	1-MS-14-09F	C-F-2	MT	1	- - -	- - - -	- - -	WELD INACCESSIBLE FOR
	PIPE TO FLUED HEAD	C5.51	UT	2	- - -	- - - -	- - -	EXAMINATION. SEE BASIS FOR
				3	- - -	- - - -	- - -	PREPARATION, SECTION 3.5. CODE
				4	- - -	- - - -	- - -	RELIEF GRANTED FROM EXAMINATION. **30-CS-X-1.00-38-DCC**
314750	1-MS-14-10S-PS	C-C	MT	1	- - -	- - - -	- - -	
	PENETRATION SUPPORT WELD	C3.20		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
314760	1-MS-14-11F	C-F-2	MT	1	- - -	- - - -	- - -	THIS WELD INACCESSIBLE FOR
	FLUED HEAD TO PIPE	C5.51	UT	2	- - -	- - - -	- - -	EXAMINATION. SEE BASIS FOR
				3	- - -	- - - -	- - -	PREPARATION, SECTION 3.5. CODE
				4	- - -	- - - -	- - -	RELIEF GRANTED FROM EXAMINATION.

MAIN STEAM SYSTEM

INSPECTION INTERVAL — PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-MS-15 (FIG NO B-68)														
314770	1-MS-15-01S-PS	C-C	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PENETRATION SEAL WELD	C3.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
314780	1-MS-15-02F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**30-CS-X-1.00-38-DCC**
314790	1-MS-15-03S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**30-CS-X-1.00-38-DCC**
314800	1-MS-15-04F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO VALVE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**30-CS-X-1.00-38-DCC**
314810	1-MS-15-05F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**30-CS-X-1.00-38-DCC**
314820	1-MS-15-06S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**30-CS-X-1.00-38-DCC**
314830	1-MS-15-07S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**30-CS-X-1.00-38-DCC**

MAIN STEAM SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-MS-15 (FIG NO B-68)							
314840	1-MS-15-08S	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO CAP	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**30-CS-X-1.00-38-DCC**
314850	1-MS-15-09S	C-F-2	MT	1	- - -	- - - -	- - -	
	TEE TO PIPE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**30-CS-X-1.00-38-DCC**
314860	1-MS-15-10S	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO CAP	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**30-CS-X-1.00-38-DCC**
314870	1-MS-15-11S	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO FLANGE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-CS-80-.432-13-DCC**
314880	1-MS-15-12S	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO FLANGE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-CS-80-.432-13-DCC**
314890	1-MS-15-13S	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO FLANGE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-CS-80-.432-13-DCC**
314900	1-MS-15-14S	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO FLANGE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-CS-80-.432-13-DCC**

MAIN STEAM SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD (OUTAGE 1 2 3)	SECOND PERIOD (OUTAGE 1 2 3 4)	THIRD PERIOD (OUTAGE 1 2 3)	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-MS-15 (FIG NO 8-68)							
314910	1-MS-15-15S	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO FLANGE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-CS-80-.432-13-DCC**
314920	1-MS-15-23	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO PIPE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-CS-80-.432-13-DCC**
314930	1-MS-15-24	C-F-2	MT	1	- - -	- - - -	- - -	CODE RELIEF WAS GRANTED FIRST
	SADDLE TO BRANCH CONNECTION	C5.51	UT	2	- - -	- - - -	- - -	INTERVAL FROM VOLUMETRIC
				3	- - -	- - - -	- - -	EXAMINATION. SEE BASIS FOR
				4	- - -	- - - -	- - -	PREPARATION, SECTION 3.5.
314940	1-MS-15-25	C-F-2	MT	1	- - -	- - - -	- - -	
	SADDLE TO PIPE	C5.51		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
314950	1-MS-15-26	C-F-2	MT	1	- - -	- - - -	- - -	
	BRANCH CONNECTION TO PIPE	C5.51		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
314960	1-MS-15-27	C-F-2	MT	1	- - -	- - - -	- - -	CODE RELIEF WAS GRANTED FIRST
	SADDLE TO BRANCH CONNECTION	C5.51	UT	2	- - -	- - - -	- - -	INTERVAL FROM VOLUMETRIC
				3	- - -	- - - -	- - -	EXAMINATION. SEE BASIS FOR
				4	- - -	- - - -	- - -	PREPARATION, SECTION 3.5.
314970	1-MS-15-28	C-F	MT	1	- - -	- - - -	- - -	
	SADDLE TO PIPE	C5.11		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

MAIN STEAM SYSTEM

INSPECTION INTERVAL — PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	OUTAGE	FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-MS-15 (FIG NO B-68)														
314980	1-MS-15-29	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	BRANCH CONNECTION TO PIPE	C5.51		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
314990	1-MS-15-30	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	CODE RELIEF WAS GRANTED FIRST
	SADDLE TO BRANCH CONNECTION	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	INTERVAL FROM VOLUMETRIC
				3	-	-	-	-	-	-	-	-	-	-	EXAMINATION. SEE BASIS FOR
				4	-	-	-	-	-	-	-	-	-	-	PREPARATION, SECTION 3.5.
315000	1-MS-15-31	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	SADDLE TO PIPE	C5.51		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
315010	1-MS-15-32	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	BRANCH CONNECTION TO PIPE	C5.51		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
315020	1-MS-15-33	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	CODE RELIEF WAS GRANTED FIRST
	SADDLE TO BRANCH CONNECTION	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	INTERVAL FROM VOLUMETRIC
				3	-	-	-	-	-	-	-	-	-	-	EXAMINATION. SEE BASIS FOR
				4	-	-	-	-	-	-	-	-	-	-	PREPARATION, SECTION 3.5.
315030	1-MS-15-34	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	SADDLE TO PIPE	C5.51		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
315040	1-MS-15-35	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	BRANCH CONNECTION TO PIPE	C5.51		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

MAIN STEAM SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-MS-15 (FIG NO B-68)														
315050	1-MS-15-36	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	CODE RELIEF WAS GRANTED FIRST
	SADDLE TO BRANCH CONNECTION	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	INTERVAL FROM VOLUMETRIC
				3	-	-	-	-	-	-	-	-	-	-	EXAMINATION. SEE BASIS FOR
				4	-	-	-	-	-	-	-	-	-	-	PREPARATION, SECTION 3.5.
315060	1-MS-15-37	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	SADDLE TO PIPE	C5.51		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
315070	1-MS-15-38	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	BRANCH CONNECTION TO PIPE	C5.51		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
315080	1-MS-15-39	C-F-2	MT	1	-	-	-	-	-	-	-	C	-	-	CODE RELIEF WAS GRANTED FIRST
	SADDLE TO BRANCH CONNECTION	C5.51		2	-	-	-	-	-	-	-	-	-	-	INTERVAL FROM VOLUMETRIC
				3	-	-	-	-	-	-	-	X	-	-	EXAMINATION. SEE BASIS FOR
				4	-	-	-	-	-	-	-	-	-	-	PREPARATION, SECTION 3.5.
315090	1-MS-15-40	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	SADDLE TO PIPE	C5.51		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
315100	1-MS-15-41	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	BRANCH CONNECTION TO PIPE	C5.51		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-MS-189 (FIG NO B-69)														
315110	1-MS-189-01S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**

MAIN STEAM SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-MS-189 (FIG NO B-69)														
315120	1-MS-189-02S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
315130	1-MS-189-03S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
315140	1-MS-189-04F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
315150	1-MS-189-05S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
315160	1-MS-189-06S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
315170	1-MS-189-07S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
315180	1-MS-189-08S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**

INSPECTION INTERVAL / PLAN STATUS

MAIN STEAM SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	OUTAGE	FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-MS-189 (FIG NO B-69)														
315200	1-MS-189-09F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO VALVE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
315210	1-MS-189-10F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
315220	1-MS-189-11F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
	LINE 1-MS-190 (FIG NO B-70)														
315230	1-MS-190-01F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
315240	1-MS-190-02S	C-F-2	MT	1	-	-	-	-	C	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
315250	1-MS-190-03S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
315260	1-MS-190-04F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**

MAIN STEAM SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-MS-190 (FIG NO B-70)														
315270	1-MS-190-05S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
315290	1-MS-190-06S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
315310	1-MS-190-07S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
315320	1-MS-190-08S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
315330	1-MS-190-09S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
315340	1-MS-190-10F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
315350	1-MS-190-11F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**

MAIN STEAM SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-MS-190 (FIG NO B-70)														
315360	1-MS-190-12F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
	LINE 1-MS-191 (FIG NO B-71)														
315370	1-MS-191-01F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
315380	1-MS-191-02S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
315390	1-MS-191-03S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
315400	1-MS-191-04F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
315410	1-MS-191-05S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
315430	1-MS-191-06S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**

MAIN STEAM SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-MS-191 (FIG NO B-71)							
315450	1-MS-191-07S	C-F-2	MT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-CS-80-.432-13-DCC**
315460	1-MS-191-08S	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-CS-80-.432-13-DCC**
315470	1-MS-191-09S	C-F-2	MT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-CS-80-.432-13-DCC**
315480	1-MS-191-10F	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO VALVE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-CS-80-.432-13-DCC**
315490	1-MS-191-11F	C-F-2	MT	1	- - -	- - - -	- - -	
	VALVE TO PIPE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-CS-80-.432-13-DCC**
315500	1-MS-191-12F	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO VALVE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-CS-80-.432-13-DCC**
	LINE 1-MS-192 (FIG NO B-72)							
315510	1-MS-192-01F	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-CS-80-.432-13-DCC**

MAIN STEAM SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-MS-192 (FIG NO B-72)														
315520	1-MS-192-02S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
315530	1-MS-192-03S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
315540	1-MS-192-04S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
315550	1-MS-192-05F	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	C	-	-	
	E MS ENC			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
315560	1-MS-192-06S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
315570	1-MS-192-07S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**
315580	1-MS-192-08S	C-F-2	MT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.51	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-CS-80-.432-13-DCC**

MAIN STEAM SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-MS-192 (FIG NO B-72)							
315590	1-MS-192-09S	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-CS-80-.432-13-DCC**
315610	1-MS-192-10F	C-F-2	MT	1	- - -	- - - -	- - -	
	ELBOW TO VALVE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-CS-80-.432-13-DCC**
315620	1-MS-192-11F	C-F-2	MT	1	- - -	- - - -	- - -	
	VALVE TO PIPE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-CS-80-.432-13-DCC**
315630	1-MS-192-12F	C-F-2	MT	1	- - -	- - - -	- - -	
	PIPE TO VALVE	C5.51	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-CS-80-.432-13-DCC**

MAIN STEAM ISOLATION VALVE-LINE 1-MS-2

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	VALVE BODY WELDS (FIG NO B-75, B-76)														
317060	MSIV-MRV-210-1	C-G	MT	1	-	-	-	-	-	-	-	-	-	-	
	CYLINDER WELD	C6.20		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	INTEGRALLY WELDED SUPPORTS (FIG NO B-75, B-76)														
317070	MSIV-MRV-210-S1	C-C	MT	1	-	-	-	-	-	-	-	-	-	-	
		C3.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
317080	MSIV-MRV-210-S2	C-C	MT	1	-	-	-	-	-	-	-	-	-	-	
		C3.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	PRESSURE RETAINING BOLTING (>2") (FIG NO B-75, B-76)														
317090	MSIV-MRV-210	C-D	UT	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE BOLTING	C4.40		2	-	-	-	-	-	-	-	C	-	-	
	E MS ENC			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**2.75-S-8-CS-40-DCC**

MAIN STEAM ISOLATION VALVE-LINE 1-MS-7

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	VALVE BODY WELDS (FIG NO B-75, B-76)							
317110	MSIV-MRV-220-1 CYLINDER WELD	C-G C6.20	MT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	INTEGRALLY WELDED SUPPORTS (FIG NO B-75, B-76)							
317120	MSIV-MRV-220-S1	C-C C3.40	MT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
317130	MSIV-MRV-220-S2	C-C C3.40	MT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	PRESSURE RETAINING BOLTING (>2") (FIG NO B-75, B-76)							
317140	MSIV-MRV-220 FLANGE BOLTING	C-D C4.40	UT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**2.75-S-8-CS-40-DCC**

MAIN STEAM ISOLATION VALVE-LINE 1-MS-11

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		INSPECTION INTERVAL PLAN STATUS FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	VALVE BODY WELDS (FIG NO B-75, B-76)														
317160	MSIV-MRV-230-1	C-G	MT	1	-	-	-	-	-	-	-	-	-	-	
	CYLINDER WELD	C6.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	INTEGRALLY WELDED SUPPORTS (FIG NO B-75, B-76)														
317170	MSIV-MRV-230-S1	C-C	MT	1	-	-	-	-	-	-	-	-	-	-	
		C3.40		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
317180	MSIV-MRV-230-S2	C-C	MT	1	-	-	-	-	-	-	-	-	-	-	
		C3.40		2	-	-	-	-	C	-	-	-	-	-	
	W MS ENC			3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	PRESSURE RETAINING BOLTING (>2") (FIG NO B-75, B-76)														
317190	MSIV-MRV-230	C-D	UT	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE BOLTING	C4.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**2.75-S-8-CS-40-DCC**

MAIN STEAM ISOLATION VALVE-LINE 1-MS-15

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	VALVE BODY WELDS (FIG NO B-75, B-76)							
317210	MSIV-MRV-240-1	C-G	MT	1	- - -	- - - -	- - -	
	CYLINDER WELD	C6.20		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	INTEGRALLY WELDED SUPPORTS (FIG NO B-75, B-76)							
317220	MSIV-MRV-240-S1	C-C	MT	1	- - -	- - - -	- - -	
		C3.40		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
317230	MSIV-MRV-240-S2	C-C	MT	1	- - -	- - - -	- - -	
		C3.40		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	PRESSURE RETAINING BOLTING (>2") (FIG NO B-75, B-76)							
317240	MSIV-MRV-240	C-D	UT	1	- - -	- - - -	- - -	
	FLANGE BOLTING	C4.40		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**2.75-A-8-CS-40-DCC**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-5 (FIG NO B-77)														
323000	1-SI-5-01F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO VALVE	C5.11H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**8-SS-10-.148-16-DCC**
323010	1-SI-5-02F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO TEE	C5.11H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**8-SS-10-.148-16-DCC**
323020	1-SI-5-03S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	C5.11H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**8-SS-10-.148-16-DCC**
323030	1-SI-5-04S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	C5.11H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**8-SS-10-.148-16-DCC**
323040	1-SI-5-05S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO CAP	C5.11H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**8-SS-10-.148-16-DCC**
323050	1-SI-5-06S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO REDUCER	C5.11H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**8-SS-10-.148-16-DCC**
323060	1-SI-5-07S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO REDUCER	C5.11H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**8-SS-10-.148-16-DCC**

EMERGENCY CORE COOLING SYSTEM

LINE 1-SI-5 (FIG NO B-77)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
323070	1-SI-5-08S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	REDUCER TO PIPE	C5.11H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-SS-40-.280-28-DCC**
323080	1-SI-5-09S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	C5.11H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-SS-40-.280-28-DCC**
323090	1-SI-5-10S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO CAP	C5.11H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-10S-.120-21-DCC**
323100	1-SI-5-11S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	C5.11H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-SS-40-.280-28-DCC**
323110	1-SI-5-12S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.11H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-SS-40-.280-28-DCC**
323120	1-SI-5-13S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.11H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-SS-40-.280-28-DCC**
323130	1-SI-5-14F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	C5.11H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**6-SS-40-.280-28-DCC**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-5 (FIG NO 8-77)							
323140	1-SI-5-15F	C-F-1	PT	1	- - -	- - - -	- - -	
	VALVE TO REDUCER	C5.11H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-SS-40-.280-28-DCC**
323150	1-SI-5-16S	C-F-1	PT	1	- - -	- - - -	- - -	
	REDUCER TO TEE	C5.11H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-SS-40-.280-28-DCC**
323160	1-SI-5-17F	C-F-1	PT	1	- - -	- - - -	- - -	
	TEE TO PIPE	C5.11H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-SS-40-.280-28-DCC**
323170	1-SI-5-18S	C-F-1	PT	1	- - -	- - - -	- - -	
	TEE TO REDUCER	C5.11H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-SS-40-.280-28-DCC**
323180	1-SI-5-19F	C-F-1	PT	1	- - -	- - - -	- - -	
	REDUCER TO TEE	C5.11H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-SS-40-.280-28-DCC**
323190	1-SI-5-20F	C-F-1	PT	1	- - -	- - - -	- - -	
	TEE TO FLANGE	C5.11H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-SS-40-.280-28-DCC**
323200	1-SI-5-21F	C-F-1	PT	1	- - -	- - - -	- - -	
	TEE TO PIPE	C5.11H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- X -	
				4	- - -	- - - -	- - -	**6-SS-40-.280-28-DCC**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-5 (FIG NO B-77)							
323210	1-SI-5-22S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.11H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-SS-40-.280-28-DCC**
323220	1-SI-5-23S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO REDUCER	C5.11H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-SS-40-.280-28-DCC**
323230	1-SI-5-24S	C-F-1	PT	1	- - -	- - - -	- - -	
	REDUCER TO FLANGE	C5.11H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**4-SS-10S-.120-21-DCC**
323240	1-SI-5-25S	C-F-1	PT	1	- - -	- - - -	- - -	
	REDUCER TO PIPE	C5.11H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-SS-40-.280-28-DCC**
323250	1-SI-5-26S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.11H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-SS-40-.280-28-DCC**
323260	1-SI-5-27S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.11H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-SS-40-.280-28-DCC**
323270	1-SI-5-28F	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO VALVE	C5.11H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-SS-40-.280-28-DCC**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-5 (FIG NO 8-77)							
323280	1-SI-5-29F	C-F-1	PT	1	- - -	- - - -	- - -	
	VALVE TO TEE	C5.11H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-SS-40-.280-28-DCC**
323290	1-SI-5-30F	C-F-1	PT	1	- - -	- - - -	- - -	
	TEE TO TEE	C5.11H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-SS-40-.280-28-DCC**
323300	1-SI-5-31S	C-F-1	PT	1	- - -	- - - -	- - -	
	TEE TO FLANGE	C5.11H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-SS-40-.280-28-DCC**
323310	1-SI-5-32F	C-F-1	PT	1	- - -	- - - -	- - -	
	TEE TO PIPE	C5.11H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-SS-40-.280-28-DCC**
323320	1-SI-5-33S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.11H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-SS-40-.280-28-DCC**
323330	1-SI-5-34S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO REDUCER	C5.11H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**6-SS-40-.280-28-DCC**
323340	1-SI-5-35S	C-F-1	PT	1	- - -	- - - -	- - -	
	REDUCER TO FLANGE	C5.11H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**4-SS-10S-.120-21-DCC**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-5 (FIG NO B-78)														
323350	1-SI-5-36S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	C5.20H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-10S-.120-21-DCC**
323360	1-SI-5-37S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.20H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-10S-.120-21-DCC**
323370	1-SI-5-38S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.20H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-10S-.120-21-DCC**
323380	1-SI-5-39S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	C5.20H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-10S-.120-21-DCC**
323390	1-SI-5-40S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO ELBOW	C5.20H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-10S-.120-21-DCC**
323400	1-SI-5-41S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO VALVE	C5.20H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-10S-.120-21-DCC**
323410	1-SI-5-42S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	C5.20H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-10S-.120-21-DCC**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-5 (FIG NO B-78)														
323420	1-SI-5-43F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	C5.20H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-10S-.120-21-DCC**
	LINE 1-SI-11A (FIG NO B-79)														
325000	1-SI-11A-01S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**2.5-SS-40-.203-15-DCC**
325010	1-SI-11A-02S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
325020	1-SI-11A-03S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
325030	1-SI-11A-04S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
325040	1-SI-11A-05F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	C5.21H.	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
325050	1-SI-11A-06F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO VALVE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-11A (FIG NO B-79)														
325060	1-SI-11A-07F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
325070	1-SI-11A-08F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO TEE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
325080	1-SI-11A-09F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
325090	1-SI-11A-10S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
325100	1-SI-11A-11F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
325110	1-SI-11A-12F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
325120	1-SI-11A-13S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**

EMERGENCY CORE COOLING SYSTEM

INSPECTION INTERVAL — PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-11A (FIG NO B-79)														
325130	1-SI-11A-14F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
325140	1-SI-11A-15F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
325150	1-SI-11A-16S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO FLANGE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
325160	1-SI-11A-17S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
325170	1-SI-11A-18F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
	LINE 1-SI-11 (FIG NO B-79)														
325500	1-SI-11-01S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**2.5-SS-40-.203-15-DCC**
325510	1-SI-11-02S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-11 (FIG NO B-79)														
325520	1-SI-11-03S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
325530	1-SI-11-04S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
325540	1-SI-11-05F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
325550	1-SI-11-06F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO VALVE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
325560	1-SI-11-07F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
325570	1-SI-11-08F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
325580	1-SI-11-09S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-11 (FIG NO B-79)														
325590	1-SI-11-10F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
325600	1-SI-11-11F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
	LINE 1-SI-11 (FIG NO B-80)														
325610	1-SI-11-12S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
325620	1-SI-11-13S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
325630	1-SI-11-14S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
325640	1-SI-11-15S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
325650	1-SI-11-16S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-11 (FIG NO B-80)														
325660	1-SI-11-17S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
325670	1-SI-11-18S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
325680	1-SI-11-19S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO FLANGE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
325690	1-SI-11-20S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
325700	1-SI-11-21S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
325710	1-SI-11-22S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
325720	1-SI-11-23S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-11 (FIG NO B-80)														
325730	1-SI-11-24S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
325740	1-SI-11-25F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
325750	1-SI-11-26S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
325760	1-SI-11-27S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
325770	1-SI-11-28S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
325780	1-SI-11-29S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
325790	1-SI-11-30S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**

EMERGENCY CORE COOLING SYSTEM

LINE 1-SI-11 (FIG NO B-80)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
325800	1-SI-11-31S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
325810	1-SI-11-32F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
325820	1-SI-11-33S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
325830	1-SI-11-34F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
325840	1-SI-11-35S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
325850	1-SI-11-36S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
325860	1-SI-11-37S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-11 (FIG NO B-80)							
325870	1-SI-11-38S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
325880	1-SI-11-39F	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
325890	1-SI-11-40S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
325900	1-SI-11-41S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
325910	1-SI-11-42S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
325920	1-SI-11-43S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
325930	1-SI-11-44S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-11 (FIG NO 8-80)							
325940	1-SI-11-45F PIPE TO PIPE	C-F-1 C5.21H	PT UT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
325950	1-SI-11-46S PIPE TO ELBOW	C-F-1 C5.21H	PT UT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
325960	1-SI-11-47S ELBOW TO PIPE	C-F-1 C5.21H	PT UT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
325970	1-SI-11-48F PIPE TO ELBOW	C-F-1 C5.21H	PT UT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
325980	1-SI-11-49S ELBOW TO PIPE	C-F-1 C5.21H	PT UT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
325990	1-SI-11-50S PIPE TO ELBOW	C-F-1 C5.21H	PT UT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
326000	1-SI-11-51S ELBOW TO PIPE	C-F-1 C5.21H	PT UT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-11 (FIG NO B-80)							
326010	1-SI-11-52S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
326020	1-SI-11-53S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
326030	1-SI-11-54F	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO PENETRATION #68	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
	LINE 1-SI-11 (FIG NO B-81)							
326100	1-SI-11-55F	C-F-1	PT	1	- - -	- - - -	- - -	
	TEE TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**4-SS-80-.337-20-DCC**
326110	1-SI-11-56S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**4-SS-80-.337-20-DCC**
326120	1-SI-11-57S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**4-SS-80-.337-20-DCC**
326130	1-SI-11-58S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**4-SS-80-.337-20-DCC**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-11 (FIG NO B-81)							
326140	1-SI-11-59S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**4-SS-80-.337-20-DCC**
326150	1-SI-11-60S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**4-SS-80-.337-20-DCC**
326160	1-SI-11-61S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**4-SS-80-.337-20-DCC**
326170	1-SI-11-61F	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**4-SS-80-.337-20-DCC**
326180	1-SI-11-62S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO VALVE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**4-SS-80-.337-20-DCC**
326190	1-SI-11-63S	C-F-1	PT	1	- - -	- - - -	- - -	
	VALVE TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**4-SS-80-.337-20-DCC**
326200	1-SI-11-64S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**4-SS-80-.337-20-DCC**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-11 (FIG NO B-81)														
326210	1-SI-11-65S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
326220	1-SI-11-66F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
326230	1-SI-11-67S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
326240	1-SI-11-68S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
326250	1-SI-11-69F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBWO TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
326260	1-SI-11-70F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
326270	1-SI-11-71F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL / PLAN STATUS: FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-11 (FIG NO B-81)						
326280	1-SI-11-72S	C-F-1	PT	1 - - -	- - - -	- - -	
	ELBOW TO PIPE	C5.21H	UT	2 - - -	- - - -	- - -	
				3 - - -	- - - -	- - -	
				4 - - -	- - - -	- - -	**4-SS-80-.337-20-DCC**
326290	1-SI-11-73S	C-F-1	PT	1 - - -	- - - -	- - -	
	PIPE TO ELBOW	C5.21H	UT	2 - - -	- - - -	- - -	
				3 - - -	- - - -	- - -	
				4 - - -	- - - -	- - -	**4-SS-80-.337-20-DCC**
326300	1-SI-11-74S	C-F-1	PT	1 - - -	- - - -	- - -	
	ELBOW TO PIPE	C5.21H	UT	2 - - -	- - - -	- - -	
				3 - - -	- - - -	- - -	
				4 - - -	- - - -	- - -	**4-SS-80-.337-20-DCC**
326310	1-SI-11-75S	C-F-1	PT	1 - - -	- - - -	- - -	
	PIPE TO ELBOW	C5.21H	UT	2 - - -	- - - -	- - -	
				3 - - -	- - - -	- - -	
				4 - - -	- - - -	- - -	**4-SS-80-.337-20-DCC**
326320	1-SI-11-76S	C-F-1	PT	1 - - -	- - - -	- - -	
	ELBOW TO PIPE	C5.21H	UT	2 - - -	- - - -	- - -	
				3 - - -	- - - -	- - -	
				4 - - -	- - - -	- - -	**4-SS-80-.337-20-DCC**
326330	1-SI-11-77F	C-F-1	PT	1 - - -	- - - -	- - -	
	PIPE TO PIPE	C5.21H	UT	2 - - -	- - - -	- - -	
				3 - - -	- - - -	- - -	
				4 - - -	- - - -	- - -	**4-SS-80-.337-20-DCC**
326340	1-SI-11-78F	C-F-1	PT	1 - - -	- - - -	- - -	
	PIPE TO VALVE	C5.21H	UT	2 - - -	- - - -	- - -	
				3 - - -	- - - -	- - -	
				4 - - -	- - - -	- - -	**4-SS-80-.337-20-DCC**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-11 (FIG NO B-81)														
326350	1-SI-11-79F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
326360	1-SI-11-80S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
326370	1-SI-11-81S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
326380	1-SI-11-82S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
326390	1-SI-11-83S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
326400	1-SI-11-84S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
326410	1-SI-11-85F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-12 (FIG NO B-82)														
327000	1-SI-12-01S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
327010	1-SI-12-02S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
327020	1-SI-12-03S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
327030	1-SI-12-04S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
327040	1-SI-12-05S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
327050	1-SI-12-06S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
327060	1-SI-12-07S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-12 (FIG NO B-82)														
327070	1-SI-12-08F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**4-SS-80-.337-20-DCC**
327080	1-SI-12-09F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
327090	1-SI-12-10F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
327100	1-SI-12-11F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
327110	1-SI-12-12F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
327120	1-SI-12-13S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
327130	1-SI-12-14S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**

EMERGENCY CORE COOLING SYSTEM

LINE 1-SI-12 (FIG NO B-82)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
327140	1-SI-12-15S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
327150	1-SI-12-16S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
327160	1-SI-12-17S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
327170	1-SI-12-18F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
327180	1-SI-12-19S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
327190	1-SI-12-20F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
327200	1-SI-12-21F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-12 (FIG NO B-82)														
327210	1-SI-12-22F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
327220	1-SI-12-23S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
327230	1-SI-12-24S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
327240	1-SI-12-25S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
327250	1-SI-12-26F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PENETRATION #43	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
	LINE 1-SI-19 (FIG NO B-83)														
327500	1-SI-19-01F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PENETRATION #43 TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
327510	1-SI-19-02S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-19 (FIG NO B-83)							
327520	1-SI-19-03S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO TEE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
327530	1-SI-19-04S	C-F-1	PT	1	- - -	- - - -	- - -	
	TEE TO CAP	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
327540	1-SI-19-05S	C-F-1	PT	1	- - -	- - - -	- - -	
	TEE TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
327550	1-SI-19-06S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO REDUCER	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
327560	1-SI-19-07F	C-F-1	PT	1	- - -	- - - -	- - -	
	REDUCER TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**2-SS-160-.344-6-DCC**
327570	1-SI-19-08F	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO VALVE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**2-SS-160-.344-6-DCC**
327580	1-SI-19-09F	C-F-1	PT	1	- - -	- - - -	- - -	
	VALVE TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**2-SS-160-.344-6-DCC**

EMERGENCY CORE COOLING SYSTEM

INSPECTION INTERVAL — PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-19 (FIG NO B-83)														
327590	1-SI-19-10F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO REDUCER	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**2-SS-160-.344-6-DCC**
327600	1-SI-19-11F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	REDUCER TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
	LINE 1-SI-50 (FIG NO B-84)														
329000	1-SI-50-01S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
329010	1-SI-50-02S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
329020	1-SI-50-03S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
329030	1-SI-50-04F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
329040	1-SI-50-05S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-50 (FIG NO B-84)							
329050	1-SI-50-06S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
329060	1-SI-50-07S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
329070	1-SI-50-08F	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
329080	1-SI-50-09S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
329090	1-SI-50-10S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
329100	1-SI-50-11S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
329110	1-SI-50-12F	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-50 (FIG NO B-84)							
329120	1-SI-50-13S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
329130	1-SI-50-14S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO ELBOW	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
329140	1-SI-50-15S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO TEE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
329150	1-SI-50-16F	C-F-1	PT	1	- - -	- - - -	- - -	
	TEE TO VALVE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
329160	1-SI-50-17F	C-F-1	PT	1	- - -	- - - -	- - -	
	VALVE TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
329170	1-SI-50-18S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO TEE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
329180	1-SI-50-19S	C-F-1	PT	1	- - -	- - - -	- - -	
	TEE TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1 2 3	PLAN STATUS SECOND PERIOD OUTAGE 1 2 3 4	PLAN STATUS THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-50 (FIG NO B-84)							
329190	1-SI-50-20S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
329200	1-SI-50-21S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
329210	1-SI-50-22S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO BEND	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
329220	1-SI-50-23F	C-F-1	PT	1	- - -	- - - -	- - -	
	BEND TO VALVE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
329230	1-SI-50-24F	C-F-1	PT	1	- - -	- - - -	- - -	
	VALVE TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
329240	1-SI-50-25S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO TEE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
329250	1-SI-50-26S	C-F-1	PT	1	- - -	- - - -	- - -	
	TEE TO ELBOW	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-50 (FIG NO B-84)														
329260	1-SI-50-27S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
329270	1-SI-50-28F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
329280	1-SI-50-29F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
329290	1-SI-50-30S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO REDUCING ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
329300	1-SI-50-31F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	REDUCING ELBOW TO NOZZLE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
	LINE 1-SI-51 (FIG NO B-85)														
330000	1-SI-51-01F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	NOZZLE TO REDUCING ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378028 (6-SS-160-.71)**
330010	1-SI-51-02S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	REDUCING ELBOW TO PIPEOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-51 (FIG NO B-85)							
330020	1-SI-51-03S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
330030	1-SI-51-04F	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
330040	1-SI-51-05S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
330050	1-SI-51-06F	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
330060	1-SI-51-07S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
330070	1-SI-51-08S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
330080	1-SI-51-09F	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	OUTAGE	FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-51 (FIG NO B-85)														
330090	1-SI-51-10S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
330100	1-SI-51-11F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
	LINE 1-SI-51 (FIG NO B-86)														
330200	1-SI-51-12S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
330210	1-SI-51-13S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO BEND	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
330220	1-SI-51-14S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	BEND TO TEE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
330230	1-SI-51-15F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
330240	1-SI-51-16S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**

INSPECTION INTERVAL / PLAN STATUS

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-51 (FIG NO B-86)														
330250	1-SI-51-17S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO BEND	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
330260	1-SI-51-18S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	BEND TO BEND	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
330270	1-SI-51-19F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	BEND TO VALVE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
330330	1-SI-51-25F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
330340	1-SI-51-26S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
	LINE 1-SI-74 (FIG NO B-87)														
330500	1-SI-74-01F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PENETRATION #68 TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
330510	1-SI-74-02S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**

EMERGENCY CORE COOLING SYSTEM

LINE 1-SI-74 (FIG NO B-87)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
330520	1-SI-74-03S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
330530	1-SI-74-04S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
330540	1-SI-74-05S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
330550	1-SI-74-06S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
330560	1-SI-74-07S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
330570	1-SI-74-08S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
330580	1-SI-74-09S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-74 (FIG NO B-87)							
330590	1-SI-74-10S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO REDUCER	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
330600	1-SI-74-11F	C-F-1	PT	1	- - -	- - - -	- - -	
	REDUCER TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**2-SS-160-.344-6-DCC**
330610	1-SI-74-12F	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO VALVE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**2-SS-160-.344-6-DCC**
330620	1-SI-74-13F	C-F-1	PT	1	- - -	- - - -	- - -	
	VALVE TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**2-SS-160-.344-6-DCC**
330630	1-SI-74-14F	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO REDUCER	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**2-SS-160-.344-6-DCC**
330640	1-SI-74-15F	C-F-1	PT	1	- - -	- - - -	- - -	
	REDUCER TO VALVE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
330650	1-SI-74-16F	C-F-1	PT	1	- - -	- - - -	- - -	
	VALVE TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-74 (FIG NO B-87)														
330660	1-SI-74-17S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
330670	1-SI-74-18S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
330680	1-SI-74-19S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
330690	1-SI-74-20S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
330700	1-SI-74-21F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO BRANCH CONNECTION	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
	LINE 1-SI-80 (FIG NO B-88)														
331000	1-SI-80-01F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO VALVE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
331010	1-SI-80-02F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**

EMERGENCY CORE COOLING SYSTEM

LINE 1-SI-80 (FIG NO B-88)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY / ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD (OUTAGE 1 2 3)	SECOND PERIOD (OUTAGE 1 2 3 4)	THIRD PERIOD (OUTAGE 1 2 3)	INSTRUCTIONS **CALIBRATION BLOCK**
331020	1-SI-80-03S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
331030	1-SI-80-04S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
331040	1-SI-80-05S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
331050	1-SI-80-06S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
331060	1-SI-80-07S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
331070	1-SI-80-08S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
331080	1-SI-80-09S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**

INSPECTION INTERVAL PLAN STATUS

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-80 (FIG NO B-88)							
331090	1-SI-80-10S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
331100	1-SI-80-11S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
331110	1-SI-80-12S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
331120	1-SI-80-13S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
331130	1-SI-80-14S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
331140	1-SI-80-15S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
331150	1-SI-80-16S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-80 (FIG NO B-88)							
331160	1-SI-80-17S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
331170	1-SI-80-18S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
331180	1-SI-80-19S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
331190	1-SI-80-20S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
331200	1-SI-80-21S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
331210	1-SI-80-22S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
331220	1-SI-80-23S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-80 (FIG NO B-88)														
331230	1-SI-80-24S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
331240	1-SI-80-25S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
331250	1-SI-80-26S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
331260	1-SI-80-27S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
331270	1-SI-80-28S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
331280	1-SI-80-29S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO VALVE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
331290	1-SI-80-30S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**

EMERGENCY CORE COOLING SYSTEM

INSPECTION INTERVAL — PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-80 (FIG NO B-88)														
331300	1-SI-80-31S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
331310	1-SI-80-32S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
331320	1-SI-80-33F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-32 (FIG NO B-89)														
332000	1-CS-32-01F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	REDUCER TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**
332010	1-CS-32-02F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**
332020	1-CS-32-03S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**
332030	1-CS-32-04S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**
332040	1-CS-32-05S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**
332050	1-CS-32-06S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**
332060	1-CS-32-07S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-32 (FIG NO B-89)														
332070	1-CS-32-08S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**
332080	1-CS-32-09S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**
332090	1-CS-32-10S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**
332100	1-CS-32-11S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**
332110	1-CS-32-12S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**
332120	1-CS-32-13S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**
332130	1-CS-32-14S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-32 (FIG NO B-89)														
332140	1-CS-32-15S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**
332150	1-CS-32-16S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**
332160	1-CS-32-17S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**
332170	1-CS-32-18S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**
332180	1-CS-32-19S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**
332190	1-CS-32-20S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**
332200	1-CS-32-21S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**

INSPECTION INTERVAL — PLAN STATUS

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-32 (FIG NO B-89)														
332210	1-CS-32-22S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**
332220	1-CS-32-23S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**
332230	1-CS-32-24S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO VALVE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**
332240	1-CS-32-25S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**
332250	1-CS-32-26S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**
332260	1-CS-32-27S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**
332270	1-CS-32-28S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-32 (FIG NO B-89)														
332280	1-CS-32-29S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**
332290	1-CS-32-30S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**
332300	1-CS-32-31S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**
332310	1-CS-32-32S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**
332320	1-CS-32-33S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO FLANGE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**
332330	1-CS-32-34S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**
332340	1-CS-32-35S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	OUTAGE	FIRST PERIOD 1 2 3	SECOND PERIOD 1 2 3 4	THIRD PERIOD 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-32 (FIG NO B-89)							
332350	1-CS-32-36S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378026 (3-SS-160-.430)**
332360	1-CS-32-37S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO TEE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378026 (3-SS-160-.430)**
332370	1-CS-32-38S	C-F-1	PT	1	- - -	- - - -	- - -	
	TEE TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378026 (3-SS-160-.430)**
332380	1-CS-32-39S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378026 (3-SS-160-.430)**
332390	1-CS-32-40S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378026 (3-SS-160-.430)**
332400	1-CS-32-41S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378026 (3-SS-160-.430)**
332410	1-CS-32-42S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378026 (3-SS-160-.430)**

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-32 (FIG NO B-89)														
332420	1-CS-32-43S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**
	LINE 1-CS-34 (FIG NO B-90)														
333000	1-CS-34-01F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	FLANGE TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
333010	1-CS-34-02F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
333020	1-CS-34-03S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
333030	1-CS-34-04S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
333040	1-CS-34-05S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
333050	1-CS-34-06S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO TEE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-34 (FIG NO B-90)														
333060	1-CS-34-07S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
333070	1-CS-34-08F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO VALVE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
333080	1-CS-34-09F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO TEE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
333090	1-CS-34-10S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
333100	1-CS-34-11F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
333110	1-CS-34-12S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
333120	1-CS-34-13F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-34 (FIG NO B-90)														
333130	1-CS-34-14F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
333140	1-CS-34-15S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
333150	1-CS-34-16F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
333160	1-CS-34-17F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
333170	1-CS-34-18S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
333180	1-CS-34-19S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
333190	1-CS-34-20S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**

CHEMICAL AND VOLUME CONTROL SYSTEM

INSPECTION INTERVAL — PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-34 (FIG NO B-90)							
333200	1-CS-34-21F	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO TEE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
333210	1-CS-34-22S	C-F-1	PT	1	- - -	- - - -	- - -	
	FLANGE TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
333220	1-CS-34-23S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
333230	1-CS-34-24S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO ELBOW	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
333240	1-CS-34-25S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
333250	1-CS-34-26S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
333260	1-CS-34-27S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**

INSPECTION INTERVAL — PLAN STATUS

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-34 (FIG NO B-90)							
333270	1-CS-34-28S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
333280	1-CS-34-29F	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO VALVE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
333290	1-CS-34-30F	C-F-1	PT	1	- - -	- - - -	- - -	
	VALVE TO TEE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
333300	1-CS-34-31S	C-F-1	PT	1	- - -	- - - -	- - -	
	TEE TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
333310	1-CS-34-32F	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO VALVE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
333320	1-CS-34-33F	C-F-1	PT	1	- - -	- - - -	- - -	
	TEE TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
333330	1-CS-34-34F	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO VALVE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-34 (FIG NO B-90)														
333340	1-CS-34-35F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
333350	1-CS-34-36S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
333360	1-CS-34-37S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
333370	1-CS-34-38S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
333380	1-CS-34-39S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
333390	1-CS-34-40S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
333400	1-CS-34-41F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**

INSPECTION INTERVAL PLAN STATUS

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD (OUTAGE 1 2 3)	SECOND PERIOD (OUTAGE 1 2 3 4)	THIRD PERIOD (OUTAGE 1 2 3)	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-34 (FIG NO B-90)							
333410	1-CS-34-42S	C-F-1	PT	1	- - -	- - - -	- - -	
	TEE TO REDUCER	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
333420	1-CS-34-43S	C-F-1	PT	1	- - -	- - - -	- - -	
	TEE TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
333430	1-CS-34-44S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO TEE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378027 (4-SS-120-.430)**
333440	1-CS-34-45F	C-F-1	PT	1	- - -	- - - -	- - -	
	VALVE TO ELBOW	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	X - -	
				4	- - -	- - - -	- - -	**3378026 (3-SS-160-.430)**
333450	1-CS-34-46S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378026 (3-SS-160-.430)**
333460	1-CS-34-47F	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO TEE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378026 (3-SS-160-.430)**
333470	1-CS-34-48F	C-F-1	PT	1	- - -	- - - -	- - -	
	TEE TO VALVE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378026 (3-SS-160-.430)**

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-34 (FIG NO B-90)							
333480	1-CS-34-49F	C-F-1	PT	1	- - -	- - - -	- - -	
	TEE TO TEE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378026 (3-SS-160-.430)**
333490	1-CS-34-50F	C-F-1	PT	1	- - -	- - - -	- - -	
	TEE TO ELBOW	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378026 (3-SS-160-.430)**
333500	1-CS-34-51S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378026 (3-SS-160-.430)**
333510	1-CS-34-52S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378026 (3-SS-160-.430)**
333520	1-CS-34-53S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378026 (3-SS-160-.430)**
333530	1-CS-34-54S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378026 (3-SS-160-.430)**
333540	1-CS-34-55S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378026 (3-SS-160-.430)**

CHEMICAL AND VOLUME CONTROL SYSTEM

INSPECTION INTERVAL / PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	OUTAGE	FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-34 (FIG NO B-90)														
333550	1-CS-34-56S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**
333560	1-CS-34-57S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**
333570	1-CS-34-58F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**
	LINE 1-CS-34 (FIG NO B-91)														
333580	1-CS-34-59S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**
333590	1-CS-34-60S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**
333600	1-CS-34-61S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**
	LINE 1-CS-36 (FIG NO B-91)														
334000	1-CS-36-01S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**

INSPECTION INTERVAL PLAN STATUS

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-36 (FIG NO B-91)							
334010	1-CS-36-02S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378026 (3-SS-160-.430)**
334020	1-CS-36-03S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378026 (3-SS-160-.430)**
334030	1-CS-36-04S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378026 (3-SS-160-.430)**
334040	1-CS-36-05S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378026 (3-SS-160-.430)**
334050	1-CS-36-06S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO TEE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378026 (3-SS-160-.430)**
334060	1-CS-36-07S	C-F-1	PT	1	- - -	- - - -	- - -	
	TEE TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378026 (3-SS-160-.430)**
334070	1-CS-36-08S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378026 (3-SS-160-.430)**

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-36 (FIG NO B-91)														
334080	1-CS-36-09S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**
334090	1-CS-36-10F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**
334100	1-CS-36-11S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**
334110	1-CS-36-12S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**
334120	1-CS-36-13S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**
334130	1-CS-36-14S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**
334140	1-CS-36-15S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD (OUTAGE 1 2 3)	SECOND PERIOD (OUTAGE 1 2 3 4)	THIRD PERIOD (OUTAGE 1 2 3)	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-36 (FIG NO B-91)							
334150	1-CS-36-16S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378026 (3-SS-160-.430)**
334160	1-CS-36-17S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378026 (3-SS-160-.430)**
334170	1-CS-36-18S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378026 (3-SS-160-.430)**
334180	1-CS-36-19S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378026 (3-SS-160-.430)**
334190	1-CS-36-20F	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO TEE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378026 (3-SS-160-.430)**
	LINE 1-CS-41 (FIG NO B-92)							
335000	1-CS-41-01S	C-F-1	PT	1	- - -	- - - -	- - -	
	TEE TO REDUCER	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378026 (3-SS-160-.430)**
335010	1-CS-41-02S	C-F-1	PT	1	- - -	- - - -	- - -	
	TEE TO PIPE	C5.21H	UT	2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	**3378026 (3-SS-160-.430)**

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS: FIRST PERIOD (OUTAGE) 1	2	3	SECOND PERIOD (OUTAGE) 1	2	3	4	THIRD PERIOD (OUTAGE) 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-41 (FIG NO B-92)														
335020	1-CS-41-03S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO TEE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**
335030	1-CS-41-04S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO REDUCER	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**
335040	1-CS-41-05S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	TEE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**
335050	1-CS-41-06F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO VALVE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378026 (3-SS-160-.430)**
	LINE 12-CS-131 (FIG NO B-93)														
336000	12-CS-131-01F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
336010	12-CS-131-02S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**
336020	12-CS-131-03S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.21H	UT	2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	**3378027 (4-SS-120-.430)**

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL / PLAN STATUS: FIRST PERIOD 1 2 3 / SECOND PERIOD 1 2 3 4 / THIRD PERIOD 1 2 3 (OUTAGE)	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 12-CS-131 (FIG NO B-93)				
336030	12-CS-131-04F	C-F-1	PT	1 - - - - - - - - - -	
	PIPE TO TEE	C5.21H	UT	2 - - - - - - - - - -	
				3 - - - - - - - - - -	
				4 - - - - - - - - - -	**3378027 (4-SS-120-.430)**
	LINE 1-CS-132 (FIG NO B-94)				
337000	1-CS-132-01F	C-F-1	PT	1 - - - - - - - - - -	
	VALVE TO PIPE	C5.21H	UT	2 - - - - - - - - - -	
				3 - - - - - - - - - -	
				4 - - - - - - - - - -	**3378026 (3-SS-160-.430)**
337010	1-CS-132-02F	C-F-1	PT	1 - - - - - - - - - -	
	PIPE TO TEE	C5.21H	UT	2 - - - - - - - - - -	
				3 - - - - - - - - - -	
				4 - - - - - - - - - -	**3378026 (3-SS-160-.430)**
	LINE 1-CS-747 (FIG NO B-95)				
338000	1-CS-747-01F	C-F-1	PT	1 - - - - - - - - - -	
	TEE TO PIPE	C5.30H	UT	2 - - - - - - - - - -	
				3 - - - - - - - - - -	
				4 - - - - - - - - - -	
338010	1-CS-747-02S	C-F-1	PT	1 - - - - - - - - - -	
	PIPE TO ELBOW	C5.30H		2 - - - - - - - - - -	
				3 - - - - - - - - - -	
				4 - - - - - - - - - -	
338020	1-CS-747-03S	C-F-1	PT	1 - - - - - - - - - -	
	ELBOW TO PIPE	C5.30H		2 - - - - - - - - - -	
				3 - - - - - - - - - -	
				4 - - - - - - - - - -	

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-747 (FIG NO B-95)							
338030	1-CS-747-04S PIPE TO VALVE	C-F-1 C5.30H	PT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
338040	1-CS-747-05S VALVE TO PIPE	C-F-1 C5.30H	PT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
338050	1-CS-747-06S PIPE TO REDUCER	C-F-1 C5.30H	PT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
338060	1-CS-747-07S REDUCER TO PIPE	C-F-1 C5.30H	PT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
338070	1-CS-747-08S PIPE TO ELBOW	C-F-1 C5.30H	PT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	X - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
338080	1-CS-747-09S ELBOW TO PIPE	C-F-1 C5.30H	PT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
338090	1-CS-747-10S PIPE TO ELBOW	C-F-1 C5.30H	PT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-747 (FIG NO B-95)														
338100	1-CS-747-11S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.30H		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
338110	1-CS-747-12S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.30H		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
338120	1-CS-747-13S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.30H		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
338130	1-CS-747-14S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.30H		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
338140	1-CS-747-15S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.30H		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
338150	1-CS-747-16S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.30H		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
338160	1-CS-747-17S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.30H		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-747 (FIG NO B-95)							
338170	1-CS-747-18S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO TEE	C5.30H		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
338180	1-CS-747-19S	C-F-1	PT	1	- - -	- - - -	- - -	
	TEE TO PIPE	C5.30H		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
338190	1-CS-747-20S	C-F-1	PT	1	- - -	- - - -	- - -	
	TEE TO PIPE	C5.30H		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
338200	1-CS-747-21S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.30H		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
338210	1-CS-747-22S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.30H		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
338220	1-CS-747-23F	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO VALVE	C5.30H		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	LINE 1-CS-748 (FIG NO B-96)							
339000	1-CS-748-01F	C-F-1	PT	1	- - -	- - - -	- - -	
	TEE TO PIPE	C5.30H		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-748 (FIG NO B-96)														
339010	1-CS-748-02S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.30H		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
339020	1-CS-748-03S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.30H		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
339030	1-CS-748-04S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO VALVE	C5.30H		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
339040	1-CS-748-05S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	VALVE TO PIPE	C5.30H		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
339050	1-CS-748-06S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO REDUCER	C5.30H		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
339060	1-CS-748-07S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	REDUCER TO PIPE	C5.30H		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
339070	1-CS-748-08S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.30H		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-748 (FIG NO B-96)														
339080	1-CS-748-09S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO PIPE	C5.30H		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
339090	1-CS-748-10S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.30H		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
339100	1-CS-748-11S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.30H		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
339110	1-CS-748-12F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.30H		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
339120	1-CS-748-13S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.30H		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
339130	1-CS-748-14S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.30H		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
339140	1-CS-748-15S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.30H		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-748 (FIG NO B-96)							
339150	1-CS-748-16F PIPE TO ELBOW	C-F-1 C5.30H	PT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	LINE 1-CS-747A (FIG NO B-97)							
340000	1-CS-747A-01S ELBOW TO PIPE	C-F-1 C5.30H	PT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
340010	1-CS-747A-02S PIPE TO PIPE	C-F-1 C5.30H	PT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
340020	1-CS-747A-03S PIPE TO PIPE	C-F-1 C5.30H	PT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
340030	1-CS-747A-04S PIPE TO ELBOW	C-F-1 C5.30H	PT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
340040	1-CS-747A-05F ELBOW TO PIPE	C-F-1 C5.30H	PT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
340050	1-CS-747A-06F PIPE TO VALVE	C-F-1 C5.30H	PT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS: FIRST PERIOD (OUTAGE 1 2 3)	PLAN STATUS: SECOND PERIOD (OUTAGE 1 2 3 4)	PLAN STATUS: THIRD PERIOD (OUTAGE 1 2 3)	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-753 (FIG NO B-98)							
341000	1-CS-753-01S	C-F-1	PT	1	- - -	- - - -	- - -	
	VALVE TO PIPE	C5.30H		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
341010	1-CS-753-02S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.30H		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
341020	1-CS-753-03S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.30H		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
341030	1-CS-753-04S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.30H		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
341040	1-CS-753-05S	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.30H		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
341050	1-CS-753-06S	C-F-1	PT	1	- - -	- - - -	- - -	
	PIPE TO ELBOW	C5.30H		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
341060	1-CS-753-07F	C-F-1	PT	1	- - -	- - - -	- - -	
	ELBOW TO PIPE	C5.30H		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

INSPECTION INTERVAL / PLAN STATUS

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-753 (FIG NO B-98)														
341070	1-CS-753-08S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.30H		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
341080	1-CS-753-09S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.30H		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
341090	1-CS-753-10S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.30H		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
341100	1-CS-753-11S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	ELBOW TO PIPE	C5.30H		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
341110	1-CS-753-12F	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO REDUCER	C5.30H		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-CS-754 (FIG NO B-99)														
342000	1-CS-754-01S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	REDUCER TO PIPE	C5.30H		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
342010	1-CS-754-02S	C-F-1	PT	1	-	-	-	-	-	-	-	-	-	-	
	PIPE TO ELBOW	C5.30H		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-754 (FIG NO B-99)							
342020	1-CS-754-03S ELBOW TO PIPE	C-F-1 C5.30H	PT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
342030	1-CS-754-04S PIPE TO ELBOW	C-F-1 C5.30H	PT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
342040	1-CS-754-05S ELBOW TO PIPE	C-F-1 C5.30H	PT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
342050	1-CS-754-06S PIPE TO VALVE	C-F-1 C5.30H	PT	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

CLASS 3 ALL STATUS COMPONENTS

AUXILIARY FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-C-32														
500000	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
500100	INTEGRAL ATTACHMENTS	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-C-59, SH. 1 OF 2														
500200	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
500300	INTEGRAL ATTACHMENTS	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-C-59, SH. 2 OF 2														
500400	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
500500	INTEGRAL ATTACHMENTS	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

AUXILIARY FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-C-65, SH. 1 OF 2														
500600	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
500700	INTEGRAL ATTACHMENTS	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-C-65, SH. 2 OF 2														
500800	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
500900	INTEGRAL ATTACHMENTS	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-C-67, SH. 1 OF 2														
501000	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
501100	INTEGRAL ATTACHMENTS	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

AUXILIARY FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-C-67, SH. 2 OF 2							
501200	PRESSURE RETAINING COMPONENTS	D-B D2.10	VT-2	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
501300	INTEGRAL ATTACHMENTS	D-B D2.20	VT-3	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	SEE AEP DWG. NO. 1-C-68, SH. 1 OF 2							
501400	PRESSURE RETAINING COMPONENTS	D-B D2.10	VT-2	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
501500	INTEGRAL ATTACHMENTS	D-B D2.20	VT-3	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
501600	PRESSURE RETAINING COMPONENTS	D-B D2.10	VT-2	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
501700	INTEGRAL ATTACHMENTS	D-B D2.20	VT-3	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

AUXILIARY FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
501800	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
501900	INTEGRAL ATTACHMENTS	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
502000	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
502100	INTEGRAL ATTACHMENTS	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-C-63														
502200	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
502300	INTEGRAL ATTACHMENTS	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-C-74, SH. 1 OF 2														
502310	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

AUXILIARY FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-C-74, SH. 1 OF 2														
502315	INTEGRAL ATTACHMENTS	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-C-74, SH. 2 OF 2														
502320	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
502325	INTEGRAL ATTACHMENTS	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-C-157														
502330	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
502335	INTEGRAL ATTACHMENTS	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		F2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-C-159														
502340	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

AUXILIARY FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	OUTAGE	FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-C-159														
502345	INTEGRAL ATTACHMENTS	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		F2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

COMPONENT COOLING WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1 2 3	PLAN STATUS SECOND PERIOD OUTAGE 1 2 3 4	PLAN STATUS THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 12-CCW-50							
502400	PRESSURE RETAINING COMPONENTS	D-B D2.10	VT-2	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
502500	INTEGRAL ATTACHMENTS	D-B D2.20	VT-3	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	SEE AEP DWG. NO. 12-CCW-58							
502600	PRESSURE RETAINING COMPONENTS	D-B D2.10	VT-2	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
502700	INTEGRAL ATTACHMENTS	D-B D2.20	VT-3	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	SEE AEP DWG. NO. 1-CCW-1							
502800	PRESSURE RETAINING COMPONENTS	D-B D2.10	VT-2	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
502900	INTEGRAL ATTACHMENTS	D-B D2.20	VT-3	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

COMPONENT COOLING WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-CCW-2														
503000	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
503100	INTEGRAL ATTACHMENTS	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-CCW-6														
503200	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
503300	INTEGRAL ATTACHMENTS	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-CCW-7														
503400	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
503500	INTEGRAL ATTACHMENTS	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

COMPONENT COOLING WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-CCW-8														
503600	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
503700	INTEGRAL ATTACHMENTS	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-CCW-35														
503800	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
503900	INTEGRAL ATTACHMENTS	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-CCW-36														
504000	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
504100	INTEGRAL ATTACHMENTS	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

COMPONENT COOLING WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-CCW-37							
504200	PRESSURE RETAINING COMPONENTS	D-B D2.10	VT-2	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
504300	INTEGRAL ATTACHMENTS	D-B D2.20	VT-3	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	SEE AEP DWG. NO. 1-CCW-40							
504400	PRESSURE RETAINING COMPONENTS	D-B D2.10	VT-2	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
504500	INTEGRAL ATTACHMENTS	D-B D2.20	VT-3	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	SEE AEP DWG. NO. 1-CCW-48							
504600	PRESSURE RETAINING COMPONENTS	D-B D2.10	VT-2	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
504700	INTEGRAL ATTACHMENTS	D-B D2.20	VT-3	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

COMPONENT COOLING WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-CCW-49							
504800	PRESSURE RETAINING COMPONENTS	D-B D2.10	VT-2	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
504900	INTEGRAL ATTACHMENTS	D-B D2.20	VT-3	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	SEE AEP DWG. NO. 1-CCW-52							
505000	PRESSURE RETAINING COMPONENTS	D-B D2.10	VT-2	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
505100	INTEGRAL ATTACHMENTS	D-B D2.20	VT-3	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	SEE AEP DWG. NO. 1-CCW-53							
505200	PRESSURE RETAINING COMPONENTS	D-B D2.10	VT-2	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
505300	INTEGRAL ATTACHMENTS	D-B D2.20	VT-3	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

COMPONENT COOLING WATER SYSTEM

INSPECTION INTERVAL — PLAN STATUS — OUTAGE

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-CCW-60														
505400	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
505500	INTEGRAL ATTACHMENTS	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-CCW-61														
505600	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
505700	INTEGRAL ATTACHMENTS	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-CCW-63														
505800	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
505900	INTEGRAL ATTACHMENTS	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

COMPONENT COOLING WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-CCW-65														
506000	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
506100	INTEGRAL ATTACHMENTS	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-CCW-66														
506200	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
506300	INTEGRAL ATTACHMENTS	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-CCW-94														
506400	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
506500	INTEGRAL ATTACHMENTS	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL — PLAN STATUS

COMPONENT COOLING WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-CCW-95														
506510	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
506515	INTEGRAL ATTACHMENTS	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-CCW-96														
506520	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
506525	INTEGRAL ATTACHMENTS	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-CCW-97														
506530	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
506535	INTEGRAL ATTACHMENTS	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

COMPONENT COOLING WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-CCW-98							
506600	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	- - -	- - - -	- - -	
		D2.10		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
506700	INTEGRAL ATTACHMENTS	D-B	VT-3	1	- - -	- - - -	- - -	
		D2.20		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	SEE AEP DWG. NO. 1-CCW-99							
506710	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	- - -	- - - -	- - -	
		D2.10		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
506715	INTEGRAL ATTACHMENTS	D-B	VT-3	1	- - -	- - - -	- - -	
		D2.20		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	SEE AEP DWG. NO. 1-CCW-100							
506720	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	- - -	- - - -	- - -	
		D2.10		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
506725	INTEGRAL ATTACHMENTS	D-B	VT-3	1	- - -	- - - -	- - -	
		D2.20		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

ESSENTIAL SERVICE WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-ESW-1														
510400	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
510500	INTEGRAL ATTACHMENTS	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-ESW-2														
510600	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
510700	INTEGRAL ATTACHMENTS	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-ESW-5														
510800	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
510900	INTEGRAL ATTACHMENTS	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

ESSENTIAL SERVICE WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-ESW-8							
511000	PRESSURE RETAINING COMPONENTS	D-B D2.10	VT-2	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
511100	INTEGRAL ATTACHMENTS	D-B D2.20	VT-3	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	SEE AEP DWG. NO. 1-ESW-13							
511110	PRESSURE RETAINING COMPONENTS	D-B D2.10	VT-2	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
511115	INTEGRAL ATTACHMENTS	D-B D2.20	VT-3	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	SEE AEP DWG. NO. 1-ESW-15							
511120	PRESSURE RETAINING COMPONENTS	D-B D2.10	VT-2	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
511125	INTEGRAL ATTACHMENTS	D-B D2.20	VT-3	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

ESSENTIAL SERVICE WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-ESW-17														
511130	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
511135	INTEGRAL ATTACHMENTS	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-ESW-18														
511140	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
511145	INTEGRAL ATTACHMENTS	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-ESW-21														
511150	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
511155	INTEGRAL ATTACHMENTS	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

ESSENTIAL SERVICE WATER SYSTEM

INSPECTION INTERVAL — PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-ESW-23														
511160	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
511165	INTEGRAL ATTACHMENTS	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-ESW-27														
511200	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
511300	INTEGRAL ATTACHMENTS	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-ESW-28														
511400	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
511500	INTEGRAL ATTACHMENTS	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL / PLAN STATUS

ESSENTIAL SERVICE WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD (OUTAGE) 1	2	3	SECOND PERIOD (OUTAGE) 1	2	3	4	THIRD PERIOD (OUTAGE) 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-ESW-29														
511600	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
511700	INTEGRAL ATTACHMENTS	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-ESW-33														
511800	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
511900	INTEGRAL ATTACHMENTS	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-ESW-35														
512000	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
512100	INTEGRAL ATTACHMENTS	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL — PLAN STATUS

ESSENTIAL SERVICE WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-ESW-37							
512200	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	- - -	- - - -	- - -	
		D2.10		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
512300	INTEGRAL ATTACHMENT	D-B	VT-3	1	- - -	- - - -	- - -	
		D2.20		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	SEE AEP DWG. NO. 1-ESW-39							
512400	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	- - -	- - - -	- - -	
		D2.10		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
512500	INTEGRAL ATTACHMENT	D-B	VT-3	1	- - -	- - - -	- - -	
		D2.20		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	SEE AEP DWG. NO. 1-ESW-41							
512600	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	- - -	- - - -	- - -	
		D2.10		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
512700	INTEGRAL ATTACHMENT	D-B	VT-3	1	- - -	- - - -	- - -	
		D2.20		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

ESSENTIAL SERVICE WATER SYSTEM

INSPECTION INTERVAL / PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-ESW-43														
512800	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
512900	INTEGRAL ATTACHMENT	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-ESW-44														
513000	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
513100	INTEGRAL ATTACHMENT	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-ESW-45														
513200	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
513300	INTEGRAL ATTACHMENT	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

ESSENTIAL SERVICE WATER SYSTEM

INSPECTION INTERVAL / PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD (OUTAGE 1 2 3)	SECOND PERIOD (OUTAGE 1 2 3 4)	THIRD PERIOD (OUTAGE 1 2 3)	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-ESW-46							
513400	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	- - -	- - - -	- - -	
		D2.10		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
513500	INTEGRAL ATTACHMENT	D-B	VT-3	1	- - -	- - - -	- - -	
		D2.20		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	SEE AEP DWG. NO. 1-ESW-47							
513600	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	- - -	- - - -	- - -	
		D2.10		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
513700	INTEGRAL ATTACHMENT	D-B	VT-3	1	- - -	- - - -	- - -	
		D2.20		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	SEE AEP DWG. NO. 1-ESW-51							
513800	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	- - -	- - - -	- - -	
		D2.10		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
513900	INTEGRAL ATTACHMENT	D-B	VT-3	1	- - -	- - - -	- - -	
		D2.20		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

INSPECTION INTERVAL PLAN STATUS

ESSENTIAL SERVICE WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	OUTAGE	FIRST PERIOD 1 2 3	SECOND PERIOD 1 2 3 4	THIRD PERIOD 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-ESW-52							
514000	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	- - -	- - - -	- - -	
		D2.10		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
514100	INTEGRAL ATTACHMENT	D-B	VT-3	1	- - -	- - - -	- - -	
		D2.20		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	SEE AEP DWG. NO. 1-ESW-56							
514200	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	- - -	- - - -	- - -	
		D2.10		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
514300	INTEGRAL ATTACHMENT	D-B	VT-3	1	- - -	- - - -	- - -	
		D2.20		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	SEE AEP DWG. NO. 1-ESW-57							
514400	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	- - -	- - - -	- - -	
		D2.10		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
514500	INTEGRAL ATTACHMENT	D-B	VT-3	1	- - -	- - - -	- - -	
		D2.20		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

ESSENTIAL SERVICE WATER SYSTEM

SEE AEP DWG. NO. 1-ESW-61

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
514600	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	- - -	- - - -	- - -	
		D2.10		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
514700	INTEGRAL ATTACHMENT	D-B	VT-3	1	- - -	- - - -	- - -	
		D2.20		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

SEE AEP DWG. NO. 1-ESW-64, SH. 1 OF 2

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
514800	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	- - -	- - - -	- - -	
		D2.10		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
514900	INTEGRAL ATTACHMENT	D-B	VT-3	1	- - -	- - - -	- - -	
		D2.20		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

SEE AEP DWG. NO. 1-ESW-64, SH. 2 OF 2

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
515000	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	- - -	- - - -	- - -	
		D2.10		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
515100	INTEGRAL ATTACHMENT	D-B	VT-3	1	- - -	- - - -	- - -	
		D2.20		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

ESSENTIAL SERVICE WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS: FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-ESW-65, SH. 1 OF 2														
515200	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
515300	INTEGRAL ATTACHMENT	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-ESW-65, SH. 2 OF 2														
515400	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
515500	INTEGRAL ATTACHMENT	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-ESW-72														
515510	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
515515	INTEGRAL ATTACHMENT	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

ESSENTIAL SERVICE WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-ESW-73														
515520	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
515525	INTEGRAL ATTACHMENT	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 12-ESW-X-1, SH. 1 OF 2														
515600	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
515700	INTEGRAL ATTACHMENT	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 12-ESW-X-2														
515800	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
515900	INTEGRAL ATTACHMENT	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-FW-19														
516000	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
516100	INTEGRAL ATTACHMENT	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-FW-22														
516110	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
516115	INTEGRAL ATTACHMENT	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-FW-24														
516120	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
516125	INTEGRAL ATTACHMENT	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-FW-25														
516130	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
516135	INTEGRAL ATTACHMENT	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-FW-28														
516140	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
516145	INTEGRAL ATTACHMENT	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-FW-29														
516150	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	-	-	-	-	-	-	-	-	-	-	
		D2.10		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
516155	INTEGRAL ATTACHMENT	D-B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		D2.20		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-FW-34							
516200	PRESSURE RETAINING COMPONENTS	D-B D2.10	VT-2	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
516300	INTEGRAL ATTACHMENT	D-B D2.20	VT-3	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	SEE AEP DWG. NO. 1-FW-35							
516400	PRESSURE RETAINING COMPONENTS	D-B D2.10	VT-2	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
516500	INTEGRAL ATTACHMENT	D-B D2.20	VT-3	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	SEE AEP DWG. NO. 1-FW-36							
516600	PRESSURE RETAINING COMPONENTS	D-B D2.10	VT-2	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
516700	INTEGRAL ATTACHMENT	D-B D2.20	VT-3	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

INSPECTION INTERVAL PLAN STATUS

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-FW-39, SH. 2							
516750	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	- - -	- - - -	- - -	
		D2.10		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
516755	INTEGRAL ATTACHMENT	D-B	VT-3	1	- - -	- - - -	- - -	
		D2.20		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	SEE AEP DWG. NO. 1-FW-40, SH. 1 OF 2							
516800	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	- - -	- - - -	- - -	
		D2.10		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
516900	INTEGRAL ATTACHMENT	D-B	VT-3	1	- - -	- - - -	- - -	
		D2.20		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	SEE AEP DWG. NO. 1-FW-40, SH. 2 OF 2							
517000	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	- - -	- - - -	- - -	
		D2.10		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
517100	INTEGRAL ATTACHMENT	D-B	VT-3	1	- - -	- - - -	- - -	
		D2.20		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

INSPECTION INTERVAL PLAN STATUS

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-FW-43							
517150	PRESSURE RETAINING COMPONENTS	D-B D2.10	VT-2	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
517155	INTEGRAL ATTACHMENT	D-B D2.20	VT-3	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	SEE AEP DWG. NO. 1-FW-46							
517200	PRESSURE RETAINING COMPONENTS	D-B D2.10	VT-2	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
517300	INTEGRAL ATTACHMENT	D-B D2.20	VT-3	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	SEE AEP DWG. NO. 1-FW-47							
517400	PRESSURE RETAINING COMPONENTS	D-B D2.10	VT-2	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
517500	INTEGRAL ATTACHMENT	D-B D2.20	VT-3	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

COOK NUCLEAR PLANT UNIT 1
INSERVICE INSPECTION LONG TERM PLAN
CLASS 3 ALL STATUS COMPONENTS

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		INSPECTION INTERVAL — PLAN STATUS — FIRST PERIOD (OUTAGE 1 2 3)	SECOND PERIOD (OUTAGE 1 2 3 4)	THIRD PERIOD (OUTAGE 1 2 3)	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-FW-52, SH. 1 OF 2							
517600	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	- - -	- - - -	- - -	
		D2.10		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
517700	INTEGRAL ATTACHMENT	D-B	VT-3	1	- - -	- - - -	- - -	
		D2.20		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	SEE AEP DWG. NO. 1-FW-52, SH. 2 OF 2							
517800	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	- - -	- - - -	- - -	
		D2.10		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
517900	INTEGRAL ATTACHMENT	D-B	VT-3	1	- - -	- - - -	- - -	
		D2.20		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	SEE AEP DWG. NO. 1-FW-80, SH. 1 OF 2							
517910	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	- - -	- - - -	- - -	
		D2.10		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
517915	INTEGRAL ATTACHMENT	D-B	VT-3	1	- - -	- - - -	- - -	
		D2.20		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS – FIRST PERIOD (OUTAGE 1 2 3)	SECOND PERIOD (OUTAGE 1 2 3 4)	THIRD PERIOD (OUTAGE 1 2 3)	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-FW-80, SH. 2 OF 2							
517920	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	- - -	- - - -	- - -	
		D2.10		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
517925	INTEGRAL ATTACHMENT	D-B	VT-3	1	- - -	- - - -	- - -	
		D2.20		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	SEE AEP DWG. NO. 1-FW-87							
517930	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	- - -	- - - -	- - -	
		D2.10		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
517935	INTEGRAL ATTACHMENT	D-B	VT-3	1	- - -	- - - -	- - -	
		D2.20		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	SEE AEP DWG. NO. 1-FW-88							
517940	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	- - -	- - - -	- - -	
		D2.10		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
517945	INTEGRAL ATTACHMENT	D-B	VT-3	1	- - -	- - - -	- - -	
		D2.20		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

AUXILIARY FEEDWATER SYSTEM

INSPECTION INTERVAL — PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-AFW-86, SH. 1 OF 2							
518000	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	- - -	- - - -	- - -	
		D2.10		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
518100	INTEGRAL ATTACHMENT	D-B	VT-3	1	- - -	- - - -	- - -	
		D2.20		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	SEE AEP DWG. NO. 1-AFW-86, SH. 2 OF 2							
518200	PRESSURE RETAINING COMPONENTS	D-B	VT-2	1	- - -	- - - -	- - -	
		D2.10		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
518300	INTEGRAL ATTACHMENT	D-B	VT-3	1	- - -	- - - -	- - -	
		D2.20		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

SPENT FUEL COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD (OUTAGE 1 2 3)	SECOND PERIOD (OUTAGE 1 2 3 4)	THIRD PERIOD (OUTAGE 1 2 3)	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 12-SF-1							
518400	PRESSURE RETAINING COMPONENTS	D-C	VT-2	1	- - -	- - - -	- - -	
		D3.10		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
518500	INTEGRAL ATTACHMENT	D-C	VT-3	1	- - -	- - - -	- - -	
		D3.20		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	SEE AEP DWG. NO. 12-SF-2							
518600	PRESSURE RETAINING COMPONENTS	D-C	VT-2	1	- - -	- - - -	- - -	
		D3.10		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
518700	INTEGRAL ATTACHMENT	D-C	VT-3	1	- - -	- - - -	- - -	
		D3.20		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	SEE AEP DWG. NO. 12-SF-3							
518800	PRESSURE RETAINING COMPONENTS	D-C	VT-2	1	- - -	- - - -	- - -	
		D3.10		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
518900	INTEGRAL ATTACHMENT	D-C	VT-3	1	- - -	- - - -	- - -	
		D3.20		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

SPENT FUEL COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 12-SF-4							
519000	PRESSURE RETAINING COMPONENTS	D-C D3.10	VT-2	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
519100	INTEGRAL ATTACHMENT	D-C D3.20	VT-3	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	SEE AEP DWG. NO. 12-SF-5							
519200	PRESSURE RETAINING COMPONENTS	D-C D3.10	VT-2	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
519300	INTEGRAL ATTACHMENT	D-C D3.20	VT-3	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

PRESSURIZER

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SUPPORT COMPONENTS (FIG NO A-4)														
601000	1-PRZ-SUPPORT	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		F1.40		2	-	-	-	C	-	-	-	-	-	-	
	L. CONT.			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

CLASS 1 ALL STATUS COMPONENTS

STEAM GENERATORS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	VESSEL SUPPORTS														
602000	STM-11-SUPPORT	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		F1.40		2	-	-	-	-	-	-	-	-	-	-	
	CONT. L1			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
602010	STM-12-SUPPORT	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		F1.40		2	-	-	-	C	-	-	-	-	-	-	
	CONT. L2			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
602020	STM-13-SUPPORT	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		F1.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
602030	STM-14-SUPPORT	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		F1.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

INSPECTION INTERVAL / PLAN STATUS: FIRST PERIOD (OUTAGE 1 2 3), SECOND PERIOD (OUTAGE 1 2 3 4), THIRD PERIOD (OUTAGE 1 2 3)

LINE 1-RC-5 (FIG NO A-19)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST 1	FIRST 2	FIRST 3	SECOND 1	SECOND 2	SECOND 3	SECOND 4	THIRD 1	THIRD 2	THIRD 3	INSTRUCTIONS **CALIBRATION BLOCK**
609700	1-GRC-R-619	F-A	VT-3	1	-	-	-	-	C	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

LINE 1-RC-6 (FIG NO A-21)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST 1	FIRST 2	FIRST 3	SECOND 1	SECOND 2	SECOND 3	SECOND 4	THIRD 1	THIRD 2	THIRD 3	INSTRUCTIONS **CALIBRATION BLOCK**
609800	1-GRC-C-602	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10C		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
609900	1-GRC-R-603	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.10A		2	-	-	-	-	-	-	-	C	-	-	
	PRESS. DH			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
610000	1-GRC-S-604	F-A	VT-3	1	-	-	-	-	C	C	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.10A		2	C	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
610100	1-GRC-R-605	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10A		2	-	-	-	-	C	-	-	-	-	-	
	PRESS. DH			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
610200	1-GRC-C-606	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.10C		2	-	-	-	-	C	-	-	-	-	-	
	PRESS. DH			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

LINE 1-RC-6 (FIG NO A-22)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST 1	FIRST 2	FIRST 3	SECOND 1	SECOND 2	SECOND 3	SECOND 4	THIRD 1	THIRD 2	THIRD 3	INSTRUCTIONS **CALIBRATION BLOCK**
610700	1-GRC-C-611	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10C		2	-	-	-	-	C	-	-	-	-	-	
	PRESS. DH			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

DATE: 12/20/95
REVISION: 0

COOK NUCLEAR PLANT UNIT 1
INSERVICE INSPECTION LONG TERM PLAN
CLASS 1 ALL STATUS COMPONENTS

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-10 (FIG NO A-26)														
612800	1-GRC-R-534	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WB		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
612900	1-GRC-R-506	F-A	VT-3	1	-	-	-	-	C	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
613000	1-GRC-V-505	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WC		2	-	C	-	-	-	-	-	-	-	-	
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RC-10 (FIG NO A-27)														
613100	1-GRC-R-516	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.10B		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
613150	1-GRC-C-515	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
613200	1-GRC-R-622	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10B		2	-	-	-	-	-	-	-	C	-	-	
	PRESS.			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
613300	1-GRC-R-522	F-A	VT-3	1	-	-	-	-	C	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WB		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-10 (FIG NO A-27)														
613400	1-GRC-C-519	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WC		2	-	-	-	-	-	-	-	C	-	-	
	PRESS. DH			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
613440	1-GRC-S-519A	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10S		2	C	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RC-11 (FIG NO A-28)														
613700	1-GRC-R-500	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.10A		2	-	-	-	-	-	-	-	-	C	-	
	CONT. PRT			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	
613800	1-GRC-R-521	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
613900	1-GRC-R-502	F-A	VT-3	1	-	-	-	-	C	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
614000	1-GRC-R-524	F-A	VT-3	1	-	-	-	-	C	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
614100	1-GRC-R-503	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WB		2	-	-	-	-	-	-	-	-	C	-	
	CONT. PRT			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-12 (FIG NO A-29)														
614200	1-GRC-R-504	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WA		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
614300	1-GRC-R-520	F-A	VT-3	1	-	-	-	-	C	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WA		2	-	-	-	-	C	-	-	-	-	-	
	CONT. PRT			3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
614400	1-GRC-R-501	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WA		2	-	-	-	-	C	-	-	-	-	-	
	CONT. PRT			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
614500	1-GRC-R-525	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WA		2	-	-	-	-	C	-	-	-	-	-	
	CONT. PRT			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RC-13 (FIG NO A-30)														
614600	1-GRC-R-536	F-A	VT-3	1	-	-	-	-	C	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10A		2	-	-	-	-	C	-	-	-	C	-	
	CONT. L1			3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
614700	1-GRC-R-535	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	** - WSB
	PIPE SUPPORT COMPONENTS	F1.10**		2	-	-	-	-	C	-	-	-	-	-	
	CONT. L1			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
614800	1-GRC-S-538	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.10SB		2	C	C	-	-	-	-	-	-	-	-	
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL — PLAN STATUS

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	OUTAGE	FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-13 (FIG NO A-31)														
614900	1-GRC-R-540	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WB		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
615000	1-GRC-R-539	F-A	VT-3	1	-	-	-	-	C	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
615100	1-GRC-S-537	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE RESTRAINT COMPONENT	F1.10S		2	C	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RC-14 (FIG NO A-32)														
615200	1-GRC-R-558	F-A	VT-3	1	-	-	-	-	C	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WB		2	-	-	-	-	-	-	-	-	C	-	
	CONT. L2			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	
615300	1-GRC-R-557	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
615400	1-GRC-S-562	F-A	VT-3	1	-	-	-	-	-	-	-	-	C	-	
	PIPE RESTRAINT COMPONENT	F1.10S		2	C	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RC-14 (FIG NO A-33)														
615500	1-GRC-R-556	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WA		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-14 (FIG NO A-33)														
615600	1-GRC-R-554	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.10S		2	-	-	-	-	C	-	-	-	-	-	
	CONT. L2			3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
615700	1-GRC-S-555	F-A	VT-3	1	-	-	-	-	C	C	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.10SB		2	C	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RC-15 (FIG NO A-34)														
615800	1-GRC-S-575	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE RESTRAINT COMPONENT	F1.10S		2	C	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
615900	1-GRC-R-576	F-A	VT-3	1	-	-	-	-	C	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
616000	1-GRC-R-577	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WB		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
616100	1-GRC-R-578	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WA		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L3			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RC-15 (FIG NO A-35)														
616200	1-GRC-R-574	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WA		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-15 (FIG NO A-35)														
616300	1-GRC-S-573	F-A	VT-3	1	-	-	-	-	C	C	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.10SB		2	C	C	-	-	-	-	-	-	-	-	
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
616400	1-GRC-R-572	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	** - WAS
	PIPE SUPPORT COMPONENTS	F1.10**		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L3			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RC-16 (FIG NO A-36)														
616500	1-GRC-R-568	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WB		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
616600	1-GRC-R-567	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
616700	1-GRC-S-566	F-A	VT-3	1	-	-	-	-	C	C	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.10S		2	C	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RC-16 (FIG NO A-37)														
616800	1-GRC-R-565	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-16 (FIG NO A-37)														
616900	1-GRC-S-564	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.10SB		2	C	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
617000	1-GRC-R-563	F-A	VT-3	1	-	-	-	-	C	-	-	-	-	-	** - WBS
	PIPE SUPPORT COMPONENTS	F1.10**		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RC-501 (FIG NO A-38)														
617050	1-GRC-R-551	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10B		2	-	-	-	-	C	-	-	-	-	-	
	CONT. PRT			3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RC-504 (FIG NO A-39)														
617100	1-GRC-R-542	F-A	VT-3	1	-	-	-	-	C	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WA		2	-	-	-	-	C	-	-	-	-	-	
	CONT. L1			3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RC-505 (FIG NO A-40)														
617200	1-GRC-R-544	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WB		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
617300	1-GRC-R-545	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.10A		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L1			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-506 (FIG NO A-41)														
617400	1-GRC-R-560	F-A	VT-3	1	-	-	-	-	C	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WB		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
617500	1-GRC-R-561	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WA		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RC-507 (FIG NO A-42)														
617600	1-GRC-R-559	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WA		2	-	-	-	-	C	-	-	-	-	-	
	CONT. L2			3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RC-508 (FIG NO A-43)														
617700	1-GRC-R-579	F-A	VT-3	1	-	-	-	-	C	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WA		2	-	-	-	-	C	-	-	-	-	-	
	CONT. L3			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
617800	1-GRC-S-582	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.10S		2	C	C	-	-	-	-	-	-	-	-	
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RC-509 (FIG NO A-44)														
617900	1-GRC-R-580	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WB		2	-	-	-	-	C	-	-	-	-	-	
	CONT. L3			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL PLAN STATUS

REACTOR COOLANT SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	OUTAGE	FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RC-509 (FIG NO A-44)														
618000	1-GRC-R-581	F-A	VT-3	1	-	-	-	-	C	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10A		2	-	-	-	-	C	-	-	-	-	-	
	CONT. L3			3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RC-510 (FIG NO A-45)														
618050	1-GRC-R-569	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WB		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RC-511 (FIG NO A-46)														
618100	1-GRC-R-570	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WB		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
618200	1-GRC-R-571	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WA		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-21 (FIG NO A-47)														
619600	1-GSI-R-658	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10A		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
619700	1-GSI-R-659	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.10A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-25 (FIG NO A-50)														
620900	1-GSI-R-666	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.10B		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-29 (FIG NO A-53)														
621200	1-GSI-R-550	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WA		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-31 (FIG NO A-54)														
621400	1-GSI-R-545	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WA		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-33 (FIG NO A-55)														
621600	1-GSI-R-546	F-A	VT-3	1	-	-	-	-	C	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WA		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-35 (FIG NO A-56)														
621700	1-GSI-R-549	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WA		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-545 (FIG NO A-60)														
622000	1-GSI-R-562	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
622010	1-GSI-R-589	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WB		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
622020	1-GSI-R-588	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WB		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
622030	1-GSI-R-632	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
622040	1-GSI-R-587	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WB		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
622050	1-GSI-R-586	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL — PLAN STATUS

SAFETY INJECTION SYSTEM

LINE 1-SI-545 (FIG NO A-60)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
622060	1-GSI-R-631	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

LINE 1-SI-545 (FIG NO A-61)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
623500	1-GSI-R-590	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10B		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
623550	1-GSI-L-590A	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10A		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

LINE 1-SI-545 (FIG NO A-62)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
623600	1-GSI-S-707	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.10S		2	C	C	-	-	-	-	-	-	-	-	
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
623700	1-GSI-R-706	F-A	VT-3	1	-	-	-	-	C	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
623800	1-GSI-R-705	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.10B		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-545 (FIG NO A-62)														
623900	1-GSI-R-704	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10A		2	-	C	-	-	C	-	-	-	-	-	
	CONT. L3			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
624000	1-GSI-R-703	F-A	VT-3	1	-	-	-	-	C	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10A		2	-	-	-	-	C	-	-	-	-	-	
	CONT. L3			3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
624050	1-GSI-V-702	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.10C		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-546 (FIG NO A-63)														
624100	1-GSI-R-522	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10C		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-546 (FIG NO A-64)														
624150	1-GSI-R-576	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10A		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
624200	1-GSI-R-577	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.10B		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-546 (FIG NO A-64)														
624300	1-GSI-R-578	F-A	VT-3	1	-	-	-	-	C	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10B		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-546 (FIG NO A-65)														
624400	1-GSI-R-701	F-A	VT-3	1	-	-	-	-	C	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10A		2	C	C	-	-	-	-	-	-	-	-	
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
624500	1-GSI-R-700	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.10B		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
624600	1-GSI-V-699	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10C		2	-	C	-	-	-	-	-	-	-	-	
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-546 (FIG NO A-66)														
624700	1-GSI-R-9E	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10C		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
624710	1-GSI-R-542A	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10C		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-546 (FIG NO A-66)														
624720	1-GSI-R-542	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10C		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-548 (FIG NO A-67)														
624800	1-GSI-R-717	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.10A		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-548 (FIG NO A-68)														
624900	1-GSI-R-694	F-A	VT-3	1	-	-	-	-	C	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10B		2	-	C	-	-	-	-	-	-	-	-	
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
625000	1-GSI-V-695	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10C		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-549 (FIG NO A-69)														
625300	1-GSI-R-503	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10C		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
625310	1-GSI-R-635	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10C		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-549 (FIG NO A-70)														
625500	1-GSI-R-596	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10C		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
625510	1-GSI-R-634	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10C		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
625520	1-GSI-R-594	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10C		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
625530	1-GSI-R-592	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10C		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
625540	1-GSI-R-633	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10C		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
625550	1-GSI-R-628A	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10C		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
625560	1-GSI-R-626	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10C		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL PLAN STATUS

SAFETY INJECTION SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-549 (FIG NO A-70)														
625570	1-GSI-R-624	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10C		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-549 (FIG NO A-72)														
626300	1-GSI-R-559	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WB		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
626400	1-GSI-R-637	F-A	VT-3	1	-	-	-	-	C	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10A		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-549 (FIG NO A-73)														
626420	1-GSI-V-696	F-A	VT-3	1	-	-	-	-	C	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10C		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
626440	1-GSI-R-697	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
626460	1-GSI-R-698	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WB		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-92 (FIG NO A-74)														
630200	1-GCS-R-506	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WA		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-CS-96 (FIG NO A-75)														
631200	1-GCS-R-543	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.10B		2	-	-	-	-	C	-	-	-	-	-	
	CONT. L1			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
631300	1-GCS-R-542	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WA		2	-	-	-	-	C	-	-	-	-	-	
	CONT. L1			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
631400	1-GCS-R-541	F-A	VT-3	1	-	-	-	-	C	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10B		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
631500	1-GCS-R-540	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.10A		2	-	-	-	-	-	-	-	-	C	-	
	CONT. L4			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-CS-99 (FIG NO A-76)														
632200	1-GCS-R-511	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-99 (FIG NO A-76)														
632400	1-GCS-R-529	F-A	VT-3	1	-	-	-	-	C	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WB		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
632500	1-GCS-R-505	F-A	VT-3	1	-	-	-	-	C	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WB		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-CS-780 (FIG NO A-77)														
632550	1-GCS-R-515	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WB		2	-	-	-	-	C	-	-	-	-	-	
	REGEN HXRM			3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-CS-780 (FIG NO A-78)														
639300	1-GCS-R-600	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WB		2	-	-	-	-	C	-	-	-	-	-	
	CONT. PRT			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
639400	1-GCS-R-507	F-A	VT-3	1	-	-	-	-	C	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WA		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
639500	1-GCS-R-601	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.10WB		2	-	-	-	-	-	-	-	C	-	-	
	REGEN HXRM			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

RESIDUAL HEAT REMOVAL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-28 (FIG NO A-80)							
640000	1-GRH-V-509	F-A	VT-3	1	- - -	- - - -	C - -	
	PIPE SUPPORT COMPONENTS	F1.10WC		2	C - -	- - - -	- - -	
				3	X - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
641000	1-GRH-R-507	F-A	VT-3	1	- - -	- - - -	- - -	
	PIPE SUPPORT COMPONENTS	F1.10WA		2	- C -	- - - -	- - -	
				3	- X -	- - - -	- - -	
				4	- - -	- - - -	- - -	

REACTOR COOLANT PUMPS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	PUMP SUPPORTS														
650000	RC PUMP NO. 11 SUPPORT	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		F1.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
650100	RC PUMP NO. 12 SUPPORT	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		F1.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
650200	RC PUMP NO. 13 SUPPORT	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		F1.40		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L3			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
650300	RC PUMP NO. 14 SUPPORT	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		F1.40		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL — PLAN STATUS

STEAM GENERATORS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	UPPER LATERAL SUPPORTS														
700001	SG-11-SNUBBERS 1 THRU 4	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	EXAMINED BY MAINTENANCE
		F1.40		2	-	-	-	-	-	-	-	-	-	-	PROCEDURES PER TECHNICAL
	CONT. L1			3	-	-	-	-	-	-	-	-	-	-	SPECIFICATION 3/4.7.8.
				4	-	-	-	-	-	-	-	-	-	-	
700002	SG-12-SNUBBERS 1 THRU 4	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	EXAMINED BY MAINTENANCE
		F1.40		2	-	-	-	-	-	-	-	-	-	-	PROCEDURES PER TECHNICAL
	CONT. L2			3	-	-	-	-	-	-	-	-	-	-	SPECIFICATION 3/4.7.8.
				4	-	-	-	-	-	-	-	-	-	-	
700003	SG-13-SNUBBERS 1 THRU 4	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	EXAMINED BY MAINTENANCE
		F1.40		2	-	-	-	-	-	-	-	-	-	-	PROCEDURES PER TECHNICAL
	CONT. L3			3	-	-	-	-	-	-	-	-	-	-	SPECIFICATION 3/4.7.8.
				4	-	-	-	-	-	-	-	-	-	-	
700004	SG-14-SNUBBERS 1 THRU 4	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	EXAMINED BY MAINTENANCE
		F1.40		2	-	-	-	-	-	-	-	-	-	-	PROCEDURES PER TECHNICAL
	CONT. L4			3	-	-	-	-	-	-	-	-	-	-	SPECIFICATION 3/4.7.8.
				4	-	-	-	-	-	-	-	-	-	-	

COOK NUCLEAR PLANT UNIT 1
INSERVICE INSPECTION LONG TERM PLAN
CLASS 2 ALL STATUS COMPONENTS

REGENERATIVE HEAT EXCHANGER

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	COMPONENT SUPPORTS (FIG NO B-5)														
700010	CS-1	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	BRACKET	F1.40		2	-	-	-	C	-	-	-	-	-	-	
	REGEN HXRM			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
700020	CS-2	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	BRACKET	F1.40		2	-	-	-	C	-	-	-	-	-	-	
	REGEN HXRM			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
700030	CS-3	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	BRACKET	F1.40		2	-	C	-	-	-	-	-	-	-	-	
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
700040	CS-4	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	BRACKET	F1.40		2	-	C	-	-	-	-	-	-	-	-	
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
700050	CS-5	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	BRACKET	F1.40		2	-	-	-	-	-	-	-	C	-	-	
	REGEN HXRM			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
700060	CS-6	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	REQUIRES INSULATION REMOVAL.
	BRACKET	F1.40		2	-	-	-	-	-	-	-	C	-	-	
	REGEN HXRM			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL PLAN STATUS

CHEMICAL AND VOLUME CONTROL TANK

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	COMPONENT SUPPORTS (FIG NO B-6)														
700070	1-CVCT-SC-1	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		F1.40		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
700080	1-CVCT-SC-2	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		F1.40		2	-	C	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
700090	1-CVCT-SC-3	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		F1.40		2	-	-	-	C	-	-	-	-	-	-	
	VCT RM			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
700100	1-CVCT-SC-4	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		F1.40		2	-	-	-	-	C	-	-	-	-	-	
	VCT RM			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

RHR HEAT EXCHANGER EAST

INSPECTION INTERVAL — PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	OUTAGE	FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	COMPONENT SUPPORTS (FIG NO B-9)														
700150	E-RHRHEX-SC-1	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		F1.40		2	-	-	-	C	-	-	-	-	-	-	
	E RHR HXRM			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
700160	E-RHRHEX-SC-2	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		F1.40		2	-	-	-	-	C	-	-	-	-	-	
	E RHR HXRM			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

RHR HEAT EXCHANGER WEST

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	COMPONENT SUPPORTS (FIG NO B-10)														
700170	W-RHRHEX-SC-1	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		F1.40		2	-	-	-	-	-	-	-	C	-	-	
	W RHR HXRM			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
700180	W-RHRHEX-SC-2	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		F1.40		2	-	-	-	-	-	-	-	-	C	-	
	W RHR HXRM			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

BOREON INJECTION TANK

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	COMPONENT SUPPORTS (FIG NO B-11)														
700190	1-BIT-SC-1	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		F1.40		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
700200	1-BIT-SC-2	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		F1.40		2	-	C	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
700210	1-BIT-SC-3	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		F1.40		2	-	-	-	C	-	-	-	-	-	-	
	BIT RM			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
700220	1-BIT-SC-4	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
		F1.40		2	-	-	-	-	C	-	-	-	-	-	
	BIT RM			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-2 (FIG NO B-12)														
701200	1-GSI-V-124	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WC		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
701250	1-GSI-R-120	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	-	-	-	C	-	-	-	-	-	
	VESTIBULE			3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
701340	1-GSI-L-119	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WA		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
701360	1-ASI-R-5006	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20SA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
701380	1-GSI-S-128	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.20SA		2	C	C	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
701440	1-GSI-R-125	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WA		2	-	-	-	-	-	-	-	C	-	-	
	W RHR PPRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
701443	1-ASI-R-5004	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WA		2	-	-	-	-	-	-	-	-	-	-	
	W RHR PPRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-2 (FIG NO B-12)														
701447	1-ASI-R-5003	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
	W RHR PPRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
701450	1-GRH-L-57	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.20B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
701460	1-GRH-L-55	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.20A		2	-	-	-	-	-	-	-	C	-	-	
	W RHR PPRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
701470	1-GCTS-R-74	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
701475	1-GCTS-R-576	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
701480	1-GCTS-S-76	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.20WS		2	C	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
701490	1-GCTS-S-161	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.20WS		2	C	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-2 (FIG NO B-12)														
701500	1-GCTS-R-70	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WA		2	-	-	-	-	-	-	-	-	C	-	
	W CTS PPRM			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	
701510	1-GCTS-R-69	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
701520	1-ASI-R-5017	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-3 (FIG NO B-13)														
701620	1-GSI-V-123	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WC		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
701640	1-GCTS-R-77	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	-	-	-	C	-	-	-	-	-	
	VESTIBULE			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
701660	1-GCTS-S-160A	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	** - WSB
	PIPE RESTRAINT COMPONENT	F1.20**		2	C	C	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
701710	1-GCTS-S-73	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.20WS		2	C	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD			SECOND PERIOD				THIRD PERIOD			INSTRUCTIONS **CALIBRATION BLOCK**
				OUTAGE	1	2	3	1	2	3	4	1	2	3	
	LINE 1-SI-3 (FIG NO B-13)														
701750	1-GCTS-R-72	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WA		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
701810	1-GCTS-R-67	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	-	-	-	-	C	-	-	-	-	-	
	E CTS PPRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
701820	1-ASI-R-5015	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
	E CTS PPRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
701830	1-ASI-R-5007	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
	E CTS PPRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
701950	1-GSI-R-102	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WA		2	-	-	-	-	C	-	-	-	-	-	
	E RHR PPRM			3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
701990	1-GSI-S-103	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.20WS		2	C	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
702000	1-ASI-R-5005	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.20WB		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-3 (FIG NO B-13)														
702050	1-GRH-L-51	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WB		2	-	-	-	-	-	-	-	-	C	-	
	E RHR PPRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
702110	1-GRH-L-50	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.20WA		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-4 (FIG NO B-14)														
702180	1-GRH-V-54	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WC		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
702200	1-GRH-L-59	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.20A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
702260	1-GRH-V-53	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20C		2	-	-	-	-	C	-	-	-	-	-	
	VESTIBULE			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
702270	1-GRH-R-60	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WA		2	-	-	-	-	C	-	-	-	-	-	
	VESTIBULE			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
702275	1-ASI-R-5009	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WA		2	-	-	-	-	-	-	-	-	-	-	
	VESTIBULE			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY / ITEM NO	NDE METH	OUTAGE	FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-4 (FIG NO B-14)														
702280	1-GRH-R-52	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WA		2	-	-	-	-	C	-	-	-	-	-	
	VESTIBULE			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
702290	1-ASI-R-5010	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
	VESTIBULE			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-20 (FIG NO B-15)														
702500	1-GSI-R-543	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20B		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-21 (FIG NO B-16)														
702510	1-GSI-R-555	F-A	VT-3	1	-	-	-	-	C	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
702520	1-GSI-R-554	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20B		2	-	C	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
702530	1-GSI-R-540	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-21 (FIG NO B-16)														
702540	1-GSI-R-660	F-A	VT-3	1	-	-	-	-	C	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WB		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
702548	1-GSI-R-664	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20B		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
702550	1-GSI-R-661	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WB		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-25 (FIG NO B-18)														
702880	1-GSI-V-534	F-A	VT-3	1	-	-	-	-	C	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
702910	1-GSI-R-535	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20B		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
702940	1-GSI-S-575	F-A	VT-3	1	-	-	-	-	C	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.20S		2	C	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
702970	1-GSI-R-536	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

INSPECTION INTERVAL — PLAN STATUS (FIRST PERIOD / SECOND PERIOD / THIRD PERIOD) — OUTAGE

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-25 (FIG NO B-18)														
702980	1-GSI-R-537	F-A	VT-3	1	-	-	-	-	C	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
703020	1-GSI-R-538	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20B		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
703060	1-GSI-R-539	F-A	VT-3	1	-	-	-	-	-	C	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
703080	1-GSI-R-672	F-A	VT-3	1	-	-	-	-	C	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20B		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
703090	1-GSI-V-673	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20BC		2	C	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
703170	1-GSI-R-665	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WB		2	-	C	-	C	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-28 (FIG NO B-19)														
703290	1-GSI-R-551	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.20WB		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL PLAN STATUS

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	OUTAGE	FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-30 (FIG NO B-20)														
703310	1-GSI-R-544	F-A	VT-3	1	-	-	-	-	C	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.20WB		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-32 (FIG NO B-21)														
703330	1-GSI-R-547	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.20WB		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-34 (FIG NO B-22)														
703350	1-GSI-R-548	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.20WB		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-68 (FIG NO B-23)														
703780	1-GSI-R-671	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
703790	1-GSI-V-604	F-A	VT-3	1	-	-	-	-	C	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20C		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-69 (FIG NO B-24)														
703990	1-GSI-R-663	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.20A		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-69 (FIG NO B-24)														
704160	1-GSI-V-670	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20C		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-70 (FIG NO B-25)														
704300	1-GSI-R-662	F-A	VT-3	1	-	-	-	-	C	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WA		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
704390	1-GSI-V-606	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20C		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-71 (FIG NO B-26)														
704400	1-GSI-R-667	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WA		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
704410	1-GSI-R-668	F-A	VT-3	1	-	-	-	-	C	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WA		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
704530	1-GSI-R-669	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-71 (FIG NO B-26)														
704700	1-GSI-V-608	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20C		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L4			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RH-1 (FIG NO B-27)														
704740	1-ARH-R-5008	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
704750	1-ARH-R-5003	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
704760	1-GRH-L-7	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WA		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
704800	1-GRH-L-36	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
704805	1-GRH-S-7B	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.20S		2	C	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
704810	1-GRH-S-7A	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.20S		2	C	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-1 (FIG NO B-27)														
704850	1-GRH-V-8	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20C		2	-	-	-	-	-	-	-	-	C	-	
	E RHR PPRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
704900	1-GRH-V-9	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WC		2	-	-	-	-	-	-	-	-	-	-	
	E RHR PPRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
704910	1-GRH-L-43	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
	E CHG PPRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
704920	1-GRH-L-44	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
	E CHG PPRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
704930	1-GRH-R-10	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WA		2	-	-	-	-	-	-	-	C	-	-	
	E CHG PPRM			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
704933	1-ARH-R-5010	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
	E CHG PPRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
704937	1-ARH-R-5005	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
	E CHG PPRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-1 (FIG NO B-27)														
704940	1-GRH-V-11	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WC		2	-	-	-	-	-	-	-	C	-	-	
	E RHR HXRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
704950	1-GRH-R-12	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WA		2	-	-	-	-	C	-	-	-	-	-	
	E RHR HXRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RH-2 (FIG NO B-28)														
705140	1-GRH-R-1	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WA		2	-	-	-	-	C	-	-	-	-	-	
	W RHR PPRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
705150	1-GRH-R-35	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	-	-	-	C	-	-	-	-	-	
	W RHR PPRM			3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
705153	1-ARH-R-5004	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
	W RHR PPRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
705157	1-ARH-R-5009	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
	W RHR PPRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
705160	1-GRH-S-48	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.20S		2	C	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-2 (FIG NO B-28)														
705170	1-GRH-S-47	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.20S		2	C	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
705190	1-GRH-V-2	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WC		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
705240	1-GRH-V-3	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WC		2	-	-	-	-	-	-	-	C	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
705242	1-GRH-R-4	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	-	-	-	-	-	-	-	C	-	-	
	W CHG PPRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
705244	1-GRH-R-5	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RH-3 (FIG NO B-29)														
705250	1-GRH-R-6	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WA		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
705260	1-GRH-V-14	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WC		2	-	C	-	-	C	-	-	-	-	-	
	E RHR HXRM			3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-3 (FIG NO B-29)														
705270	1-GRH-R-15	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WA		2	-	-	-	-	-	-	-	C	-	-	
	E RHR HXRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
705280	1-GRH-R-13	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WA		2	-	-	-	-	-	-	-	C	-	-	
	W RHR HXRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
705282	1-GRH-L-46	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
	W RHR HXRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
705284	1-GRH-L-45	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
	W RHR HXRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
705286	1-ARH-R-5011	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
	W RHR HXRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RH-4 (FIG NO B-30)														
705288	1-GRH-R-5006	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
705400	1-GRH-L-36A	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-4 (FIG NO B-30)														
705410	1-GRH-R-37	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
705420	1-ARH-R-5007	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
705740	1-GRH-L-39	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	-	-	-	-	-	-	-	C	-	-	
	VESTIBULE			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
705770	1-GRH-V-40	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20C		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
705780	1-GRH-L-41	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RH-5 (FIG NO B-31)														
705810	1-GCTS-L-81	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	-	-	-	-	-	-	-	C	-	
	W RHR HXRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
705820	1-GRH-R-16	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WA		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-5 (FIG NO B-31)														
705830	1-GRH-R-17	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WA		2	-	-	-	-	-	-	-	-	C	-	
	W RHR HXRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
705840	1-GCTS-L-15	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
706000	1-GCTS-V-80	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20C		2	-	-	-	-	-	-	-	-	C	-	
	W RHR HXRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
706050	1-GCTS-L-78	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20B		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
706060	1-GCTS-L-5	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WB		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
706140	1-GCTS-R-6	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
706190	1-GCTS-R-7	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-5 (FIG NO B-31)														
706195	1-GCTS-L-79	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
706200	1-GCTS-R-8	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	-	-	-	-	-	-	C	-	-	
	VESTIBULE			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
706210	1-GCTS-L-9	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.20WB		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
706240	1-GCTS-R-10	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	-	-	-	-	-	-	C	-	-	
	VESTIBULE			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RH-6 (FIG NO B-32)														
706420	1-GCTS-R-18	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
706440	1-GCTS-V-82	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20C		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
706520	1-GCTS-L-83	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20B		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL PLAN STATUS

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-6 (FIG NO B-32)														
706530	1-GCTS-R-11	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WA		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
706610	1-GCTS-R-12	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	-	-	-	C	-	-	-	-	-	
	VESTIBULE			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
706620	1-GCTS-L-13	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WB		2	-	-	-	-	C	-	-	-	C	-	
	VESTIBULE			3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
706640	1-GCTS-R-14	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	-	-	-	C	-	-	-	-	-	
	VESTIBULE			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
706700	1-GCTS-R-18	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
	VESTIBULE			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RH-7 (FIG NO B-33)														
706750	1-GRH-L-42	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.20A		2	-	-	-	-	C	-	-	-	-	-	
	E RHR HXRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
706760	1-GRH-R-19	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WA		2	-	-	-	-	C	-	-	-	-	-	
	E RHR HXRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-7 (FIG NO B-33)														
706770	1-GSI-L-140	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WA		2	-	-	-	-	-	-	-	-	-	-	
	E RHR HXRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
706850	1-GSI-R-49	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WA		2	-	-	-	-	C	-	-	-	-	-	
	E RHR HXRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
706860	1-GSI-L-49A	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WA		2	-	-	-	-	-	-	-	-	-	-	
	E RHR HXRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
706950	1-GSI-L-50	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WB		2	-	C	-	-	-	-	-	-	-	-	
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
706960	1-GSI-R-51	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
707020	1-GSI-R-52	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
707030	1-GSI-L-160	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

CLASS 2 ALL STATUS COMPONENTS

EMERGENCY CORE COOLING SYSTEM

INSPECTION INTERVAL — PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-7 (FIG NO B-33)														
707060	1-GSI-L-53	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WB		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
707080	1-GSI-R-54	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RH-8 (FIG NO B-34)														
707190	1-GSI-L-139	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
707200	1-GSI-R-43	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WA		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
707300	1-GSI-R-44	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WB		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
707370	1-GSI-R-45	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
707390	1-GSI-L-46	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

INSPECTION INTERVAL — PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-8 (FIG NO B-34)														
707420	1-GSI-L-47A	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.20WA		2	-	-	-	-	-	-	-	C	-	-	
	VESTIBULE			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
707430	1-GSI-R-47	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
707450	1-GSI-L-48	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	-	-	-	-	-	-	C	-	-	
	VESTIBULE			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RH-9 (FIG NO B-35)														
707570	1-GSI-L-42	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.20WA		2	-	C	-	-	-	-	-	-	-	-	
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
707580	1-GSI-V-159	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.20C		2	-	-	-	-	-	-	-	-	C	-	
	W RHR HXRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
707590	1-GSI-V-41	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.20WC		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
707600	1-GSI-L-46	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WC		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	OUTAGE	FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-9 (FIG NO B-35)														
707610	1-GSI-L-45	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WC		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
707650	1-GSI-L-822	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	-	-	-	-	-	-	-	C	-	
	W CHG PPRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
707660	1-GSI-L-824	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20C		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RH-10 (FIG NO B-36)														
707840	1-GSI-L-21	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.20WB		2	-	-	-	-	C	-	-	-	-	-	
	E RHR HXRM			3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
707920	1-GSI-R-20	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.20A		2	C	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
707925	1-GSI-L-19	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
707930	1-GSI-V-18	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.20C		2	-	-	-	-	C	-	-	-	C	-	
	W CHG PPRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-11 (FIG NO B-37)														
708070	1-GRH-V-21	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WC		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
708080	1-GRH-L-35A	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WC		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RH-27 (FIG NO B-38)														
708500	1-GRH-R-508	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WB		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
708520	1-GRH-R-505	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
708540	1-GRH-R-503	F-A	VT-3	1	-	-	-	-	C	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WB		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-RH-28 (FIG NO B-39)														
708600	1-GRH-R-506	F-A	VT-3	1	-	-	-	-	C	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WB		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-RH-30 (FIG NO B-40)														
708700	1-GRH-R-500	F-A	VT-3	1	-	-	-	-	C	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
708720	1-GRH-R-501	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WB		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
708740	1-GRH-R-502	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
708760	1-GRH-R-504	F-A	VT-3	1	-	-	-	-	C	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.20WB		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL / PLAN STATUS

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-33 (FIG NO B-41)														
718100	1-GCS-R-103	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENTS	F1.20A		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
718200	1-GCS-R-102	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENTS	F1.20B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
718300	1-GCS-V-103B	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENTS	F1.20C		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
718400	1-GCS-V-103A	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENTS	F1.20C		2	-	-	-	-	C	-	-	-	C	-	
	E CHG PPRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-CS-35 (FIG NO B-42)														
718500	1-GCS-V-108A	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENTS	F1.20C		2	-	-	-	-	C	-	-	-	C	-	
	W CHG PPRM			3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
718600	1-GCS-R-108	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20B		2	-	-	-	-	C	-	-	-	-	-	
	W CHG PPRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
718700	1-GCS-R-107A	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENTS	F1.20WB		2	-	-	-	-	C	-	-	-	-	-	
	E CHG PPRM			3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-35 (FIG NO B-42)														
718800	1-GCS-R-107	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

CONTAINMENT SPRAY SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1	FIRST 2	FIRST 3	SECOND PERIOD OUTAGE 1	SECOND 2	SECOND 3	SECOND 4	THIRD PERIOD OUTAGE 1	THIRD 2	THIRD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CTS-1 (FIG NO B-43)														
719020	1-GCTS-R-17	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	C	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
719030	1-GCTS-R-18	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
719040	1-GCTS-R-19	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
719050	1-GCTS-R-20	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
719053	1-GCTS-L-51	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WC		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
719057	1-GCTS-L-52	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WC		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
719060	1-GCTS-V-21	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENTS	F1.20WC		2	-	-	-	-	-	-	-	-	C	-	
	W CTS HXRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL ____ PLAN STATUS ____

CONTAINMENT SPRAY SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	OUTAGE	FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CTS-1 (FIG NO B-43)														
719150	1-GCTS-V-22	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENTS	F1.20WC		2	-	-	-	-	-	-	-	-	C	-	
	W CTS HXRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-CTS-2 (FIG NO B-44)														
719280	1-GCTS-R-28	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	-	-	-	-	-	-	C	-	-	
	W CTS HXRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
719320	1-GCTS-L-58	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENTS	F1.20B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
719330	1-GCTS-L-30	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENTS	F1.20B		2	-	-	-	-	-	-	-	-	C	-	
	W CTS HXRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
719420	1-GCTS-R-29	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
719430	1-GCTS-R-59	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	-	-	-	-	-	-	-	C	-	
	VESTIBULE			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
719435	1-GCTS-L-60	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

CONTAINMENT SPRAY SYSTEM

INSPECTION INTERVAL — PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CTS-2 (FIG NO B-44)														
719440	1-GCTS-R-61	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENTS	F1.20A		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
719470	1-GCTS-R-62	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-CTS-3 (FIG NO B-45)														
719580	1-GCTS-R-31	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
719610	1-GCTS-L-32	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENTS	F1.20B		2	-	-	-	-	C	-	-	-	-	-	
	W CTS HXRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
719680	1-GCTS-R-63	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	-	-	-	C	-	-	-	-	-	
	VESTIBULE			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
719690	1-GCTS-L-64	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	-	-	-	C	-	-	-	-	-	
	VESTIBULE			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
719700	1-GCTS-R-65	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	-	-	-	C	-	-	-	-	-	
	VESTIBULE			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

CONTAINMENT SPRAY SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD			SECOND PERIOD				THIRD PERIOD			INSTRUCTIONS **CALIBRATION BLOCK**
				OUTAGE	1	2	3	1	2	3	4	1	2	3	
	LINE 1-CTS-3 (FIG NO B-45)														
719730	1-GCTS-R-66	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	-	-	-	C	-	-	-	-	-	
	VESTIBULE			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-CTS-4 (FIG NO B-46)														
719820	1-GCTS-R-24A	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WB		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
719830	1-GCTS-R-24	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	C	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
719835	1-GCTS-R-5002	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
719840	1-GCTS-R-25	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	-	-	-	-	C	-	-	-	-	-	
	E CTS PPRM			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
719860	1-GCTS-L-54	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	-	C	-	-	C	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
719880	1-GCTS-L-53	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL — PLAN STATUS

CONTAINMENT SPRAY SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CTS-4 (FIG NO B-46)														
719920	1-GCTS-V-26	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WC		2	-	-	-	-	C	-	-	-	C	-	
	E CTS HXRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
719930	1-GCTS-V-27	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WC		2	-	-	-	-	C	-	-	-	-	-	
	E CTS HXRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-CTS-5 (FIG NO B-46)														
720240	1-GCTS-R-33	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	-	-	-	C	-	-	-	-	-	
	E CTS HXRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-CTS-5 (FIG NO B-47)														
720250	1-GCTS-R-34	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	-	-	-	-	-	-	C	-	-	
	E CTS HXRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
720260	1-GCTS-R-35	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENTS	F1.20B		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
720300	1-GCTS-R-41	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.20B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

CONTAINMENT SPRAY SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CTS-5 (FIG NO B-47)														
720380	1-GCTS-R-42	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
720390	1-GCTS-L-56	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	-	-	-	-	-	-	C	-	-	
	VESTIBULE			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
720400	1-GCTS-R-43	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	-	-	-	-	-	-	C	-	-	
	VESTIBULE			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-CTS-6 (FIG NO B-48)														
720490	1-GCTS-L-55	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	-	-	-	C	-	-	-	-	-	
	E CTS HXRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
720590	1-GCTS-R-36	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENTS	F1.20A		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
720610	1-GCTS-R-37	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENTS	F1.20B		2	-	-	-	-	C	-	-	-	-	-	
	E CTS HXRM			3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
720630	1-GCTS-R-38	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

CONTAINMENT SPRAY SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CTS-6 (FIG NO B-48)														
720640	1-GCTS-R-39	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENTS	F1.20B		2	-	-	-	-	C	-	-	-	-	-	
	VESTIBULE			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
720650	1-GCTS-R-40	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	-	-	-	C	-	-	-	-	-	
	VESTIBULE			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-FW-10 (FIG NO B-49)														
726320	1-GFW-L-141	F-A	VT-3	1	-	-	-	C	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WB		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
726330	1-GFW-V-142	F-A	VT-3	1	-	-	-	C	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WB		2	-	C	-	-	C	-	-	-	-	-	
	MS ACC			3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
726340	1-GFW-L-867	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENT	F1.20A		2	-	-	-	-	C	-	-	-	-	-	
	MS ACC			3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
726350	1-GFW-V-143	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20C		2	-	-	-	-	C	-	-	-	-	-	
	MS ACC			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
726360	1-GFW-L-144	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WB		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
726370	1-GFW-V-145	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.20C		2	-	C	-	-	C	-	-	-	-	-	
	MS ACC			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
726380	1-GFW-L-827	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20S		2	-	-	-	-	-	-	-	-	-	-	
	MS ACC			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-FW-10 (FIG NO B-49)														
726390	1-GFW-S-854	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.20WS		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
726400	1-FW-10-HANGER	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	NO AEP HANGER NUMBER
	PIPE RESTRAINT COMPONENT	F1.20WS		2	-	C	-	-	-	-	-	-	-	-	ASSIGNED.SEE AEP DRAWING
				3	-	-	-	-	-	-	-	-	-	-	1-2-3952A.
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-FW-11 (FIG NO B-50)														
726420	1-FW-S-9	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.20S		2	C	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
726430	1-FW-H-3	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	-	-	-	-	-	-	-	C	-	
	CONT. L3			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
726440	1-FW-S-8	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE RESTRAINT COMPONENT	F1.20WS		2	C	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
726450	1-FWS-7	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.20WS		2	C	C	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-FW-12 (FIG NO B-51)														
726490	1-GFW-L-147	F-A	VT-3	1	-	-	-	C	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.20WB		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-FW-12 (FIG NO B-51)														
726500	1-GFW-L-851	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.20WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
726510	1-GFW-V-148	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.20C		2	-	-	-	-	-	-	-	C	-	-	
	MS ACC			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
726520	1-GFW-R-827	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	GANG SUPPORT FOR 1-FW-10,
	PIPE SUPPORT COMPONENTS	F1.20WB		2	-	C	-	-	-	-	-	-	-	-	F1.20WA.
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
726530	1-GFW-S-852	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE RESTRAINT COMPONENT	F1.20WC		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
726540	1-GFW-V-828	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WC		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
726550	1-FW-12-HANGER	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	NO HANGER NUMBER ASSIGNED.
	PIPE SUPPORT COMPONENTS	F1.20WB		2	-	-	-	-	-	-	-	C	-	-	SEE AEP DRAWING 1-2-3952A.
	W MS ENC			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-FW-13 (FIG NO B-52)														
726570	1-FW-S-6	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.20S		2	C	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-FW-13 (FIG NO B-52)														
726580	1-FW-S-5	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.20S		2	C	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
726590	1-FW-H-2	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
726600	1-FW-S-4	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.20WS		2	C	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-FW-15 (FIG NO B-53)														
726630	1-GFW-R-800	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	-	C	-	-	-	-	-	-	-	-	
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
726640	1-GFW-S-862	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.20S		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
726650	1-GFW-S-866	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.20S		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
726660	1-GFW-V-801	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.20C		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-FW-15 (FIG NO B-53)														
726670	1-GFW-L-802	F-A	VT-3	1	-	-	-	C	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
726680	1-FW-15-HANGER	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	1-FW-15 IS ISOMETRIC HANGER
	PIPE SUPPORT COMPONENT	F1.20A		2	-	-	-	-	-	-	-	-	-	-	NUMBER. NO HANGER MARK
				3	-	-	-	-	-	-	-	-	-	-	NUMBERASSIGNED. SEE AEP
				4	-	-	-	-	-	-	-	-	-	-	DRAWING 1-2-3952A, REV. 15.
	LINE 1-FW-16 (FIG NO B-54)														
726700	1-FW-S-3	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.20S		2	C	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
726710	1-FW-H-1	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
726720	1-FW-S-1	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.20WS		2	C	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
726730	1-FW-S-2	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE RESTRAINT COMPONENT	F1.20WS		2	C	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-FW-17 (FIG NO B-55)														
726770	1-GFW-L-832	F-A	VT-3	1	-	-	-	C	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-FW-17 (FIG NO B-55)														
726780	1-GFW-S-861	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.20S		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
726790	1-GFW-V-831	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.20C		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
726800	1-GFW-V-830	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.20C		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
726810	1-GFW-R-829	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
726820	1-FW-17-12F-HANGER	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	NO HANGER NUMBER ASSIGNED.
	PIPE SUPPORT COMPONENT	F1.20A		2	-	-	-	-	-	-	-	-	C	-	SEE AEP DRAWING 1-2-3952A.
	E MS ENC			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-FW-18 (FIG NO B-56)														
726840	1-FW-S-12	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.20S		2	C	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
726850	1-FW-H-4	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	-	-	-	C	-	-	-	-	-	
	CONT. L4			3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL OUTAGE	FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-FW-18 (FIG NO B-56)														
726870	1-FW-S-11	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.20WS		2	C	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
726880	1-FW-S-10	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.20S		2	C	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-FW-26 (FIG NO B-57)														
726910	1-GFW-V-803	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20C		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
726920	1-GFW-L-804	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
726930	1-GFW-V-841	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20C		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
726940	1-GFW-L-805	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	-	-	-	-	-	-	C	-	-	
	596' PLAT			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
726950	1-GFW-R-806	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WB		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

FEEDWATER SYSTEM

INSPECTION INTERVAL PLAN STATUS

LINE 1-FW-27 (FIG NO B-58)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	OUTAGE	FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
726960	1-GFW-L-842	F-A	VT-3	1	-	-	-	C	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.20A		2	-	-	-	-	C	-	-	-	-	-	
	596 PLAT			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
726970	1-GFW-V-807	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20C		2	-	-	-	-	C	-	-	-	-	-	
	596 PLAT			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
726980	1-GFW-L-808	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	-	-	-	C	-	-	-	-	-	
	596 PLAT			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
726990	1-GFW-L-809	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WB		2	-	-	-	-	C	-	-	-	-	-	
	W MS ENC			3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

LINE 1-FW-30 (FIG NO B-59)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	OUTAGE	FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
727000	1-GFW-R-822	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
727010	1-GFW-R-821	F-A	VT-3	1	-	-	-	C	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
727020	1-GFW-L-823	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WB		2	-	-	-	-	-	-	-	-	C	-	
	E MS ENC			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-FW-31 (FIG NO B-60)														
727030	1-GFW-R-824	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
727040	1-GFW-L-825	F-A	VT-3	1	-	-	-	C	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
727050	1-GFW-L-826	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WB		2	-	-	-	-	-	-	-	C	-	-	
	E MS ENC			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

MAIN STEAM SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1 2 3	PLAN STATUS SECOND PERIOD OUTAGE 1 2 3 4	PLAN STATUS THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-MS-1 (FIG NO B-61)							
735730	1-MSH-1 PIPE SUPPORT COMPONENTS	F-A F1.20C	VT-3	1	- - -	- - - -	- - C	
				2	C - -	- - - -	- - -	
				3	X - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
735740	1-MSS-1 PIPE SUPPORT COMPONENTS	F-A F1.20WA	VT-3	1	- - -	- - - -	C - -	
				2	C C -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
735750	1-MSS-2 PIPE SUPPORT COMPONENTS	F-A F1.20WS	VT-3	1	- - -	- - - -	C - -	
				2	C C -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	MAIN STEAM ISOLATION VALVE-LINE 1-MS-2 (FIG NO B-73,B-74)							
735813	MSIV-MRV-210-S1 PIPE SUPPORT COMPONENTS	F-A F1.20WA	VT-3	1	- - -	- - - -	- C -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
735816	MSIV-MRV-210-S2 PIPE SUPPORT COMPONENTS	F-A F1.20WA	VT-3	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	LINE 1-MS-6 (FIG NO B-63)							
735870	1-MSH-2 PIPE SUPPORT COMPONENTS	F-A F1.20C	VT-3	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

INSPECTION INTERVAL — PLAN STATUS

MAIN STEAM SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-MS-6 (FIG NO B-63)														
735880	1-MSS-3	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WS		2	C	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
735890	1-MSS-4	F-A	VT-3	1	-	-	-	-	-	-	-	-	C	-	
	PIPE SUPPORT COMPONENTS	F1.20WS		2	C	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	MAIN STEAM ISOLATION VALVE-LINE 1-MS-7 (FIG NO B-73,B-74)														
735953	MSIV-MRV-220-S1	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
735958	MSIV-MRV-220-S2	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-MS-10 (FIG NO B-65)														
736010	1-MSH-3	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20C		2	-	-	-	-	-	-	-	C	-	-	
	CONT. L3			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
736020	1-MSS-6	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WS		2	C	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

MAIN STEAM SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-MS-10 (FIG NO B-65)														
736030	1-MSS-5	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENTS	F1.20WS		2	C	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	MAIN STEAM ISOLATION VALVE-LINE 1-MS-11 (FIG NO B-73,B-74)														
736093	MSIV-MRV-230-S1	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	-	-	-	-	C	-	-	-	-	-	
	W MS ENC			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
736097	MSIV-MRV-230-S2	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	-	-	-	-	C	-	-	-	-	-	
	W MS ENC			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-MS-14 (FIG NO B-67)														
736150	1-MSH-4	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.20C		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
736160	1-MSS-8	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENTS	F1.20WS		2	C	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
736170	1-MSS-7	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WS		2	C	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

MAIN STEAM SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY / ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	MAIN STEAM ISOLATION VALVE-LINE 1-MS-15 (FIG NO B-73,B-74)														
736233	MSIV-MRV-240-S1	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
736238	MSIV-MRV-240-S2	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-MS-189 (FIG NO B-69)														
736240	1-GMS-V-825	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENTS	F1.20C		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-MS-190 (FIG NO B-70)														
736250	1-GMS-R-837	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
736260	1-GMS-L-829	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
736270	1-GMS-V-828	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20C		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

MAIN STEAM SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-MS-191 (FIG NO B-71)														
736280	1-GMS-R-836	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	-	-	-	-	C	-	-	-	-	-	
	W MS ENC			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
736290	1-GMS-L-832	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
736300	1-GMS-V-831	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENTS	F1.20WC		2	-	-	-	-	C	-	-	-	-	-	
	W MS ENC			3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-MS-192 (FIG NO B-72)														
736310	1-GMS-V-834	F-A	VT-3	1	-	-	-	-	-	-	-	C	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WC		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-5 (FIG NO B-77)														
740000	1-GSI-R-90	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
740010	1-GSI-R-89	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
740020	1-GSI-R-94	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-5 (FIG NO B-78)														
740100	1-GSI-R-801	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-11 (FIG NO B-79)														
741000	1-GSI-L-1	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
741010	1-GSI-V-5	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20C		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-11 (FIG NO B-79)														
741020	1-GSI-L-6	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
741030	1-GSI-R-2	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
741040	1-GSI-R-4	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
741050	1-GSI-L-7	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-11 (FIG NO B-80)														
741100	1-GSI-R-807	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WB		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
741110	1-GSI-R-808	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WB		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
741120	1-GSI-R-809	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WB		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

INSPECTION INTERVAL PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-11 (FIG NO B-80)							
741130	1-GSI-R-810 PIPE SUPPORT COMPONENTS	F-A F1.20WB	VT-3	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
741140	1-GSI-R-823 PIPE SUPPORT COMPONENTS	F-A F1.20A	VT-3	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
741150	1-GSI-R-811 PIPE SUPPORT COMPONENTS	F-A F1.20WB	VT-3	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
741160	1-GSI-R-812 PIPE SUPPORT COMPONENTS	F-A F1.20WA	VT-3	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
741170	1-GSI-R-813 PIPE SUPPORT COMPONENTS	F-A F1.20B	VT-3	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
741180	1-GSI-R-814 PIPE SUPPORT COMPONENTS	F-A F1.20A	VT-3	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
741190	1-GSI-R-815 PIPE SUPPORT COMPONENTS	F-A F1.20B	VT-3	1	- - -	- - - -	- - -	
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-11 (FIG NO B-80)														
741200	1-GSI-R-816	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
741210	1-GSI-R-817	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WB		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-11 (FIG NO B-81)														
741250	1-GSI-R-818	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
741260	1-GSI-R-819	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
741270	1-GSI-R-820	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
741280	1-GSI-R-821	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
741290	1-GSI-R-3	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL — PLAN STATUS

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-12 (FIG NO B-82)														
741500	1-GSI-R-8	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	-	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
741510	1-GSI-L-9	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
741520	1-GSI-L-10	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
741530	1-GSI-L-11	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
741540	1-GSI-L-12	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	-	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
741550	1-GSI-V-13	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
741560	1-GSI-L-14	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-12 (FIG NO B-82)														
741570	1-GSI-L-15	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
741580	1-GSI-L-16	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
741590	1-GSI-V-17	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-19 (FIG NO B-83)														
741750	1-GSI-V-556	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-SI-50 (FIG NO B-84)														
742000	1-GSI-R-219	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WB		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
742010	1-GSI-L-927	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-50 (FIG NO B-84)							
742020	1-GSI-R-146	F-A	VT-3	1	- - -	- - - -	- - -	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
742030	1-GSI-V-143	F-A	VT-3	1	- - -	- - - -	- - -	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
742040	1-GSI-L-144	F-A	VT-3	1	- - -	- - - -	- - -	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
742050	1-GSI-V-145	F-A	VT-3	1	- - -	- - - -	- - -	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	LINE 1-SI-51 (FIG NO B-85)							
742500	1-GSI-V-147	F-A	VT-3	1	- - -	- - - -	- - -	
	PIPE SUPPORT COMPONENTS	F1.20A		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
742510	1-GSI-L-148	F-A	VT-3	1	- - -	- - - -	- - -	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
742520	1-GSI-L-149	F-A	VT-3	1	- - -	- - - -	- - -	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-51 (FIG NO B-85)							
742530	1-GSI-L-150	F-A	VT-3	1	- - -	- - - -	- - -	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
742540	1-GSI-L-151	F-A	VT-3	1	- - -	- - - -	- - -	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	LINE 1-SI-51 (FIG NO B-86)							
743000	1-GSI-L-152	F-A	VT-3	1	- - -	- - - -	- - -	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
743010	1-GSI-L-154	F-A	VT-3	1	- - -	- - - -	- - -	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
743020	1-GSI-R-155	F-A	VT-3	1	- - -	- - - -	- - -	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	LINE 1-SI-74 (FIG NO B-87)							
743500	1-GSI-R-558	F-A	VT-3	1	- - -	- - - -	- - -	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

EMERGENCY CORE COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-SI-80 (FIG NO B-88)														
744010	1-ASI-R-922	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
744020	1-ASI-L-923	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WB		2	-	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
744030	1-ASI-L-924	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
744040	1-ASI-L-925	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
744050	1-ASI-L-926	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-32 (FIG NO B-89)														
744500	1-GCS-R-87	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
744510	1-GCS-L-233	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
744520	1-GCS-L-85	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WB		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
744530	1-GCS-L-234	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
744540	1-GCS-R-80	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
744550	1-GCS-L-237B	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
744560	1-GCS-R-237A	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-32 (FIG NO B-89)														
744570	1-GCS-R-237	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
744580	1-ACS-920	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
744590	1-ACS-L-921	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
744600	1-ACS-L-236	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
744610	1-GCS-R-235	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
744620	1-GCS-L-216	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
744630	1-GCS-R-82	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-34 (FIG NO B-90)														
745000	1-GCS-R-94	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
745010	1-GCS-R-95	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
745020	1-GCS-R-91	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
745030	1-GCS-R-90	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
745040	1-GCS-R-89	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
745050	1-GCS-L-88	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WB		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
745060	1-GCS-V-92	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WC		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-34 (FIG NO B-90)														
745070	1-GCS-V-93	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WC		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-CS-36 (FIG NO B-91)														
745500	1-GCS-L-217	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
745510	1-GCS-C-218	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
745520	1-GCS-R-111	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
745530	1-GCS-R-112	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
745540	1-GCS-R-113	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
745550	1-GCS-R-114	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-36 (FIG NO B-91)														
745560	1-GCS-R-115	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
745570	1-GCS-R-116	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
745580	1-GCS-L-117	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-CS-747 (FIG NO B-95)														
747000	1-ACS-R-923	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
747010	1-ACS-R-924	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
747020	1-ACS-R-925	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	LINE 1-CS-748 (FIG NO B-96)														
747500	1-ACS-R-927	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENTS	F1.20B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL — PLAN STATUS

CHEMICAL AND VOLUME CONTROL SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	LINE 1-CS-747A (FIG NO B-97)														
748000	1-ACS-R-928 PIPE SUPPORT COMPONENTS	F-A F1.20B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
				2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
748010	1-ACS-R-929 PIPE SUPPORT COMPONENTS	F-A F1.20B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
				2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
748020	1-ACS-R-930 PIPE SUPPORT COMPONENTS	F-A F1.20B	VT-3	1	-	-	-	-	-	-	-	-	-	-	
				2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

CTS HEAT EXCHANGER EAST

INTEGRALLY WELDED VESSEL SUPPORTS (FIG NO B-7)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
798000	E-CTSHEX-1VS	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	REFERENCE NO. 400000 FOR 1ST
	VESSEL SUPPORT	F1.40		2	-	C	-	-	-	-	-	-	-	-	AND 2ND INTERVALS.
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
798010	E-CTSHEX-2VS	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	REFERENCE NO. 400010 FOR 1ST
	VESSEL SUPPORT	F1.40		2	-	C	-	-	-	-	-	-	-	-	AND 2ND INTERVALS.
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
798020	E-CTSHEX-3VS	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	REFERENCE NO. 400020 FOR 1ST
	VESSEL SUPPORT	F1.40		2	-	-	-	-	C	-	-	-	-	-	AND 2ND INTERVALS.
	E CTS HXRM			3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
798030	E-CTSHEX-4VS	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	REFERENCE NO. 400030 FOR 1ST
	VESSEL SUPPORT	F1.40		2	-	-	-	-	C	-	-	-	-	-	AND 2ND INTERVALS.
	E CTS HXRM			3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

CTS HEAT EXCHANGER WEST

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	INTEGRALLY WELDED VESSEL SUPPORTS (FIG NO B-8)														
798040	W-CTSHEX-1VS VESSEL SUPPORT	F-A F1.40	VT-3	1	-	-	-	-	-	-	-	-	-	-	REFERENCE NO. 300743 FOR 1ST INTERVAL. REFERENCE NO. 400040 FOR 2ND INTERVAL.
				2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
798050	W-CTSHEX-2VS VESSEL SUPPORT	F-A F1.40	VT-3	1	-	-	-	-	-	-	-	-	-	-	REFERENCE NO. 300744 FOR 1ST INTERVAL. REFERENCE NO. 400050 FOR 2ND INTERVAL.
				2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
798060	W-CTSHEX-3VS VESSEL SUPPORT	F-A F1.40	VT-3	1	-	-	-	-	-	-	-	-	-	-	REFERENCE NO. 400060 FOR 1ST AND 2ND INTERVALS.
				2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
798070	W-CTSHEX-4VS VESSEL SUPPORT	F-A F1.40	VT-3	1	-	-	-	-	-	-	-	-	-	-	REFERENCE NO. 400070 FOR 1ST AND 2ND INTERVALS.
				2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

CTS HEAT EXCHANGER EAST

COMPONENT SUPPORTS (FIG NO B-7)

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
798400	E-CTSHEX-SC-1	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	REFERENCE NO. 736400 FOR 1ST
		F1.40		2	-	C	-	-	-	-	-	-	-	-	AND 2ND INTERVALS.
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
798410	E-CTSHEX-SC-2	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	REFERENCE NO. 736410 FOR 1ST
		F1.40		2	-	C	-	-	-	-	-	-	-	-	AND 2ND INTERVALS.
				3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
798420	E-CTSHEX-SC-3	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	REFERENCE NO. 736420 FOR 1ST
		F1.40		2	-	-	-	-	C	-	-	-	-	-	AND 2ND INTERVALS.
	E CTS HXRM			3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
798430	E-CTSHEX-SC-4	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	REFERENCE NO. 736430 FOR 1ST
		F1.40		2	-	-	-	-	C	-	-	-	-	-	AND 2ND INTERVALS.
	E CTS HXRM			3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

CTS HEAT EXCHANGER WEST

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	COMPONENT SUPPORTS (FIG NO B-8)							
798440	W-CTSHEX-SC-1	F-A F1.40	VT-3	1	- - -	- - - -	- - -	REFERENCE NO. 700130 FOR 1ST INTERVAL. REFERENCE NO. 736440 FOR 2ND INTERVAL.
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
798450	W-CTSHEX-SC-2	F-A F1.40	VT-3	1	- - -	- - - -	- - -	REFERENCE NO. 700140 FOR 1ST INTERVAL. REFERENCE NO. 736450 FOR 2ND INTERVAL.
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
798460	W-CTSHEX-SC-3	F-A F1.40	VT-3	1	- - -	- - - -	- - -	REFERENCE NO. 736460 FOR 1ST AND 2ND INTERVALS.
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
798470	W-CTSHEX-SC-4	F-A F1.40	VT-3	1	- - -	- - - -	- - -	REFERENCE NO. 736470 FOR 1ST AND 2ND INTERVALS.
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

CTS HEAT EXCHANGER EAST

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	COMPONENT SUPPORTS							
798800	E-CTSHEX-UL-SC	F-A	VT-3	1	- - -	- - - -	- - -	REFERENCE NO. 871000 FOR 1ST
	UPPER LATERAL SUPPORT	F1.40		2	- - -	- - - -	C - -	AND 2ND INTERVALS.
	E CTS HXRM			3	- - -	- - - -	X - -	
				4	- - -	- - - -	- - -	

CTS HEAT EXCHANGER WEST

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	COMPONENT SUPPORTS							
798900	W-CTSHEX-UL-SC UPPER LATERAL SUPPORT W CTS HXRM	F-A F1.40	VT-3	1	- - -	- - - -	- - -	REFERENCE NO. 871100 FOR 1ST AND 2ND INTERVALS.
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

RHR HEAT EXCHANGER EAST

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	COMPONENT SUPPORTS (SEE DWG. 12-3944C-3)														
799000	E-RHRHEX-UL-SC	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	REFERENCE NO. 737000 FOR 1ST
	UPPER LATERAL SUPPORT	F1.40		2	-	-	-	-	-	-	-	C	-	-	AND 2ND INTERVALS.
	E RHR HXRM			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

RHR HEAT EXCHANGER WEST

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	COMPONENT SUPPORTS (SEE DWG. 12-3944C-3)							
799100	W-RHRHEX-UL-SC UPPER LATERAL SUPPORT W RHR HXRM	F-A F1.40	VT-3	1	- - -	- - - -	- - -	REFERENCE NO. 737100 FOR 1ST AND 2ND INTERVALS.
				2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

AUXILIARY FEEDWATER SYSTEM

SEE AEP DWG. NO. 1-C-32

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
800000	1-GC-R-1	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
800005	1-GC-R-2	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
800010	1-GC-R-3	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	-	-	-	-	-	-	C	-	-	
	DG PIPE TL			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
800015	1-GC-L-45	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	C	-	-	
	DG PIPE TL			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
800020	1-GC-L-4	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	C	-	-	
	DG PIPE TL			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
800025	1-GC-R-5	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WA		2	-	-	-	-	-	-	-	C	-	-	
	DG PIPE TL			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
800030	1-GC-R-7	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	C	-	-	
	ESW PIPE T			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

AUXILIARY FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-C-32														
800035	1-GC-R-46	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
800040	1-GC-R-47	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
800045	1-GC-L-63	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	C	-	-	
	ESW PIPE T			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
800050	1-GC-R-64	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	C	-	-	
	ESW PIPE T			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
800055	1-GC-R-65	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	C	-	-	
	ESW PIPE T			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
800060	1-GC-R-66	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	C	-	-	
	ESW PIPE T			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
800065	1-GC-R-67	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

AUXILIARY FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-C-32														
800067	1-GC-R-911	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
800070	1-GC-L-60	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-C-59, SH. 1 OF 2														
800100	1-GC-V-30	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WC		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
800105	1-GC-L-29	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
800110	1-GC-L-28	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
800115	1-GC-R-27	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
800120	1-GC-L-26	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

AUXILIARY FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-C-59, SH. 1 OF 2														
800125	1-GC-L-25	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-C-59, SH. 2 OF 2														
800130	1-GC-L-24	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
800135	1-GC-R-41	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
800140	1-GC-R-23	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
800145	1-GC-R-22	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
800150	1-GC-L-44	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
800155	1-GC-R-21	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

AUXILIARY FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-C-59, SH. 2 OF 2														
800160	1-GC-R-20	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-C-63														
800200	1-GC-R-42	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
800210	1-GC-L-43	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	-	-	-	-	-	-	C	-	-	
	AFP HALL			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-C-65, SH. 1 OF 2														
800300	1-GC-R-50	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
800310	1-GC-R-49	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-C-65, SH. 2 OF 2														
800330	1-GC-R-52	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	TDAFP RM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL — PLAN STATUS

AUXILIARY FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-C-65, SH. 2 OF 2														
800350	1-GC-R-51	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
800355	1-GC-L-62	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-C-67, SH. 1 OF 2														
800405	1-GC-L-54	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
800410	1-GC-L-59	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	C	-	-	
	E MDAFP RM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
800415	1-GC-R-55	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
800417	1-GC-L-907	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-C-67, SH. 2 OF 2														
800420	1-GC-R-58	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	C	-	-	
	AFP HALL			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

AUXILIARY FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-C-67, SH. 2 OF 2														
800425	1-GC-R-57	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
800435	1-GC-R-56	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WA		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
800440	1-GC-R-61	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-AC-159														
800700	1-AC-L-900	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	C	-	-	
	AFP HALL			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
800710	1-AC-L-901	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	C	-	-	
	AFP HALL			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
800720	1-AC-L-902	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	INACCESSIBLE DUE TO WELDED
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	-	-	SEISMIC ENCLOSURE.
	AFP ENC			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
800730	1-AC-L-903	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	C	-	-	
	W MDAFP RM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

AUXILIARY FEEDWATER SYSTEM

SEE AEP DWG. NO. 1-AC-159

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
800740	1-AC-L-904	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
800750	1-AC-L-905	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
800760	1-AC-L-906	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	-	-	-	-	-	-	C	-	-	
	W MDAFP RM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

COMPONENT COOLING WATER SYSTEM

INSPECTION INTERVAL — PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-CCW-1														
805000	1-GCCW-V-845	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805010	1-GCCW-R-15	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805020	1-GCCW-R-14	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	C	-	-	
	587 AUX			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805030	1-GCCW-R-13	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	C	-	-	
	587 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805040	1-GCCW-R-12	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	C	-	-	
	587 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805050	1-GCCW-R-11	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	C	-	-	
	587 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805060	1-GCCW-R-10	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL ___ PLAN STATUS ___

COMPONENT COOLING WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-CCW-1														
805070	1-GCCW-R-9	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805080	1-GCCW-L-8	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	C	-	-	
	587 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805085	AS-6-228	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805090	1-GCCW-R-7	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	C	-	-	
	587 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805100	1-GCCW-R-4	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	C	-	-	
	587 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805110	1-GCCW-R-5	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	C	-	-	
	587 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805120	1-GCCW-R-6	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

COMPONENT COOLING WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-CCW-1														
805130	1-GCCW-R-3	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805140	1-GCCW-L-139	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	C	-	-	
	587 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805150	1-GCCW-R-1	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	C	-	-	
	587 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-CCW-2														
805200	1-GCCW-R-96	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	C	-	-	
	587 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805210	1-GCCW-R-95	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	C	-	-	
	587 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805220	1-GCCW-L-94	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805230	1-GCCW-L-93	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

COMPONENT COOLING WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-CCW-2														
805240	1-GCCW-L-92	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	C	-	-	
	587 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805250	1-GCCW-L-91	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	C	-	-	
	587 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805260	1-GCCW-R-90	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	C	-	-	
	587 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-CCW-6														
805300	1-GCCW-V-16	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WC		2	-	-	-	-	-	-	-	C	-	-	
	SFP HX RM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805310	1-GCCW-R-17	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WA		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-CCW-7														
805400	1-GCCW-R-107	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL PLAN STATUS

COMPONENT COOLING WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	OUTAGE	FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-CCW-7														
805410	1-GCCW-L-108	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	C	-	-	
	587 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805420	1-GCCW-L-109	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	C	-	
	587 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805430	1-GCCW-R-110	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	C	-	
	587 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805440	1-GCCW-L-111	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	-	-	-	-	-	-	-	C	-	
	587 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805450	1-GCCW-R-112	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805460	1-GCCW-R-117	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805470	1-GCCW-L-113	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	C	-	
	587 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

COMPONENT COOLING WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-CCW-7														
805480	1-GCCW-R-114	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	C	-	-	
	587 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805490	1-GCCW-R-115	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	C	-	-	
	587 AUX			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805500	1-GCCW-L-116	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	C	-	-	
	587 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805510	1-GCCW-L-118	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-CCW-8														
805600	1-GCCW-R-141	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805610	1-GCCW-L-140	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	587 AUX			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	
805620	1-GCCW-L-139	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	587 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

COMPONENT COOLING WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	OUTAGE	FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-CCW-8														
805630	1-GCCW-L-138	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	C	-	
	587 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805640	1-GCCW-R-137	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	587 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805650	1-GCCW-S-309	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.30WA		2	C	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805660	1-GCCW-R-136	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805670	1-GCCW-R-135	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	587 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805680	1-GCCW-L-134	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	C	-	
	587 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805690	1-GCCW-R-133	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	587 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

COMPONENT COOLING WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-CCW-8														
805700	1-GCCW-R-132	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	587 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805710	1-GCCW-R-131	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805720	1-GCCW-L-130	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805730	1-GCCW-R-129	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	587 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805740	1-GCCW-R-128	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	587 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805750	1-GCCW-R-127	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	587 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805760	1-GCCW-L-126	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	C	-	
	587 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

COMPONENT COOLING WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-CCW-8														
805770	1-GCCW-R-125	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805780	1-GCCW-R-119	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805790	1-GCCW-L-120	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	-	-	-	-	-	-	-	C	-	
	587 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805800	1-GCCW-R-121	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	587 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805810	1-GCCW-R-121A	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	587 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805820	1-GCCW-R-122	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	587 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805830	1-GCCW-L-123	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

COMPONENT COOLING WATER SYSTEM

SEE AEP DWG. NO. 1-CCW-35

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
805900	1-GCCW-L-18	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805910	1-GCCW-L-19	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805920	1-GCCW-R-20	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805930	1-GCCW-L-21	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805940	1-GCCW-R-22	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	609 AUX			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	
805950	1-GCCW-L-276	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.30WB		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805960	1-GCCW-R-23	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	609 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

COMPONENT COOLING WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-CCW-35														
805970	1-GCCW-R-24	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805980	1-GCCW-L-25	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	C	-	
	609 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
805990	1-GCCW-L-26	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
806000	1-GCCW-L-27	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	C	-	
	609 AUX			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	
806010	1-GCCW-R-28	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
806020	1-GCCW-V-54	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30C		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
806030	1-GCCW-R-842	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.30WA		2	C	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

COMPONENT COOLING WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-CCW-35														
806040	1-GCCW-R-382	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WA		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-CCW-36														
806100	1-GCCW-R-274	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WA		2	-	-	-	-	-	-	-	-	C	-	
	633 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
806120	1-GCCW-L-250	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	C	-	
	633 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
806130	1-GCCW-L-275	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	-	-	
	633 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-CCW-37, SH. 2														
806200	1-GCCW-V-267	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WC		2	-	-	-	-	-	-	-	-	C	-	
	609 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
806210	1-GCCW-R-252	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	633 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

COOK NUCLEAR PLANT UNIT 1
INSERVICE INSPECTION LONG TERM PLAN
CLASS 3 ALL STATUS COMPONENTS

COMPONENT COOLING WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-CCW-37, SH. 2														
806220	1-GCCW-L-253	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
806222	1-GCCW-L-268	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
806224	1-GCCW-L-269	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
806226	1-GCCW-L-271	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-CCW-37, SH. 1														
806230	1-GCCW-V-270	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WC		2	-	-	-	-	-	-	-	-	C	-	
	633 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
806240	1-GCCW-L-46	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
806250	1-GCCW-R-47	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	609 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

DATE: 12/20/95
REVISION: 0

COOK NUCLEAR PLANT UNIT 1
INSERVICE INSPECTION LONG TERM PLAN
CLASS 3 ALL STATUS COMPONENTS

COMPONENT COOLING WATER SYSTEM

INSPECTION INTERVAL — PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-CCW-37, SH. 1														
806260	1-GCCW-L-48	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
806270	1-GCCW-R-49	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	609 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
806280	1-GCCW-L-50	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
806290	1-GCCW-R-51	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
806300	1-GCCW-R-53	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
806310	1-GCCW-L-52	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
806320	1-GCCW-S-840	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.30WA		2	C	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

COMPONENT COOLING WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-CCW-37, SH. 1														
806330	1-GCCW-R-381	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WA		2	-	-	-	-	-	-	-	-	C	-	
	609 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-CCW-40														
806400	1-GCCW-V-376	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WA		2	-	C	-	-	-	-	-	-	-	-	
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
806410	1-GCCW-S-837	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.30WA		2	C	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
806420	1-GCCW-R-60	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	609 AUX			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	
806430	1-GCCW-R-58	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	609 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
806440	1-GCCW-L-57	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	C	-	
	609 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
806450	1-GCCW-R-56	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

COMPONENT COOLING WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-CCW-40														
806460	1-GCCW-R-61	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
806470	1-GCCW-R-379	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WA		2	-	-	-	-	-	-	-	-	C	-	
	609 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
806480	1-GCCW-S-838	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.30WS		2	C	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
806490	1-GCCW-V-62	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30C		2	-	C	-	-	-	-	-	-	C	-	
	609 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
806500	1-GCCW-R-63	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	609 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
806510	1-GCCW-R-53A	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	C	-	-	-	-	C	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
806520	1-GCCW-R-64	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	C	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

COMPONENT COOLING WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-CCW-40														
806530	1-GCCW-L-65	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	609 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-CCW-48														
806600	1-GCCW-R-305	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WA		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
806610	1-GCCW-S-278	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.30A		2	C	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
806620	1-GCCW-L-59	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	-	-	-	-	-	-	-	C	-	
	609 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-CCW-49, REV. 5, SHEET 3														
806700	1-GCCW-R-41	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
806710	1-GCCW-R-40	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL / PLAN STATUS

COMPONENT COOLING WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-CCW-49, SH. 1														
806720	1-GCCW-L-39	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	C	-	
	609 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
806730	1-GCCW-R-38	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	609 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
806740	1-GCCW-R-32	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	609 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
806750	1-GCCW-R-29	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	609 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
806760	1-GCCW-R-30	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
806770	1-GCCW-L-178A	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.30A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
806780	1-GCCW-R-31	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	609 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

COMPONENT COOLING WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-CCW-49, SH. 1														
806790	1-GCCW-R-37	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	609 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
806800	1-GCCW-R-33	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	609 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
806810	1-GCCW-L-34	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	-	-	-	-	-	-	-	C	-	
	609 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
806820	1-GCCW-V-35	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WC		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-CCW-52														
806900	1-GCCW-R-72	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
806910	1-GCCW-V-316	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30WA		2	-	-	-	-	-	-	-	-	C	-	
	633 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

COMPONENT COOLING WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	OUTAGE	FIRST PERIOD 1 2 3	SECOND PERIOD 1 2 3 4	THIRD PERIOD 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-CCW-52							
806930	1-GCCW-V-313	F-A	VT-3	1	- - -	- - - - -	- - C	
	PIPE SUPPORT COMPONENT	F1.30WA		2	- - -	- - - - -	- C -	
	LTDN HXRM			3	- - -	- - - - -	- - -	
				4	- - -	- - - - -	- - -	
	SEE AEP DWG. NO. 1-CCW-53							
807000	1-GCCW-R-36	F-A	VT-3	1	- - -	- - - - -	- - -	
	PIPE SUPPORT COMPONENT	F1.30A		2	- - -	- - - - -	- C -	
	609 AUX			3	- - -	- - - - -	- - -	
				4	- - -	- - - - -	- - -	
807010	1-GCCW-L-71	F-A	VT-3	1	- - -	- - - - -	- - -	
	PIPE SUPPORT COMPONENT	F1.30A		2	C - -	- - - - -	- - -	
				3	- - -	- - - - -	- - -	
				4	- - -	- - - - -	- - -	
807020	1-GCCW-L-300	F-A	VT-3	1	- - -	- - - - -	- - -	
	PIPE SUPPORT COMPONENT	F1.30WB		2	- C -	- - - - -	- - -	
				3	- - -	- - - - -	- - -	
				4	- - -	- - - - -	- - -	
	SEE AEP DWG. NO. 1-CCW-60, SH. 3							
807100	1-GCCW-V-287	F-A	VT-3	1	- - -	- - - - -	- - -	
	PIPE SUPPORT COMPONENT	F1.30B		2	- - -	- - - - -	- C -	
	LTDN HXRM			3	- - -	- - - - -	- - -	
				4	- - -	- - - - -	- - -	
807110	1-GCCW-L-262	F-A	VT-3	1	- - -	- - - - -	- - -	
	PIPE SUPPORT COMPONENT	F1.30B		2	- - -	- - - - -	- C -	
	LTDN HXRM			3	- - -	- - - - -	- - -	
				4	- - -	- - - - -	- - -	

COMPONENT COOLING WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	OUTAGE	FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-CCW-60, SH. 3														
807120	1-GCCW-R-263	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	-	-	-	-	-	-	-	C	-	
	633 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
807130	1-GCCW-R-264	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WA		2	-	-	-	-	-	-	-	-	C	-	
	633 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
807140	1-GCCW-L-265	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	C	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
807150	1-GCCW-V-290	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30C		2	-	C	-	-	-	C	-	-	-	-	
				3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
807160	1-GCCW-L-266	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
807170	1-GCCW-L-74	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	C	-	
	609 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-CCW-63														
807300	1-GCCW-L-236	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	587 AUX			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	

COMPONENT COOLING WATER SYSTEM

INSPECTION INTERVAL — PLAN STATUS (FIRST PERIOD / SECOND PERIOD / THIRD PERIOD — OUTAGE)

SEE AEP DWG. NO. 1-CCW-63

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INTERVAL	FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
807310	1-GCCW-L-235	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	587 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
807320	1-GCCW-L-234	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

SEE AEP DWG. NO. 1-GCCW-63

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INTERVAL	FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
807330	1-GCCW-R-233	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

SEE AEP DWG. NO. 1-CCW-63

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INTERVAL	FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
807340	1-GCCW-L-232	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	DELETED PER RFC-3081.
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
807350	1-GCCW-L-230	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	-	-	-	-	-	-	-	C	-	
	FLSHTK RM			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	
807360	1-GCCW-L-229	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	-	-	-	-	-	-	-	C	-	
	FLSHTK RM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

COMPONENT COOLING WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-CCW-65														
807400	1-GCCW-R-241	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WA		2	-	-	-	-	-	-	-	-	C	-	
	FLSHTK RM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
807410	1-GCCW-L-242	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
807420	1-GCCW-R-243	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
807430	1-GCCW-L-245	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	587 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-CCW-66														
807500	1-GCCW-L-247	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
807510	1-GCCW-L-281	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	FLSHTK RM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
807520	1-GCCW-R-246	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	FLSHTK RM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

COMPONENT COOLING WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		INSPECTION INTERVAL PLAN STATUS FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-CCW-94														
807600	1-GCCW-R-586	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
807610	1-GCCW-R-587	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
807620	1-GCCW-R-522	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
807630	1-GCCW-R-588	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
807640	1-GCCW-R-589	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
807650	1-GCCW-R-523	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
807660	1-GCCW-R-590	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

COMPONENT COOLING WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-CCW-94														
807670	1-GCCW-R-591	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
807680	1-GCCW-R-525	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
807690	1-GCCW-R-592	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
807700	1-GCCW-R-526	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
807710	1-GCCW-R-594	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
807720	1-GCCW-R-595	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
807730	1-GCCW-R-596	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

COMPONENT COOLING WATER SYSTEM

INSPECTION INTERVAL / PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-CCW-94														
807740	1-GCCW-R-597	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	SEE AEP SKETCH 1-EDS-327,
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	C	-	-	-	-	-	-	REV. 11.
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-CCW-98														
807800	1-GCCW-R-573	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
807810	1-GCCW-R-625	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
807820	1-GCCW-R-647	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
807830	1-GCCW-R-626	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	FOUND TO BE PARTIALLY
	PIPE SUPPORT COMPONENT	F1.30A		2	C	-	-	-	-	-	-	-	-	-	INACCESSIBLE DURING THE 1987
				3	-	-	-	-	-	-	-	-	-	-	REFUELING OUTAGE.
				4	-	-	-	-	-	-	-	-	-	-	
807840	1-GCCW-R-648	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-GCCW-98														
807850	1-GCCW-R-627	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

COMPONENT COOLING WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-GCCW-98														
807860	1-GCCW-R-649	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
807870	1-GCCW-R-628	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
807880	1-GCCW-R-574	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
807890	1-GCCW-98-HANGER	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	NO HANGER NUMBER ASSIGNED. SEE
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	C	-	-	-	-	-	-	DETAIL "C" ON AEP DWG. NO.
				3	-	-	-	-	-	-	-	-	-	-	1-GCCW-98, REV. 4.
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-CCW-98														
807900	1-GCCW-R-630	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
807910	1-GCCW-R-567	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
807920	1-GCCW-R-740	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

COMPONENT COOLING WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-CCW-98														
807930	1-GCCW-R-631	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
807940	1-GCCW-R-593	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
807950	1-GCCW-R-638	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 12-CCW-50														
820000	12-GCCW-R-23	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
820010	12-GCCW-S-841	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.30WS		2	C	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
820020	12-GCCW-S-844	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.30WS		2	C	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
820030	12-GCCW-V-6	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30C		2	-	-	-	-	-	-	-	-	C	-	
	609 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

COMPONENT COOLING WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 12-CCW-58														
820200	12-GCCW-L-5	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	609 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
820210	12-GCCW-S-843	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.30S		2	-	C	-	-	-	-	-	-	-	-	
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
820220	12-GCCW-L-4	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
820230	12-GCCW-R-2	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
820235	12-GCCW-V-1	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30C		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
820237	12-GCCW-L-22	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
820240	12-GCCW-R-24	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WA		2	-	-	-	-	-	-	-	-	C	-	
	609 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL / PLAN STATUS

COMPONENT COOLING WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 12-CCW-58														
820250	12-GCCW-S-839	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE RESTRAINT COMPONENT	F1.30WS		2	C	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
820260	12-GCCW-L-3	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	609 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

ESSENTIAL SERVICE WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-ESW-1														
830000	1-GESW-R-1	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
830010	1-GESW-R-2	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-ESW-2														
830100	1-GESW-R-4	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
830110	1-GESW-R-5	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
831100	1-GESW-V-58	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WC		2	-	-	-	-	-	-	-	C	-	-	
	591 TURB			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-ESW-28														
831200	1-GESW-V-59	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WC		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

ESSENTIAL SERVICE WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-ESW-43														
831910	1-GESW-V-16	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30C		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
831920	1-GESW-L-17	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
831930	1-GESW-L-97	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
831940	1-GESW-R-19	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
831950	1-GESW-L-99	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
831960	1-GESW-R-20	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-ESW-44														
832000	1-GESW-L-112	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

ESSENTIAL SERVICE WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-ESW-44														
832010	1-GESW-L-22	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
832020	1-GESW-R-21	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	C	-	-	
	609 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
832030	1-GESW-R-23	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
832040	1-GESW-R-24	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
832050	1-GESW-R-41	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
832060	1-GESW-R-40	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	C	-	-	
	609 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
832070	1-GESW-L-802	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL / PLAN STATUS

ESSENTIAL SERVICE WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-ESW-44														
832080	1-GESW-R-25	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
832090	1-GESW-L-101	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
832095	1-GESW-R-26	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-ESW-45														
832100	1-GESW-R-27	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	C	-	-	
	W CTS HXRM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
832110	1-GESW-L-87	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
832120	1-GESW-R-28	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
832130	1-GESW-L-29	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

ESSENTIAL SERVICE WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-ESW-45														
832140	1-GESW-L-88	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	609 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-ESW-46														
832200	1-AESW-R-30	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
832205	1-GESW-L-89	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
832210	1-GESW-R-31	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
832215	1-GESW-L-90	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
832220	1-GESW-R-32	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	C	-	-	
	609 AUX			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
832225	1-GESW-R-33	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL PLAN STATUS

ESSENTIAL SERVICE WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-ESW-46														
832230	1-GESW-L-94	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	C	-	-	
	609 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
832235	1-GESW-R-34	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
832240	1-GESW-R-35	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	C	-	-	
	609 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
832245	1-GESW-R-36	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-ESW-47														
832300	1-GESW-R-39	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	609 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
832310	1-GESW-R-38	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
832320	1-GESW-L-91	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

ESSENTIAL SERVICE WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-ESW-47														
832330	1-GESW-R-37	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-ESW-51														
832400	1-GESW-L-114	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	C	-	-	
	609 TURB			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
832410	1-GESW-L-57	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
832420	1-GESW-R-55	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
832430	1-GESW-V-53	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30C		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
832440	1-GESW-L-115	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
832450	1-GESW-V-51	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WC		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

ESSENTIAL SERVICE WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		INSPECTION INTERVAL / PLAN STATUS: FIRST PERIOD (OUTAGE 1 2 3)	SECOND PERIOD (OUTAGE 1 2 3 4)	THIRD PERIOD (OUTAGE 1 2 3)	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-ESW-52							
832510	1-GESW-R-56	F-A	VT-3	1	- - -	- - - -	- - -	
	PIPE SUPPORT COMPONENT	F1.30A		2	- - -	- - - -	C - -	
	609 TURB			3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
832520	1-GESW-R-54	F-A	VT-3	1	- - -	- - - -	- - -	
	PIPE SUPPORT COMPONENT	F1.30A		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
832530	1-GESW-V-52	F-A	VT-3	1	- - -	- - - -	- - -	
	PIPE SUPPORT COMPONENT	F1.30C		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
832550	1-GESW-V-50	F-A	VT-3	1	- - -	- - - -	- - -	
	PIPE SUPPORT COMPONENT	F1.30WC		2	- C -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	SEE AEP DWG. NO. 1-ESW-56							
832600	1-GESW-L-801	F-A	VT-3	1	- - -	- - - -	- - -	
	PIPE SUPPORT COMPONENT	F1.30WB		2	- - -	- - - -	- C -	
	609 AUX			3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
832610	1-GESW-R-45	F-A	VT-3	1	- - -	- - - -	- - -	
	PIPE SUPPORT COMPONENT	F1.30A		2	- - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
832620	1-GESW-L-44	F-A	VT-3	1	- - -	- - - -	- - -	
	PIPE SUPPORT COMPONENT	F1.30B		2	- - -	- - - -	- C -	
	609 AUX			3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

ESSENTIAL SERVICE WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-ESW-56														
832630	1-GESW-L-43	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
832640	1-GESW-V-119A	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30C		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-ESW-57														
832710	1-GESW-R-49	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
832720	1-GESW-V-118A	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30C		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
832730	1-GESW-L-86	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
832740	1-GESW-R-47	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	609 AUX			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	
832750	1-GESW-R-48	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL — PLAN STATUS

ESSENTIAL SERVICE WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-ESW-61														
832800	1-GESW-R-109	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	C	-	-	
	AFP HALL			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
832810	1-GESW-R-108	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
832820	1-GESW-L-107	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	C	-	-	
	TDAFP RM			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
832830	1-GESW-R-106	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-ESW-64, SH. 1 OF 2														
832900	1-GESW-V-79	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30C		2	-	-	-	-	-	-	-	-	C	-	
	609 AUX			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	
832930	1-GESW-R-73	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
832940	1-GESW-L-72	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

ESSENTIAL SERVICE WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-ESW-64, SH. 2 OF 2														
833000	1-GESW-R-66	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
833010	1-GESW-R-65	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
833020	1-GESW-R-64	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
833030	1-GESW-L-63	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
833040	1-GESW-L-62	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
833050	1-GESW-R-61	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	C	-	-	
	633 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
833060	1-GESW-V-82	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30C		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

COOK NUCLEAR PLANT UNIT 1
INSERVICE INSPECTION LONG TERM PLAN
CLASS 3 ALL STATUS COMPONENTS

ESSENTIAL SERVICE WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-ESW-65, SH. 1 OF 2														
833100	1-GESW-L-76	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
833110	1-GESW-L-85	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
833120	1-GESW-R-75	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	C	-	-	
	633 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
833140	1-GESW-L-74	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-ESW-65, SH. 2 OF 2														
833200	1-GESW-R-71	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
833220	1-GESW-R-70	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
833230	1-GESW-R-69	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	C	-	
	633 AUX			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

ESSENTIAL SERVICE WATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	OUTAGE	FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-ESW-65, SH. 2 OF 2														
833240	1-GESW-R-68	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
833250	1-GESW-R-67	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
833260	1-GESW-V-83	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	C	-	-	
	W CTS HXRM			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
833270	1-AESW-R-4004	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	ADDED BY RFC-DC-12-3081.
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

FEEDWATER SYSTEM

SEE AEP DWG. NO. 1-FW-19

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
853000	1-GFW-V-246	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30WC		2	-	C	-	-	-	-	-	-	-	-	
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853002	1-GFW-L-247	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853005	1-GFW-L-150	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30B		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853010	1-GFW-R-149	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853015	1-GFW-R-48	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853020	1-GFW-L-47	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853025	1-GFW-R-46	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

FEEDWATER SYSTEM

SEE AEP DWG. NO. 1-FW-19

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD (OUTAGE 1 2 3)	PLAN STATUS SECOND PERIOD (OUTAGE 1 2 3 4)	PLAN STATUS THIRD PERIOD (OUTAGE 1 2 3)	INSTRUCTIONS **CALIBRATION BLOCK**
853030	1-GFW-L-45	F-A	VT-3	1	- - -	- - - -	- - C	
	PIPE SUPPORT COMPONENT	F1.30WA		2	- - -	- C - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
853035	1-GFW-L-44	F-A	VT-3	1	- - -	- - - -	- - C	
	PIPE SUPPORT COMPONENT	F1.30B		2	C - -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
853040	1-GFW-R-43	F-A	VT-3	1	- - -	- - - -	- - C	
	PIPE SUPPORT COMPONENT	F1.30A		2	- C -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
853045	1-GFW-R-42	F-A	VT-3	1	- - -	- - - -	- - C	
	PIPE SUPPORT COMPONENT	F1.30A		2	- - -	- C - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
853050	1-GFW-L-41	F-A	VT-3	1	- - -	- - - -	- - C	
	PIPE SUPPORT COMPONENT	F1.30B		2	- - -	- C - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
853055	1-GFW-L-24	F-A	VT-3	1	- - -	- - - -	- - C	
	PIPE SUPPORT COMPONENT	F1.30WA		2	- - -	- C - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
853070	1-GFW-L-22	F-A	VT-3	1	- - -	- - - -	- - C	
	PIPE SUPPORT COMPONENT	F1.30WA		2	- C -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-FW-19														
853071	1-GFW-L-5	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	REFERENCE NO. 853075 FOR 1ST
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	C	-	-	AND 2ND INTERVALS.
	DG PIPE TL			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853072	1-GFW-L-4	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	REFERENCE NO. 853080 FOR 1ST
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	C	-	AND 2ND INTERVALS.
	DG PIPE TL			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853073	1-GFW-L-3	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	REFERENCE NO. 853085 FOR 1ST
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	-	-	-	-	-	-	C	-	-	AND 2ND INTERVALS.
	DG PIPE TL			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853074	1-GFW-L-2	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	REFERENCE NO. 853090 FOR 1ST
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	C	-	AND 2ND INTERVALS.
	DG PIPE TL			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853075	1-GFW-R-134	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	REFERENCE NO. 853092 FOR 1ST
	PIPE SUPPORT COMPONENT	F1.30A		2	C	-	-	-	-	-	-	-	-	-	AND 2ND INTERVALS.
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-FW-28														
853080	1-GFW-L-845	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	REFERENCE NO. 853093 FOR 1ST
	PIPE SUPPORT COMPONENT	F1.30WA		2	-	-	-	C	-	-	-	-	-	-	AND 2ND INTERVALS.
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853081	1-GFW-L-814	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	REFERENCE NO. 853094 FOR 1ST
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	C	-	C	-	-	-	-	-	-	AND 2ND INTERVALS.
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-FW-28														
853082	1-GFW-L-813 PIPE SUPPORT COMPONENT	F-A F1.30B	VT-3	1	-	-	-	-	-	-	-	-	-	-	REFERENCE NO. 853095 FOR 1ST AND 2ND INTERVALS.
				2	-	C	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853083	1-GFW-L-810 PIPE SUPPORT COMPONENT	F-A F1.30WB	VT-3	1	-	-	-	-	-	-	-	-	-	-	REFERENCE NO. 854110 FOR 1ST AND 2ND INTERVALS.
				2	-	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853084	1-GFW-L-811 PIPE SUPPORT COMPONENT	F-A F1.30WB	VT-3	1	-	-	-	-	-	-	-	-	-	-	REFERENCE NO. 854080 FOR 1ST AND 2ND INTERVALS.
				2	-	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853085	1-GFW-L-812 PIPE SUPPORT COMPONENT	F-A F1.30WB	VT-3	1	-	-	-	-	-	-	-	-	-	-	REFERENCE NO. 854100 FOR 1ST AND 2ND INTERVALS.
				2	-	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853086	1-GFW-L-844 PIPE SUPPORT COMPONENT	F-A F1.30WA	VT-3	1	-	-	-	-	-	-	-	-	-	-	REFERENCE NO. 854120 FOR 1ST AND 2ND INTERVALS.
				2	-	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-FW-29														
853090	1-GFW-L-820 PIPE SUPPORT COMPONENT	F-A F1.30WB	VT-3	1	-	-	-	-	-	-	-	-	-	-	REFERENCE NO. 853096 FOR 1ST AND 2ND INTERVALS.
				2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853091	1-GFW-L-846 PIPE SUPPORT COMPONENT	F-A F1.30WA	VT-3	1	-	-	-	-	-	-	-	-	-	-	REFERENCE NO. 854170 FOR 1ST AND 2ND INTERVALS.
				2	-	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-FW-29														
853092	1-GFW-L-847	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	REFERENCE NO. 854140 FOR 1ST
	PIPE SUPPORT COMPONENT	F1.30WA		2	-	-	-	-	C	-	-	-	-	-	AND 2ND INTERVALS.
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853093	1-GFW-L-819	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	REFERENCE NO. 853097 FOR 1ST
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	C	-	-	-	-	-	-	AND 2ND INTERVALS.
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853094	1-GFW-L-817	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	REFERENCE NO. 854150 FOR 1ST
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	-	-	-	C	-	-	-	-	-	AND 2ND INTERVALS.
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853095	1-GFW-L-816	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	REFERENCE NO. 854130 FOR 1ST
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	-	-	-	C	-	-	-	-	-	AND 2ND INTERVALS.
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853096	1-GFW-L-818	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	REFERENCE NO. 853098 FOR 1ST
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	C	-	-	-	-	-	-	AND 2ND INTERVALS.
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853097	1-GFW-L-815	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	REFERENCE NO. 854160 FOR 1ST
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	-	-	-	C	-	-	-	-	-	AND 2ND INTERVALS.
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-FW-34														
853100	1-GFW-V-244	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30C		2	-	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

FEEDWATER SYSTEM

SEE AEP DWG. NO. 1-FW-34

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
853105	1-GFW-V-245	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853110	1-GFW-L-243	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853120	1-GFW-R-242	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853125	1-GFW-L-241	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853130	1-GFW-R-240	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853135	1-GFW-L-239	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853140	1-GFW-R-238	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

FEEDWATER SYSTEM

SEE AEP DWG. NO. 1-FW-34

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
853145	1-GFW-R-237	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853150	1-GFW-R-236	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30B		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853155	1-AFW-R-28	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853160	1-GFW-L-27	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853165	1-GFW-L-9	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853170	1-GFW-L-8	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	-	-	-	-	-	-	C	-	-	
	DG PIPE TL			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853175	1-GFW-L-7	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-FW-34														
853180	1-GFW-R-6	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	C	-	-	
	DG PIPE TL			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-FW-35														
853200	1-GFW-L-177	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853205	1-GFW-R-176	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853210	1-GFW-R-175	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853215	1-GFW-L-174	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853220	1-AFW-R-929	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853225	1-GFW-L-173	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-FW-35														
853230	1-GFW-R-172	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853235	1-GFW-L-171	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853240	1-GFW-R-170	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853245	1-GFW-R-169	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853250	1-GFW-L-168	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853255	1-GFW-L-26	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853265	1-GFW-R-25	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WA		2	-	-	-	-	-	-	-	C	-	-	
	DG PIPE TL			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-FW-35														
853270	1-GFW-R-13	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	DG PIPE TL			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853275	1-GFW-L-12	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853280	1-AFW-R-930	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853285	1-GFW-L-249	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853287	1-GFW-L-248	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853290	1-GFW-R-11	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853295	1-GFW-L-10A	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-FW-35														
853300	1-GFW-R-10	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	C	-	-	
	DG PIPE TL			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853310	1-GFW-L-15	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853320	1-GFW-R-160	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	C	-	-	
	RWST TUN			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-FW-36														
853400	1-GFW-L-154	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853410	1-GFW-L-153	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	-	-	-	-	-	-	-	C	-	
	TDAFP RM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853420	1-GFW-L-152	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853430	1-GFW-L-151	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	-	-	-	-	-	-	C	-	-	
	TDAFP RM			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-FW-36														
853440	1-AFW-R-4010	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-FW-40, SH. 1 OF 2														
853500	1-GFW-R-118	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853505	1-GFW-L-119	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	C	-	-	-	-	-	-	-	-	
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853510	1-GFW-L-235	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853520	1-GFW-R-120	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853525	1-GFW-R-121	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30A		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853530	1-GFW-R-122	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

FEEDWATER SYSTEM

INSPECTION INTERVAL — PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1 2 3	SECOND PERIOD OUTAGE 1 2 3 4	THIRD PERIOD OUTAGE 1 2 3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-FW-40, SH. 1 OF 2							
853535	1-GFW-L-123	F-A	VT-3	1	- - -	- - - -	- - C	
	PIPE SUPPORT COMPONENT	F1.30B		2	- C -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
	SEE AEP DWG. NO. 1-FW-40, SH. 2 OF 2							
853540	1-GFW-R-124	F-A	VT-3	1	- - -	- - - -	- - -	
	PIPE SUPPORT COMPONENT	F1.30A		2	- - -	C - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
853545	1-GFW-L-125	F-A	VT-3	1	- - -	- - - -	- - -	
	PIPE SUPPORT COMPONENT	F1.30B		2	- - -	C - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
853550	1-GFW-R-126	F-A	VT-3	1	- - -	- - - -	- - -	
	PIPE SUPPORT COMPONENT	F1.30A		2	- - -	C - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
853555	1-GFW-L-127	F-A	VT-3	1	- - -	- - - -	- - -	
	PIPE SUPPORT COMPONENT	F1.30WB		2	- - -	C - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
853565	1-GFW-R-128	F-A	VT-3	1	- - -	- - - -	- - -	
	PIPE SUPPORT COMPONENT	F1.30B		2	- - -	C - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	
853570	1-GFW-R-129	F-A	VT-3	1	- - -	- - - -	- - -	
	PIPE SUPPORT COMPONENT	F1.30A		2	- C -	- - - -	- - -	
				3	- - -	- - - -	- - -	
				4	- - -	- - - -	- - -	

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-FW-40, SH. 2 OF 2														
853575	1-GFW-R-130	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853580	1-GFW-L-131	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853585	1-GFW-R-132	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853590	1-GFW-R-133	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-FW-46														
853600	1-GFW-L-188	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853610	1-GFW-L-187	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	-	-	-	-	-	-	C	-	-	
	E MDAFP RM			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853620	1-GFW-L-186	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WA		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-FW-46														
853630	1-GFW-L-185	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	C	-	-	
	E MDAFP RM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853640	1-GFW-L-184	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853650	1-GFW-R-183	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	C	-	-	
	AFP HALL			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-FW-47														
853700	1-GFW-R-159	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30A		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853710	1-GFW-R-158	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853720	1-GFW-R-157	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853730	1-GFW-R-156	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-FW-52, SH. 1 OF 2														
853800	1-GFW-R-194	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853805	1-GFW-L-195	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853815	1-GFW-R-196	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853820	1-GFW-R-197	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30A		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853825	1-GFW-R-198	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853830	1-GFW-L-199	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853835	1-GFW-L-200	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-FW-52, SH. 1 OF 2														
853837	1-GFW-L-848	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-FW-52, SH. 2 OF 2														
853840	1-GFW-L-201	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853845	1-GFW-R-202	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853850	1-GFW-R-203	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853855	1-GFW-L-204	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853860	1-GFW-L-205	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853865	1-GFW-R-206	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

FEEDWATER SYSTEM

SEE AEP DWG. NO. 1-FW-52, SH. 2 OF 2

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
853870	1-GFW-L-207	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853875	1-GFW-R-208	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853880	1-GFW-R-209	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	C	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853885	1-GFW-L-210	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	C	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853890	1-GFW-R-211	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853894	1-GFW-R-212	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	C	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853898	1-GFW-R-213	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-AFW-86, SH. 1 OF 2														
853910	1-AFW-L-917	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30WB		2	C	-	-	-	-	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853915	1-AFW-L-918	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-AFW-86, SH. 2 OF 2														
853920	1-AFW-L-916	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853930	1-AFW-L-915	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853940	1-AFW-L-914	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	INACCESSIBLE DUE TO WELDED
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	-	-	SEISMIC ENCLOSURE.
	AFP ENC			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853950	1-AFW-L-913	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
853960	1-AFW-L-912	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	C	-	-	
	AFP HALL			3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

FEEDWATER SYSTEM

INSPECTION INTERVAL / PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	FIRST PERIOD OUTAGE 2	FIRST PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 1	SECOND PERIOD OUTAGE 2	SECOND PERIOD OUTAGE 3	SECOND PERIOD OUTAGE 4	THIRD PERIOD OUTAGE 1	THIRD PERIOD OUTAGE 2	THIRD PERIOD OUTAGE 3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-AFW-86, SH. 2 OF 2														
853970	1-AFW-L-911	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	C	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-FW-24														
854000	1-GFW-R-833	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	X	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
854010	1-GFW-R-834	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
854020	1-GFW-R-835	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
854030	1-GFW-L-836	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
854040	1-GFW-L-837	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-FW-25														
854050	1-GFW-R-838	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	OUTAGE	FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-FW-25														
854060	1-GFW-L-839	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
854070	1-GFW-L-840	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

AUXILIARY FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD 1	2	3	SECOND PERIOD 1	2	3	4	THIRD PERIOD 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-FW-22														
854200	1-GFW-R-16	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	C	-	
	DG PIPE TL			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	
854210	1-GFW-R-17	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	DG PIPE TL			3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
854220	1-GFW-L-18	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	C	-	
	DG PIPE TL			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
854230	1-GFW-L-19	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	-	-	-	-	-	-	-	C	-	
	DG PIPE TL			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
854240	1-GFW-R-20	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	DG PIPE TL			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
854250	1-GFW-L-21	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	C	-	
	DG PIPE TL			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
854260	1-GFW-R-29	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WA		2	-	-	-	-	-	-	-	-	C	-	
	DG PIPE TL			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

AUXILIARY FEEDWATER SYSTEM

SEE AEP DWG. NO. 1-FW-22

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
854280	1-GFW-R-31	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WA		2	-	-	-	-	-	-	-	-	C	-	
	ESW PIPE T			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
854290	1-GFW-R-216	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	C	-	
	ESW PIPE T			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
854300	1-GFW-R-217	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	ESW PIPE T			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
854310	1-GFW-L-218	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	C	-	
	ESW PIPE T			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
854320	1-GFW-R-219	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	C	-	
	ESW PIPE T			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
854330	1-GFW-L-220	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	-	-	-	-	-	-	-	C	-	
	ESW PIPE T			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
854340	1-GFW-L-221	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	C	-	
	ESW PIPE T			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

COOK NUCLEAR PLANT UNIT 1
INSERVICE INSPECTION LONG TERM PLAN
CLASS 3 ALL STATUS COMPONENTS

AUXILIARY FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	PLAN STATUS: FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-FW-22														
854350	1-GFW-R-223	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	ESW PIPE T			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
854360	1-GFW-L-224	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	C	-	
	ESW PIPE T			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
854370	1-GFW-V-225	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30C		2	-	-	-	-	-	-	-	-	C	-	
	ESW PIPE T			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
854380	1-GFW-L-226	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	-	-	-	-	-	-	-	C	-	
	AFP HALL			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
854390	1-GFW-R-222	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	ESW PIPE T			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
854400	1-GFW-R-215	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	C	-	
	ESW PIPE T			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
854410	1-AFW-R-4003	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	C	-	
	DG PIPE TL			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

AUXILIARY FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-FW-22														
854420	1-AFW-R-4004	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	C	-	
	DG PIPE TL			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
854430	1-AFW-R-4005	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	C	-	
	ESW PIPE T			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-FW-39 SH. 1														
855000	1-GFW-R-100	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	C	-	
	RWST TUN			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	
855010	1-GFW-L-101	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	C	-	
	RWST TUN			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
855020	1-GFW-L-102	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	-	-	-	-	-	-	-	C	-	
	RWST TUN			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
855030	1-GFW-L-103	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	C	-	
	RWST TUN			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
855040	1-GFW-R-104	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	C	-	
	RWST TUN			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

AUXILIARY FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-FW-39 SH. 1														
855060	1-GFW-R-106	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	RWST TUN			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
855070	1-GFW-L-107	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	C	-	
	RWST TUN			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
855080	1-GFW-R-108	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	C	-	
	RWST TUN			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-FW-39 SH. 2														
855090	1-GFW-L-109	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	RWST TUN			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
855100	1-GFW-R-110	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	C	-	
	RWST TUN			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
855110	1-GFW-L-111	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	-	-	-	-	-	-	-	C	-	
	RWST TUN			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
855120	1-GFW-R-112	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	RWST TUN			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

AUXILIARY FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-FW-39 SH. 2														
855130	1-GFW-L-113	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	C	-	
	RWST TUN			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
855140	1-GFW-R-114	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	RWST TUN			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
855150	1-GFW-R-115	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	RWST TUN			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
855170	1-GFW-L-214	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	RWST TUN			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
855180	1-AFW-R-4002	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	RWST TUN			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
855190	1-AFW-R-4001	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	RWST TUN			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-FW-43														
856000	1-GFW-L-178	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	AFP HALL			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

AUXILIARY FEEDWATER SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-FW-43														
856100	1-GFW-R-179	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	TDAFP RM			3	-	-	-	-	-	-	-	-	X	-	
				4	-	-	-	-	-	-	-	-	-	-	
856200	1-GFW-L-180	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	C	-	
	TDAFP RM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
856300	1-GFW-L-181	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	C	-	
	TDAFP RM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
856400	1-GFW-R-182	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	TDAFP RM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-FW-49														
857000	1-GFW-R-189	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WA		2	-	-	-	-	-	-	-	-	C	-	
	AFP HALL			3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
857010	1-GFW-R-190	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	-	-	-	-	C	-	
	E MDAFP RM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
857020	1-GFW-L-191	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	C	-	
	E MDAFP RM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

AUXILIARY FEEDWATER SYSTEM

INSPECTION INTERVAL — PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 1-FW-49														
857030	1-GFW-L-192	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	C	-	
	E MDAFP RM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
857040	1-GFW-R-193	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WA		2	-	-	-	-	-	-	-	-	C	-	
	E MDAFP RM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 1-FW-87														
858000	1-AFW-L-919	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30WB		2	-	-	-	-	-	-	-	-	C	-	
	W MDAFP RM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
858010	1-AFW-L-920	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	C	-	
	W MDAFP RM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
858020	1-AFW-L-921	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30B		2	-	-	-	-	-	-	-	-	C	-	
	W MDAFP RM			3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

INSPECTION INTERVAL_ PLAN STATUS

SPENT FUEL COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH		FIRST PERIOD			SECOND PERIOD				THIRD PERIOD			INSTRUCTIONS **CALIBRATION BLOCK**
					OUTAGE										
					1	2	3	1	2	3	4	1	2	3	
	SEE AEP DWG. NO. 12-SF-1														
870000	12-GSF-R-57	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30A		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	X	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
870010	12-GSF-R-58	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
870020	12-GSF-R-59	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
870030	12-GSF-R-60	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
870040	12-GSF-R-61	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
870050	12-GSF-R-62	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30A		2	C	-	-	-	C	-	-	-	-	-	
				3	X	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 12-SF-2														
870100	12-GSF-R-63	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30A		2	C	C	-	-	C	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

SPENT FUEL COOLING SYSTEM

INSPECTION INTERVAL — PLAN STATUS

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	OUTAGE	FIRST PERIOD 1	FIRST PERIOD 2	FIRST PERIOD 3	SECOND PERIOD 1	SECOND PERIOD 2	SECOND PERIOD 3	SECOND PERIOD 4	THIRD PERIOD 1	THIRD PERIOD 2	THIRD PERIOD 3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 12-SF-2														
870110	12-GSF-R-64	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30A		2	C	-	-	-	-	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 12-SF-3														
870200	12-GSF-R-69	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	C	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
870210	12-GSF-R-68	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	C	C	-	-	C	-	-	-	-	-	
				3	-	-	-	X	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
870220	12-GSF-R-67	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
870230	12-GSF-R-66	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
870240	12-GSF-R-65	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	-	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 12-SF-4														
870300	12-GSF-R-74	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	C	-	-	-	-	-	-	-	-	
				3	-	X	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	

SPENT FUEL COOLING SYSTEM

SUMMARY NUMBER	EXAMINATION AREA IDENTIFICATION	ASME SEC. XI CATGY ITEM NO	NDE METH	INSPECTION INTERVAL	FIRST PERIOD OUTAGE 1	2	3	SECOND PERIOD OUTAGE 1	2	3	4	THIRD PERIOD OUTAGE 1	2	3	INSTRUCTIONS **CALIBRATION BLOCK**
	SEE AEP DWG. NO. 12-SF-4														
870310	12-GSF-R-73	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
870320	12-GSF-R-72	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
870330	12-GSF-R-71	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
870340	12-GSF-R-70	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30A		2	-	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
	SEE AEP DWG. NO. 12-SF-5														
870400	12-GSF-R-76	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30A		2	C	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	
870410	12-GSF-R-75	F-A	VT-3	1	-	-	-	-	-	-	-	-	-	C	
	PIPE SUPPORT COMPONENT	F1.30A		2	C	-	-	-	C	-	-	-	-	-	
				3	-	-	-	-	-	-	-	-	-	-	
				4	-	-	-	-	-	-	-	-	-	-	