

REGULATORY INFORMATION DISTRIBUTION SYSTEM (RIDS)

ACCESSION NBR: 7812140146 DOC. DATE: 78/12/08 NOTARIZED: NO

DOCKET #
05000251

FACIL: 50-251 Turkey Point #4, Florida Power & Light Co.

AUTH. NAME: UHRIG, R.E. AUTHOR AFFILIATION: FLORIDA POWER & LIGHT CO.

RECIP. NAME: SCHWENCER, A. RECIPIENT AFFILIATION: ***OPERATING REACTORS BRANCH I

SUBJECT: Forwards "Cycle 5 Startup Rept."

DISTRIBUTION CODE: A027S COPIES RECEIVED: LTR 3 ENCL 3 SIZE: 1+28

TITLE: REACTOR STARTUP TEST REPORT.

NOTES:

	RECIPIENT ID CODE/NAME	COPIES LTTR ENCL	RECIPIENT ID CODE/NAME	COPIES LTTR ENCL
ACTION:	05 BC ORB#1	2 2	LA	1 0
INTERNAL:	01 REG FILE	1 1	02 NRC PDR	1 1
	07 I&E	2 2	09 MIPC	1 1
	10 HANAUER	1 1	11 PLANT SYS BR	1 1
	12 EEB	1 1	13 REAC SFTY BR	2 2
	15 CORE PERF BR	1 1		
EXTERNAL:	03 LPDR	1 1	04 NSIC	1 1
	16 ACRS	1 1		

DEC 18 1978

TOTAL NUMBER OF COPIES REQUIRED: LTR 17 ENCL 16

MA-2

J

1. The first part of the document discusses the importance of maintaining accurate records of all transactions, including sales, purchases, and expenses. It emphasizes the need for proper documentation and the use of standardized forms to ensure consistency and accuracy in the data collected.

2. The second part of the document outlines the various methods used to collect and analyze data, including direct observation, interviews, and the use of statistical techniques. It provides a detailed description of the procedures followed to ensure the reliability and validity of the research findings.

3. The third part of the document presents the results of the study, organized into several sections that correspond to the different variables being measured. Each section includes a summary of the findings, supported by relevant data and statistical analysis.

4. The final part of the document discusses the implications of the study and provides recommendations for future research. It highlights the strengths and limitations of the study and offers suggestions for how the findings can be applied in practice.

Figure 1. The effect of the concentration of the solution on the adsorption of the dye. The concentration of the solution was 0.05, 0.1, 0.2, 0.3, 0.4, 0.5, 0.6, 0.7, 0.8, 0.9, 1.0, 1.5, 2.0, 3.0, 4.0, 5.0, 6.0, 7.0, 8.0, 9.0, 10.0 mg/L. The concentration of the adsorbent was 0.1 g/L. The pH was 7.0. The temperature was 25 °C. The adsorption time was 24 h.

[illegible][illegible]

Figure 1. The effect of the concentration of the H_2O_2 solution on the amount of the released H_2O from the H_2O_2 -loaded hydrogel. The amount of the released H_2O was measured by the weight difference of the hydrogel before and after the release. The concentration of the H_2O_2 solution was 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, and 10 wt. %.


[illegible]

179

1. *Chlorophyll a* (Chl *a*)

• • •

1



December 8, 1978
L-78-381

Office of Nuclear Reactor Regulation
Attention: Mr. A. Schwencer, Chief
Operating Reactors Branch #1
Division of Operating Reactors
U. S. Nuclear Regulatory Commission
Washington, D. C. 20555

Dear Mr. Schwencer:

Re: Turkey Point Unit 4
Docket No. 50-251
Cycle 5 Startup Report

The subject report is attached for your information.

Very truly yours,

J A De Mastry
Robert E. Uhrig
Vice President

REU/MAS/cpc

Attachment

cc: James P. O'Reilly, Region II
Robert Lowenstein, Esquire

REGULATORY DOCKET FILE COPY

7812140146

A027
5
3/3



1

2

3

4

5

6

7

8

9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100