

REGULATORY INFORMATION DISTRIBUTION SYSTEM (RIDS)

ACCESSION NBR: 8010060309 DOC. DATE: 80/09/23 NOTARIZED: NO DOCKET #
 FACIL: 50-250 Turkey Point Plant, Unit 3, Florida Power and Light C 05000250
 50-251 Turkey Point Plant, Unit 4, Florida Power and Light C 05000251
 AUTH. NAME AUTHOR AFFILIATION
 UHRIG, R.E. Florida Power & Light Co.
 RECIP. NAME RECIPIENT AFFILIATION
 NOVAK, T.M. Assistant Director for Operating Reactors

SUBJECT: Responds to NRC 800815 ltr re need to maintain at least 23 ft of water above irradiated fuel assemblies during refueling. Procedure change scheduled for implementation by 801031.

DISTRIBUTION CODE: A001S COPIES RECEIVED: LTR 1 ENCL 0 SIZE: 1-----
 TITLE: General Distribution for after Issuance of Operating License

NOTES:

	RECIPIENT ID CODE/NAME		COPIES		RECIPIENT ID CODE/NAME		COPIES	
			LTR	ENCL			LTR	ENCL
ACTION:	VARGA, S.	04	13	13				
INTERNAL:	D/DIR, HUM	FAC08	1	1	I&E	06	2	
	NRC PDR	02	1	1	OEID	11	1	
	OR ASSESS BR	10	1	0	REG-FILE	01	1	
EXTERNAL:	ACRS	09	16	16	LPDR	03	1	
	NSIC	05	1					

OCT " 8 1980

TOTAL NUMBER OF COPIES REQUIRED: LTR 38 ENCL 0



6-27-64

TO: SAC, NEW YORK (100-38861) FROM: SAC, NEW YORK (100-38861)

SUBJECT: JAMES EARL RAY, AKA; ALLEGED ATTEMPT TO OBTAIN PASSPORT FOR TRIP TO VIETNAM; RE: NEW YORK TELETYPE TO BUREAU, 10/20/63.

RE: NEW YORK TELETYPE TO BUREAU, 10/20/63. RE: NEW YORK TELETYPE TO BUREAU, 10/20/63.


RE: NEW YORK TELETYPE TO BUREAU, 10/20/63. RE: NEW YORK TELETYPE TO BUREAU, 10/20/63.

100-38861

100-38861

100-38861

100-38861



September 23, 1980
L-80-314

Office of Nuclear Reactor Regulation
Attention: Mr. Thomas M. Novak
Assistant Director for Operating Reactors
Division of Licensing
U. S. Nuclear Regulatory Commission
Washington, D. C. 20555

Dear Mr. Novak:

Re: Turkey Point Units 3 & 4
Docket Nos. 50-250 & 50-251
Refueling Water Level

Your letter of August 15, 1980 addressed the need to maintain at least 23 feet of water over the top of irradiated fuel assemblies during certain refueling operations. In response to your letter we plan to procedurally require at least 23 feet of water over the top of the reactor pressure vessel flange whenever fuel assemblies or control rods are moved during a refueling shutdown. The procedure change is scheduled for implementation by October 31, 1980.

Please call if you have additional questions on this subject.

Very truly yours,

Robert E. Uhrig
Vice President
Advanced Systems & Technology

REU/MAS/ras

cc: J. P. O'Reilly, Region II
Harold F. Reis, Esquire

A001
S
1/0

Q 8010060 309

