

REGULATORY INFORMATION DISTRIBUTION SYSTEM (RIDS)

ACCESSION NBR: 8105180163. DOC. DATE: 81/05/11 NOTARIZED: NO DOCKET #
 FACIL: 50-250 Turkey Point Plant, Unit 3, Florida Power and Light C 05000250
 50-251 Turkey Point Plant, Unit 4, Florida Power and Light C 05000251
 AUTH. NAME: AUTHOR AFFILIATION
 UHRIG, R.E. Florida Power & Light Co.
 RECIP. NAME: RECIPIENT AFFILIATION
 EISENHUT, D.G. Division of Licensing

SUBJECT: Advises that plans & schedules for meeting provisions of Paragraphs (c)(2), (c)(3) & (c)(4) of 10CFR50.48 re fire protection is contained in util 810319 ltr.

DISTRIBUTION CODE: A006S COPIES RECEIVED: LTR 3 ENCL 0 SIZE: 1/1
 TITLE: Fire Protection Information (After Issuance of OP. Lic.)


NOTES:

	RECIPIENT ID CODE/NAME		COPIES LTTR ENCL		RECIPIENT ID CODE/NAME		COPIES LTTR ENCL
ACTION:	VARGA, S.	04	7				
INTERNAL:	CHEM ENG BR-A	7	5		DIR, DIV OF LIC		1
	I&E	06	2		NRC PDR	02	1
	OFFD		1		OGC		1
	REG FILE	01	1		WAMBACH, T.	10	1
EXTERNAL:	ACRS	09	16		LPDR	03	1
	NSIC	05	1				


MAY 19 1981

TOTAL NUMBER OF COPIES REQUIRED: LTR 38 ENCL 0

WB



May 11, 1981
L-81-197



Office of Nuclear Reactor Regulation
Attention: Mr. Darrell G. Eisenhut, Director
Division of Licensing
U. S. Nuclear Regulatory Commission
Washington, DC 20555

Dear Mr. Eisenhut:

Re: Turkey Point Units 3 and 4
Docket Nos. 50-250 and 50-251
Fire Protection Rule

Generic letter 81-12, dated February 20, 1981, requested our plans and schedules for meeting the provisions of Paragraphs (c)(2), (c)(3), and (c)(4) of 10 CFR 50.48, and further requested that our reassessment of the plant design features to meet the requirements of Section III.G, III.J, and III.O of Appendix R to 10 CFR 50 be included. Our response to all of these items is described in L-81-123, dated March 19, 1981. Please advise us if further response is needed on these items.

Very truly yours,

Robert E. Uhrig
Vice President
Advanced Systems and Technology

REU/DAC/gw

cc: Mr. James P. O'Reilly, Region II
Harold F. Reis; Esquire

A006
s
3/0

8105180/63

F

