

REGULATORY INFORMATION DISTRIBUTION SYSTEM (RIDS)

ACCESSION NBR: 8702120339 DOC. DATE: 87/02/04 NOTARIZED: NO DOCKET #  
 FACIL: 50-250 Turkey Point Plant, Unit 3, Florida Power and Light C 05000250  
 AUTH. NAME AUTHOR AFFILIATION  
 WOODY, C. O. Florida Power & Light Co.  
 RECIP. NAME RECIPIENT AFFILIATION  
 Document Control Branch (Document Control Desk)

SUBJECT: Application for amend to License DPR-31, revising Tech Specs  
 re emergency containment filter sys surveillance testing.  
 Fee paid.

DISTRIBUTION CODE: A001D COPIES RECEIVED: LTR 1 ENCL 1 SIZE: 3+5  
 TITLE: OR Submittal: General Distribution

NOTES:

| RECIPIENT<br>ID CODE/NAME | COPIES<br>LTTR ENCL | RECIPIENT<br>ID CODE/NAME | COPIES<br>LTTR ENCL |
|---------------------------|---------------------|---------------------------|---------------------|
| PWR-A EB                  | 1 1                 | PWR-A EICSB               | 2 2                 |
| PWR-A FOB                 | 1 1                 | PWR-A PD2 LA              | 1 0                 |
| PWR-A PD2 PD 01           | 5 5                 | McDONALD, D               | 1 1                 |
| PWR-A PSB                 | 1 1                 | PWR-A RSB                 | 1 1                 |
| INTERNAL: ADM/LFMB        | 1 0                 | ELD/HDS4                  | 1 0                 |
| NRR/DHET/TSCB             | 1 1                 | NRR/ORAS                  | 1 0                 |
| REG FILE 04               | 1 1                 |                           |                     |
| EXTERNAL: EG&G BRUSKE, S  | 1 1                 | LPDR 03                   | 1 1                 |
| NRC PDR 02                | 1 1                 | NSIC 05                   | 1 1                 |

W/ check \$150.00  
 #3657

$\sigma$     $\beta$     $\gamma$   
 $\sigma$     $\beta$     $\gamma$



FEBRUARY 4 1987

L-87-55  
10 CFR 50.90

U. S. Nuclear Regulatory Commission  
Attn: Document Control Desk  
Washington, D. C. 20555

Gentlemen:

Re: Turkey Point Unit 3  
Docket No. 50-250  
Proposed License Amendment  
Emergency Containment Filter System  
Surveillance Requirements

In accordance with 10 CFR 50.90, Florida Power & Light (FPL) requests that you amend, on an emergency basis, Appendix A of Facility Operating License DPR-31 (Turkey Point Units 3 and 4 Technical Specifications) to allow the emergency containment filter system surveillance testing, required by T.S.4.7.1.1 and 4.7.1.2.a, to be performed during the Unit 3 refueling outage scheduled to begin March 15, 1987. The proposed changes are shown on the attached Technical Specification pages. These surveillance requirements are now required to be satisfied prior to February 18, 1987. The basis for our request and the reason for the emergency are included in Attachment 2. Should this request not be granted, plant procedure requires the unit to be in cold shutdown (Mode 5) in order to perform the required surveillance. Due to the potential for significant neutron dose, ALARA radiological considerations do not make performance of this test during power operations a reasonable consideration.

It has been determined that the proposed amendment does not involve a significant hazards consideration pursuant to 10 CFR 50.92. A no significant hazards consideration determination is attached.

In accordance with 10 CFR 50.91(b)(1), a copy of this proposed amendment is being forwarded to the State Designee for the State of Florida.

In accordance with 10 CFR 170.12(c), FPL Check No. 3657 for \$150.00 is attached.

8702120339 870204  
PDR ADOCK 05000250  
P PDR

*Approved 1/11 w/ check \$150 #3657*

1. The first part of the report is a general introduction to the subject of the study. It discusses the importance of the study and the objectives of the research.

2. The second part of the report is a detailed description of the methodology used in the study. It includes information about the sample size, the data collection methods, and the statistical analysis techniques.

3. The third part of the report is a discussion of the results of the study. It presents the findings of the research and compares them with the previous studies in the field. The discussion also includes an analysis of the strengths and limitations of the study.

4. The fourth part of the report is a conclusion and a list of references. The conclusion summarizes the main findings of the study and provides recommendations for future research. The references list the sources of information used in the study.

5. The fifth part of the report is an appendix containing additional information related to the study. This may include raw data, detailed statistical results, or other relevant documents.

6. The sixth part of the report is a bibliography of the literature cited in the study. This provides a comprehensive list of the sources used in the research.

7. The seventh part of the report is a list of figures and tables. This provides a visual representation of the data and results of the study.

8. The eighth part of the report is a list of abbreviations and symbols used in the study. This helps to clarify the meaning of the symbols and abbreviations used throughout the report.


9. The ninth part of the report is a list of acknowledgments. This section is used to thank the individuals and organizations that provided support and assistance during the study.

10. The tenth part of the report is a list of footnotes. This section is used to provide additional information or references that are not included in the main text of the report.

U. S. Nuclear Regulatory Commission  
L-87-55  
Page two

The proposed amendment has been reviewed by the Turkey Point Plant Nuclear Safety Committee and the Florida Power & Light Company Nuclear Review Board.

Very truly yours,

  
C. O. Woody  
Group Vice President  
Nuclear Energy

COW/TCG/gp

Attachments

cc: Dr. J. Nelson Grace, Regional Administrator, Region II, USNRC  
Mr. D. R. Brewer, NRC Senior Resident Inspector, Turkey Point Plant  
Mr. D. G. McDonald, NRC Project Manager  
Mr. Alan Schubert, Florida Dept. of Health and Rehabilitative Services

TCG6/021/2

THE UNIVERSITY OF CHICAGO  
LIBRARY

THE UNIVERSITY OF CHICAGO  
LIBRARY  
1100 EAST 58TH STREET  
CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO  
LIBRARY  
1100 EAST 58TH STREET  
CHICAGO, ILL. 60637


THE UNIVERSITY OF CHICAGO  
LIBRARY  
1100 EAST 58TH STREET  
CHICAGO, ILL. 60637

STATE OF FLORIDA            )  
                                      )  
COUNTY OF PALM BEACH    )    ss.

C. O. Woody being first duly sworn, deposes and says:


That he is a Group Vice President of Florida Power & Light Company, the Licensee herein;

That he has executed the foregoing document; that the statements made in this document are true and correct to the best of his knowledge, information, and belief, and that he is authorized to execute the document on behalf of said Licensee.

  
\_\_\_\_\_  
C. O. Woody

Subscribed and sworn to before me this

4 day of FEBRUARY, 1987.

  
\_\_\_\_\_  
NOTARY PUBLIC, in and for the County  
of Palm Beach, State of Florida

My Commission expires: \_\_\_\_\_  
NOTARY PUBLIC STATE OF FLORIDA  
MY COMMISSION EXP. APR. 1, 1990

[illegible]

1000 900 800 700 600 500 400 300 200 100 0

$\alpha$        $\beta$        $\gamma$        $\delta$        $\epsilon$        $\zeta$        $\eta$        $\theta$        $\iota$        $\kappa$        $\lambda$        $\mu$        $\nu$        $\xi$        $\omicron$        $\pi$        $\rho$        $\sigma$        $\tau$        $\upsilon$        $\phi$        $\chi$        $\psi$        $\omega$

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100. 101. 102. 103. 104. 105. 106. 107. 108. 109. 110. 111. 112. 113. 114. 115. 116. 117. 118. 119. 120. 121. 122. 123. 124. 125. 126. 127. 128. 129. 130. 131. 132. 133. 134. 135. 136. 137. 138. 139. 140. 141. 142. 143. 144. 145. 146. 147. 148. 149. 150. 151. 152. 153. 154. 155. 156. 157. 158. 159. 160. 161. 162. 163. 164. 165. 166. 167. 168. 169. 170. 171. 172. 173. 174. 175. 176. 177. 178. 179. 180. 181. 182. 183. 184. 185. 186. 187. 188. 189. 190. 191. 192. 193. 194. 195. 196. 197. 198. 199. 200. 201. 202. 203. 204. 205. 206. 207. 208. 209. 210. 211. 212. 213. 214. 215. 216. 217. 218. 219. 220. 221. 222. 223. 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. 239. 240. 241. 242. 243. 244. 245. 246. 247. 248. 249. 250. 251. 252. 253. 254. 255. 256. 257. 258. 259. 260. 261. 262. 263. 264. 265. 266. 267. 268. 269. 270. 271. 272. 273. 274. 275. 276. 277. 278. 279. 280. 281. 282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292. 293. 294. 295. 296. 297. 298. 299. 300. 301. 302. 303. 304. 305. 306. 307. 308. 309. 310. 311. 312. 313. 314. 315. 316. 317. 318. 319. 320. 321. 322. 323. 324. 325. 326. 327. 328. 329. 330. 331. 332. 333. 334. 335. 336. 337. 338. 339. 340. 341. 342. 343. 344. 345. 346. 347. 348. 349. 350. 351. 352. 353. 354. 355. 356. 357. 358. 359. 360. 361. 362. 363. 364. 365. 366. 367. 368. 369. 370. 371. 372. 373. 374. 375. 376. 377. 378. 379. 380. 381. 382. 383. 384. 385. 386. 387. 388. 389. 390. 391. 392. 393. 394. 395. 396. 397. 398. 399. 400. 401. 402. 403. 404. 405. 406. 407. 408. 409. 410. 411. 412. 413. 414. 415. 416. 417. 418. 419. 420. 421. 422. 423. 424. 425. 426. 427. 428. 429. 430. 431. 432. 433. 434. 435. 436. 437. 438. 439. 440. 441. 442. 443. 444. 445. 446. 447. 448. 449. 450. 451. 452. 453. 454. 455. 456. 457. 458. 459. 460. 461. 462. 463. 464. 465. 466. 467. 468. 469. 470. 471. 472. 473. 474. 475. 476. 477. 478. 479. 480. 481. 482. 483. 484. 485. 486. 487. 488. 489. 490. 491. 492. 493. 494. 495. 496. 497. 498. 499. 500. 501. 502. 503. 504. 505. 506. 507. 508. 509. 510. 511. 512. 513. 514. 515. 516. 517. 518. 519. 520. 521. 522. 523. 524. 525. 526. 527. 528. 529. 530. 531. 532. 533. 534. 535. 536. 537. 538. 539. 540. 541. 542. 543. 544. 545. 546. 547. 548. 549. 550. 551. 552. 553. 554. 555. 556. 557. 558. 559. 560. 561. 562. 563. 564. 565. 566. 567. 568. 569. 570. 571. 572. 573. 574. 575. 576. 577. 578. 579. 580. 581. 582. 583. 584. 585. 586. 587. 588. 589. 590. 591. 592. 593. 594. 595. 596. 597. 598. 599. 600. 601. 602. 603. 604. 605. 606. 607. 608. 609. 610. 611. 612. 613. 614. 615. 616. 617. 618. 619. 620. 621. 622. 623. 624. 625. 626. 627. 628. 629. 630. 631. 632. 633. 634. 635. 636. 637. 638. 639. 640. 641. 642. 643. 644. 645. 646. 647. 648. 649. 650. 651. 652. 653. 654. 655. 656. 657. 658. 659. 660. 661. 662. 663. 664. 665. 666. 667. 668. 669. 670. 671. 672. 673. 674. 675. 676. 677. 678. 679. 680. 681. 682. 683. 684. 685. 686. 687. 688. 689. 690. 691. 692. 693. 694. 695. 696. 697. 698. 699. 700. 701. 702. 703. 704. 705. 706. 707. 708. 709. 710. 711. 712. 713. 714. 715. 716. 717. 718. 719. 720. 721. 722. 723. 724. 725. 726. 727. 728. 729. 730. 731. 732. 733. 734. 735. 736. 737. 738. 739. 740. 741. 742. 743. 744. 745. 746. 747. 748. 749. 750. 751. 752. 753. 754. 755. 756. 757. 758. 759. 760. 761. 762. 763. 764. 765. 766. 767. 768. 769. 770. 771. 772. 773. 774. 775. 776. 777. 778. 779. 780. 781. 782. 783. 784. 785. 786. 787. 788. 789. 790. 791. 792. 793. 794. 795. 796. 797. 798. 799. 800. 801. 802. 803. 804. 805. 806. 807. 808. 809. 810. 811. 812. 813. 814. 815. 816. 817. 818. 819. 820. 821. 822. 823. 824. 825. 826. 827. 828. 829. 830. 831. 832. 833. 834. 835. 836. 837. 838. 839. 840. 84

[illegible]