

ACCELERATED DISTRIBUTION DEMONSTRATION SYSTEM

REGULATORY INFORMATION DISTRIBUTION SYSTEM (RIDS)

ACCESSION NBR: 9107150385 DOC. DATE: ~~91/06/30~~ NOTARIZED: NO DOCKET #
 FACIL: 50-250 Turkey Point Plant, Unit 3, Florida Power and Light C 05000250
 50-251 Turkey Point Plant, Unit 4, Florida Power and Light C 05000251
 AUTH. NAME AUTHORITY AFFILIATION
 TIERNEY, R.A. Florida Power & Light Co.
 PLUNKETT, T.F. Florida Power & Light Co.
 RECIP. NAME RECIPIENT AFFILIATION

SUBJECT: Monthly operating repts for June 1991 for Turkey Point Units
 3 & 4 W/910709 ltr.

DISTRIBUTION CODE: IE24D COPIES RECEIVED: LTR 1 ENCL 1 SIZE: 9
 TITLE: Monthly Operating Report (per Tech Specs)

NOTES:

	RECIPIENT ID CODE/NAME	COPIES			RECIPIENT ID CODE/NAME	COPIES	
		LTTR	ENCL			LTTR	ENCL
	PD2-2 LA	3	3		PD2-2 PD	1	1
	AULUCK, R	1	1				
INTERNAL:	AEOD/DOA	1	1		AEOD/DSP/TPAB	1	1
	NRR/DLPQ/LPEB10	1	1		NRR/DOEA/OEAB	1	1
	REG FILE 01	1	1		RGN2	1	1
EXTERNAL:	EG&G BRYCE, J.H	1	1		NRC PDR	1	1
	NSIC	1	1				

NOTE TO ALL "RIDS" RECIPIENTS:

PLEASE HELP US TO REDUCE WASTE! CONTACT THE DOCUMENT CONTROL DESK,
 ROOM P1-37 (EXT. 20079) TO ELIMINATE YOUR NAME FROM DISTRIBUTION
 LISTS FOR DOCUMENTS YOU DON'T NEED!

TOTAL NUMBER OF COPIES REQUIRED: LTTR 14 ENCL 14

MR



JUL 09 1991

L-91-194
10 CFR 50.36

U. S. Nuclear Regulatory Commission
Attn: Document Control Desk
Washington, D. C. 20555

Gentlemen:

RE: Turkey Point Units 3 and 4
Docket Nos. 50-250 and 50-251
Monthly Operating Report

In accordance with the requirements of Turkey Point Units 3 and 4 Technical Specification 6.9.1.5, and the guidance of NUREG 0020, attached are the June 1991 Operating Status and Summary of Operating Experience Reports for Turkey Point Units 3 and 4.

Very truly yours,

T. F. Plunkett
Vice President
Turkey Point Nuclear

TFP/DRP/RAT

attachments

cc: Stewart D. Ebnetter, Regional Administrator, Region II, USNRC
Senior Resident Inspector, USNRC, Turkey Point Plant

9107150385 910630
PDR ADOCK 05000250
R PDR

an FPL Group company

IE24
11

AVERAGE DAILY UNIT POWER LEVEL

DOCKET NO. 50-250

UNIT Turkey Point #3

DATE July 5, 1991

COMPLETED BY R. A. Tierney

TELEPHONE (305) 246-6970

MONTH June, 1991

AVERAGE DAILY POWER LEVEL

(MWe-Net)

06/01/91	0
06/02/91	0
06/03/91	0
06/04/91	0
06/05/91	0
06/06/91	0
06/07/91	0
06/08/91	0
06/09/91	0
06/10/91	0
06/11/91	0
06/12/91	0
06/13/91	0
06/14/91	0
06/15/91	0
06/16/91	0
06/17/91	0
06/18/91	0
06/19/91	0
06/20/91	0
06/21/91	0
06/22/91	0
06/23/91	0
06/24/91	0
06/25/91	0
06/26/91	0
06/27/91	0
06/28/91	0
06/29/91	0
06/30/91	0

OPERATING DATA REPORT

DOCKET NO 50 - 250
 DATE 7/ 5/91
 COMPLETED BY R. A. TIERNEY
 TELEPHONE 305/246/6970

OPERATING STATUS

1. UNIT NAME: TURKEY POINT UNIT 3
2. REPORTING PERIOD: JUNE 1991
3. LICENSED THERMAL POWER (MWT): 2200
4. NAMEPLATE RATING (GROSS MWE): 760
5. DESIGN ELECTRICAL RATING (NET MWE): 693
6. MAXIMUM DEPENDABLE CAPACITY (GROSS MWE): 699
7. MAXIMUM DEPENDABLE CAPACITY (NET MWE): 666
8. IF CHANGES OCCUR IN CAPACITY RATINGS (ITEMS NUMBER 3 THROUGH 7) SINCE LAST REPORT, GIVE REASONS:
9. POWER LEVEL TO WHICH RESTRICTED, IF ANY (NET MWE)
10. REASONS FOR RESTRICTIONS, IF ANY:

MONTHLY -YTD- CUMULATIVE

11. HOURS IN REPORT PERIOD:	720	4343	162776.6
12. NUMBER OF HOURS REACTOR WAS CRITICAL	0.0	0.0	104473.2
13. REACTOR RESERVE SHUTDOWN HOURS	0.0	0.0	844.4
14. HOURS GENERATOR ON-LINE	0.0	0.0	103055.7
15. UNIT RESERVE SHUTDOWN HOURS	0.0	0.0	121.8
16. GROSS THERMAL ENERGY GENERATED (MWH)	0	0	214231642
17. GROSS ELECTRICAL ENERGY GENERATED (MWH)	0	0	68615991
18. NET ELECTRICAL ENERGY GENERATED (MWH)	-1012	-5937	64872581
19. UNIT SERVICE FACTOR	0.0	0.0	63.3
20. UNIT AVAILABILITY FACTOR	0.0	0.0	63.4
21. CAPACITY FACTOR (USING MDC NET)	0.0	0.0	61.0
22. CAPACITY FACTOR (USING DER NET)	0.0	0.0	57.5
23. UNIT FORCED OUTAGE RATE	0.0	0.0	12.5
24. SHUTDOWNS SCHEDULED OVER NEXT 6 MONTHS :			

25. IF SHUT DOWN AT END OF REPORT PERIOD, ESTIMATED DATE OF STARTUP: 10/03/91

UNIT SHUTDOWNS AND POWER REDUCTIONS

DOCKET NO. 50-250

UNIT NAME Turkey Point #3

DATE July 5, 1991

COMPLETED BY R. A. Tierney

TELEPHONE (305) 246-6970

REPORT MONTH June 1991

No.	Date	Type ¹	Duration (Hours)	Reason ²	Method of Shutting Down Reactor ³	Licensee Event Report #	System Code ⁴	Component Code ⁵	Cause & Corrective Action to Prevent Recurrence
22	901212	S	720	H	1	N/A	EE	ENGINE	Unit 3 was shutdown for a scheduled Upgrades Outage.

1

F Forced
S Scheduled

2

Reason
A - Equipment Failure (Explain)
B - Maintenance or Test
C - Refueling
D - Regulatory Restriction
E - Operator Training & License Examination
F - Administrative
G - Operational Error (Explain)
H - Other (Explain)

3

Method
1 - Manual
2 - Manual Scram
3 - Automatic Scram
4 - Continued
5 - Load Reduction
9 - Other (Explain)

4

Exhibit G-Instructions
for Preparation of Data
Entry Sheets Licensee
Event Report (LER) File
(NUREG-0161)

5

Exhibit 1 - Same Source

SUMMARY OF OPERATING EXPERIENCE

DOCKET NO. 50-250

UNIT Turkey Point #3

DATE July 5, 1991

COMPLETED BY R. A. Tierney

TELEPHONE (305) 246-6970

REPORT MONTH June, 1991

Unit 3 was shutdown on December 12, 1990 for a scheduled Upgrades Outage.

AVERAGE DAILY UNIT POWER LEVEL

DOCKET NO. 50-251

UNIT Turkey Point #4

DATE July 5, 1991

COMPLETED BY R. A. Tierney

TELEPHONE (305) 246-6970

MONTH June, 1991

AVERAGE DAILY POWER LEVEL

(MWe-Net)

06/01/91	0
06/02/91	0
06/03/91	0
06/04/91	0
06/05/91	0
06/06/91	0
06/07/91	0
06/08/91	0
06/09/91	0
06/10/91	0
06/11/91	0
06/12/91	0
06/13/91	0
06/14/91	0
06/15/91	0
06/16/91	0
06/17/91	0
06/18/91	0
06/19/91	0
06/20/91	0
06/21/91	0
06/22/91	0
06/23/91	0
06/24/91	0
06/25/91	0
06/26/91	0
06/27/91	0
06/28/91	0
06/29/91	0
06/30/91	0

OPERATING DATA REPORT

DOCKET NO 50 - 251
 DATE 7/ 5/91
 COMPLETED BY R. A. TIERNEY
 TELEPHONE 305/246/6970

OPERATING STATUS

1. UNIT NAME: TURKEY POINT UNIT 4
2. REPORTING PERIOD: JUNE 1991
3. LICENSED THERMAL POWER (MWT): 2200
4. NAMEPLATE RATING (GROSS MWE): 760
5. DESIGN ELECTRICAL RATING (NET MWE): 693
6. MAXIMUM DEPENDABLE CAPACITY (GROSS MWE): 699
7. MAXIMUM DEPENDABLE CAPACITY (NET MWE): 666
8. IF CHANGES OCCUR IN CAPACITY RATINGS (ITEMS NUMBER 3 THROUGH 7) SINCE LAST REPORT, GIVE REASONS:
9. POWER LEVEL TO WHICH RESTRICTED, IF ANY (NET MWE)
10. REASONS FOR RESTRICTIONS, IF ANY:

MONTHLY -YTD- CUMULATIVE

11. HOURS IN REPORT PERIOD:	720	4343	156508.0
12. NUMBER OF HOURS REACTOR WAS CRITICAL	0.0	0.0	101186.4
13. REACTOR RESERVE SHUTDOWN HOURS	0.0	0.0	166.6
14. HOURS GENERATOR ON-LINE	0.0	0.0	97567.1
15. UNIT RESERVE SHUTDOWN HOURS	0.0	0.0	32.1
16. GROSS THERMAL ENERGY GENERATED (MWH)	0	0	205630060
17. GROSS ELECTRICAL ENERGY GENERATED (MWH)	0	0	65612880
18. NET ELECTRICAL ENERGY GENERATED (MWH)	-1048	-4790	62048838
19. UNIT SERVICE FACTOR	0.0	0.0	62.3
20. UNIT AVAILABILITY FACTOR	0.0	0.0	62.4
21. CAPACITY FACTOR (USING MDC NET)	0.0	0.0	60.7
22. CAPACITY FACTOR (USING DER NET)	0.0	0.0	57.2
23. UNIT FORCED OUTAGE RATE	0.0	0.0	11.9
24. SHUTDOWNS SCHEDULED OVER NEXT 6 MONTHS :			

25. IF SHUT DOWN AT END OF REPORT PERIOD, ESTIMATED DATE OF STARTUP: 11/04/91

UNIT SHUTDOWNS AND POWER REDUCTIONS

DOCKET NO. 50-251

UNIT NAME Turkey Point #4

DATE July 5, 1991

COMPLETED BY R. A. Tierney

TELEPHONE (305 246-6970)

REPORT MONTH June 1991

No.	Date	Type ¹	Duration (Hours)	Reason ²	Method of Shutting Down Reactor ³	Licensee Event Report #	System Code ⁴	Component Code ⁵	Cause & Corrective Action to Prevent Recurrence
10	901124	S	720	C/H	1	N/A	RC/EE	FUELXX ENGINE	Unit 4 shutdown for a scheduled Upgrades and Refueling Outage.

1

F Forced
S Scheduled

2

Reason
A - Equipment Failure (Explain)
B - Maintenance or Test
C - Refueling
D - Regulatory Restriction
E - Operator Training & License Examination
F - Administrative
G - Operational Error (Explain)
H - Other (Explain)

3

Method
1 - Manual
2 - Manual Scram
3 - Automatic Scram
4 - Continued
5 - Load Reduction
9 - Other (Explain)

4

Exhibit G- Instructions for Preparation of Data Entry Scheets Licensee Event Report (LER) File (NUREG-0161)

5

Exhibit 1 - Same Source

SUMMARY OF OPERATING EXPERIENCE

DOCKET NO. 50-251

UNIT Turkey Point #4

DATE July 5, 1991

COMPLETED BY R. A. Tierney

TELEPHONE (305) 246-6970

REPORT MONTH June, 1991

Unit 4 was shutdown for a scheduled Upgrades and Refueling Outage on November 24, 1990.

