

Proposed Technical Specification Page

6-22

9705010343 970424
PDR ADOCK 05000250
P PDR

3. ☒ 4.
REPLACE

WCAP-10054-P, Addendum 2, Revision 1 (proprietary), "Addendum to the Westinghouse Small Break ECCS Evaluation Model Using the NOTRUMP Code: Safety Injection in the Broken Loop and Improved Condensation Model", October 1995.*

DELETE

5. WCAP-10266-P-A, Rev 2 (proprietary), and WCAP-11524-NP-A, Rev 2 (non-proprietary), "The 1981 Version of the Westinghouse ECCS Evaluation Model Using the BASH Code," May 1988.

6. NTD-NRC-94-4143, "Change in Methodology for Execution of BASH Evaluation Model," May 23, 1994.

INSERT → A

The analytical methods used to determine Rod Bank Insertion Limits and the All Rods Out position shall be those previously reviewed and approved by the NRC in:

1. WCAP-9272-P-A, "Westinghouse Reload Safety Evaluation Methodology," July 1985.

The ability to calculate the COLR nuclear design parameters are demonstrated in:

1. Florida Power & Light Company Topical Report NF-TR-95-01, "Nuclear Physics Methodology for Reload Design of Turkey Point & St. Lucie Nuclear Plants".

Topical Report NF-TR-95-01 was approved by the NRC for use by Florida Power & Light Company in:

1. Safety Evaluation by the Office of Nuclear Reactor Regulations Related to Amendment No. 174 to Facility Operating License DPR-31 and Amendment No. 168 to Facility Operating License DPR-41, Florida Power & Light Company Turkey Point Units 3 and 4, Docket Nos. 50-250 and 50-251.

The AFD, $F_0(Z)$, F_0H , $K(Z)$, and Rod Bank Insertion Limits shall be determined such that all applicable limits of the safety analyses are met. The CORE OPERATING LIMITS REPORT, including any mid-cycle revisions or supplements thereto, shall be provided upon issuance, for each reload cycle, to the NRC Document Control Desk with copies to the Regional Administrator and Resident Inspector, unless otherwise approved by the Commission.

SPECIAL REPORTS

6.9.2 Special reports shall be submitted to the Regional Administrator of the Regional Office of the NRC within the time period specified for each report as stated in the Specifications within Sections 3.0, 4.0, or 5.0.

*This reference is only to be used subsequent to NRC approval.

Insert A

4. WCAP-12945-P, "Westinghouse Code Qualification Document For Best Estimate LOCA Analysis," Volumes I-V.
5. USNRC Safety Evaluation Report, Letter from R. C. Jones (USNRC) to N. J. Liparulo (W), "Acceptance for Referencing of the Topical Report WCAP-12945(P) 'Westinghouse Code Qualification Document for Best Estimate Loss of Coolant Analysis,'" June 28, 1996.
6. Letter dated June 13, 1996, from N. J. Liparulo (W) to Frank R. Orr (USNRC), "Re-Analysis Work Plans Using Final Best Estimate Methodology."

