

CATEGORY 1

REGULATORY INFORMATION DISTRIBUTION SYSTEM (RIDS)

ACCESSION NBR: 9801160026 DOC.DATE: 98/01/08 NOTARIZED: NO DOCKET #
 FACIL: 50-250 Turkey Point Plant, Unit 3, Florida Power and Light C 05000250
 50-251 Turkey Point Plant, Unit 4, Florida Power and Light C 05000251
 AUTH.NAME AUTHOR AFFILIATION
 HOVEY, R.J. Florida Power & Light Co.
 RECIP.NAME RECIPIENT AFFILIATION
 Document Control Branch (Document Control Desk)

SUBJECT: Informs that util identified error in info used to prepare
 semi-annual FFD data repts required by 10CFR26.71(d).
 Corrected FFD repts for periods ending 960630, 1231 & 970630,
 encl.

DISTRIBUTION CODE: A021D COPIES RECEIVED: LTR 1 ENCL 1 SIZE: 9
 TITLE: "Semiannual Fitness for Duty Program Performance Rept/Data" 10CFR26.7

NOTES:

	RECIPIENT ID CODE/NAME	COPIES LTTR ENCL	RECIPIENT ID CODE/NAME	COPIES LTTR ENCL
	PD2-3 PD	1 1	CROTEAU, R	1 1
INTERNAL:	FILE GENDER 001	1 1	NRR/DRCH/HOLB	1 1
	NRR/DRPM/PSGB	1 1	NUDOCS-ABSTRACT	1 1
	RGN2	1 1		
EXTERNAL:	NOAC	1 1	NRC PDR	1 1

NOTE TO ALL "RIDS" RECIPIENTS:

PLEASE HELP US TO REDUCE WASTE. TO HAVE YOUR NAME OR ORGANIZATION REMOVED FROM DISTRIBUTION LISTS
 OR REDUCE THE NUMBER OF COPIES RECEIVED BY YOU OR YOUR ORGANIZATION, CONTACT THE DOCUMENT CONTROL
 DESK (DCD) ON EXTENSION 415-2083

TOTAL NUMBER OF COPIES REQUIRED: LTR 9 ENCL 9

C
A
T
E
G
O
R
Y

1

D
O
C
U
M
E
N
T



FPL

JAN 08 1998

L-97-286
10 CFR 50.4
10 CFR 26.71

U. S. Nuclear Regulatory Commission
Attn: Document Control Desk
Washington, D. C. 20555

Re: Turkey Point Units 3 and 4
Docket Nos. 50-250 and 50-251
Corrected Semi-Annual Fitness-For-Duty
Program Performance Data Reports

Florida Power & Light Company (FPL) has identified an error in the information used to prepare the semi-annual fitness-for-duty (FFD) data reports required by 10 CFR 26.71(d). The computer system used to track the employment classification of individuals tested grouped personnel into incorrect categories.

As part of the corrective actions, FPL validated and corrected the classification data and evaluated the results against the FFD data reports for the periods ending June 30, 1996, December 31, 1996, and June 30, 1997. The FFD reports for these periods were previously submitted by FPL letters L-96-219, dated August 29, 1996, L-97-51, dated February 25, 1997, and L-97-222, dated August 27, 1997.

Interim controls are in place to ensure that accurate reports will be generated until computer coding modifications are completed. Coding modifications are expected to be completed by March 15, 1998.

Attached are the corrected FFD program performance data reports for the periods ending June 30, 1996, December 31, 1996, and June 30, 1997.

Should there be any questions or comments regarding this information, please contact us.

Very truly yours,

R. J. Hovey
Vice President
Turkey Point Plant

DRL

cc: Regional Administrator, Region II, USNRC
Senior Resident Inspector, USNRC, Turkey Point Plant

9801160026 970108
PDR ADCK 05000250
R PDR

an FPL Group company



ATTACHMENT A - PAGE 1

Fitness for Duty Program Performance Data Personnel Subject to 10CFR Part 26

<u>Florida Power & Light</u> Company <u>Turkey Point Plant</u> Location <u>James E. Denton</u> Contact Name	<u>June 30, 1996</u> 6 Months Ending <u>(305) 246-7171</u> Phone (Include Area Code)
Cutoffs: Screen/Confirmation (ng/ml) <input type="checkbox"/> Appendix A to 10 CFR Part 26	
Marijuana 50/10 Amphetamines 1000/500	_____ /
Cocaine 300/150 Phencyclidine 25/25	_____ /
Opiates 300/300 Alcohol (%BAC) .04%	_____ /

TESTING RESULTS		LICENSEE EMPLOYEES		LONG-TERM CONTRACTOR PERSONNEL		SHORT-TERM CONTRACTOR PERSONNEL	
Average Number with Unescorted Access(1560)		1043		195		322	
CATEGORIES		# TESTED	# POSITIVE	# TESTED	# POSITIVE	# TESTED	# POSITIVE
Pre-Access(1194)		104	3	0	0	1090	26
For Cause	Post Accident	1	0	0	0	0	0
	Observed Behavior	1	0	0	0	0	0
Random(433)		289	1	54	0	90	2
Follow-up		25	0	0	0	2	0
Other		0	0	0	0	0	0
TOTAL		420	4	54	0	1182	28

Management Actions
Turkey Point Plant

Fitness for Duty Reportable Event

On May 2, 1996, a confirmed positive random test result was received on a Licensed Operator, for Marijuana at 40 ng/ml. Telephone notification to the NRC was made at 1333 hours on May 2, 1996. A review was conducted, with negative results, of the subject's work activities for a period prior to the test. Details of the event were reported to the NRC in our letter L-96-134 of May 29, 1996.



ATTACHMENT A - PAGE 2

Breakdown of Confirmed Positive Tests for Specific Substances **

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal to Test	1	2	3	4	5	
Licensee Employees	2	1					1						
Long-Term Contractors													
Short-Term Contractors	17	5				3	3						Total
PTN TOTALS	19	6				3	4						32

*One of the positive Marijuana pre-access test results was below the DHHS/NRC cutoff level. The level was 14 ng/ml thc on the gcms. Our cutoff level on GCMS for Marijuana is 10 ng/ml, where the DHHS/NRC cutoff level is 15 ng/ml.

NRC FORM 361

US NUCLEAR REGULATORY COMMISSION
 OPERATIONS CENTER

EVENT NOTIFICATION WORKSHEET

NOTIFICATION TIME 1333	FACILITY OR ORGANIZATION TURKEY POINT	UNIT NA	CALLERS NAME CRAIG MOWREY	CALL BACK: ENS N/A OR (But) 7171
EVENT TIME & ZONE 1120 H/SEA EDT	EVENT DATE 5/2/96	1-Hr Non-Emergency 10 CFR 50.72 (b) (1)		(v) Lost Offsite Comms
POWER MODE BEFORE 11/100 H/A Cdn	POWER MODE AFTER N/A 11/100 Cdn	(i) (A) TS Required S/D		(vi) Fire
		(i) (B) TS Deviation		(vi) Toxic Gas
		(iii) Degraded Condition		(vi) Rad Release
		(ii) (A) Unanalyzed Condition		(vi) Oth Hampering Safe Op
Event Classifications		(ii) (B) Outside Design Basis		4-Hr Non-Emergency 10 CFR 50.72 (b) (2)
		(ii) (C) Not Covered by OPs/EOPs		(i) Degrade While S/D
<input type="checkbox"/> GENERAL EMERGENCY		(iii) Earthquake		(ii) RPS Actuation (Scram)
<input type="checkbox"/> SITE AREA EMERGENCY		(iii) Flood		(ii) ESF Actuation
<input type="checkbox"/> ALERT		(iii) Hurricane		(iii) (A) Safe S/D Capability
<input type="checkbox"/> UNUSUAL EVENT		(iii) Ice/Hail		(iii) (B) Rhr Capability
<input type="checkbox"/> 50.72 NON-EMERGENCY		(iii) Lighting		(iii) (C) Control of Rad Release
<input type="checkbox"/> PHYSICAL SECURITY (73.71)		(iii) Tornado		(iii) (D) Accident Mitigation
<input type="checkbox"/> TRANSPORTATION		(iii) Other Natural Phenomenon		(iv) (A) Air Release > 2X App B
<input type="checkbox"/> 20.403 MATERIAL/EXPOSURE		(iv) ECCS Discharge to RCS		(iv) (B) Liq Release > 2X App B
<input checked="" type="checkbox"/> OTHER 10 CFR 26		(v) Lost ENS		(v) Offsite Medical
		(v) Lost Emerg. Assessment		(vi) Offsite Notification

DESCRIPTION

BRIEFING FOR NRC IN ACCORDANCE WITH 10 CFR PART 26. TWENTY-FOUR HOUR REPORTABLE.

2 MAY 96

AT 1120 HOURS, 02 MAY 96, AN FPL LICENSED OPERATOR WAS
 CONFIRMED POSITIVE FOR MARIJUANA, BY THE COMPANY MRO,
 BASED ON A RANDOM URINALYSIS DRUG TEST TAKEN ON 29 APR 96.
 THE INDIVIDUAL'S GC/MS LEVEL WAS 40 NG/ML AND OUR GC/MS
 CUT OFF LEVEL FOR MARIJUANA IS 10 NG/ML. /NO INDICATION OF
 ON SITE USAGE. INDIVIDUAL'S ACCESS HAS BEEN DENIED TO
 TURKEY POINT AND ST. LUCIE NUCLEAR POWER PLANTS. INDIVIDUAL
 IS APPEALING THE RESULTS. A REVIEW IS UNDERWAY AT THIS TIME
 OF THE INDIVIDUAL'S WORK ACTIVITIES FOR THE PAST NINETY DAYS.

Include: Systems affected, actuations & their initiating signals, causes, effect of event on plant, actions taken or planned, etc.

NOTIFICATIONS NRC RESIDENT	YES	NO	WILL BE	ANYTHING UNUSUAL OR NOT UNDERSTOOD?	YES (Explain above)	NO
STATE(s)		✓		DID ALL SYSTEMS FUNCTION AS REQUIRED?	YES	NO (Explain above)
LOCAL		✓		N/A		
OTHER GOV AGENCIES		✓		MODE OF OPERATION UNTIL CORRECTED N/A	ESTIMATE FOR RESTART DATE: N/A	NO ADDITION INFO ON BACK?



10

ATTACHMENT A - PAGE 1

Fitness for Duty Program Performance Data Personnel Subject to 10CFR Part 26

<p><u>Florida Power & Light</u></p> <p>Company</p> <p><u>Turkey Point Plant</u></p> <p>Location</p> <p><u>James E. Denton</u></p> <p>Contact Name</p>	<p><u>December 31, 1996</u></p> <p>6 Months Ending</p> <p><u>(305) 246-7171</u></p> <p>Phone (Include Area Code)</p>																		
<p>Cutoffs: Screen/Confirmation (ng/ml) <input type="checkbox"/> Appendix A to 10 CFR Part 26</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;">Marijuana</td> <td style="width: 15%;">50/10</td> <td style="width: 15%;">Amphetamines</td> <td style="width: 15%;">1000/500</td> <td style="width: 20%; text-align: center;">_____</td> <td style="width: 20%; text-align: center;">/</td> </tr> <tr> <td>Cocaine</td> <td>300/150</td> <td>Phencyclidine</td> <td>25/25</td> <td style="text-align: center;">_____</td> <td style="text-align: center;">/</td> </tr> <tr> <td>Opiates</td> <td>300/300</td> <td>Alcohol (%BAC)</td> <td>.04%</td> <td style="text-align: center;">_____</td> <td style="text-align: center;">/</td> </tr> </table>		Marijuana	50/10	Amphetamines	1000/500	_____	/	Cocaine	300/150	Phencyclidine	25/25	_____	/	Opiates	300/300	Alcohol (%BAC)	.04%	_____	/
Marijuana	50/10	Amphetamines	1000/500	_____	/														
Cocaine	300/150	Phencyclidine	25/25	_____	/														
Opiates	300/300	Alcohol (%BAC)	.04%	_____	/														

TESTING RESULTS		LICENSEE EMPLOYEES		LONG-TERM CONTRACTOR PERSONNEL		SHORT-TERM CONTRACTOR PERSONNEL	
Average Number with Unescorted Access(1293)		977		172		144	
CATEGORIES		# TESTED	# POSITIVE	# TESTED	# POSITIVE	# TESTED	# POSITIVE
Pre-Access (232)		54	0	0	0	178	4
For Cause	Post Accident	0	0	0	0	0	0
	Observed Behavior	0	0	1	0	1	1
Random (316)		249	0	37	0	30	1
Follow-up		29	0	0	0	0	0
Other		0	0	0	0	0	0
TOTAL		332	0	38	0	209	6

ATTACHMENT A - PAGE 2

Breakdown of Confirmed Positive Tests for Specific Substances

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal to Test	1	2	3	4	5	
Licensee Employees													
Long-Term Contractors													
Short-Term Contractors	3	3											Total
PTN TOTALS	3	3											6

One 24 hour reportable event was reported in July 96. A contract fire watch individual was tested for cause and he admitted to using illegal drugs inside the Protected Area, also cocaine was found on his person and in a bag that was located in the Protected Area.

MANAGEMENT ACTIONS: United States Customs drug sniffing K-9's conducted a search of the administrative buildings and lockers, which met with negative results.

ATTACHMENT A - PAGE 1

Fitness for Duty Program Performance Data Personnel Subject to 10CFR Part 26

<p><u>Florida Power & Light</u></p> <p>Company</p> <p><u>Turkey Point Plant</u></p> <p>Location</p> <p><u>James E. Denton</u></p> <p>Contact Name</p>	<p><u>JUNE 30, 1997</u></p> <p>6 Months Ending</p> <p><u>(305) 246-7171</u></p> <p>Phone (Include Area Code)</p>
--	---

Cutoffs: Screen/Confirmation (ng/ml)				<input type="checkbox"/> Appendix A to 10 CFR Part 26	
Marijuana	50/10	Amphetamines	1000/500	_____	/
Cocaine	300/150	Phencyclidine	25/25	_____	/
Opiates	300/300	Alcohol (%BAC)	.04%	_____	/

TESTING RESULTS		LICENSEE EMPLOYEES		LONG-TERM CONTRACTOR PERSONNEL		SHORT-TERM CONTRACTOR PERSONNEL	
Average Number with Unescorted Access(1472)		983		167		322	
CATEGORIES		# TESTED	# POSITIVE	# TESTED	# POSITIVE	# TESTED	# POSITIVE
Pre-Access(1134)		48	0	0	0	1086	15
For Cause	Post Accident	0	0	0	0	0	0
	Observed Behavior	1	1	1	1	1	0
Random(574)		374	0	74	0	126	0
Follow-up(30)		30	0	0	0	0	0
Other		0	0	0	0	0	0
TOTAL		453	1	75	1	1213	15

ATTACHMENT A - PAGE 2

Breakdown of Confirmed Positive Tests for Specific Substances

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal to Test	1	2	3	4	5	
Licensee Employees						1							
Long-Term Contractors						1							
Short-Term Contractors	9	4				1	1						Total
PTN TOTALS	9	4				3	1						17

Two 24 hour reportable events were reported during this reporting period. First event: On 2-19-97 ,Cocaine residue was found inside a glass tube, with smoke markings, inside a porta-toilet in the Protected Area. Second event :On 4-29-97 ,an FPL Supervisor was tested for cause and was positive for alcohol, results were .084 and .076 . A review was conducted, with negative results, of the supervisor's work activities for a period of time prior to the test.

MANAGEMENT ACTIONS: After the Cocaine residue was found inside the Protected Area, the Random testing percentage increased from the required 50 % to 100% of the plant population for the duration of the outage, which was from 2-21-97 until 4-7-97.