

# ACCELERATED DISTRIBUTION DEMONSTRATION SYSTEM

## REGULATORY INFORMATION DISTRIBUTION SYSTEM (RIDS)

ACCESSION NBR: 8906120028 DOC. DATE: 89/06/07 NOTARIZED: NO DOCKET #  
 FACIL: 50-400 Shearon Harris Nuclear Power Plant, Unit 1, Carolina 05000400  
 AUTH. NAME: AUTHOR AFFILIATION  
 CUTTER, A.B. Carolina Power & Light Co.  
 RECIP. NAME: RECIPIENT AFFILIATION  
 Document Control Branch (Document Control Desk)

SUBJECT: Supplemental application for amend to License NPF-63, revisig  
 Surveillance Requirement 4.9.8.2.2.

DISTRIBUTION CODE: A061D COPIES RECEIVED: LTR 1 ENCL 1 SIZE: 1+5  
 TITLE: OR/Licensing Submittal: Loss of Residual Heat Removal (RHR) GL-87-12

NOTES: Application for permit renewal filed: 8/1/89 05000400

	RECIPIENT		COPIES			RECIPIENT		COPIES	
	ID CODE/NAME		LTTR	ENCL		ID CODE/NAME		LTTR	ENCL
	PD2-1 LA		1	0		PD2-1 PD		1	1
	BECKER, D		1	1					
INTERNAL:	ACRS		6	6		NRR BALUKJIAN, H		2	2
	NRR TRAMMELL, C		1	1		NRR/DEST/ADE 8H		1	1
	NRR/DEST/ADS 7E		1	1		NRR/DOEA/TSB 11		1	1
	NUDOCS-ABSTRACT		1	1		OC/LEMB		1	0
	OGC/HDS1		1	0		<u>REG FILE 01</u>		1	1
	RES SPANO, A		1	1		RES/DSIR/EIB		1	1
	RES/DSR/PRAB		1	1					
EXTERNAL:	LPDR		1	1		NRC PDR		1	1
	NSIC		1	1					

NOTE TO ALL "RIDS" RECIPIENTS:

PLEASE HELP US TO REDUCE WASTE! CONTACT THE DOCUMENT CONTROL DESK,  
 ROOM P1-37 (EXT. 20079) TO ELIMINATE YOUR NAME FROM DISTRIBUTION  
 LISTS FOR DOCUMENTS YOU DON'T NEED!

TOTAL NUMBER OF COPIES REQUIRED: LTTR 25 ENCL 22

R  
I  
D  
S  
/  
A  
D  
D  
S  
  
R  
I  
D  
S  
/  
A  
D  
D  
S

ALA21  
9/1

RECEIVED 10/10/50  
U.S. DEPARTMENT OF THE ARMY  
WASHINGTON, D.C.



Carolina Power & Light Company

P.O. Box 1551 • Raleigh, N.C. 27602

JUN 07 1989

SERIAL: NLS-89-137

A. B CUTTER  
Vice President  
Nuclear Services Department

United States Nuclear Regulatory Commission  
ATTENTION: Document Control Desk  
Washington, DC 20555

SHEARON HARRIS NUCLEAR POWER PLANT  
DOCKET NO. 50-400/LICENSE NO. NPF-63  
SUPPLEMENT TO REQUEST FOR LICENSE AMENDMENT  
REFUELING OPERATIONS - LOW WATER LEVEL

Gentlemen:

Carolina Power & Light Company hereby submits a supplement to the February 22, 1989 license amendment request regarding Specification 3.9.8.2, Refueling Operations - Low Water Level which revises Surveillance Requirement 4.9.8.2 to delete the Residual Heat Removal (RHR) minimum flow requirement of 2500 gpm when the reactor water level is below the reactor vessel flange. This letter revises Surveillance Requirement 4.9.8.2.2 to impose a minimum flow requirement of 900 gpm when the reactor water level is below the reactor vessel flange. Westinghouse performed an engineering evaluation to verify that a minimum RHR flow requirement of 900 gpm will provide sufficient mixing should a Mode 6 boron dilution event occur.

The revised Technical Specification pages, including both the marked-up and retyped versions, are included in Enclosure 1. The enclosed change is more restrictive than that originally proposed. As such, the 10CFR50.92 Evaluation and the Environmental Evaluation provided in the Company's February 22, 1989 submittal remain valid.

Please refer any questions regarding this submittal to Mr. Mark A. Turkal at (919) 362-2985.

Yours very truly,



A. B. Cutter

ABC/MAT

Enclosure.

cc: Mr. R. A. Becker  
Mr. W. H. Bradford  
Mr. Dayne H. Brown  
Mr. S. D. Ebnetter

8906120028 890607  
PDR ADOCK 05000400  
P PDC

A061  
11

[illegible]

*(continued)*