

# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

## ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica St. Louis  
13715 Rider Trail North  
Earth City, MO 63045  
Tel: (314)298-8566

TestAmerica Job ID: 160-4091-2

Client Project/Site: RFP-CBA-022 (7 DAY TAT)

For:

Westinghouse Electric Company LLC  
3300 State Road P  
Festus, Missouri 63028

Attn: Martin Swanson



Authorized for release by:  
12/4/2013 1:07:27 PM

Ivan Vania, Project Manager II  
(314)298-8566

[ivan.vania@testamericainc.com](mailto:ivan.vania@testamericainc.com)

### LINKS

Review your project  
results through

TotalAccess

Have a Question?



Visit us at:

[www.testamericainc.com](http://www.testamericainc.com)

*This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.*

*Results relate only to the items tested and the sample(s) as received by the laboratory.*

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11

# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	2
Case Narrative . . . . .	3
Chain of Custody . . . . .	4
Receipt Checklists . . . . .	5
Definitions/Glossary . . . . .	6
Method Summary . . . . .	7
Sample Summary . . . . .	8
Client Sample Results . . . . .	9
QC Sample Results . . . . .	12
QC Association Summary . . . . .	13



## Case Narrative

Client: Westinghouse Electric Company LLC  
Project/Site: RFP-CBA-022 (7 DAY TAT)

TestAmerica Job ID: 160-4091-2

**Job ID: 160-4091-2**

**Laboratory: TestAmerica St. Louis**

**Narrative**

### CASE NARRATIVE

**Client: Westinghouse Electric Company LLC**

**Project: RFP-CBA-022 (7 DAY TAT)**

**Report Number: 160-4091-2**

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

TestAmerica St. Louis attests to the validity of the laboratory data generated by TestAmerica facilities reported herein. All analyses performed by TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results for Chemistry analyses are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header. All soil/sediment sample results for radiochemistry analyses are based upon sample as dried and disaggregated with the exception of tritium, carbon-14, and iodine-129 by gamma spectroscopy unless requested as wet weight by the client."

This laboratory report is confidential and is intended for the sole use of TestAmerica and its client.

#### RECEIPT

The samples were received on 10/11/2013; the samples arrived in good condition, properly preserved and on ice. The temperature of the coolers at receipt was 2.0 C.

#### RADIUM-226 BY GAMMA SPEC (21 DAY INGROWTH)

Samples L050343PUB00 (160-4091-1), L050344PUB00 (160-4091-2), L050345PUB00 (160-4091-3), L050346PUB00 (160-4091-4), L050347PUB00 (160-4091-5) and L050348PUB00 (160-4091-6) were analyzed for Radium-226 by gamma spec (21 day ingrowth) in accordance with EPA GA\_01\_R. The samples were leached on 12/02/2013, prepared on 10/16/2013 and analyzed on 12/03/2013.

No difficulties were encountered during the Radium 226 analysis. All other quality control parameters were within the acceptance limits.

FORM HDP-PR-QA-006-1  
CHAIN OF CUSTODY

Instructions: Each time the container is transferred to another organization, a person from each organization should sign the CoC. The Laboratory/End User must verify that the sample is correctly identified before the sample is released for use or analysis and send the completed CoC to HDP.

[illegible]

## Login Sample Receipt Checklist

Client: Westinghouse Electric Company LLC

Job Number: 160-4091-2

Login Number: 4091

List Source: TestAmerica St. Louis

List Number: 1

Creator: Daniels, Brian J

Question	Answer	Comment
Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

## Definitions/Glossary

Client: Westinghouse Electric Company LLC  
Project/Site: RFP-CBA-022 (7 DAY TAT)

TestAmerica Job ID: 160-4091-2

### Qualifiers

#### Rad

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

### Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

# Method Summary

Client: Westinghouse Electric Company LLC  
Project/Site: RFP-CBA-022 (7 DAY TAT)

TestAmerica Job ID: 160-4091-2

Method	Method Description	Protocol	Laboratory
GA-01-R	Radium-226 & Other Gamma Emitters (GS)	DOE	TAL SL

**Protocol References:**

DOE = U.S. Department of Energy

**Laboratory References:**

TAL SL = TestAmerica St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

## Sample Summary

Client: Westinghouse Electric Company LLC  
Project/Site: RFP-CBA-022 (7 DAY TAT)

TestAmerica Job ID: 160-4091-2

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
160-4091-1	L050343PUB00	Solid	10/09/13 16:05	10/11/13 17:45
160-4091-2	L050344PUB00	Solid	10/09/13 16:15	10/11/13 17:45
160-4091-3	L050345PUB00	Solid	10/09/13 16:25	10/11/13 17:45
160-4091-4	L050346PUB00	Solid	10/09/13 16:10	10/11/13 17:45
160-4091-5	L050347PUB00	Solid	10/09/13 16:20	10/11/13 17:45
160-4091-6	L050348PUB00	Solid	10/09/13 16:30	10/11/13 17:45



# Client Sample Results

Client: Westinghouse Electric Company LLC  
Project/Site: RFP-CBA-022 (7 DAY TAT)

TestAmerica Job ID: 160-4091-2

**Client Sample ID: L050343PUB00**

**Date Collected: 10/09/13 16:05**

**Date Received: 10/11/13 17:45**

**Lab Sample ID: 160-4091-1**

**Matrix: Solid**

## Method: GA-01-R - Radium-226 & Other Gamma Emitters (GS)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Actinium 228	0.987		0.131	0.165		0.175	pCi/g	10/16/13 11:32	12/03/13 21:45	1
Bismuth 212	1.66		0.514	0.542		0.417	pCi/g	10/16/13 11:32	12/03/13 21:45	1
Bismuth 214	1.23		0.128	0.181		0.0858	pCi/g	10/16/13 11:32	12/03/13 21:45	1
Lead 212	1.11		0.0783	0.164		0.0618	pCi/g	10/16/13 11:32	12/03/13 21:45	1
Lead 214	1.36		0.103	0.175		0.0847	pCi/g	10/16/13 11:32	12/03/13 21:45	1
Potassium 40	21.4		1.36	2.58		0.362	pCi/g	10/16/13 11:32	12/03/13 21:45	1
Protactinium 231	0.368	U	0.250	0.253		1.21	pCi/g	10/16/13 11:32	12/03/13 21:45	1
Radium 226	1.23		0.128	0.181	1.00	0.0858	pCi/g	10/16/13 11:32	12/03/13 21:45	1
Thorium 232	0.987		0.131	0.165		0.175	pCi/g	10/16/13 11:32	12/03/13 21:45	1
Thorium 234	2.02		0.765	0.794		0.948	pCi/g	10/16/13 11:32	12/03/13 21:45	1
Uranium 235	0.102	U	0.160	0.160		0.252	pCi/g	10/16/13 11:32	12/03/13 21:45	1
Americium 241	-0.00173	U	0.0623	0.0623		0.105	pCi/g	10/16/13 11:32	12/03/13 21:45	1
Protactinium 234m	3.60	U	2.55	2.58		7.39	pCi/g	10/16/13 11:32	12/03/13 21:45	1

**Client Sample ID: L050344PUB00**

**Date Collected: 10/09/13 16:15**

**Date Received: 10/11/13 17:45**

**Lab Sample ID: 160-4091-2**

**Matrix: Solid**

## Method: GA-01-R - Radium-226 & Other Gamma Emitters (GS)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Actinium 228	1.16		0.168	0.205		0.124	pCi/g	10/16/13 11:32	12/03/13 21:45	1
Bismuth 212	0.920		0.372	0.384		0.378	pCi/g	10/16/13 11:32	12/03/13 21:45	1
Bismuth 214	1.07		0.134	0.174		0.101	pCi/g	10/16/13 11:32	12/03/13 21:45	1
Lead 212	1.11		0.0836	0.166		0.0711	pCi/g	10/16/13 11:32	12/03/13 21:45	1
Lead 214	1.28		0.115	0.176		0.0849	pCi/g	10/16/13 11:32	12/03/13 21:45	1
Potassium 40	19.3		1.39	2.42		0.632	pCi/g	10/16/13 11:32	12/03/13 21:45	1
Protactinium 231	0.614	U	0.297	0.305		1.36	pCi/g	10/16/13 11:32	12/03/13 21:45	1
Radium 226	1.07		0.134	0.174	1.00	0.101	pCi/g	10/16/13 11:32	12/03/13 21:45	1
Thorium 232	1.16		0.168	0.205		0.124	pCi/g	10/16/13 11:32	12/03/13 21:45	1
Thorium 234	1.78		0.805	0.827		0.986	pCi/g	10/16/13 11:32	12/03/13 21:45	1
Uranium 235	0.115	U	0.177	0.177		0.296	pCi/g	10/16/13 11:32	12/03/13 21:45	1
Americium 241	-0.0285	U	0.0756	0.0756		0.126	pCi/g	10/16/13 11:32	12/03/13 21:45	1
Protactinium 234m	2.88	U	3.48	3.49		5.69	pCi/g	10/16/13 11:32	12/03/13 21:45	1

**Client Sample ID: L050345PUB00**

**Date Collected: 10/09/13 16:25**

**Date Received: 10/11/13 17:45**

**Lab Sample ID: 160-4091-3**

**Matrix: Solid**

## Method: GA-01-R - Radium-226 & Other Gamma Emitters (GS)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Actinium 228	0.882		0.108	0.140		0.144	pCi/g	10/16/13 11:32	12/03/13 21:46	1
Bismuth 212	0.0565	U	0.400	0.400		0.686	pCi/g	10/16/13 11:32	12/03/13 21:46	1
Bismuth 214	1.24		0.105	0.166		0.0596	pCi/g	10/16/13 11:32	12/03/13 21:46	1
Lead 212	1.04		0.0698	0.152		0.0590	pCi/g	10/16/13 11:32	12/03/13 21:46	1

TestAmerica St. Louis

# Client Sample Results

Client: Westinghouse Electric Company LLC  
Project/Site: RFP-CBA-022 (7 DAY TAT)

TestAmerica Job ID: 160-4091-2

**Client Sample ID: L050345PUB00**

**Lab Sample ID: 160-4091-3**

**Date Collected: 10/09/13 16:25**

**Matrix: Solid**

**Date Received: 10/11/13 17:45**

## Method: GA-01-R - Radium-226 & Other Gamma Emitters (GS) (Continued)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert.	Uncert.						
			(2σ+/-)	(2σ+/-)						
Lead 214	1.21		0.0933	0.156		0.0625	pCi/g	10/16/13 11:32	12/03/13 21:46	1
Potassium 40	19.3		1.11	2.27		0.384	pCi/g	10/16/13 11:32	12/03/13 21:46	1
Protactinium 231	-0.541	U	0.658	0.660		1.08	pCi/g	10/16/13 11:32	12/03/13 21:46	1
Radium 226	1.24		0.105	0.166	1.00	0.0596	pCi/g	10/16/13 11:32	12/03/13 21:46	1
Thorium 232	0.882		0.108	0.140		0.144	pCi/g	10/16/13 11:32	12/03/13 21:46	1
Thorium 234	2.01		0.410	0.461		0.838	pCi/g	10/16/13 11:32	12/03/13 21:46	1
Uranium 235	0.326		0.140	0.144		0.175	pCi/g	10/16/13 11:32	12/03/13 21:46	1
Americium 241	-0.0245	U	0.0613	0.0614		0.102	pCi/g	10/16/13 11:32	12/03/13 21:46	1
Protactinium 234m	2.32	U	2.94	2.95		4.84	pCi/g	10/16/13 11:32	12/03/13 21:46	1

**Client Sample ID: L050346PUB00**

**Lab Sample ID: 160-4091-4**

**Date Collected: 10/09/13 16:10**

**Matrix: Solid**

**Date Received: 10/11/13 17:45**

## Method: GA-01-R - Radium-226 & Other Gamma Emitters (GS)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert.	Uncert.						
			(2σ+/-)	(2σ+/-)						
Actinium 228	0.939		0.146	0.174		0.139	pCi/g	10/16/13 11:32	12/03/13 22:54	1
Bismuth 212	1.56		0.408	0.439		0.336	pCi/g	10/16/13 11:32	12/03/13 22:54	1
Bismuth 214	1.17		0.119	0.170		0.0846	pCi/g	10/16/13 11:32	12/03/13 22:54	1
Lead 212	1.13		0.0736	0.163		0.0578	pCi/g	10/16/13 11:32	12/03/13 22:54	1
Lead 214	1.28		0.0934	0.163		0.0751	pCi/g	10/16/13 11:32	12/03/13 22:54	1
Potassium 40	20.3		1.17	2.39		0.308	pCi/g	10/16/13 11:32	12/03/13 22:54	1
Protactinium 231	0.449	U	0.293	0.297		1.13	pCi/g	10/16/13 11:32	12/03/13 22:54	1
Radium 226	1.17		0.119	0.170	1.00	0.0846	pCi/g	10/16/13 11:32	12/03/13 22:54	1
Thorium 232	0.939		0.146	0.174		0.139	pCi/g	10/16/13 11:32	12/03/13 22:54	1
Thorium 234	1.97		0.759	0.786		0.925	pCi/g	10/16/13 11:32	12/03/13 22:54	1
Uranium 235	0.122	U	0.129	0.130		0.179	pCi/g	10/16/13 11:32	12/03/13 22:54	1
Americium 241	0.0457	U	0.0667	0.0668		0.110	pCi/g	10/16/13 11:32	12/03/13 22:54	1
Protactinium 234m	1.15	U	3.20	3.20		5.59	pCi/g	10/16/13 11:32	12/03/13 22:54	1

**Client Sample ID: L050347PUB00**

**Lab Sample ID: 160-4091-5**

**Date Collected: 10/09/13 16:20**

**Matrix: Solid**

**Date Received: 10/11/13 17:45**

## Method: GA-01-R - Radium-226 & Other Gamma Emitters (GS)

Analyte	Result	Qualifier	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
			Uncert.	Uncert.						
			(2σ+/-)	(2σ+/-)						
Actinium 228	1.10		0.148	0.186		0.116	pCi/g	10/16/13 11:32	12/03/13 22:55	1
Bismuth 212	0.0609	U	0.397	0.397		0.685	pCi/g	10/16/13 11:32	12/03/13 22:55	1
Bismuth 214	1.24		0.116	0.173		0.0704	pCi/g	10/16/13 11:32	12/03/13 22:55	1
Lead 212	1.09		0.0742	0.159		0.0629	pCi/g	10/16/13 11:32	12/03/13 22:55	1
Lead 214	1.36		0.0972	0.171		0.0740	pCi/g	10/16/13 11:32	12/03/13 22:55	1
Potassium 40	18.6		1.18	2.24		0.411	pCi/g	10/16/13 11:32	12/03/13 22:55	1
Protactinium 231	0.401	U	0.357	0.360		1.04	pCi/g	10/16/13 11:32	12/03/13 22:55	1
Radium 226	1.24		0.116	0.173	1.00	0.0704	pCi/g	10/16/13 11:32	12/03/13 22:55	1

TestAmerica St. Louis

# Client Sample Results

Client: Westinghouse Electric Company LLC  
Project/Site: RFP-CBA-022 (7 DAY TAT)

TestAmerica Job ID: 160-4091-2

**Client Sample ID: L050347PUB00**

**Lab Sample ID: 160-4091-5**

**Date Collected: 10/09/13 16:20**

**Matrix: Solid**

**Date Received: 10/11/13 17:45**

## Method: GA-01-R - Radium-226 & Other Gamma Emitters (GS) (Continued)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Thorium 232	1.10		0.148	0.186		0.116	pCi/g	10/16/13 11:32	12/03/13 22:55	1
Thorium 234	0.888		0.330	0.343		0.862	pCi/g	10/16/13 11:32	12/03/13 22:55	1
Uranium 235	0.191	U	0.136	0.137		0.246	pCi/g	10/16/13 11:32	12/03/13 22:55	1
Americium 241	0.0111	U	0.0590	0.0591		0.0992	pCi/g	10/16/13 11:32	12/03/13 22:55	1
Protactinium 234m	3.15	U	3.33	3.35		5.40	pCi/g	10/16/13 11:32	12/03/13 22:55	1

**Client Sample ID: L050348PUB00**

**Lab Sample ID: 160-4091-6**

**Date Collected: 10/09/13 16:30**

**Matrix: Solid**

**Date Received: 10/11/13 17:45**

## Method: GA-01-R - Radium-226 & Other Gamma Emitters (GS)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Actinium 228	1.11		0.151	0.189		0.100	pCi/g	10/16/13 11:32	12/03/13 22:54	1
Bismuth 212	0.756		0.405	0.412		0.593	pCi/g	10/16/13 11:32	12/03/13 22:54	1
Bismuth 214	1.07		0.129	0.171		0.0937	pCi/g	10/16/13 11:32	12/03/13 22:54	1
Lead 212	0.934		0.0825	0.146		0.0820	pCi/g	10/16/13 11:32	12/03/13 22:54	1
Lead 214	1.15		0.109	0.162		0.0678	pCi/g	10/16/13 11:32	12/03/13 22:54	1
Potassium 40	19.2		1.40	2.41		0.644	pCi/g	10/16/13 11:32	12/03/13 22:54	1
Protactinium 231	0.490	U	0.329	0.333		1.36	pCi/g	10/16/13 11:32	12/03/13 22:54	1
Radium 226	1.07		0.129	0.171	1.00	0.0937	pCi/g	10/16/13 11:32	12/03/13 22:54	1
Thorium 232	1.11		0.151	0.189		0.100	pCi/g	10/16/13 11:32	12/03/13 22:54	1
Thorium 234	1.88		0.865	0.887		1.04	pCi/g	10/16/13 11:32	12/03/13 22:54	1
Uranium 235	0.283		0.150	0.153		0.196	pCi/g	10/16/13 11:32	12/03/13 22:54	1
Americium 241	0.0207	U	0.0724	0.0725		0.121	pCi/g	10/16/13 11:32	12/03/13 22:54	1
Protactinium 234m	1.64	U	3.48	3.48		5.97	pCi/g	10/16/13 11:32	12/03/13 22:54	1

TestAmerica St. Louis

# QC Sample Results

Client: Westinghouse Electric Company LLC  
Project/Site: RFP-CBA-022 (7 DAY TAT)

TestAmerica Job ID: 160-4091-2

## Method: GA-01-R - Radium-226 & Other Gamma Emitters (GS)

Lab Sample ID: MB 160-89240/1-A

Matrix: Solid

Analysis Batch: 89252

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 89240

Analyte	MB Result	MB Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Actinium 228	0.0000	U	0.0225	0.0225		0.128	pCi/g	10/16/13 11:32	12/03/13 21:42	1
Bismuth 212	0.0000	U	0.0497	0.0497		0.276	pCi/g	10/16/13 11:32	12/03/13 21:42	1
Bismuth 214	-0.005283	U	0.0249	0.0249		0.0459	pCi/g	10/16/13 11:32	12/03/13 21:42	1
Lead 212	-0.003650	U	0.0268	0.0268		0.0259	pCi/g	10/16/13 11:32	12/03/13 21:42	1
Lead 214	-0.01078	U	1.53	1.53		0.0372	pCi/g	10/16/13 11:32	12/03/13 21:42	1
Potassium 40	0.02478	U	0.168	0.168		0.360	pCi/g	10/16/13 11:32	12/03/13 21:42	1
Protactinium 231	-0.04150	U	0.232	0.232		0.427	pCi/g	10/16/13 11:32	12/03/13 21:42	1
Radium 226	-0.005283	U	0.0249	0.0249	1.00	0.0459	pCi/g	10/16/13 11:32	12/03/13 21:42	1
Thorium 232	0.0000	U	0.0225	0.0225		0.128	pCi/g	10/16/13 11:32	12/03/13 21:42	1
Thorium 234	-0.1068	U	0.454	0.454		0.290	pCi/g	10/16/13 11:32	12/03/13 21:42	1
Uranium 235	-0.001085	U	0.0299	0.0299		0.0575	pCi/g	10/16/13 11:32	12/03/13 21:42	1
Americium 241	-0.0004221	U	0.0106	0.0106		0.0203	pCi/g	10/16/13 11:32	12/03/13 21:42	1
Protactinium 234m	0.1555	U	0.886	0.886		3.73	pCi/g	10/16/13 11:32	12/03/13 21:42	1

Lab Sample ID: LCS 160-89240/2-A

Matrix: Solid

Analysis Batch: 89040

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 89240

Analyte	Spike Added	LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec. Limits
Americium 241	97.7	92.45		9.62		0.480	pCi/g	95	87 - 116
Cesium 137	31.5	30.21		3.16		0.128	pCi/g	96	87 - 120
Cobalt 60	23.9	22.26		2.25		0.0638	pCi/g	93	87 - 115

Lab Sample ID: 160-4091-1 DU

Matrix: Solid

Analysis Batch: 89252

Client Sample ID: L050343PUB00

Prep Type: Total/NA

Prep Batch: 89240

Analyte	Sample Result	Sample Qual	DU Result	DU Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	RER	RER Limit
Actinium 228	0.987		1.251		0.262		0.148	pCi/g	0.62	1
Bismuth 212	1.66		1.592		0.619		0.552	pCi/g	0.06	1
Bismuth 214	1.23		1.253		0.201		0.100	pCi/g	0.07	1
Lead 212	1.11		1.145		0.174		0.0804	pCi/g	0.10	1
Lead 214	1.36		1.426		0.187		0.0964	pCi/g	0.18	1
Potassium 40	21.4		19.95		2.54		0.503	pCi/g	0.29	1
Protactinium 231	0.368	U	0.4554	U	0.398		1.31	pCi/g	0.13	1
Radium 226	1.23		1.253		0.201	1.00	0.100	pCi/g	0.07	1
Thorium 232	0.987		1.251		0.262		0.148	pCi/g	0.62	1
Thorium 234	2.02		1.634		0.709		0.925	pCi/g	0.26	1
Uranium 235	0.102	U	0.1355	U	0.139		0.267	pCi/g	0.11	1
Americium 241	-0.00173	U	0.02859	U	0.0711		0.119	pCi/g	0.23	1
Protactinium 234m	3.60	U	1.814	U	4.34		7.33	pCi/g	0.26	1

TestAmerica St. Louis

## QC Association Summary

Client: Westinghouse Electric Company LLC  
Project/Site: RFP-CBA-022 (7 DAY TAT)

TestAmerica Job ID: 160-4091-2

### Rad

#### Leach Batch: 88849

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
160-4091-1	L050343PUB00	Total/NA	Solid	Dry and Grind	
160-4091-1 DU	L050343PUB00	Total/NA	Solid	Dry and Grind	
160-4091-2	L050344PUB00	Total/NA	Solid	Dry and Grind	
160-4091-3	L050345PUB00	Total/NA	Solid	Dry and Grind	
160-4091-4	L050346PUB00	Total/NA	Solid	Dry and Grind	
160-4091-5	L050347PUB00	Total/NA	Solid	Dry and Grind	
160-4091-6	L050348PUB00	Total/NA	Solid	Dry and Grind	

#### Prep Batch: 89240

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
160-4091-1	L050343PUB00	Total/NA	Solid	Fill_Geo-21	88849
160-4091-1 DU	L050343PUB00	Total/NA	Solid	Fill_Geo-21	88849
160-4091-2	L050344PUB00	Total/NA	Solid	Fill_Geo-21	88849
160-4091-3	L050345PUB00	Total/NA	Solid	Fill_Geo-21	88849
160-4091-4	L050346PUB00	Total/NA	Solid	Fill_Geo-21	88849
160-4091-5	L050347PUB00	Total/NA	Solid	Fill_Geo-21	88849
160-4091-6	L050348PUB00	Total/NA	Solid	Fill_Geo-21	88849
LCS 160-89240/2-A	Lab Control Sample	Total/NA	Solid	Fill_Geo-21	
MB 160-89240/1-A	Method Blank	Total/NA	Solid	Fill_Geo-21	