

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica St. Louis
13715 Rider Trail North
Earth City, MO 63045
Tel: (314)298-8566

TestAmerica Job ID: 160-16777-2

Client Project/Site: HDP RFP-CBA-022 (7 DAY TAT)

For:

Westinghouse Electric Company LLC
3300 State Road P
Festus, Missouri 63028

Attn: Mr. Martin Swanson



Authorized for release by:
4/28/2016 12:36:07 PM

Ivan Vania, Project Manager II
(314)298-8566
ivan.vania@testamericainc.com

LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

1
2
3
4
5
6
7
8
9
10
11

Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Chain of Custody	4
Receipt Checklists	5
Definitions/Glossary	6
Method Summary	7
Sample Summary	8
Client Sample Results	9
QC Sample Results	11
QC Association Summary	13



Case Narrative

Client: Westinghouse Electric Company LLC
Project/Site: HDP RFP-CBA-022 (7 DAY TAT)

TestAmerica Job ID: 160-16777-2

Job ID: 160-16777-2

Laboratory: TestAmerica St. Louis

Narrative

CASE NARRATIVE

Client: Westinghouse Electric Company LLC

Project: HDP RFP-CBA-022 (7 DAY TAT)

Report Number: 160-16777-2

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

TestAmerica St. Louis attests to the validity of the laboratory data generated by TestAmerica facilities reported herein. All analyses performed by TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results for Chemistry analyses are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header. All soil/sediment sample results for radiochemistry analyses are based upon sample as dried and disaggregated with the exception of tritium, carbon-14, and iodine-129 by gamma spectroscopy unless requested as wet weight by the client."

This laboratory report is confidential and is intended for the sole use of TestAmerica and its client.

RECEIPT

The samples were received on 4/4/2016 11:00 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 20.0° C.

RADIUM-226 BY GAMMA SPEC (21 DAY INGROWTH)

Samples L05-04-23-T-R-B-00 (160-16777-1), L05-04-24-T-S-B-00 (160-16777-2), L05-04-25-T-S-B-00 (160-16777-3) and L05-04-26-T-S-B-00 (160-16777-4) were analyzed for Radium-226 by gamma spec (21 day ingrowth) in accordance with EPA GA_01_R. The samples were leached on 04/04/2016, prepared on 04/06/2016 and analyzed on 04/27/2016.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

FORM HDP-PR-QA-006-1
CHAIN OF CUSTODY

Instructions: Each time the container is transferred to another organization, a person from each organization should sign the CoC. The Laboratory/End User must verify that the sample is correctly identified before the sample is released for use or analysis and send the completed CoC to HDP.

[illegible]

Login Sample Receipt Checklist

Client: Westinghouse Electric Company LLC

Job Number: 160-16777-2

Login Number: 16777

List Source: TestAmerica St. Louis

List Number: 1

Creator: Dedner, Connie L

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	N/A	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Definitions/Glossary

Client: Westinghouse Electric Company LLC
Project/Site: HDP RFP-CBA-022 (7 DAY TAT)

TestAmerica Job ID: 160-16777-2

Qualifiers

Rad

Qualifier	Qualifier Description
U	Result is less than the sample detection limit.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Method Summary

Client: Westinghouse Electric Company LLC
Project/Site: HDP RFP-CBA-022 (7 DAY TAT)

TestAmerica Job ID: 160-16777-2

Method	Method Description	Protocol	Laboratory
GA-01-R	Radium-226 & Other Gamma Emitters (GS)	DOE	TAL SL

Protocol References:
DOE = U.S. Department of Energy

Laboratory References:
TAL SL = TestAmerica St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

1
2
3
4
5
6
7
8
9
10
11

Sample Summary

Client: Westinghouse Electric Company LLC
Project/Site: HDP RFP-CBA-022 (7 DAY TAT)

TestAmerica Job ID: 160-16777-2

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
160-16777-1	L05-04-23-T-R-B-00	Solid	04/02/16 09:15	04/04/16 11:00
160-16777-2	L05-04-24-T-S-B-00	Solid	04/02/16 08:55	04/04/16 11:00
160-16777-3	L05-04-25-T-S-B-00	Solid	04/02/16 09:00	04/04/16 11:00
160-16777-4	L05-04-26-T-S-B-00	Solid	04/02/16 09:10	04/04/16 11:00

Client Sample Results

Client: Westinghouse Electric Company LLC
Project/Site: HDP RFP-CBA-022 (7 DAY TAT)

TestAmerica Job ID: 160-16777-2

Client Sample ID: L05-04-23-T-R-B-00

Date Collected: 04/02/16 09:15

Date Received: 04/04/16 11:00

Lab Sample ID: 160-16777-1

Matrix: Solid

Method: GA-01-R - Radium-226 & Other Gamma Emitters (GS)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Actinium 228	0.869		0.130	0.158		0.130	pCi/g	04/06/16 10:38	04/27/16 06:37	1
Bismuth 212	1.09		0.381	0.397		0.374	pCi/g	04/06/16 10:38	04/27/16 06:37	1
Bismuth 214	1.16		0.104	0.159		0.0709	pCi/g	04/06/16 10:38	04/27/16 06:37	1
Lead 212	1.12		0.0837	0.168		0.0723	pCi/g	04/06/16 10:38	04/27/16 06:37	1
Lead 214	1.36		0.0889	0.167		0.0775	pCi/g	04/06/16 10:38	04/27/16 06:37	1
Potassium 40	20.3		1.10	2.35		0.313	pCi/g	04/06/16 10:38	04/27/16 06:37	1
Protactinium 231	0.536	U	0.242	0.249		1.11	pCi/g	04/06/16 10:38	04/27/16 06:37	1
Radium 226	1.16		0.104	0.159	1.00	0.0709	pCi/g	04/06/16 10:38	04/27/16 06:37	1
Thorium 232	0.869		0.130	0.158		0.130	pCi/g	04/06/16 10:38	04/27/16 06:37	1
Thorium 234	0.888		0.256	0.273		0.716	pCi/g	04/06/16 10:38	04/27/16 06:37	1
Uranium 235	0.177		0.106	0.108		0.176	pCi/g	04/06/16 10:38	04/27/16 06:37	1
Americium 241	0.00388	U	0.0630	0.0630		0.106	pCi/g	04/06/16 10:38	04/27/16 06:37	1
Protactinium 234m	2.20	U	2.74	2.75		4.57	pCi/g	04/06/16 10:38	04/27/16 06:37	1
Other Detected										
Radionuclides	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Pb-210	1.72		0.642	0.673		0.774	pCi/g	04/06/16 10:38	04/27/16 06:37	1
Tl-208	0.368		0.0468	0.0604		0.0347	pCi/g	04/06/16 10:38	04/27/16 06:37	1

Client Sample ID: L05-04-24-T-S-B-00

Date Collected: 04/02/16 08:55

Date Received: 04/04/16 11:00

Lab Sample ID: 160-16777-2

Matrix: Solid

Method: GA-01-R - Radium-226 & Other Gamma Emitters (GS)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Actinium 228	1.10		0.146	0.184		0.0951	pCi/g	04/06/16 10:38	04/27/16 06:31	1
Bismuth 212	1.63		0.478	0.507		0.388	pCi/g	04/06/16 10:38	04/27/16 06:31	1
Bismuth 214	1.07		0.125	0.167		0.0744	pCi/g	04/06/16 10:38	04/27/16 06:31	1
Lead 212	1.03		0.101	0.167		0.0906	pCi/g	04/06/16 10:38	04/27/16 06:31	1
Lead 214	1.18		0.103	0.160		0.0758	pCi/g	04/06/16 10:38	04/27/16 06:31	1
Potassium 40	18.6		1.33	2.32		0.237	pCi/g	04/06/16 10:38	04/27/16 06:31	1
Protactinium 231	0.401	U	0.251	0.254		1.46	pCi/g	04/06/16 10:38	04/27/16 06:31	1
Radium 226	1.07		0.125	0.167	1.00	0.0744	pCi/g	04/06/16 10:38	04/27/16 06:31	1
Thorium 232	1.10		0.146	0.184		0.0951	pCi/g	04/06/16 10:38	04/27/16 06:31	1
Thorium 234	0.576	U	0.290	0.296		0.837	pCi/g	04/06/16 10:38	04/27/16 06:31	1
Uranium 235	0.0875	U	0.167	0.167		0.278	pCi/g	04/06/16 10:38	04/27/16 06:31	1
Americium 241	0.0744	U	0.0651	0.0656		0.0896	pCi/g	04/06/16 10:38	04/27/16 06:31	1
Protactinium 234m	1.17	U	4.03	4.03		7.00	pCi/g	04/06/16 10:38	04/27/16 06:31	1
Other Detected										
Radionuclides	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Tl-208	0.286		0.0507	0.0587		0.0585	pCi/g	04/06/16 10:38	04/27/16 06:31	1

TestAmerica St. Louis

Client Sample Results

Client: Westinghouse Electric Company LLC
Project/Site: HDP RFP-CBA-022 (7 DAY TAT)

TestAmerica Job ID: 160-16777-2

Client Sample ID: L05-04-25-T-S-B-00

Lab Sample ID: 160-16777-3

Date Collected: 04/02/16 09:00

Matrix: Solid

Date Received: 04/04/16 11:00

Method: GA-01-R - Radium-226 & Other Gamma Emitters (GS)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Actinium 228	1.18		0.130	0.177		0.116	pCi/g	04/06/16 10:38	04/27/16 07:29	1
Bismuth 212	0.781		0.298	0.308		0.411	pCi/g	04/06/16 10:38	04/27/16 07:29	1
Bismuth 214	1.30		0.107	0.172		0.0629	pCi/g	04/06/16 10:38	04/27/16 07:29	1
Lead 212	1.09		0.0793	0.162		0.0677	pCi/g	04/06/16 10:38	04/27/16 07:29	1
Lead 214	1.39		0.0911	0.171		0.0729	pCi/g	04/06/16 10:38	04/27/16 07:29	1
Potassium 40	20.9		1.14	2.43		0.317	pCi/g	04/06/16 10:38	04/27/16 07:29	1
Protactinium 231	0.496	U	0.301	0.305		1.15	pCi/g	04/06/16 10:38	04/27/16 07:29	1
Radium 226	1.30		0.107	0.172	1.00	0.0629	pCi/g	04/06/16 10:38	04/27/16 07:29	1
Thorium 232	1.18		0.130	0.177		0.116	pCi/g	04/06/16 10:38	04/27/16 07:29	1
Thorium 234	0.780	U	0.279	0.291		0.801	pCi/g	04/06/16 10:38	04/27/16 07:29	1
Uranium 235	0.130	U	0.147	0.148		0.242	pCi/g	04/06/16 10:38	04/27/16 07:29	1
Americium 241	-0.0208	U	0.0644	0.0645		0.108	pCi/g	04/06/16 10:38	04/27/16 07:29	1
Protactinium 234m	2.26	U	2.75	2.76		4.57	pCi/g	04/06/16 10:38	04/27/16 07:29	1
Other Detected			Count	Total						
Radionuclides			Uncert.	Uncert.						
TI-208	0.371		0.0454	0.0595		0.0331	pCi/g	04/06/16 10:38	04/27/16 07:29	1

Client Sample ID: L05-04-26-T-S-B-00

Lab Sample ID: 160-16777-4

Date Collected: 04/02/16 09:10

Matrix: Solid

Date Received: 04/04/16 11:00

Method: GA-01-R - Radium-226 & Other Gamma Emitters (GS)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Actinium 228	1.02		0.204	0.229		0.151	pCi/g	04/06/16 10:38	04/27/16 07:28	1
Bismuth 212	1.04		0.461	0.473		0.481	pCi/g	04/06/16 10:38	04/27/16 07:28	1
Bismuth 214	1.20		0.129	0.180		0.0823	pCi/g	04/06/16 10:38	04/27/16 07:28	1
Lead 212	1.05		0.0938	0.165		0.0814	pCi/g	04/06/16 10:38	04/27/16 07:28	1
Lead 214	1.34		0.113	0.179		0.100	pCi/g	04/06/16 10:38	04/27/16 07:28	1
Potassium 40	19.3		1.45	2.45		0.515	pCi/g	04/06/16 10:38	04/27/16 07:28	1
Protactinium 231	0.398	U	0.299	0.302		1.36	pCi/g	04/06/16 10:38	04/27/16 07:28	1
Radium 226	1.20		0.129	0.180	1.00	0.0823	pCi/g	04/06/16 10:38	04/27/16 07:28	1
Thorium 232	1.02		0.204	0.229		0.151	pCi/g	04/06/16 10:38	04/27/16 07:28	1
Thorium 234	0.891	U	0.324	0.338		0.944	pCi/g	04/06/16 10:38	04/27/16 07:28	1
Uranium 235	0.142	U	0.162	0.162		0.294	pCi/g	04/06/16 10:38	04/27/16 07:28	1
Americium 241	-0.0337	U	0.0669	0.0670		0.111	pCi/g	04/06/16 10:38	04/27/16 07:28	1
Protactinium 234m	2.41	U	2.99	3.00		6.53	pCi/g	04/06/16 10:38	04/27/16 07:28	1
Other Detected			Count	Total						
Radionuclides			Uncert.	Uncert.						
TI-208	0.359		0.0543	0.0658		0.0387	pCi/g	04/06/16 10:38	04/27/16 07:28	1

TestAmerica St. Louis

QC Sample Results

Client: Westinghouse Electric Company LLC
Project/Site: HDP RFP-CBA-022 (7 DAY TAT)

TestAmerica Job ID: 160-16777-2

Method: GA-01-R - Radium-226 & Other Gamma Emitters (GS)

Lab Sample ID: MB 160-244685/1-A

Matrix: Solid

Analysis Batch: 248012

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 244685

Analyte	MB Result	MB Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Actinium 228	0.002300	U	0.00965	0.00965		0.0552	pCi/g	04/06/16 10:38	04/27/16 10:57	1
Bismuth 212	0.01237	U	0.0878	0.0878		0.167	pCi/g	04/06/16 10:38	04/27/16 10:57	1
Bismuth 214	-0.0000042	U	0.0178	0.0178		0.0361	pCi/g	04/06/16 10:38	04/27/16 10:57	1
Lead 212	0.003483	U	0.00984	0.00985		0.0197	pCi/g	04/06/16 10:38	04/27/16 10:57	1
Lead 214	-0.002884	U	0.0149	0.0149		0.0303	pCi/g	04/06/16 10:38	04/27/16 10:57	1
Potassium 40	-0.03894	U	0.552	0.552		0.243	pCi/g	04/06/16 10:38	04/27/16 10:57	1
Protactinium 231	0.04714	U	0.153	0.153		0.276	pCi/g	04/06/16 10:38	04/27/16 10:57	1
Radium 226	-0.0000042	U	0.0178	0.0178	1.00	0.0361	pCi/g	04/06/16 10:38	04/27/16 10:57	1
Thorium 232	0.002300	U	0.00965	0.00965		0.0552	pCi/g	04/06/16 10:38	04/27/16 10:57	1
Thorium 234	0.07130	U	0.126	0.126		0.244	pCi/g	04/06/16 10:38	04/27/16 10:57	1
Uranium 235	0.003824	U	0.00908	0.00909		0.0680	pCi/g	04/06/16 10:38	04/27/16 10:57	1
Americium 241	0.004230	U	0.0135	0.0135		0.0235	pCi/g	04/06/16 10:38	04/27/16 10:57	1
Protactinium 234m	0.1159	U	0.806	0.806		1.76	pCi/g	04/06/16 10:38	04/27/16 10:57	1

Other Detected Radionuclides	MB Result	MB Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Other Detected Radionuclide	None						pCi/g	04/06/16 10:38	04/27/16 10:57	1

Lab Sample ID: LCS 160-244685/2-A

Matrix: Solid

Analysis Batch: 248014

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 244685

Analyte	Spike Added	LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec. Limits
Americium 241	101	100.5		10.5		0.507	pCi/g	100	87 - 116
Cesium 137	34.0	33.65		3.53		0.161	pCi/g	99	87 - 120
Cobalt 60	31.4	31.05		3.14		0.0955	pCi/g	99	87 - 115

Lab Sample ID: 160-16777-1 DU

Matrix: Solid

Analysis Batch: 248014

Client Sample ID: L05-04-23-T-R-B-00

Prep Type: Total/NA

Prep Batch: 244685

Analyte	Sample Result	Sample Qual	DU Result	DU Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	RER	RER Limit
Actinium 228	0.869		1.165		0.194		0.114	pCi/g	0.84	1
Bismuth 212	1.09		1.281		0.481		0.423	pCi/g	0.22	1
Bismuth 214	1.16		1.249		0.177		0.0760	pCi/g	0.28	1
Lead 212	1.12		1.058		0.160		0.0726	pCi/g	0.20	1
Lead 214	1.36		1.291		0.171		0.0755	pCi/g	0.20	1
Potassium 40	20.3		21.27		2.54		0.369	pCi/g	0.19	1
Protactinium 231	0.536	U	0.4008	U	0.241		1.21	pCi/g	0.28	1
Radium 226	1.16		1.249		0.177	1.00	0.0760	pCi/g	0.28	1
Thorium 232	0.869		1.165		0.194		0.114	pCi/g	0.84	1
Thorium 234	0.888		0.6954	U	0.323		0.985	pCi/g	0.32	1
Uranium 235	0.177		0.1546	U	0.129		0.184	pCi/g	0.09	1

TestAmerica St. Louis

QC Sample Results

Client: Westinghouse Electric Company LLC
Project/Site: HDP RFP-CBA-022 (7 DAY TAT)

TestAmerica Job ID: 160-16777-2

Method: GA-01-R - Radium-226 & Other Gamma Emitters (GS) (Continued)

Lab Sample ID: 160-16777-1 DU

Matrix: Solid

Analysis Batch: 248014

Client Sample ID: L05-04-23-T-R-B-00

Prep Type: Total/NA

Prep Batch: 244685

Analyte	Sample Result	Sample Qual	DU Result	DU Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	RER	RER Limit
Americium 241	0.00388	U	-0.00213	U	0.0617		0.104	pCi/g	0.05	1
Protactinium 234m	2.20	U	0.2309	U	3.45		6.12	pCi/g	0.32	1
Other Detected Radionuclides	Sample Result	Sample Qual	DU Result	DU Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	RER	RER Limit
Pb-210	1.72		1.092		0.609		0.795	pCi/g	0.49	1
Tl-208	0.368		0.3849		0.0631		0.0388	pCi/g	0.14	1

QC Association Summary

Client: Westinghouse Electric Company LLC
Project/Site: HDP RFP-CBA-022 (7 DAY TAT)

TestAmerica Job ID: 160-16777-2

Rad

Leach Batch: 244065

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
160-16777-1	L05-04-23-T-R-B-00	Total/NA	Solid	Dry and Grind	
160-16777-1 DU	L05-04-23-T-R-B-00	Total/NA	Solid	Dry and Grind	
160-16777-2	L05-04-24-T-S-B-00	Total/NA	Solid	Dry and Grind	
160-16777-3	L05-04-25-T-S-B-00	Total/NA	Solid	Dry and Grind	
160-16777-4	L05-04-26-T-S-B-00	Total/NA	Solid	Dry and Grind	

Prep Batch: 244685

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
160-16777-1	L05-04-23-T-R-B-00	Total/NA	Solid	Fill_Geo-21	244065
160-16777-1 DU	L05-04-23-T-R-B-00	Total/NA	Solid	Fill_Geo-21	244065
160-16777-2	L05-04-24-T-S-B-00	Total/NA	Solid	Fill_Geo-21	244065
160-16777-3	L05-04-25-T-S-B-00	Total/NA	Solid	Fill_Geo-21	244065
160-16777-4	L05-04-26-T-S-B-00	Total/NA	Solid	Fill_Geo-21	244065
LCS 160-244685/2-A	Lab Control Sample	Total/NA	Solid	Fill_Geo-21	
MB 160-244685/1-A	Method Blank	Total/NA	Solid	Fill_Geo-21	