

REGULATORY INFORMATION DISTRIBUTION SYSTEM (RIDS)

ACCESSION NBR: 8301180378 DOC. DATE: 83/01/11 NOTARIZED: NO DOCKET #
 FACIL: 50-387 Susquehanna Steam Electric Station, Unit 1, Pennsylvania 05000387
 50-388 Susquehanna Steam Electric Station, Unit 2, Pennsylvania 05000388
 AUTH. NAME: CURTIS, N.W. AUTHOR AFFILIATION: Pennsylvania Power & Light Co.
 RECIP. NAME: SCHWENCER, A. RECIPIENT AFFILIATION: Licensing Branch 2

SEE DRAWINGS

SUBJECT: Forwards enlarged photographs showing two different site views for completion of Nomination of Historic Places forms submitted on 821109.

DISTRIBUTION CODE: C002B COPIES RECEIVED: LTR 1 ENCL 1 SIZE: 27
 TITLE: Public Comment on Environmental Statement

NOTES:

	RECIPIENT		COPIES			RECIPIENT		COPIES	
	ID	CODE/NAME	LTTR	ENCL		ID	CODE/NAME	LTTR	ENCL
	NRR	LB2 BC	06	7	7	NRR	LB2 LA	1	1
	NL	ANL		1	1	PERCH, R.	01	1	1
INTERNAL:	ELD/HDS4			1	1	NRR NORRIS, J		1	1
	NRR/DE/AEAB	20	1	1	1	NRR/DE/EEB	16	1	1
	NRR/DE/HGEB	21	1	1	1	NRR/DE/SAB	18	1	1
	NRR/DSI/AEB	19	1	1	1	NRR/DSI/METB	15	1	1
	NRR/DSI/RAB	17	1	1	1	REG FILE	04	1	1
	RGN1		1	1	1				
EXTERNAL:	ACRS		6	6	6	LPDR	03	2	2
	NATL LAB	21	5	5	5	NRC PDR	02	1	1
	NSIC	05	1	1	1	NTIS		1	1



Pennsylvania Power & Light Company

Two North Ninth Street • Allentown, PA 18101 • 215 / 770-5151

Norman W. Curtis
Vice President-Engineering & Construction-Nuclear
215 / 770-5381

JAN 11 1983

Director of Nuclear Reactor Regulation
Attention: Mr. A. Schwencer, Chief
Licensing Branch No. 2
Division of Licensing
U.S. Nuclear Regulatory Commission
Washington, D.C. 20555

SUSQUEHANNA STEAM ELECTRIC STATION
PHOTOGRAPHS - HISTORIC PLACES
ER 100450 FILE 841-22
PLA-1479

Docket Nos. 50-387
50-388

Dear Mr. Schwencer:

The Pennsylvania Power & Light Co. (PP&L) submitted "Nomination of Historic Places" forms to the NRC (PLA-1390, November 9, 1982) pursuant to Section 4.2.4 of Appendix B of License No. NPF-14 for the Susquehanna Steam Electric Station. In discussions between Ms. Susan Zacher, Pennsylvania National Historic Register Coordinator, and Mr. Jerome S. Fields of PP&L, Ms. Zacher indicated that each historic site should have enlarged photographs showing two different site views. Enclosed are three sets of 8" X 10" photos (with borders) to complete the nomination process.

Very truly yours,

N. W. Curtis
Vice President-Engineering & Construction-Nuclear

cc: Mr. R. L. Perch - USNRC
Mr. L. M. Bykoski - USNRC

Ms. Susan Zacher
National Historic Register Coordinator
Pennsylvania Historical and Museum Commission
William Penn Memorial Museum
Harrisburg, PA 17120

COO2

8301180378 830111
PDR ADOCK 05000387
P PDR



SUSQUEHANNA SES
PHOTOGRAPHIC INDEX
ARCHEOLOGICAL SITES
SES-3, SES-6, SES-8, SES-11
ER 100450 File 841-22

1. Site SES-3 (36 Lu 15)
North View
December 6, 1982
2. Site SES-3 (36 Lu 15)
Southeast View
December 6, 1982
3. Site SES-6 (36 Lu 16)
East View
December 6, 1982
4. Site SES-6 (36 Lu 16)
North View
December 6, 1982
5. Site SES-8 (36 Lu 49)
North View
December 6, 1982
6. Site SES-8 (36 Lu 49)
Northwest View
December 6, 1982
7. Site SES-11 (36 Lu 51)
East View
December 6, 1982
8. Site SES-11 (36 Lu 51)
West View
December 6, 1982

J.S. Fields



Site SES-3, (36 Lu 15)

North View

December 6, 1982

Doc. # 50-387

Control # 9301180378

Date 1/11/83 of Document

REGULATORY DOCKET FILE



Site SES-3 (36 Lù 15)
Southeast View
December 6, 1982

Docket # 50-387
Control # 8301180378
Date 1/11/83 of Document
REGULATORY DOCKET FILE



Site SES-6 (36 Lu-16)

East View

December 6, 1982

Docket # 50-387
Control # 8301180378
Date 1/11/83 of Document
EXHIBIT DOCKET FILE



Site SES-6 (36 Lu 16)
North View
December 6, 1982

Doc # 50-387
Cov # 830 1180378
Date 11/1/83 of Document
EXHIBIT DOCKET FILE



Site SES-8 (36 Lu 49)
North View
December 6, 1982

1 50-307
[83 01180378
Do: 2 1/1/83 of Document
REGULATORY DOCKET FILE



Site SES-8 (36 Lu 49)
Northwest View
December 6, 1982

Docket # 50-387
Case # 8301180370
Date 1/11/83 of Documents
REGULATORY DOCKET FILE



Site SES-11 (36 Lu 51)

East View

December 6, 1982

Doc 50-387
C. 1330 1180378
Date 1/1/83 of Document
REGULATORY DOCKET FILE



Site SES-11 (36 Lu 51)
West View
December 6, 1982

Doc: # 50-387
8301190378
B: 1/11/83 of Documents
R: Y DOCKET FILE



Site SES-3 (36 Lu 15)

North View

December 6, 1982

Dist # 50-387
Comp # 8301180378
Date 1/14/83 of Documents
REGULAR DOCKET FILE



Site SES-3 (36 Lu 15)
Southeast View
December 6, 1982

Docket # 50- 387
Control # 8301180378
Date 4/1/83 of Document
REGULATORY DOCKET FILE



Site SES-6 (36 Lu 16)
East View
December 6, 1982

Doc # 56-387
E # 830118 0328
B # 1/11/83 of Documents
REGULATORY DOCKET FILE



Site SES-6 (36 Lu 16)

North View

December 6, 1982

50-387
830118 0778
11/1/82 of Document:
REGULATORY DOCKET FILE



Site SES-8 (36 Lu 49)

North View

December 6, 1982

Box # 50-387
Serial # 8301180378
Page 1111/82 of Documents
REGULARY BOX FILE



Site SES-8 (36 Lu 49)
Northwest View
December 6, 1982

Docket # 50-387
Case # 83 01180378
Date 1/11/83 of Document
REGULATORY DOCKET FILE



Site SES-11 (36 Lu 51)

East View


December 6, 1982

Document # 50-387
C# 1# 830 1180 378
Date 1/11/83 of Document
REGULATORY DOCKET FILE




Site SES-11 (36 Lu 51)
West View
December 6, 1982

Document # 50-387
Case # 0301180378
Date 1/4/83 of Document
REGULATORY DOCKET FILE



Site SES-3 (36 Lu 15)
North View
December 6, 1982

Doc # 50-387
Cov. # 830180378
Date 1/1/83 of Document
REGULATORY DOCKET FILE



Site SES-3 (36 Lu 15)
Southeast View
December 6, 1982

Doc # 50-387
8201180378
Date 1/17/83 of Document:
REGULATORY DOCKET FILE



Site SES-6 (36 Lu 16)

East View

December 6, 1982

D. # 50-387
C. # 830118037B
Date 1/1/03 of Document:
REGULATORY DOCKET FILE




Site SES-6 (36 Lu 16)
North View
December 6, 1982

Docket # 56-387
Case # 8301180 379
Date 1/11/83 of Document
REGULATORY DOCKET FILE ✓



Site SES-8 (36 Lu 49)
North View
December 6, 1982

D^c 50-387
C- 8301180378
D^c 1/11/83 of Document:
REGULATORY DOCKET FILE



• Site SES-8 (36 Lu 49)
Northwest View
December 6, 1982

Docket # 50-387
Serial # 830 1180378
Date 1/11/83 of Document
REGULATORY DOCKET FILE



Site SES-11 (36 Lu 51)
East View
December 6, 1982

Docket # 50-387
Cont # 820118037B
Date 1/11/83 of Document
REGULATORY DOCKET FILE



Site SES-11 (36 Lu 51)
West View
December 6, 1982

Document # 50-387
Cont. # 820 1180378
Date 1/11/83 of Document
REGULATORY DOCKET FILE

PP&L

TWO NORTH NINTH STREET, ALLENTOWN, PA. 18101

PHONE: (215) 821-5151

FEB 23 1978

Mr. Boyce H. Grier
Director
Region I
U.S. Nuclear Regulatory Commission
631 Park Avenue
King of Prussia, Pa. 19406


Docket Nos. 50-387
50-388

SUSQUEHANNA STEAM ELECTRIC STATION
IE BULLETIN NO. 77-02
ER 100450 FILE 840-4
PLA-220

Dear Mr. Grier:

In response to IE Bulletin No. 77-02, we have completed our canvass of AE procured packaged system vendors and have verified that the subject Westinghouse AR Relays are not used in any system. We have also verified that these relays are not used in systems designed and manufactured by our NSSS vendor.

Very truly yours,



N.W. Curtis
Vice President-Engineering and Construction

AO 2
GP

**NO DISTRIBUTION FOR PART 50 DOCUMENT MATERIAL
(TEMPORARY FORM)**

CONTROL NO: 3745
FILE: INCIDENT REPORT FILE

FROM: Penns. Power & Light Co. Allentown, Penna. N.W. Curtis			DATE OF DOC 4-4-75	DATE REC'D 4-7-75	LTR XX	TWX	RPT	OTHER XXX
TO: James P. O'Reilly			ORIG 1 Signed	CC	OTHER	SENT AEC PDR _____ SENT LOCAL PDR _____ XXXX		
CLASS	UNCLASS XXX	PROP INFO	INPUT	NO CYS REC'D 1	DOCKET NO: 50-387/388			

DESCRIPTION:

Ltr. trans the following.....

ENCLOSURES:

Reporting a potential deficiency concerning suppression pool structures and equipment.....

DO NOT DESTROY
9b (1 cy. Encl. rec'd)

PLANT NAME: Susquehanna Units 1 & 2

**ACKNOWLEDGED
FOR ACTION/INFORMATION**

VCR -4-24-75

BUTLER (L) W/ Copies	SCHWENCER (L) W/ Copies	ZIEMANN (L) W/ Copies	REGAN (E) W/ Copies
CLARK (L) W/ Copies	STOLZ (L) W/ Copies	DICKER (E) W/ Copies	LEAR (L) W/ Copies
PARR (L) W/ Copies	VASSALLO (L) W/ Copies	KNIGHTON (E) W/ Copies	SPELS W/ Copies
KNIEL (L) W/ Copies	PURPLE (L) W/ Copies	YOUNGBLOOD (E) W/ Copies	

INTERNAL DISTRIBUTION

REG/FILE NRC PDR OGC, ROOM P-506A GOSSICK/STAFF CASE GIAMBUSO BOYD MOORE (L) DEYOUNG (L) SKOVHOLT (L) GOLLER (L) (Ltr) P. COLLINS DENISE REG OPR FILE & REGION (2) MIPC/PE (3) STEELE	TECH REVIEW SCHROEDER MACCARY KNIGHT PAWLICKI SHAO **STELLO **HOUSTON **NOVAK ROSS IPPOLITO TEDESCO LONG LAINAS BENAROYA VOLLMER	DENTON **GRIMES GAMMILL KASTNER BALLARD SPANGLER ENVIRO MULLER DICKER KNIGHTON YOUNGBLOOD REGAN PROJECT LDR HARLESS	LIC ASST R. DIGGS (L) H. GEARIN (L) E. GOULBOURNE (L) P. KREUTZER (E) J. LEE (L) M. MAIGRET (L) S. REED (E) M. SERVICE (L) S. SHEPPARD (L) M. SLATER (E) H. SMITH (L) S. TEETS (L) G. WILLIAMS (E) V. WILSON (L) R. INGRAM (L)	A/T IND. BRAITMAN SALTZMAN MELTZ PLANS MCDONALD CHAPMAN DUBE (Ltr) E. COUPE PETERSON HARTFIELD (2) KLECKER EISENHUT WIGGINTON F. WILLIAMS HANAUER
--	--	---	--	---

EXTERNAL DISTRIBUTION

1 - LOCAL PDR <i>Wilkes Barre - Penna</i>	1 - NATIONAL LABS	1 - PDR-SAN/LA/NY
1 - TIC (ABERNATHY) (1)(2)(10)	1 - W. PENNINGTON, Rm E-201 GT	1 - BROOKHAVEN/NAT LAB
1 - NSIC (BUCHANAN)	1 - CONSULTANTS	1 - G. ULRIKSON, ORNL
1 - ASLB	NEWARK/BLUME/AGBABIAN	1 - AGMED (RUTH GUSSMAN) Rm B-127 GT
1 - Newton Anderson		1 - J. D. RUNKLES, Rm E-201 GT
5 - ACRS SENT TO LIC ASST		
** SEND ONLY TEN DAY REPORTS <i>Maigret</i>		

**NOT DISTRIBUTION FOR PART 50 DOCKET MATERIAL
(TEMPORARY FORM)**

CONTROL NO: 4134

FILE: INCIDENT REPORT FILE

FROM: Penn. Power & Light Co. Allentown, PA 18101 N.W. Curtis			DATE OF DOC 4/4/75	DATE REC'D 4/16/75	LTR XX	TWX	RPT	OTHER
TO: J. P. O'Reilly			ORIG 1 signed	CC	OTHER	SENT AEC PDR xxx SENT LOCAL PDR xxx		
CLASS	UNCLASS xxx	PROP INFO	INPUT	NO CYS REC'D 1 signed		DOCKET NO: 50-387(388)		

DESCRIPTION:

Ltr notarized 4/4/75 trans the following:

PLANT NAME: Susquehana 1 & 2

ENCLOSURES:

Interim report on a potential deficiency on primary containment design bases and load combinations

**ACKNOWLEDGED
DO NOT REMOVE**

FOR ACTION/INFORMATION

LDM 4/21/75

✓ BUTLER (L) W/ Copies	SCHWENCER (L) W/ Copies	ZIEMANN (L) W/ Copies	REGAN (E) W/ Copies
CLARK (L) W/ Copies	STOLZ (L) W/ Copies	DICKER (E) W/ Copies	LEAR (L) W/ Copies
PARR (L) W/ Copies	VASSALLO (L) W/ Copies	KNIGHTON (E) W/ Copies	SPELS W/ Copies
KNIEL (L) W/ Copies	PURPLE (L) W/ Copies	YOUNGBLOOD (E) W/ Copies	

INTERNAL DISTRIBUTION

<u>REG FILE</u> NRC PDR OGC, ROOM P-506A GOSSICK/STAFF CASE GIAMBUSSO BOYD MOORE (L) DEYOUNG (L) SKOVHOLT (L) GOLLER (L) (Ltr) P. COLLINS DENISE REG OPR FILE & REGION (2) MIPC/PE (3) STEELE	<u>TECH REVIEW</u> SCHROEDER MACCARY KNIGHT PAWLICKI SHAO **STELLO **HOUSTON **NOVAK ROSS IPPOLITO TEDESCO LONG LAINAS BENAROYA VOLLMER	<u>DENTON</u> **GRIMES GAMMILL KASTNER BALLARD SPANGLER <u>ENVIRO</u> MULLER DICKER KNIGHTON YOUNGBLOOD REGAN PROJECT LDR HARLESS	<u>LIC ASST</u> R. DIGGS (L) H. GEARIN (L) E. GOULBOURNE (L) P. KREUTZER (E) J. LEE (L) ✓ M. MAIGRET (L) S. REED (E) M. SERVICE (L) S. SHEPPARD (L) M. SLATER (E) H. SMITH (L) S. TEETS (L) G. WILLIAMS (E) V. WILSON (L) R. INGRAM (L)	<u>A/T IND.</u> BRAITMAN SALTZMAN MELTZ <u>PLANS</u> MCDONALD CHAPMAN DUBE (Ltr) E. COUPE PETERSON HARTFIELD (2) KLECKER EISENHUT WIGGINTON F. WILLIAMS HANAUER
---	--	--	--	--

EXTERNAL DISTRIBUTION

1 - LOCAL PDR Wilkes Barre, PA	1 - NATIONAL LABS	1 - PDR-SAN/LA/NY
1 - TIC (ABERNATHY) (1)(2)(10)	1 - W. PENNINGTON, Rm E-201 GT	1 - BROOKHAVEN NAT LAB
1 - NSIC (BUCHANAN)	1 - CONSULTANTS	1 - G. ULRIKSON, ORNL
1 - ASLB	NEWMARK/BLUME/AGBABIAN	1 - AGMED (RUTH GUSSMAN) Rm B-127 GT
1 - Newton Anderson		1 - J. D. RUNKLES, Rm E-201 GT
5 - ACRS SENT TO LIC ASST		
** SEND ONLY TEN DAY REPORTS		

1000 1000 1000 1000
1000 1000 1000 1000

May 26, 1977

The Honorable Griffin B. Bell
Attorney General

Attention: Joseph J. Saunders, Esq.
Chief, Public Counsel and
Legislative Section
Antitrust Division
Department of Justice

Distribution:
NRC Central files
LPDR PDR
ELD Reading file
JSaltzman
ASLAB
ASLBP
Ed Ford
JRutberg
A/T formal file

Re: Pennsylvania Power & Light Company
Susquehanna Station, Units 1 and 2
NRC Docket Nos. 50-387A and 50-388A

Dear Mr. Bell:

On April 12, 1977, the Pennsylvania Power & Light Company submitted information requested by the Attorney General for his antitrust review regarding Allegheny Electric Cooperative, Inc. In accordance with section 105(c) of the Atomic Energy Act of 1954, as amended, we are submitting to you two copies of the document.

The material is being transmitted to afford you an opportunity to render such advice to the Commission as you determine to be appropriate in regard to the finding to be made by the Commission pursuant to section 105(c)(5) of the Act.


Sincerely,
Original signed
by H. K. Shapar

Howard K. Shapar
Executive Legal Director

Enclosure
Information for Antitrust
Review (2)

Anti
(2)

OFFICE	OELD	OELD			
SURNAME	JRutberg:bd	HKShapar			
DATE	5-25-77	5/28/77			




Public Power
July 1971

WA-8453-71 50-387

New Products

Relay tester



The Westinghouse functional testing unit (type FTU) is designed to prove the reliability and performance of relay components and circuitry in any solid-state pilot relaying system.

The functional test packaging provides the following: 1. simulate internal and external protected line fault conditions; 2. check the phase-and-ground distance, overcurrent, and current phase comparison fault detectors; 3. check decision logic; 4. check output circuitry; 5. check directional comparison systems channels from one location; and 6. allow performance of above operations on a per-shift basis by operating (nontechnical) personnel.

The in-service function test of relay systems was developed by engineers of the Westinghouse Relay-Instrument Division, Newark, N.J. For more information, write: Westinghouse Electric Corp., Westinghouse Building, Pittsburgh, Pa. 15222.

Rope puller

The Kellems Division of Harvey Hubbell, Inc., has announced a feed tube, for inserting synthetic rope into their Dua-pull wire mesh pulling grips used for overhead line stringing applications.

The Kellems feed tube consists of a thin-walled aluminum tube with a tapered nose cone at one end for insertion into the open end of the grip.

The feed tube is pushed through the full length of the wire mesh so that the tapered end projects through the shoulders of the grip. The synthetic rope is then inserted into the tube and pushed in as far as it will go. The tube is then

drawn out through the shoulder, leaving the synthetic rope held securely in place by the wire mesh.

The devices accommodate synthetic rope diameters from .25" up to 1.74". Tubes range from 28 inches to 96 inches in length.


Additional information may be obtained from: Kellems Division, Harvey Hubbell, Inc., Stonington, Conn. 06378.

Coal dozer

Clark Equipment Company's Construction Machinery Division now offers a medium size, rubber-tired coal dozer.

Additional information is available from: Construction Machinery Division, Clark Equipment Co., Pipestone Road, Benton Harbor, Mich. 49022.

Insulating covers



Kearney, a Division of Kearney-National Inc., has announced the availability of a new line of insulated Serv-ens, designed to maintain service connections without the installation of a separate insulating cover.

The new 5/8-inch o.d. Serv-ens feature a solid center barrier that causes the factory-filled inhibitor to be forced around and between the conductor strands to assure current equalization.

Kearney insulated Serv-ens have an extruded nylon cover with a dielectric strength exceeding service drop cable insulation.

For additional information contact: Kearney, 1928 Montreal Rd., Atlanta, Ga. 30329.

legal notices

UNITED STATES ATOMIC ENERGY COMMISSION

Docket Nos. 50-369A and 50-370A
DUKE POWER COMPANY

Notice of Receipt of Application for
Construction Permits and Facility Licenses

The Duke Power Company, 422 South Church Street, Charlotte, North Carolina, 28201, pursuant to the Atomic Energy Act of 1954, as amended, has filed an application dated September 18, 1970, for permits to construct and licenses to operate two pressurized water nuclear reactors, designated as the William B. McGuire Nuclear Station Units 1 and 2, on the applicant's site in Mecklenburg County, North Carolina. The site is located on the shore of Lake Norman, approximately

North Carolina, and is immediately east of Duke Power Company's Cowan Ford Hydroelectric Station.

The proposed nuclear station will consist of two pressurized water reactors, each of which is designed for initial operation at approximately 3411 thermal megawatts with a net electrical output of approximately 1180 megawatts.

A copy of the application is available for public inspection at the Commission's Public Document Room, 1717 H Street, N.W., Washington, D.C. and at the office of the County Manager, Mecklenburg County, 720 East 4th Street, Charlotte, North Carolina.

FOR THE ATOMIC ENERGY COMMISSION
Peter A. Morris, Director
Division of Reactor Licensing

UNITED STATES ATOMIC ENERGY COMMISSION

Docket Nos. 50-329 and 50-330

Notice of Receipt of Application for
Construction Permit and Operating License

Consumers Power Company, 212 West Michigan Avenue, Jackson, Michigan, pursuant to the Atomic Energy Act of 1954, as amended, has filed an application, dated January 13, 1969, for permits to construct and licenses to operate two pressurized water nuclear power reactors, each having a gross electric output of approximately 1325 megawatts plus 4,050,000 lbs/hr of process steam, derived from a thermal capacity of approximately 2452 megawatts.

The proposed reactors, designated by the applicant as the Midland Plant, Units No. 1 and 2, are to be located at the applicant's site on the Tittabawasee River in Midland County, Michigan, and adjacent to the Dow Chemical Company's main industrial complex in the City of Midland.

Information on procedures in connection with the antitrust review of the application may be obtained by writing to the Secretary of the Atomic Energy Commission, Washington, D.C. 20545.

A copy of the application and the amendments thereto are available for public inspection at the Commission's Public Document Room, 1717 H Street, N.W., Washington, D.C., and at the Grace Dow Memorial Library, 1710 West St. Andrews Road, Midland, Michigan.


FOR THE ATOMIC ENERGY COMMISSION
Peter A. Morris, Director
Division of Reactor Licensing

UNITED STATES ATOMIC ENERGY COMMISSION

Docket Nos. 50-387 and 50-388
PENNSYLVANIA POWER AND LIGHT COMPANY

Notice of Receipt of Application for
Construction Permits and Facility Licenses

Pennsylvania Power and Light Company, 901 Hamilton Street, Allentown, Pa. 18101 pursuant to Section 103 of the Atomic Energy Act of 1954, as amended, has filed an application dated March 23, 1971, for authorization to construct and operate a single-cycle, forced circulation, boiling water nuclear reactors at its site, located in



Bailey
360
Light
+ power
June
1971

ATOMIC ENERGY COMMISSION **50-387**
Pennsylvania Power and Light Company
Notice of Receipt of Application for
Construction Permits and Facility Licenses

Pennsylvania Power and Light Company, 901 Hamilton Street, Allentown, PA 18101, pursuant to Section 103 of the Atomic Energy Act of 1954, as amended, has filed an application dated March 23, 1971, for authorization to construct and operate two single-cycle, forced circulation, boiling water nuclear reactors at its site, located in Salem Township, Luzerne County, PA. The proposed site consists of 1522 acres and is located on the west bank of the Susquehanna River, approximately 15 miles southwest of Wilkes-Barre, Pennsylvania.

Each unit of the proposed nuclear facility, designated by the applicant as the Susquehanna Steam Electric Station, Units 1 and 2, is designed for initial operation at approximately 3293 megawatts (thermal) with a net electrical output of approximately 1100 megawatts.

Information on procedures in connection with the antitrust review of the application may be obtained by writing to the Secretary of the Atomic Energy Commission, Washington, DC 20545.

A copy of the application is available for public inspection at the Commission's Public Document Room, 1717 H Street, N.W., Washington, DC and at the Osterhout Free Library, 71 S. Franklin Street, Wilkes-Barre, PA.

FOR THE ATOMIC ENERGY COMMISSION
Peter A. Morris, Director
Division of Reactor Licensing

ATOMIC ENERGY COMMISSION **50-329**
Notice of Receipt of Application for
Construction Permit and Operating License

Consumers Power Company, 212 West Michigan Avenue, Jackson, Michigan, pursuant to the Atomic Energy Act of 1954, as amended, has filed an application, dated January 13, 1969, for permits to construct and licenses to operate two pressurized water nuclear power reactors, each having a gross electrical output of approximately 1325 megawatts plus 4,050,000 lbs/hr of process steam, derived from a thermal capacity of approximately 2452 megawatts.

The proposed reactors, designated by the applicant as the Midland Plant, Units No. 1 and 2, are to be located at the applicant's site on the Tittabawasee River in Midland County, Michigan, and adjacent to the Dow Chemical Company's main industrial complex in the City of Midland.

Information on procedures in connection with the antitrust review of the application may be obtained by writing to the Secretary of the Atomic Energy Commission, Washington, D. C. 20545.

A copy of the application and the amendments thereto are available for public inspection at the Commission's Public Document Room, 1717 H Street, N. W., Washington, D. C., and at the Grace Dow Memorial Library, 1710 West St. Andrews Road, Midland, Michigan.

FOR THE ATOMIC ENERGY COMMISSION
Peter A. Morris, Director
Division of Reactor Licensing

NEW PRODUCTS

60Hz Oscillator

This inexpensive yet highly stable power frequency source can be used as a reference for a frequency meter, inverter or other power system instrumentation. It is available at 50Hz, 60Hz, 400-Hz or other power frequencies. Use of a crystal at a naturally stable point gives a variation of only $\pm .003$ Kz from 60 Hz over a -40 to $+65^{\circ}$ range of temperature. A trimmer permits precise adjustment against a standard at the desired frequency. Beckwith Electric Company

For Information Circle Info Card No. 232

Bus Bar Grounding Clamps

Kearney's latest aluminum Bus Bar Clamps are designed to extend safety protection in all substations by providing temporary ground connections on all types of bus utilized at these locations. Applied to this new product grouping are threaded compression ferrules which provide positive, low-cost, high conductivity connections. A removable adapter is featured on two of the improved clamp designs—Numbers 3686 and 3687. This remains positioned in the clamps body when connections are made on smaller size conductors. Through simple removal of the adapter the range is advanced to encompass larger size bus. Kearney

For Information Circle Info Card No. 233

D-C Voltage Regulator

Designed for mounting next to a sensitive d-c load on a locomotive this unit delivers 24V at 0 to 5 amps with inputs from 27 to 40 volts. Rated at -40 to $+80^{\circ}\text{C}$ and 25 watts of series drop under all conditions of input voltage and load, the unit compensates for wiring drop and voltage fluctuations of main d-c supply. A major feature is the minimum voltage drop achieved. Beckwith Electric Co.

For Information Circle Info Card No. 235

ATOMIC ENERGY COMMISSION **50-367**
NORTHERN INDIANA PUBLIC SERVICE COMPANY

Notice of Receipt of Application for
Construction Permit and Operating License

Northern Indiana Public Service Company, 5265 Hohman Avenue, Hammond, Indiana 46320, pursuant to Section 103 of the Atomic Energy Act of 1954, as amended, has filed an application dated August 24, 1970, for authorization to construct and operate a single-cycle, forced circulation, boiling water nuclear reactor at its Bailly Generating Station site, located in Westchester Township, Porter County, Indiana. The proposed site is located on the south end of the shore of Lake Michigan, adjacent to the fossil-fueled Units 7 and 8 of the Bailly Generating Station, and is approximately 12 miles east-northeast of Gary, Indiana.


The proposed nuclear reactor, designated by the applicant as Bailly Generating Station—Nuclear 1, is designed for initial operation at approximately 1931 megawatts (thermal) with a net electrical output of approximately 657 megawatts.

Information on procedures in connection with the antitrust review of the application may be obtained by writing to the Secretary of the Atomic Energy Commission, Washington, D. C. 20545.

A copy of the application is available for public inspection at the Commission's Public Document Room, 1717 H Street, N. W., Washington, D. C., and at the local office of Northern Indiana Public Service Company, 141 South Calumet Street, Chesterton, Indiana.

FOR THE ATOMIC ENERGY COMMISSION
Peter A. Morris, Director
Division of Reactor Licensing





UNITED STATES
ATOMIC ENERGY COMMISSION
WASHINGTON, D.C. 20545

June 1, 1971

ANTI-TRUST

Files

FEDERAL REGISTER NOTICE

Description: DOCKET NOS. 50-387, 50-388, PENNSYLVANIA POWER AND LIGHT CO., Notice of Receipt of Application for Construction Permits and Facility Licenses; Time for Submission of Views on Antitrust Matter (Susquehanna 1 and 2) Fourth publication

Citation: 36 F.R. 9793

Date Filed: May 6, 1971

Date Published: May 28, 1971

Comments Due By: July 7, 1971 (36 F.R. 8529)

Nancy Lee Dube
Division of Reactor Licensing

cc: S. Kari, RL
Chrono File, RL

Note: Please change copies of memos to files dated May 11, 17 and 24, 1971 concerning the first, second and third publications of the above notice so that the date comments are due reads July 7, 1971 instead of June 7, 1971.

picking up the mess?

When did I last throw an empty can, bottle, or candy wrapper out of a car window?

When did I last leave garbage by the roadside — when nobody was looking?

Do I know and live by the anti-pollution guide lines in my community?

When did I last dump junk, old tires, or other refuse in a lake or stream?

Other questions continue in the same vein.

The pamphlet concludes by saying: There is not much point in industry trying to clean up the skies, lakes, and streams, if people continue to litter and pollute the parks, beaches, streams, lakes, roadside, and public recreation areas. In other words, industry can not do it alone. Pollution, the pamphlet adds, is obviously *everybody's problem*.

The four-page tract was designed for community, school, and employee distribution. Single copies are 25 cents each. Quantity prices

Digital Communication

Network Grows

PLANS of The Western Union Telegraph Company for construction of a 400-mile "hybrid" microwave link between Cincinnati and Atlanta have been approved by the Federal Communications Commission (FCC).

The Cincinnati-Atlanta link will interconnect with Western Union's existing 7,900-mile transcontinental microwave system, permitting customers in the Atlanta area to have direct microwave access to this system for the first time.

The "hybrid" system will handle both digital and analog traffic and have a maximum capacity of 6.3 megabits per second, digital; and 600 voice grade channels. The digital capacity represents 30,000 150-band low speed data channels.

In its original filing with the FCC over a year ago, Western Union stressed the need for additional circuits to meet rising communications demand from public, industrial, and government customers in the South-

west, and teletypewriter exchange.

The digital transmission capability offered by a hybrid system lets computers and other electronic data processing and communications equipment "talk" directly to one another—without need for devices to provide signal translation or correction.

The existing Western Union microwave network was completed in 1964 after four years of construction. It remains the largest single microwave project to be undertaken at one time. Although the system transmits in the analog mode, traffic carried by it is already 67 per cent digital in nature, Western Union reports.

The newly-authorized link is the first phase in the company's plan to provide a digital network on its nationwide microwave facilities. Western Union is looking forward to early FCC approval of the second phase—a plan to add digital capacity between New York and Philadelphia. The request for authorization was filed last October.

UNITED STATES ATOMIC ENERGY COMMISSION DOCKET NOS. 50-387 AND 50-388 PENNSYLVANIA POWER AND LIGHT COMPANY

Notice of Receipt of Application for Construction Permits and Facility Licenses

Pennsylvania Power and Light Company, 901 Hamilton Street, Allentown, PA 18101, pursuant to Section 103 of the Atomic Energy Act of 1954, as amended, has filed an application dated March 23, 1971, for authorization to construct and operate two single-cycle, forced circulation, boiling water nuclear reactors at its site, located in Salem Township, Luzerne County, Pa. The proposed site consists of 1522 acres and is located on the west bank of the Susquehanna River, approximately 15 miles southwest of Wilkes-Barre, Pennsylvania.

Each unit of the proposed nuclear facility, designated by the applicant as the Susquehanna Steam Electric Station, Units 1 and 2, is designed for initial operation at approximately 3293 megawatts (thermal) with a net electrical output of approximately 1100 megawatts.

Information on procedures in connection with the antitrust review of the application may be obtained by writing to the Secretary of the Atomic Energy Commission, Washington, DC 20545.

A copy of the application is available for public inspection at the Commission's Public Document Room, 1717 H Street, N.W., Washington, DC and at the Osterhout Free Library, 71 S. Franklin Street, Wilkes-Barre, PA.

FOR THE ATOMIC ENERGY COMMISSION

Peter A. Morris, Director
Division of Reactor Licensing

Dated at Bethesda, Maryland
this 30th day of April, 1971.


Generating Capacity to Be Increased

PHILADELPHIA Electric Company has announced the completion of arrangements to lease 17 internal combustion turbine generators costing approximately \$41 million.

The 25-year lease was arranged through United States Leasing International, Inc., of San Francisco, with a group of banks, headed by the Philadelphia National Bank, acting as the equity investors. Long-term financing is being provided by Halsey, Stuart & Company, Inc., from institutional investors.

The combustion turbines are in the process of installation and all are expected to be placed in service over the next four months to provide approximately 575,000 kilowatts of additional generating capacity to help meet the high electric peak loads expected this summer.

Public Utilities Fortnightly
May 27, 1971



UNITED STATES
ATOMIC ENERGY COMMISSION
WASHINGTON, D.C. 20545

May 24, 1971

ANTI-TRUST

Files

FEDERAL REGISTER NOTICE


Description: DOCKET NOS. 50-387, 50-388, PENNSYLVANIA POWER
AND LIGHT CO., Notice of Receipt of Application
for Construction Permits and Facility Licenses;
Time for Submission of Views on Antitrust Matter
Susquehanna 1 and 2 - Third Publication

Citation: 36 F. R. 9268

Date Filed: May 6, 1971

Date Published: May 21, 1971

Comments Due By: June 7, 1971 (36 F.R. 8529)


Nancy Lee Dube
Division of Reactor Licensing

cc: S. Kari, RL
Chrono File, RL

A.T.



10/10/10



UNITED STATES
ATOMIC ENERGY COMMISSION
WASHINGTON, D.C. 20545

ANTI-TRUST

May 17, 1971

Files

FEDERAL REGISTER NOTICE


Description: DOCKET NOS. 50-387, 50-388, PENNSYLVANIA POWER
AND LIGHT CO., Notice of Receipt of Application
for Construction Permits and Facility Licenses;
Time for Submission of Views on Antitrust Matter
(Susquehanna 1 and 2) Second publication

Citation: 36 F.R. 8893

Date Filed: May 7, 1971

Date Published: May 14, 1971

Action Date: Comments Due By June 7, 1971


Nancy Lee Dube
Division of Reactor Licensing

cc: S. Kari, RL
Chrono File, RL




1. The first part of the document discusses the importance of maintaining accurate records of all transactions and activities. It emphasizes the need for transparency and accountability in financial reporting.

2. The second part of the document outlines the various methods and techniques used to collect and analyze data. It includes a detailed description of the sampling process and the statistical tools employed.

3. The third part of the document presents the results of the study, showing the distribution of data points and the overall trends observed. It includes several tables and graphs to illustrate the findings.

4. The fourth part of the document discusses the implications of the results and provides recommendations for future research. It highlights the need for further investigation into certain areas and suggests potential areas for exploration.

5. The final part of the document is a conclusion that summarizes the key findings and reiterates the importance of the research. It also includes a list of references and a bibliography of the sources used.



UNITED STATES
ATOMIC ENERGY COMMISSION
WASHINGTON, D.C. 20545

ANTI-TRUST

May 11, 1971

Files

FEDERAL REGISTER NOTICE


Description: DOCKET NOS. 50-387, 50-388, PENNSYLVANIA POWER AND LIGHT CO., Notice of Receipt of Application for Construction Permits and Facility Licenses; Time for Submission of Views on Antitrust Matter (Susquehanna 1 and 2) First publication

Citation: 36 F.R. 8529

Date Filed: May 6, 1971

Date Published: May 7, 1971

Comments Due By: June 7, 1971 (60 days after publication)


Nancy Lee Dube
Division of Reactor Licensing

cc: S. Kari, RL
Chrono File, RL

ANTI-TRUST

Docket Nos. 50-387A
388A

MAY 4 1972

S. Robinson, Chief,
Public Filings & Proceedings Branch
Office of the Secretary

FEDERAL REGISTER NOTICE

Two signed originals of a Federal Register notice identified as follows are enclosed for your transmittal to the Office of the Federal Register for filing and publication:

ATOMIC ENERGY COMMISSION

DOCKET NOS. 50-387A & 388A

PENNSYLVANIA POWER & LIGHT COMPANY

NOTICE OF RECEIPT OF ATTORNEY GENERAL'S ADVICE AND TIME


FOR FILING OF PETITIONS TO INTERVENE ON ANTITRUST MATTERS



Twelve additional conformed copies of the notice are enclosed for your use.

/s/ Abraham Braitman

Abraham Braitman, Chief
Office of Antitrust and Indemnity

DISTRIBUTION:

Docket Files 
EJBloch R/F
ABraitman
JRutberg
Giambusso/RBaer/L.A.

OFFICE						
SURNAME	OATI ABraitman/hh					
DATE						

STEF A YAH

STEF A YAH

STEF A YAH

STEF A YAH

STEF A YAH

STEF A YAH

STEF A YAH

STEF A YAH

STEF A YAH

STEF A YAH

STEF A YAH

STEF A YAH

STEF A YAH

STEF A YAH

STEF A YAH

May 26, 1977

Docket Nos. 50-387A
50-388A

MEMORANDUM FOR: Edward H. Ford
Office of Administration

FROM: R. McClymonds
Antitrust & Indemnity Group

SUBJECT: SUSQUEHANNA UNITS NOS. 1 AND 2

We have reviewed the antitrust information submitted by the Pennsylvania Power & Light Company on behalf of the Allegheny Electric Cooperative, for the captioned nuclear plant, and have found it to be satisfactory for acceptance and distribution.

/s/ RICHARD McClyMONDS

Richard McClymonds
Power Supply Analysis Section
Antitrust and Indemnity Group
Nuclear Reactor Regulation

cc: JRutberg, OELD
SMiner, DPM
MRushbrook, DPM

Distribution:
Docker Files
AToalston
RMcClymonds
AIG Files
AIG Subject Files

Anti-trust
3

OFFICE >	NRR:AIG <i>RHM</i>	NRR:AIG <i>ALJ</i>	NRR:AIG <i>ALJ</i>			
SURNAME >	RMcClymonds/cd	AToalston	JSaltzman			
DATE >	5/26/77	5/26/77	5/26/77			

THE

1911

OF THE

OF THE

OF THE

OF THE

OF THE

OF THE

OF THE

OF THE

OF THE

OF THE

OF THE

OF THE

OF THE

OF THE

OF THE

OF THE

INTERLAKE, INC.

Notice of Proposed Consent Decree in Action To Enjoin Emission of Air Pollutants

In accordance with Departmental Policy, 28 CFR § 50.7, 38 FR 10029, notice is hereby given that on or about July 18, 1977, a proposed consent decree in *United States v. Interlake, Inc.*, was lodged with the District Court for the Northern District of Illinois. The proposed decree would require Interlake, Inc. to bring its by-product coke production facility in Chicago into compliance with Illinois Air Pollution Control Regulations on a specific schedule, the final date of which is 34 months from entry of the decree.

The Department of Justice will receive for 30 days from the date of publication of this notice written comments relating to the proposed judgment. Comments should be addressed to the Assistant Attorney General of the Land and Natural Resources Division, Department of Justice, Washington, D.C. 20530, and refer to *United States v. Interlake, Inc.*, D.J. Ref. 90-5-2-1-44.

The proposed consent decree may be examined at the office of the United States Attorney, Everett McKinley Dirksen Building, 219 S. Dearborn Street, Chicago, Illinois, 60604, at the Region V Office of the Environmental Protection Agency, Enforcement Division, 230 S. Dearborn Street, Chicago, Illinois 60604, and at the Pollution Control Section, Land and Natural Resources Division of the Department of Justice, Room 2625, Department of Justice, Washington, D.C. 20530. A copy of the proposed consent judgment may be obtained in person or by mail from the Pollution Control Section, Land and Natural Resources Division of the Department of Justice.

JAMES W. MOORMAN,
Acting Assistant Attorney General,
Land and Natural Resources Division.

[FR Doc.77-22029 Filed 7-29-77;8:45 am]

Drug Enforcement Administration
CONTROLLED SUBSTANCES IN
SCHEDULES I AND II

Final 1977 Aggregate Production Quota
Oxycodone for Conversion

Section 306 of the Comprehensive Drug Abuse Prevention and Control Act of 1970 (21 U.S.C. 826) requires the Attorney General to establish aggregate production quotas for all controlled substances in Schedules I and II each year. This responsibility has been delegated to the Administrator of the Drug Enforcement Administration pursuant to 0.100 of Title 28 of the Code of Federal Regulations.

On June 7, 1977, a notice of the proposed revised aggregate production quota for 1977 for Oxycodone For Conversion was published in the FEDERAL REGISTER (42 FR 29110-11). All interested parties were invited to comment or object to the proposed aggregate production quota on or before July 5, 1977. No comments or objections were received.

Therefore, under the authority vested in the Attorney General by section 306 of the Comprehensive Drug Abuse Prevention and Control Act of 1970 (21 U.S.C. 826), and delegated to the Administrator of the Drug Enforcement Administration by § 0.100 of Title 28 of the Code of Federal Regulations, the Administrator of the Drug Enforcement Administration hereby orders that the aggregate production quota for the controlled substance listed below, expressed in grams of anhydrous base, be established as follows:

Basic class:

Oxycodone for conversion----- 8,400

This order is effective upon publication.

Dated: July 25, 1977.

PETER B. BENSINGER,
Administrator, Drug
Enforcement Administration.

[FR Doc.77-21945 Filed 7-29-77;8:45 am]

NUCLEAR REGULATORY
COMMISSION

* [Docket Nos. 50-337 and 50-398]

PENNSYLVANIA POWER AND LIGHT CO.
AND ALLEGHENY ELECTRIC COOPERATIVE, INC.

Receipt of Additional Antitrust Information;
Time for Submission of Views on Antitrust Matters

Pennsylvania Power and Light Co.; pursuant to Section 103 of the Atomic Energy Act of 1954, as amended, filed on April 12, 1977, information requested by the Attorney General for Antitrust Review as required by 10 CFR Part 50, Appendix L. This information adds Allegheny Electric Cooperative, Inc., as an owner of the Susquehanna Steam Electric Station, Units 1 and 2.

The information was filed by Pennsylvania Power and Light Co. in connection with their application for construction permits and operating licenses for two boiling water nuclear reactors. The Pennsylvania Power and Light Co. was issued two construction permits, on November 2, 1973, for their Susquehanna Steam Electric Station, Units 1 and 2. Construction is underway on a site located in Salem Township, Luzerne County, Pa.

The original antitrust portion of the application was submitted on March 23, 1971, and Notice of Receipt of Application for Construction Permits and Facility Licenses; Time for Submission of Views on Antitrust Matters was published in the FEDERAL REGISTER on May 7, 1971 (36 FR 8529). The Notice of Hearing was published in the FEDERAL REGISTER on September 23, 1972 (37 FR 20090).

A copy of all the above stated documents are available for public inspection at the Commission's Public Document Room, 1717 H Street, NW., Washington, D.C. 20555, and at the Osterhout Free Library, 71 South Franklin Street, Wilkes-Barre, Pa. 18701.

Information in connection with the antitrust review of this application can be obtained by writing to the U.S. Nuclear Regulatory Commission, Washington, D.C., Attn.: Antitrust and Indemnity Group, Office of Nuclear Reactor Regulation.

Any person who wishes to have his views on the antitrust matters with respect to the Allegheny Electric Cooperative, Inc., presented to the Attorney General for consideration should submit such views to the U.S. Nuclear Regulatory Commission on or before August 23, 1977.

Dated at Bethesda, Md., this 16th day of June, 1977.

For the Nuclear Regulatory Commission.

ANTHONY BOURNIA,
Acting Chief, Light Water Reactors Branch No. 3, Division of Project Management.

[FR Doc.77-20443 Filed 7-15-77;8:45 am]

NOTE.—This document originally appeared at the 37882 in the FEDERAL REGISTER for Monday, July 25, 1977. It is reprinted in this issue without change.

ADVISORY COMMITTEE ON REACTOR
SAFEGUARDS, SUBCOMMITTEE ON
THE VERMONT YANKEE NUCLEAR
POWER PLANT

Meeting

In accordance with the purposes of sections 29 and 182b. of the Atomic Energy Act (42 U.S.C. 2039, 2232b.), the ACRS Subcommittee on the Vermont Yankee Nuclear Power Plant, will hold an open meeting on August 16, 1977, in Room 1046, 1717 H Street NW., Washington, D.C. 20555. The purpose of this meeting is to review operating experience and other matters pertinent to the Vermont Yankee Nuclear Power Plant.

The agenda for subject meeting shall be as follows:

TUESDAY, AUGUST 16, 1977

8:30 A.M. UNTIL CONCLUSION OF BUSINESS

The Subcommittee may meet in open Executive Session, with any of its consultants who may be present, to explore and exchange their preliminary opinions regarding matters which should be considered during the meeting and to formulate a report and recommendations to the full Committee.

At the conclusion of the Executive Session, the Subcommittee will meet in an open session to hear presentations by and hold discussions with representatives of the NRC Staff, the Vermont Yankee Nuclear Power Corporation, and their consultants, pertinent to this review.

At the conclusion of this session, the Subcommittee may caucus to determine whether the matters identified in the initial session have been adequately covered.

Practical considerations may dictate alterations in the above agenda or schedule. The Chairman of the Subcommittee is empowered to conduct the meeting in a manner that, in his judgment, will facilitate the orderly conduct of business,

Anti

ANTI TRUST

Docket Nos. 50-387A
50-388A

AUG 5 1977

Distribution:

OCA (3)
Docket Files
NRR Reading
AIG Reading
AIG Files
JRutberg, OELD
JSaltzman Reading

The Honorable Morris K. Udall, Chairman
Subcommittee on Energy and the Environment
Committee on Interior and Insular Affairs
United States House of Representatives
Washington, DC 20515

Dear Mr. Chairman:

This is to inform the Subcommittee on Energy and the Environment that the Commission has received additional antitrust advice from the Attorney General in connection with Pennsylvania Power & Light Company and Allegheny Electric Cooperative's construction permit application for Susquehanna Station, Units No. 1 and No. 2. This advice is rendered pursuant to section 105c of the Atomic Energy Act of 1954, as amended.

A copy of the Attorney General's letter dated July 28, 1977, is enclosed. In his letter he concludes:

"... we conclude that no antitrust hearing will be necessary with respect to Allegheny's acquisition of an ownership interest in Susquehanna Station."

Sincerely,

/s/ JEROME SALTZMAN

Jerome Saltzman, Chief
Antitrust & Indemnity Group
Nuclear Reactor Regulation

Enclosure:
Attorney General's Letter

cc: The Honorable Robert Bauman

ms 8/3/77

OFFICE	NRR:AIG	OCA				
SURNAME	JSaltzman/cd	SKK				
DATE	8/3/77	8/5/77				

1st Floor - 2nd Floor

ANTI-TRUST

Docket Nos. 50-387A
50-388A

AUG 5 1977

Mr. George F. Murphy, Jr.
Executive Director
Joint Committee on Atomic Energy
Congress of the United States
Washington, DC 20510

Dear Mr. Murphy:

This is to inform the Joint Committee that the Commission has received additional antitrust advice from the Attorney General in connection with Pennsylvania Power & Light Company and Allegheny Electric Cooperative's construction permit application for Susquehanna Station, Units No. 1 and No. 2. This advice is rendered pursuant to section 105c of the Atomic Energy Act of 1954, as amended.

A copy of the Attorney General's letter dated July 28, 1977, is enclosed. In his letter he concludes:

"... we conclude that no antitrust hearing will be necessary with respect to Allegheny's acquisition of an ownership interest in Susquehanna Station."

Sincerely,

/s/ JEROME SALTZMAN

Jerome Saltzman, Chief
Antitrust & Indemnity Group
Nuclear Reactor Regulation

Enclosure:
Attorney General's Letter

Distribution:

OCA (3)

Docket Files

NRR Reading

AIG Reading

AIG Files

JRutberg, OELD

JSaltzman Reading

MB 8/3/77

Anti

OFFICE➤	NRR:AIG	OCA				
SURNAME➤	JSaltzman/cd	<i>3/2</i>				
DATE➤	8/3/77	8/5/77				

SECRET

MR. A. J. 352 33187

ANTI-TRUST

August 3, 1977

Docket Nos. ~~50-387A~~
50-388A

Pennsylvania Power & Light Company
ATTN: Mr. N. W. Curtis
Vice President, Engineering
and Construction
Two North Ninth Street
Allentown, Pennsylvania 18101

Gentlemen:

With reference to the construction permit application for Susquehanna Steam Electric Station, Units No. 1 and No. 2, the Attorney General has furnished the Commission additional antitrust advice pursuant to section 105c of the Atomic Energy Act of 1954, as amended. A copy of the Attorney General's letter dated July 28, 1977, is enclosed for your information.

We are also transmitting to the Office of the Federal Register a copy of the Attorney General's advice for publication. It should be noted that pursuant to section 2.714 of the Commission's Rules of Practice, 10 CFR Part 2, a petition for leave to intervene and request for hearing on the antitrust aspects of the application may be filed by any person whose interest may be affected within thirty (30) days after publication of the notice in the Federal Register.

Sincerely,

7/3 JEROME SALTZMAN

Jerome Saltzman, Chief
Antitrust & Indemnity Group
Nuclear Reactor Regulation

Enclosure:
Attorney General's Letter

cc: Gerald Charnoff, Esq.

Distribution:

Docket Files
Local PDR
NRC PDR
JSaltzman Reading

AIG Reading
NRR Reading
AIG Files
JRutberg, OELD

JYore, ASLB, w/encl.
JHarris, PA
JFrye, ASLB, w/encl.
CWilliams, ASLB, w/encl. (5 copies)

Anti.

OFFICE >	NRR: AIG					
SURNAME >	JSaltzman/cc					
DATE >	8/3/77					

1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 26

[illegible]

ACKNOWLEDGMENTS

[illegible][illegible]

NAV JEDROME SALTIVAN

[illegible]

$\frac{1}{2} \left(\frac{1}{2} \right) = \frac{1}{4}$

(b) $\frac{d}{dt} \left(\frac{\partial L}{\partial \dot{x}} \right) = \frac{\partial L}{\partial x}$

[illegible][illegible]

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100. 101. 102. 103. 104. 105. 106. 107. 108. 109. 110. 111. 112. 113. 114. 115. 116. 117. 118. 119. 120. 121. 122. 123. 124. 125. 126. 127. 128. 129. 130. 131. 132. 133. 134. 135. 136. 137. 138. 139. 140. 141. 142. 143. 144. 145. 146. 147. 148. 149. 150. 151. 152. 153. 154. 155. 156. 157. 158. 159. 160. 161. 162. 163. 164. 165. 166. 167. 168. 169. 170. 171. 172. 173. 174. 175. 176. 177. 178. 179. 180. 181. 182. 183. 184. 185. 186. 187. 188. 189. 190. 191. 192. 193. 194. 195. 196. 197. 198. 199. 200. 201. 202. 203. 204. 205. 206. 207. 208. 209. 210. 211. 212. 213. 214. 215. 216. 217. 218. 219. 220. 221. 222. 223. 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. 239. 240. 241. 242. 243. 244. 245. 246. 247. 248. 249. 250. 251. 252. 253. 254. 255. 256. 257. 258. 259. 260. 261. 262. 263. 264. 265. 266. 267. 268. 269. 270. 271. 272. 273. 274. 275. 276. 277. 278. 279. 280. 281. 282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292. 293. 294. 295. 296. 297. 298. 299. 300. 301. 302. 303. 304. 305. 306. 307. 308. 309. 310. 311. 312. 313. 314. 315. 316. 317. 318. 319. 320. 321. 322. 323. 324. 325. 326. 327. 328. 329. 330. 331. 332. 333. 334. 335. 336. 337. 338. 339. 340. 341. 342. 343. 344. 345. 346. 347. 348. 349. 350. 351. 352. 353. 354. 355. 356. 357. 358. 359. 360. 361. 362. 363. 364. 365. 366. 367. 368. 369. 370. 371. 372. 373. 374. 375. 376. 377. 378. 379. 380. 381. 382. 383. 384. 385. 386. 387. 388. 389. 390. 391. 392. 393. 394. 395. 396. 397. 398. 399. 400. 401. 402. 403. 404. 405. 406. 407. 408. 409. 410. 411. 412. 413. 414. 415. 416. 417. 418. 419. 420. 421. 422. 423. 424. 425. 426. 427. 428. 429. 430. 431. 432. 433. 434. 435. 436. 437. 438. 439. 440. 441. 442. 443. 444. 445. 446. 447. 448. 449. 450. 451. 452. 453. 454. 455. 456. 457. 458. 459. 460. 461. 462. 463. 464. 465. 466. 467. 468. 469. 470. 471. 472. 473. 474. 475. 476. 477. 478. 479. 480. 481. 482. 483. 484. 485. 486. 487. 488. 489. 490. 491. 492. 493. 494. 495. 496. 497. 498. 499. 500. 501. 502. 503. 504. 505. 506. 507. 508. 509. 510. 511. 512. 513. 514. 515. 516. 517. 518. 519. 520. 521. 522. 523. 524. 525. 526. 527. 528. 529. 530. 531. 532. 533. 534. 535. 536. 537. 538. 539. 540. 541. 542. 543. 544. 545. 546. 547. 548. 549. 550. 551. 552. 553. 554. 555. 556. 557. 558. 559. 560. 561. 562. 563. 564. 565. 566. 567. 568. 569. 570. 571. 572. 573. 574. 575. 576. 577. 578. 579. 580. 581. 582. 583. 584. 585. 586. 587. 588. 589. 590. 591. 592. 593. 594. 595. 596. 597. 598. 599. 600. 601. 602. 603. 604. 605. 606. 607. 608. 609. 610. 611. 612. 613. 614. 615. 616. 617. 618. 619. 620. 621. 622. 623. 624. 625. 626. 627. 628. 629. 630. 631. 632. 633. 634. 635. 636. 637. 638. 639. 640. 641. 642. 643. 644. 645. 646. 647. 648. 649. 650. 651. 652. 653. 654. 655. 656. 657. 658. 659. 660. 661. 662. 663. 664. 665. 666. 667. 668. 669. 670. 671. 672. 673. 674. 675. 676. 677. 678. 679. 680. 681. 682. 683. 684. 685. 686. 687. 688. 689. 690. 691. 692. 693. 694. 695. 696. 697. 698. 699. 700. 701. 702. 703. 704. 705. 706. 707. 708. 709. 710. 711. 712. 713. 714. 715. 716. 717. 718. 719. 720. 721. 722. 723. 724. 725. 726. 727. 728. 729. 730. 731. 732. 733. 734. 735. 736. 737. 738. 739. 740. 741. 742. 743. 744. 745. 746. 747. 748. 749. 750. 751. 752. 753. 754. 755. 756. 757. 758. 759. 760. 761. 762. 763. 764. 765. 766. 767. 768. 769. 770. 771. 772. 773. 774. 775. 776. 777. 778. 779. 780. 781. 782. 783. 784. 785. 786. 787. 788. 789. 790. 791. 792. 793. 794. 795. 796. 797. 798. 799. 800. 801. 802. 803. 804. 805. 806. 807. 808. 809. 810. 811. 812. 813. 814. 815. 816. 817. 818. 819. 820. 821. 822. 823. 824. 825. 826. 827. 828. 829. 830. 831. 832. 833. 834. 835. 836. 837. 838. 839. 840. 84

June 3, 1977

Docket Nos. 50-387A
50-388A

Mr. N.W. Curtis
Vice President
Engineering and Construction
Pennsylvania Power and Light Company
Two North Ninth Street
Allentown, PA., 18101

Dear Mr. Curtis:

SUSQUEHANNA STEAM ELECTRIC STATION UNITS NOS. 1 and 2


We have reviewed the antitrust information for the Susquehanna Units submitted for Allegheny Electric Cooperative, Inc. and have found it to be satisfactory for acceptance. The antitrust information was forwarded to the Department of Justice on May 26, 1977.

Sincerely,

/s/ A. L. Toalston

Argil Toalston, Chief
Power Supply Analysis Branch
Antitrust and Indemnity Group
Nuclear Reactor Regulation

Distribution:

SMiner
JRutberg
MMessier
RMCClymonds
Docket Files 
AIG Reading File
AIG Subject File
PDR
LPDR
AToalston Reading File

Auth
GP

| | | | | | |
|-----------|--------------------|--------------------|-------------------|---------------|--|
| OFFICE ▶ | NRR:AIG <i>RMM</i> | NRR:AIG <i>AKJ</i> | NRR:AIG <i>JS</i> | ELD <i>JS</i> | |
| SURNAME ▶ | RMCClymonds/kk | AToalston | JSaltzman | JRutberg | |
| DATE ▶ | 6/3/77 | 6/3/77 | 6/3/77 | 6/3/77 | |

1944

1944

1944

1944

1944

1944

1944

February 10, 1977

Docket Nos. 50-387A
50-388A

Mr. N. W. Curtis
Vice President - Engineering and
Construction
Pennsylvania Power and Light Company
2 North Ninth Street
Allentown, Pennsylvania 18101

Dear Mr. Curtis:

SUSQUEHANNA STEAM ELECTRIC STATION, UNITS NO. 1 AND NO. 2

It has come to our attention that the Allegheny Electric Cooperative will be an ownership participant in the captioned nuclear unit.

Pursuant to §50.80 and/or §50.90 of the Commission's Rules and Regulations, as appropriate, any amendment of a license or construction permit or any transfer of a license must fully discuss the changes proposed and follow as far as applicable the form prescribed for original applications. Included with the material that must be submitted to effectuate either an amendment or a transfer when new participants are being added to a license or construction permit is the information required in §50.33a of the Rules and Regulations.

In order to expedite the processing of either an amendment or a transfer, it is suggested that the antitrust information for each new participant should be submitted to the Commission through you as the lead applicant.

To assist us in our scheduling, please advise when you expect such antitrust information will be submitted.

Sincerely,

/s/ A. L. Toalston

Argil L. Toalston, Chief
Power Supply Analysis Section
Antitrust and Indemnity Group
Nuclear Reactor Regulation

Distribution:

S. Miner
JRutberg
NRC PDR
Local PDR

AIG Files
WZelinsky Reading
AIG Reading
R. Wood

A. Toalston

| | | | | | |
|---------|--------------|-----------|----------|----------|-----|
| OFFICE | Docket Files | NRR:AIG | NRR:AIG | NRR:AIG | ELD |
| SURNAME | WZelinsky/cd | AToalston | JSaizman | JRutberg | |
| DATE | 2/7/77 | 2/7/77 | 2/7/77 | 2/8/77 | |

ANTI-TRUST

Docket No. 50-387A
388A

June 29, 1972

ANTI-TRUST

DISTRIBUTION:

Docket Files

AEC PDR

Local PDR

DL Reading

L:OAI Reading

ABraitman

Miss Barbara Hyde
Borough Secretary
Borough of Watsonstown
Fourth and Main Streets
Watsonstown, Pennsylvania 17777

Dear Miss Hyde:

Your letter of May 16, 1972 to the Federal Power Commission has been referred to us for reply.

With reference to the construction permit application filed by Pennsylvania Power & Light Company to construct and operate the Susquehanna Nuclear Plant, Units 1 and 2, the Attorney General has furnished the Commission antitrust advice pursuant to section 105c of the Atomic Energy Act of 1954, as amended.

In view of your letter expressing interest in antitrust aspects of the above-identified proceedings, a copy of the Federal Register notice is enclosed for your information.

The construction permit application and other pertinent documents may be viewed at the local public document room located at the Osterhout Free Library, 71 South Franklin Street, Wilkes Barre, Pa.

Sincerely,

/s/ Abraham Braitman

Abraham Braitman, Chief
Office of Antitrust & Indemnity
Directorate of Licensing

Enclosure:
Federal Register Notice

ANTI-TRUST

| | | | | | | |
|-----------|-----------------------|--|--|--|--|--|
| OFFICE > | L:OAI
ABraitman/hh | | | | | |
| SURNAME > | | | | | | |
| DATE > | 6/29/72 | | | | | |

TEST-ITM

100-100000
100-100000
100-100000
100-100000
100-100000
100-100000
100-100000

100-100000
100-100000
100-100000
100-100000
100-100000
100-100000
100-100000

100-100000

100-100000
100-100000
100-100000
100-100000
100-100000
100-100000
100-100000

100-100000
100-100000
100-100000
100-100000
100-100000
100-100000
100-100000

100-100000
100-100000
100-100000
100-100000
100-100000
100-100000
100-100000

100-100000
100-100000
100-100000
100-100000
100-100000
100-100000
100-100000

100-100000

100-100000
100-100000
100-100000
100-100000
100-100000
100-100000
100-100000

100-100000
100-100000
100-100000
100-100000
100-100000
100-100000
100-100000

100-100000
100-100000
100-100000
100-100000
100-100000
100-100000
100-100000

100-100000

ANTI-TRUST

MAY 5 1972

Docket Nos. 50-387A
388A

DISTRIBUTION:
Secretary (2)
Cong. Relations
Docket Files
EJBloch
EGCase
Gertter
ABraitman
JRutberg

Mr. Edward J. Bauser, Executive Director
Joint Committee on Atomic Energy
Congress of the United States

Dear Mr. Bauser:

This is to inform the Joint Committee that the Commission has received antitrust advice from the Attorney General in connection with Pennsylvania Power & Light Company's construction permit application for Susquehanna Station, Units 1 and 2. This advice is rendered pursuant to section 705c of the Atomic Energy Act of 1954, as amended.

A copy of the Attorney General's letter dated April 28, 1972 is enclosed. In his letter he concludes:

"So long as PP&L (Pennsylvania Power & Light) proceeds promptly to file appropriately amended contracts with the Federal Power Commission, we recommend that the Commission need not conduct an antitrust hearing with respect to this application."

Sincerely,

/s/ Abraham Braitman

Abraham Braitman, Chief
Office of Antitrust and Indemnity

Enclosure:
Attorney General's Advice

| | | | | | |
|-----------|----------------------|------------|--|--|----|
| OFFICE > | OATI
ABraitman/hh | CONG. REL. | | | |
| SURNAME > | 5/5/72 | 5/4/72 | | | LP |
| DATE > | | | | | |

100-100000

100-100000

100-100000

100-100000

100-100000

ANTI-TRUST

Docket Nos. **50-387A**
388A

MAY 4 1972

ANTI-TRUST

Pennsylvania Power & Light Company
Attn: Austin Gavin
Executive Vice President
901 Hamilton Street
Allentown, Pennsylvania 18101

Gentlemen:

With reference to the construction permit application for Susquehanna Steam Electric Station, Units 1 and 2, the Attorney General has furnished the Commission antitrust advice pursuant to section 105c of the Atomic Energy Act of 1954, as amended. A copy of the Attorney General's letter dated April 28, 1972 is enclosed for your information.

We are also transmitting to the Office of the Federal Register a copy of the Attorney General's advice for publication. It should be noted that pursuant to section 2.714 of the Commission's Rules of Practice, 10 CFR Part 2, a petition for leave to intervene and request for hearing on the antitrust aspects of the application may be filed by any person whose interest may be affected within thirty (30) days after publication of the notice in the Federal Register.

The antitrust review function of the Atomic Energy Commission has been assigned to the Office of Antitrust and Indemnity. Future correspondence dealing with antitrust matters should be addressed to this Office.

Sincerely,

/s/ Abraham Braitman


Abraham Braitman, Chief
Office of Antitrust and Indemnity




Enclosure:
Attorney General's Advice

cc: H. A. Frederick, Project Manager

cc: Gerald Charnoff, Esq.

DISTRIBUTION:

Docket Files 
AEC PDR
Local PDR
EJBloch
EGCase
Gertter
ABraitman
JRutberg
JYore, ASLB
JHarris, PI
Giambusso/RBaer/L.A.

| | | | | | | |
|---|--------------|--|--|--|--|--|
| OFFICE  | OATI | | | | | |
| SURNAME  | ABraitman/hh | | | | | |
| DATE  | 5/1/72 | | | | | |

1. The first part of the document is a list of names and addresses of the members of the committee.

2. The second part of the document is a list of the names and addresses of the members of the committee.

3. The third part of the document is a list of the names and addresses of the members of the committee.

4. The fourth part of the document is a list of the names and addresses of the members of the committee.

5. The fifth part of the document is a list of the names and addresses of the members of the committee.

6. The sixth part of the document is a list of the names and addresses of the members of the committee.

7. The seventh part of the document is a list of the names and addresses of the members of the committee.

8. The eighth part of the document is a list of the names and addresses of the members of the committee.

9. The ninth part of the document is a list of the names and addresses of the members of the committee.

10. The tenth part of the document is a list of the names and addresses of the members of the committee.

11. The eleventh part of the document is a list of the names and addresses of the members of the committee.

12. The twelfth part of the document is a list of the names and addresses of the members of the committee.

October 1, 1971

Docket Nos. 50-387A
388A

ANTI-TRUST

Pennsylvania Power & Light Co.
Attn: Mr. Edward H. Nagel
Assistant General Counsel
901 Hamilton Street
Allentown, Pa. 18101

Gentlemen:

Reference is made to your letter of September 28, 1971 in which you requested an extension until October 15, 1971 in which to file your answers to the questionnaire submitted with Dr. Morris' letter of June 14, 1971.

This will confirm that the time is hereby extended until October 15, 1971.

Sincerely,

Lyall Johnson, Director
Division of State and
Licensee Relations

cc: Gerald Charnoff, Esq.
Shaw, Pittman, Potts, Trowbridge
and Madden
910 17th Street, N. W.
Washington, D. C. 20005

DISTRIBUTION:
Local PDR
AEC PDR
Docket Files
SLR Reading
DR Reading
LJohnson

| | | | | | | |
|---------|-------------------|--------------|----------|-------------|--|--|
| OFFICE | ABraitman | SLR | SLR | OGC | | |
| | RELiedquist | ABraitman/hh | LJohnson | RELiedquist | | |
| SURNAME | Morris/Knuth/Kari | 10/1/71 | 10/1/71 | 10/1/71 | | |
| DATE | | | | | | |

ANTI-TRUST

DISTRIBUTION:

Local PDR
AEC PDR
Docket Files
SLR Reading
DR Reading
LJohnson
ABraitman
RELiedquist
STRobinson
Morris/Knuth/Kari

Docket Nos. EQ-367A
388A

AUG 25 1971

Pennsylvania Power & Light Co.
Attn: Mr. Edward M. Nagel
Assistant General Counsel
501 Hamilton Street
Allentown, Pa. 18101

Gentlemen:

Reference is made to your letter of August 20, 1971, in which you requested an extension until September 30, 1971 in which to file your answers to the questionnaire submitted with Dr. Morris' letter of June 14, 1971.

This will confirm that the time is hereby extended until September 30, 1971.

Sincerely,

(Signed) Lyall Johnson

Lyall Johnson, Director
Division of State and
Licensee Relations

cc: Gerald Charnoff, Esq.
Shaw, Pittman, Potts, Trowbridge
and Madden
910 17th Street, N. W.
Washington, D. C. 20006

| | | | | | | |
|---------|---------------------|--------------------|-----------------|--|--|--|
| OFFICE | SLR
ABraitman/hh | OGC
RELiedquist | SLR
LJohnson | | | |
| SURNAME | <i>AD</i> | <i>REL</i> | <i>SLR</i> | | | |
| DATE | 8/24/71 | 8/ /71 | 8/25/71 | | | |

43

DISSEMINATION

Morris Knuth/Kary
 ST Robinson
 REL edupst
 ABRA tman
 L Johnson
 DR Reading
 SLR Reading
 Docket Fites
 AEC PDR
 Local PDR

Aug 2 '17

Edward J. Berg 2

ABRAHAM LINCOLN RELIED UPON SLR

18 JUL 1951 18 JUL 1951 18 JUL 1951

ANTI-TRUST

DISTRIBUTION:

Local PDR
Docket Files (2) ←
SLR Reading
DR Reading
LJohnson
ABraitman Reading
RLiedquist, OGC
STRobinson
DRL (3)

Docket Nos. 50-387A
388A

Pennsylvania Power & Light Co.
Attn: Mr. Edward M. Nagel
Assistant General Counsel
901 Hamilton Street
Allentown, Pa. 18101

AUG 10 1971

Gentlemen:

Reference is made to your letter of July 30, 1971, in which you requested an extension until August 31, 1971 in which to file your answers to the questionnaire submitted with Dr. Morris' letter of June 14, 1971.

This will confirm that the time is hereby extended until August 31, 1971.

The construction permit application will be forwarded to the Attorney General for antitrust review pursuant to section 105c. of the Atomic Energy Act of 1954, as amended, (the Act) when the requested information is received.


Sincerely,

(Signed) Lyall Johnson

Lyall Johnson, Director
Division of State and Licensee
Relations

cc: Gerald Charnoff, Esq.
Shaw, Pittman, Potts, Trowbridge
and Madden
910 17th Street, N.W.
Washington, D. C. 20006

| | | | | | | |
|-----------|---------------------|-------------------|-----------------|--|--|--|
| OFFICE ▶ | SLR
ABraitman/hh | OGC
RLiedquist | SLR
LJohnson | | | |
| SURNAME ▶ | 8/3/71 | 8/7/71 | 8/10/71 | | | |
| DATE ▶ | | | | | | |



ANTI-TRUST

PENNSYLVANIA POWER & LIGHT COMPANY

901 HAMILTON STREET, ALLENTOWN, PA., 18101

TELEPHONE: 215 434-5151

LEGAL DEPARTMENT

EDWARD M. NAGEL
GENERAL COUNSEL AND SECRETARY

VINCENT BUTLER
MURRAY MILKMAN
B. JAN HUDDLE
ASSISTANT COUNSEL

GENNARO D. CALIENDO
LEONARD M. SAARI
JOHN R. BIGGAR
ATTORNEYS

October 15, 1971

Dr. Peter A. Morris, Director
Division of Reactor Licensing
United States Atomic Energy Commission
7920 Norfolk Avenue
Bethesda, Maryland



Re: Docket Nos. 50-387A
50-388A


Dear Dr. Morris:

Pennsylvania Power & Light Company is today transmitting under separate cover, as Amendment No. 2 to its Application, three signed originals and 25 copies of its responses to the information requested by the Attorney General in the attachment to your June 14, 1971, letter to the Company.

Very truly yours,

John R. Biggar
John R. Biggar

cc: Mr. Lyall Johnson, Director
Division of State and Licensee Relations
United States Atomic Energy Commission
Washington, D.C. 20545



4535

LB

PENNSYLVANIA POWER & LIGHT COMPANY

901 HAMILTON STREET, ALLENTOWN, PA., 18101

TELEPHONE: 215 434-5151

LEGAL DEPARTMENT

EDWARD M. NAGEL
GENERAL COUNSEL AND SECRETARYVINCENT BUTLER
MURRAY MILKMAN
S. JAN HUDDLE
ASSISTANT COUNSELGENNARO D. CALIENDO
LEONARD M. SAARI
JOHN R. BIGGAR
ATTORNEYS




September 28, 1971

Mr. Lyall Johnson, Director
Division of State and Licensee Relations
United States Atomic Energy Commission
Washington, D.C. 20545Re: Docket Nos. 50-387A
50-388A

Dear Mr. Johnson:

This letter is to request additional time -- until October 15, 1971 -- for the Company to provide the information requested by the Attorney General pursuant to Section 105C of the Atomic Energy Act of 1954, as amended.

Very truly yours,


Edward M. Nagel

4283

LB

12/22/72

12/22/72

12/22/72

12/22/72

12/22/72

PENNSYLVANIA POWER & LIGHT COMPANY

901 HAMILTON STREET, ALLENTOWN, PA., 18101

TELEPHONE: 215 434-5151

LEGAL DEPARTMENT

EDWARD M. NAGEL
GENERAL COUNSEL AND SECRETARY

VINCENT BUTLER
MURRAY MILKMAN
S. JAN HUDDLE
ASSISTANT COUNSEL

GENNARO D. CALIENDO
LEONARD M. SAARI
JOHN R. BIGGAR
ATTORNEYS

August 20, 1971

Mr. Lyall Johnson, Director
Division of State and License Relations
United States Atomic Energy Commission
Washington, D.C. 20545



Re: Docket Nos. 50-387A
50-388A


Dear Mr. Johnson:

This letter is to request additional time -- until September 30, 1971 -- for the Company to provide the information requested by the Attorney General pursuant to Section 105 C of the Atomic Energy Act of 1954, as amended.

Very truly yours,


A handwritten signature in cursive script that reads "Edward M. Nagel".

Edward M. Nagel



3775

43



PENNSYLVANIA POWER & LIGHT COMPANY

901 HAMILTON STREET, ALLENTOWN, PA., 18101

TELEPHONE: 215 434-5151

LEGAL DEPARTMENT

WILLIAM H. CRAGO
VICE PRESIDENT, GENERAL COUNSEL
AND SECRETARY

EDWARD M. NAGEL
ASSISTANT GENERAL COUNSEL

VINCENT BUTLER
MURRAY MILKMAN
S. JAN HUDDLE
ASSISTANT COUNSEL

GENNARO D. CALIENDO
LEONARD M. SAARI
JOHN R. BIGGAR
ATTORNEYS

July 30, 1971


Mr. Lyalle Johnson, Director
Division of State and License Relations
United States Atomic Energy Commission
Washington, D.C. 20545

Re: Docket Nos. 50-387A
50-388A



Dear Mr. Johnson:

This letter is to request additional time -- until August 31, 1971 -- for the Company to provide the information requested by the Attorney General pursuant to Section 105 C of the Atomic Energy Act of 1954.

Very truly yours,



Edward M. Nagel



3493

1945

1946

1947

1948

1949

1950

1951

1952


PENNSYLVANIA POWER & LIGHT COMPANY

901 HAMILTON STREET, ALLENTOWN, PA. 18101

TELEPHONE: AREA CODE 215
434-5151

AUSTIN GAVIN
Executive Vice President

June 30, 1971



Mr. Peter A. Morris, Director
Division of Reactor Licensing
United States Atomic Energy Commission
Washington, D.C. 20545

Dear Mr. Morris:


Re: Docket Nos. 50-387 and 50-388

This letter will confirm a telephone conversation on June 29, 1971, with Bertram Schur during which he stated that there was no objection to granting the Company an additional 25 days (until August 3, 1971) to supply the information requested by the Attorney General pursuant to Section 105 (c) of the Atomic Energy Act of 1954.

Very truly yours,

Austin Gavin

3024






COMMONWEALTH OF PENNSYLVANIA
PENNSYLVANIA PUBLIC UTILITY COMMISSION
P. O. BOX 3265, HARRISBURG, PA. 17120

May 11, 1971

IN REPLY PLEASE
REFER TO OUR FILE

United States Atomic Energy Commission
Docket Nos. 50-387 and 50-388
Pennsylvania Power and Light Company



Peter A. Morris, Director
United States Atomic Energy
Commission
Division of Reactor Licensing
Washington, D. C. 20545

Dear Sir:

Receipt is acknowledged of your letter of April 30, 1971, together with one copy of the United States Atomic Commission's notice dated April 30, 1971, advising that Pennsylvania Power and Light Company filed an application with said Commission for authority to construct and operate two single-cycle, forced circulation, boiling water nuclear reactors at its site, located in Salem Township, Luzerne County.

The matter will receive the attention of this Commission and in the event that our views on the antitrust aspects of the application are to be made, you will be notified within sixty (60) days after May 7, 1971.

Very truly yours,

W. Ketner
for WILL KETNER
Secretary

[illegible]

1. The first of the two states is the state of the
2. The second of the two states is the state of the
3. The third of the two states is the state of the
4. The fourth of the two states is the state of the
5. The fifth of the two states is the state of the
6. The sixth of the two states is the state of the
7. The seventh of the two states is the state of the
8. The eighth of the two states is the state of the
9. The ninth of the two states is the state of the
10. The tenth of the two states is the state of the

1. The first of these is the fact that the
 2.
 3.
 4.
 5.
 6.
 7.
 8.
 9.
 10.
 11.
 12.
 13.
 14.
 15.
 16.
 17.
 18.
 19.
 20.
 21.
 22.
 23.
 24.
 25.
 26.
 27.
 28.
 29.
 30.
 31.
 32.
 33.
 34.
 35.
 36.
 37.
 38.
 39.
 40.
 41.
 42.
 43.
 44.
 45.
 46.
 47.
 48.
 49.
 50.
 51.
 52.
 53.
 54.
 55.
 56.
 57.
 58.
 59.
 60.
 61.
 62.
 63.
 64.
 65.
 66.
 67.
 68.
 69.
 70.
 71.
 72.
 73.
 74.
 75.
 76.
 77.
 78.
 79.
 80.
 81.
 82.
 83.
 84.
 85.
 86.
 87.
 88.
 89.
 90.
 91.
 92.
 93.
 94.
 95.
 96.
 97.
 98.
 99.
 100.
 101.
 102.
 103.
 104.
 105.
 106.
 107.
 108.
 109.
 110.
 111.
 112.
 113.
 114.
 115.
 116.
 117.
 118.
 119.
 120.
 121.
 122.
 123.
 124.
 125.
 126.
 127.
 128.
 129.
 130.
 131.
 132.
 133.
 134.
 135.
 136.
 137.
 138.
 139.
 140.
 141.
 142.
 143.
 144.
 145.
 146.
 147.
 148.
 149.
 150.
 151.
 152.
 153.
 154.
 155.
 156.
 157.
 158.
 159.
 160.
 161.
 162.
 163.
 164.
 165.
 166.
 167.
 168.
 169.
 170.
 171.
 172.
 173.
 174.
 175.
 176.
 177.
 178.
 179.
 180.
 181.
 182.
 183.
 184.
 185.
 186.
 187.
 188.
 189.
 190.
 191.
 192.
 193.
 194.
 195.
 196.
 197.
 198.
 199.
 200.
 201.
 202.
 203.
 204.
 205.
 206.
 207.
 208.
 209.
 210.
 211.
 212.
 213.
 214.
 215.
 216.
 217.
 218.
 219.
 220.
 221.
 222.
 223.
 224.
 225.
 226.
 227.
 228.
 229.
 230.
 231.
 232.
 233.
 234.
 235.
 236.
 237.
 238.
 239.
 240.
 241.
 242.
 243.
 244.
 245.
 246.
 247.
 248.
 249.
 250.
 251.
 252.
 253.
 254.
 255.
 256.
 257.
 258.
 259.
 260.
 261.
 262.
 263.
 264.
 265.
 266.
 267.
 268.
 269.
 270.
 271.
 272.
 273.
 274.
 275.
 276.
 277.
 278.
 279.
 280.
 281.
 282.
 283.
 284.
 285.
 286.
 287.
 288.
 289.
 290.
 291.
 292.
 293.
 294.
 295.
 296.
 297.
 298.
 299.
 300.
 301.
 302.
 303.
 304.
 305.
 306.
 307.
 308.
 309.
 310.
 311.
 312.
 313.
 314.
 315.
 316.
 317.
 318.
 319.
 320.
 321.
 322.
 323.
 324.
 325.
 326.
 327.
 328.
 329.
 330.
 331.
 332.
 333.
 334.
 335.
 336.
 337.
 338.
 339.
 340.
 341.
 342.
 343.
 344.
 345.
 346.
 347.
 348.
 349.
 350.
 351.
 352.
 353.
 354.
 355.
 356.
 357.
 358.
 359.
 360.
 361.
 362.
 363.
 364.
 365.
 366.
 367.
 368.
 369.
 370.
 371.
 372.
 373.
 374.
 375.
 376.
 377.
 378.
 379.
 380.
 381.
 382.
 383.
 384.
 385.
 386.
 387.
 388.
 389.
 390.
 391.
 392.
 393.
 394.
 395.
 396.
 397.
 398.
 399.
 400.
 401.
 402.
 403.
 404.
 405.
 406.
 407.
 408.
 409.
 410.
 411.
 412.
 413.
 414.
 415.
 416.
 417.
 418.
 419.
 420.
 421.
 422.
 423.
 424.
 425.
 426.
 427.
 428.
 429.
 430.
 431.
 432.
 433.
 434.
 435.
 436.
 437.
 438.
 439.
 440.
 441.
 442.
 443.
 444.
 445.
 446.
 447.
 448.
 449.
 450.
 451.
 452.
 453.
 454.
 455.
 456.
 457.
 458.
 459.
 460.
 461.
 462.
 463.
 464.
 465.
 466.
 467.
 468.
 469.
 470.
 471.
 472.
 473.
 474.
 475.
 476.
 477.
 478.
 479.
 480.
 481.
 482.
 483.
 484.
 485.
 486.
 487.
 488.
 489.
 490.
 491.
 492.
 493.
 494.
 495.
 496.
 497.
 498.
 499.
 500.
 501.
 502.
 503.
 504.
 505.
 506.
 507.
 508.
 509.
 510.
 511.
 512.
 513.
 514.
 515.
 516.
 517.
 518.
 519.
 520.
 521.
 522.
 523.
 524.
 525.
 526.
 527.
 528.
 529.
 530.
 531.
 532.
 533.
 534.
 535.
 536.
 537.
 538.
 539.
 540.
 541.
 542.
 543.
 544.
 545.
 546.
 547.
 548.
 549.
 550.
 551.
 552.
 553.
 554.
 555.
 556.
 557.
 558.
 559.
 560.
 561.
 562.
 563.
 564.
 565.
 566.
 567.
 568.
 569.
 570.
 571.
 572.
 573.
 574.
 575.
 576.
 577.
 578.
 579.
 580.
 581.
 582.
 583.
 584.
 585.
 586.
 587.
 588.
 589.
 590.
 591.
 592.
 593.
 594.
 595.
 596.
 597.
 598.
 599.

122. 38

[illegible][illegible]

... 1944 ...

[illegible]