



B. H. Whitley
Director
Regulatory Affairs

**Southern Nuclear
Operating Company, Inc.**
42 Inverness Center Parkway
Birmingham, AL 35242
Tel 205.992.7079
Fax 205.992.5296

February 28, 2018

Docket Nos.: 52-025
52-026

ND-18-0271
10 CFR 52.97(c)

U.S. Nuclear Regulatory Commission
Document Control Desk
Washington, DC 20555-0001

Mr. Frederick Brown
Director, Office of New Reactors
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Southern Nuclear Operating Company
Vogtle Electric Generating Plant Units 3 and 4
Notification in Accordance with License Condition 2.D(12)(b) for
As-Designed Pipe Rupture Hazards Analysis

Ladies and Gentlemen:

Southern Nuclear Operating Company (SNC), the licensee for Vogtle Electric Generating Plant (VEGP) Units 3 and 4, provides this notification in accordance with license condition 2.D(12)(b) of the combined licenses for VEGP Units 3 and 4, Numbers NPF-91 and NPF-92, respectively.

The VEGP Unit 3 license condition requires SNC to complete the as-designed pipe rupture hazards analysis for compartments (rooms) containing those segments in accordance with the criteria outlined in the AP1000 DCD, Rev. 19, Sections 3.6.1.3.2 (as revised by Amendment No. 51 and Amendment No. 107) and 3.6.2.5, and inform the Director of NRO, or the Director's designee, in writing, upon the completion of this analysis and the availability of the as-designed pipe rupture hazards analysis reports.

The VEGP Unit 4 license condition requires SNC to complete the as-designed pipe rupture hazards analysis for compartments (rooms) containing those segments in accordance with the criteria outlined in the AP1000 DCD, Rev. 19, Sections 3.6.1.3.2 (as revised by Amendment No. 51 and Amendment No. 106) and 3.6.2.5, and inform the Director of NRO, or the Director's designee, in writing, upon the completion of this analysis and the availability of the as-designed pipe rupture hazards analysis reports.

The purpose of this letter is to notify the Nuclear Regulatory Commission (NRC) that the scope of the analysis required in the license conditions described below is complete and available for NRC inspection:


- The Pipe Rupture Hazards Analysis Summary Report, and its supporting documents, for the VEGP Units 3 and 4 auxiliary buildings.

This letter contains no regulatory commitments. This letter has been reviewed and confirmed to not contain security-related information.

If there are any questions, please contact Mr. Adam Quarles at 205-992-7031.

I declare under penalty of perjury that the foregoing is true and correct. Executed on the 28th day of February 2018.

Respectfully submitted,

A handwritten signature in black ink, appearing to read "Brian H. Whitley", is written over a horizontal line.

Brian H. Whitley
Regulatory Affairs Director
Southern Nuclear Operating Company

cc:

Southern Nuclear Operating Company / Georgia Power Company

Mr. S. E. Kuczynski

Mr. M. D. Rauckhorst

Mr. D. G. Bost

Mr. M. D. Meier

Mr. D. H. Jones

Mr. D. L. McKinney

Mr. T. W. Yelverton

Mr. C. R. Pierce

Ms. A. G. Aughtman

Mr. D. L. Fulton

Mr. M. J. Yox

Mr. J. Tupik

Mr. B. H. Whitley

Mr. W. A. Sparkman

Ms. A. C. Chamberlain

Ms. A. L. Pugh

Mr. J. D. Williams

Mr. F. J. Redwanz

Document Services RTYPE: VND.LI.L00

File AR.01.02.06

Nuclear Regulatory Commission

Mr. W. Jones

Mr. L. Burkhart

Ms. J. Dixon-Herrity

Mr. C. Patel

Ms. J. M. Heisserer

Mr. B. Kemker

Mr. G. Khouri

Ms. S. Temple

Mr. F. Brown

Mr. T. E. Chandler

Ms. P. Braxton

Mr. T. Brimfield

Mr. C. J. Even

Mr. A. Lerch

State of Georgia

Mr. R. Dunn

Oglethorpe Power Corporation

Mr. M. W. Price

Mr. K. T. Haynes

Ms. A. Whaley

Municipal Electric Authority of Georgia

Mr. J. E. Fuller
Mr. S. M. Jackson

Dalton Utilities

Mr. T. Bundros

Westinghouse Electric Company, LLC

Mr. L. Oriani
Mr. G. Koucheravy
Mr. M. Corletti
Mr. M. L. Clyde
Ms. L. Iller
Mr. D. Hawkins
Mr. J. Coward

Other

Mr. S. W. Kline, Bechtel Power Corporation
Ms. L. A. Matis, Tetra Tech NUS, Inc.
Dr. W. R. Jacobs, Jr., Ph.D., GDS Associates, Inc.
Mr. S. Roetger, Georgia Public Service Commission
Ms. S. W. Kernizan, Georgia Public Service Commission
Mr. K. C. Greene, Troutman Sanders
Mr. S. Blanton, Balch Bingham
Mr. R. Grumbir, APOG
NDDocumentinBox@duke-energy.com, Duke Energy
Mr. S. Franzone, Florida Power & Light