





Facility: TMEDate of Examination: 6/26 7/17  
2017Developed by: Written - Facility ☒ NRC ☐ // Operating - Facility ☒ NRC ☐

Target Date*	Task Description (Reference)	Chief Examiner's Initials
-180	1. Examination administration date confirmed (C.1.a; C.2.a and b)	<i>[Signature]</i>
-120	2. NRC examiners and facility contact assigned (C.1.d; C.2.e)	<i>[Signature]</i>
-120	3. Facility contact briefed on security and other requirements (C.2.c)	<i>[Signature]</i>
-120	4. Corporate notification letter sent (C.2.d)	<i>[Signature]</i>
[-90]	[5. Reference material due (C.1.e; C.3.c; Attachment 3)]	<i>[Signature]</i>
{-75}	6. Integrated examination outline(s) due, including Forms ES-201-2, ES-201-3, ES-301-1, ES-301-2, ES-301-5, ES-D-1's, ES-401-1/2, ES-401-3, and ES-401-4, as applicable (C.1.e and f; C.3.d)	<i>[Signature]</i>
{-70}	{7. Examination outline(s) reviewed by NRC and feedback provided to facility licensee (C.2.h; C.3.e)}	<i>[Signature]</i>
{-45}	8. Proposed examinations (including written, walk-through JPMs, and scenarios, as applicable), supporting documentation (including Forms ES-301-3, ES-301-4, ES-301-5, ES-301-6, and ES-401-6, and any Form ES-201-3 updates), and reference materials due (C.1.e, f, g and h; C.3.d)	<i>[Signature]</i>
-30	9. Preliminary license applications (NRC Form 398's) due (C.1.i; C.2.g; ES-202)	<i>[Signature]</i>
-14	10. Final license applications due and Form ES-201-4 prepared (C.1.i; C.2.i; ES-202)	<i>[Signature]</i>
-14	11. Examination approved by NRC supervisor for facility licensee review (C.2.h; C.3.f)	<i>[Signature]</i>
-14	12. Examinations reviewed with facility licensee (C.1.j; C.2.f and h; C.3.g)	<i>[Signature]</i>
-7	13. Written examinations and operating tests approved by NRC supervisor (C.2.i; C.3.h)	<i>[Signature]</i>
-7	14. Final applications reviewed; 1 or 2 (if >10) applications audited to confirm qualifications / eligibility; and examination approval and waiver letters sent (C.2.i; Attachment 5; ES-202, C.2.e; ES-204)	<i>[Signature]</i>
-7	15. Proctoring/written exam administration guidelines reviewed with facility licensee (C.3.k)	<i>[Signature]</i>
-7	16. Approved scenarios, job performance measures, and questions distributed to NRC examiners (C.3.i)	<i>[Signature]</i>

\* Target dates are generally based on facility-prepared examinations and are keyed to the examination date identified in the corporate notification letter. They are for planning purposes and may be adjusted on a case-by-case basis in coordination with the facility licensee.  
 [Applies only] {Does not apply} to examinations prepared by the NRC.

Facility: Three Mile Island		Date of Examination: 6/26/17		
Item	Task Description	Initials		
		a	b*	c#
1. W R I T T E N	a. Verify that the outline(s) fit(s) the appropriate model, in accordance with ES-401 or ES-401N.	TB	[Signature]	2
	b. Assess whether the outline was systematically and randomly prepared in accordance with Section D.1 of ES-401 or ES-401N and whether all K/A categories are appropriately sampled.	TB	[Signature]	2
	c. Assess whether the outline over-emphasizes any systems, evolutions, or generic topics.	TB	[Signature]	2
	d. Assess whether the justifications for deselected or rejected K/A statements are appropriate.	TB	[Signature]	2
2. S I M U L A T O R	a. Using Form ES-301-5, verify that the proposed scenario sets cover the required number of normal evolutions, instrument and component failures, technical specifications, and major transients.	TB	[Signature]	2
	b. Assess whether there are enough scenario sets (and spares) to test the projected number and mix of applicants in accordance with the expected crew composition and rotation schedule without compromising exam integrity, and ensure that each applicant can be tested using at least one new or significantly modified scenario, that no scenarios are duplicated from the applicants' audit test(s), and scenarios will not be repeated on subsequent days.	TB	[Signature]	2
	c. To the extent possible, assess whether the outline(s) conform(s) with the qualitative and quantitative criteria specified on Form ES-301-4 and described in Appendix D.	TB	[Signature]	1
3. W / T	a. Verify that the systems walk-through outline meets the criteria specified on Form ES-301-2: (1) the outline(s) contain(s) the required number of control room and in-plant tasks distributed among the safety functions as specified on the form (2) task repetition from the last two NRC examinations is within the limits specified on the form (3) no tasks are duplicated from the applicants' audit test(s) (4) the number of new or modified tasks meets or exceeds the minimums specified on the form (5) the number of alternate path, low-power, emergency, and RCA tasks meet the criteria on the form	TB	[Signature]	2
	b. Verify that the administrative outline meets the criteria specified on Form ES-301-1: (1) the tasks are distributed among the topics as specified on the form (2) at least one task is new or significantly modified (3) no more than one task is repeated from the last two NRC licensing examinations	TB	[Signature]	2
	c. Determine if there are enough different outlines to test the projected number and mix of applicants and ensure that no items are duplicated on subsequent days.	TB	[Signature]	2
4. G E N E R A L	a. Assess whether plant-specific priorities (including PRA and IPE insights) are covered in the appropriate exam section.	TB	[Signature]	2
	b. Assess whether the 10 CFR 55.41/43 and 55.45 sampling is appropriate.	TB	[Signature]	2
	c. Ensure that K/A importance ratings (except for plant-specific priorities) are at least 2.5.	TB	[Signature]	2
	d. Check for duplication and overlap among exam sections.	TB	[Signature]	2
	e. Check the entire exam for balance of coverage.	TB	[Signature]	2
	f. Assess whether the exam fits the appropriate job level (RO or SRO).	TB	[Signature]	2
a. Author <u>Todd Beaver</u> b. Facility Reviewer (*) <u>Scott Simpson</u> c. NRC Chief Examiner (#) <u>J. DANNING</u> d. NRC Supervisor <u>D. JACKSON</u>		Printed Name / Signature Date 03/24/2017 3/29/17 6/13/17 6/19/17		

NOTE: # Independent NRC Reviewer initial items in Column "c"; chief examiner concurrence required.  
\* Not applicable for NRC-prepared examination outlines.

Facility: <u>Three Mile Island</u>		Date of Examination: <u>06/26/2017</u>		Operating Test Number: <u>TMI-2017-1</u>	
1. GENERAL CRITERIA			Initials		
		a	b*	c#	
a.	The operating test conforms with the previously approved outline; changes are consistent with sampling requirements (e.g., 10 CFR 55.45, operational importance, safety function distribution).	TB	S	1	
b.	There is no day-to-day repetition between this and other operating tests to be administered during this examination.	TB	S	1	
c.	The operating test shall not duplicate items from the applicants' audit test(s) (see Section D.1.a).	TB	S	2	
d.	Overlap with the written examination and between different parts of the operating test is within acceptable limits.	TB	S	2	
e.	It appears that the operating test will differentiate between competent and less-than-competent applicants at the designated license level.	TB	S	2	
2. WALK-THROUGH CRITERIA					
a.	Each JPM includes the following, as applicable: <ul style="list-style-type: none"> <li>initial conditions</li> <li>initiating cues</li> <li>references and tools, including associated procedures</li> <li>reasonable and validated time limits (average time allowed for completion) and specific designation if deemed to be time critical by the facility licensee</li> <li>operationally important specific performance criteria that include: <ul style="list-style-type: none"> <li>detailed expected actions with exact criteria and nomenclature</li> <li>system response and other examiner cues</li> <li>statements describing important observations to be made by the applicant</li> <li>criteria for successful completion of the task</li> <li>identification of critical steps and their associated performance standards</li> <li>restrictions on the sequence of steps, if applicable</li> </ul> </li> </ul>	TB	S	2	
b.	Ensure that any changes from the previously approved systems and administrative walk-through outlines (Forms ES-301-1 and 2) have not caused the test to deviate from any of the acceptance criteria (e.g., item distribution, bank use, repetition from the last 2 NRC examinations) specified on those forms and Form ES-201-2.	TB	S	2	
3. SIMULATOR CRITERIA					
The associated simulator operating tests (scenario sets) have been reviewed in accordance with Form ES-301-4 and a copy is attached.			TB	S	2
		Printed Name / Signature		Date	
a. Author	<u>Todd Beaver /</u>			<u>04/25/2017</u>	
b. Facility Reviewer (*)	<u>Scott Simpson /</u>			<u>04/25/2017</u>	
c. NRC Chief Examiner (#)	<u>J. D'Amico /</u>			<u>6/13/17</u>	
d. NRC Supervisor	<u>D. Jackson /</u>			<u>6/19/17</u>	
<p>NOTE: * The facility signature is not applicable for NRC-developed tests</p> <p># Independent NRC reviewer initial items in Column "c"; chief examiner concurrence is required.</p>					

1. Pre-Examination

I acknowledge that I have acquired specialized knowledge about the NRC licensing examinations scheduled for the week(s) of 6/26-7/3, 2017 as of the date of my signature. I agree that I will not knowingly divulge any information about these examinations to any persons who have not been authorized by the NRC chief examiner. I understand that I am not to instruct, evaluate, or provide performance feedback to those applicants scheduled to be administered these licensing examinations from this date until completion of examination administration, except as specifically noted below and authorized by the NRC (e.g., acting as a simulator booth operator or communicator is acceptable if the individual does not select the training content or provide direct or indirect feedback). Furthermore, I am aware of the physical security measures and requirements (as documented in the facility licensee's procedures) and understand that violation of the conditions of this agreement may result in cancellation of the examinations and/or an enforcement action against me or the facility licensee. I will immediately report to facility management or the NRC chief examiner any indications or suggestions that examination security may have been compromised.

2. Post-Examination

To the best of my knowledge, I did not divulge to any unauthorized persons any information concerning the NRC licensing examinations administered during the week(s) of \_\_\_\_\_. From the date that I entered into this security agreement until the completion of examination administration, I did not instruct, evaluate, or provide performance feedback to those applicants who were administered these licensing examinations, except as specifically noted below and authorized by the NRC.

PRINTED NAME	JOB TITLE / RESPONSIBILITY	SIGNATURE (1)	DATE	SIGNATURE (2)	DATE	NOTE
1. <u>TOP BRUNER</u>	<u>Sr. OPS Instructor /</u>	<u>[Signature]</u>	<u>8/1/16</u>	<u>[Signature]</u>	<u>7/5/17</u>	<u>VIA EMAIL</u>
2. <u>John Tesmer</u>	<u>Exam Author</u>	<u>[Signature]</u>	<u>9/9/16</u>	<u>[Signature]</u>	<u>7/5/17</u>	<u>VIA EMAIL</u>
3. <u>Scott Simpson</u>	<u>Simulator Coordinator</u>	<u>[Signature]</u>	<u>9/28/16</u>	<u>[Signature]</u>	<u>7/6/17</u>	
4. <u>FRED BRUNS</u>	<u>SRO / Facility Rep</u>	<u>[Signature]</u>	<u>10/10/16</u>	<u>[Signature]</u>	<u>7/5/17</u>	<u>VIA EMAIL</u>
5. <u>Michael Hobbmaster</u>	<u>OTPS</u>	<u>[Signature]</u>	<u>10/31/16</u>	<u>[Signature]</u>	<u>7/5/17</u>	<u>VIA EMAIL</u>
6. <u>Scott Miscovich</u>	<u>CRO</u>	<u>[Signature]</u>	<u>10/31/16</u>	<u>[Signature]</u>	<u>7/17/17</u>	<u>VIA EMAIL</u>
7. <u>MARK D MALUNEN</u>	<u>CRO</u>	<u>[Signature]</u>	<u>10/31/16</u>	<u>[Signature]</u>	<u>7/6/17</u>	<u>VIA EMAIL</u>
8. <u>J.M. HOKE</u>	<u>SRO</u>	<u>[Signature]</u>	<u>11/3/16</u>	<u>[Signature]</u>	<u>7/5/17</u>	<u>VIA EMAIL</u>
9. <u>Sven Marian</u>	<u>CRO</u>	<u>[Signature]</u>	<u>11/3/16</u>	<u>[Signature]</u>	<u>7/6/17</u>	
10. <u>Shaun Batts</u>	<u>Sr OPS TRAINING Instructor</u>	<u>[Signature]</u>	<u>12/2/16</u>	<u>[Signature]</u>	<u>7/5/17</u>	<u>VIA EMAIL</u>
11. <u>FRANK KACIMKO</u>	<u>OPS INSTRUCTOR-CONTACT</u>	<u>[Signature]</u>	<u>01/13/17</u>	<u>[Signature]</u>	<u>7/17/17</u>	<u>Per Telcom</u>
12. <u>NATHAN JEWETT</u>	<u>CRO</u>	<u>[Signature]</u>	<u>4/4/17</u>	<u>[Signature]</u>	<u>7/6/17</u>	
13. <u>BRIAN MISCAVAGE</u>	<u>SRO</u>	<u>[Signature]</u>	<u>4/5/17</u>	<u>[Signature]</u>	<u>7/5/17</u>	<u>VIA EMAIL</u>
14. <u>Brian Bowers</u>	<u>CRO</u>	<u>[Signature]</u>	<u>4-6-17</u>	<u>[Signature]</u>	<u>7/5/17</u>	<u>VIA EMAIL</u>
15. <u>Matthew Adams</u>	<u>SRO/SM</u>	<u>[Signature]</u>	<u>4/6/17</u>	<u>[Signature]</u>	<u>7/6/17</u>	<u>VIA EMAIL</u>

NOTES:

1. Pre-Examination

I acknowledge that I have acquired specialized knowledge about the NRC licensing examinations scheduled for the week(s) of 6/26-7/8, 2017 as of the date of my signature. I agree that I will not knowingly divulge any information about these examinations to any persons who have not been authorized by the NRC chief examiner. I understand that I am not to instruct, evaluate, or provide performance feedback to those applicants scheduled to be administered these licensing examinations from this date until completion of examination administration, except as specifically noted below and authorized by the NRC (e.g., acting as a simulator booth operator or communicator is acceptable if the individual does not select the training content or provide direct or indirect feedback). Furthermore, I am aware of the physical security measures and requirements (as documented in the facility licensee's procedures) and understand that violation of the conditions of this agreement may result in cancellation of the examinations and/or an enforcement action against me or the facility licensee. I will immediately report to facility management or the NRC chief examiner any indications or suggestions that examination security may have been compromised.

2. Post-Examination

To the best of my knowledge, I did not divulge to any unauthorized persons any information concerning the NRC licensing examinations administered during the week(s) of \_\_\_\_\_. From the date that I entered into this security agreement until the completion of examination administration, I did not instruct, evaluate, or provide performance feedback to those applicants who were administered these licensing examinations, except as specifically noted below and authorized by the NRC.

PRINTED NAME	JOB TITLE / RESPONSIBILITY	SIGNATURE (1)	DATE	SIGNATURE (2)	DATE	NOTE
1. <u>Nathan DeSantis</u>	<u>SRO</u>	<u>[Signature]</u>	<u>4/13/17</u>	<u>[Signature]</u>	<u>7/17/17</u>	<u>VIA email</u>
2. <u>JASON HARNER</u>	<u>CRO</u>	<u>[Signature]</u>	<u>4-11-17</u>	<u>[Signature]</u>	<u>6-7-17</u>	<u>VIA EMAIL</u>
3. <u>Brent Smith</u>	<u>SRO</u>	<u>[Signature]</u>	<u>4/17/17</u>	<u>[Signature]</u>	<u>7/5/17</u>	<u>VIA EMAIL</u>
4. <u>E. Johnson</u>	<u>SRO</u>	<u>[Signature]</u>	<u>4/20/17</u>	<u>[Signature]</u>	<u>7/5/17</u>	<u>VIA EMAIL</u>
5. <u>S. Burger</u>	<u>SRO</u>	<u>[Signature]</u>	<u>4/20/17</u>	<u>[Signature]</u>	<u>7/5/17</u>	<u>VIA EMAIL</u>
6. <u>L. Ritz</u>	<u>SP Proc Writer</u>	<u>[Signature]</u>	<u>4/27/17</u>	<u>[Signature]</u>	<u>7/5/17</u>	<u>VIA EMAIL</u>
7. <u>G. Rodriguez</u>	<u>INSTRUCTOR</u>	<u>[Signature]</u>	<u>5/26/17</u>	<u>[Signature]</u>	<u>7/5/17</u>	<u>VIA EMAIL</u>
8. <u>HUGH BLUNT</u>	<u>CRO</u>	<u>[Signature]</u>	<u>5-30-17</u>	<u>[Signature]</u>	<u>7/6/17</u>	<u>VIA EMAIL</u>
9. <u>TANYA BELLAT</u>	<u>CRO</u>	<u>[Signature]</u>	<u>4-1-17</u>	<u>[Signature]</u>	<u>7/5/17</u>	<u>VIA EMAIL</u>
10. <u>WILLIAM PRICE</u>	<u>SRO</u>	<u>[Signature]</u>	<u>6/11/17</u>	<u>[Signature]</u>	<u>7/5/17</u>	<u>VIA EMAIL</u>
11. <u>MICHAEL MYERS</u>	<u>SRO</u>	<u>[Signature]</u>	<u>6/14/17</u>	<u>[Signature]</u>	<u>7/6/17</u>	<u>VIA EMAIL</u>
12. <u>JAMES CREIGHTON</u>	<u>INSTRUCTOR</u>	<u>[Signature]</u>	<u>6/21/17</u>	<u>[Signature]</u>	<u>7/6/17</u>	<u>VIA EMAIL</u>
13. <u>Susan Sallach</u>	<u>ILT Lead</u>	<u>[Signature]</u>	<u>6/27/17</u>	<u>[Signature]</u>	<u>7/5/17</u>	<u>VIA EMAIL</u>
14. <u>BRENT BOTTLES</u>	<u>INSTRUCTOR</u>	<u>[Signature]</u>	<u>6/27/17</u>	<u>[Signature]</u>	<u>7/5/17</u>	<u>VIA EMAIL</u>
15. <u>Timothy Heindl</u>	<u>SRO Candidate</u>	<u>[Signature]</u>	<u>7/3/17</u>	<u>[Signature]</u>	<u>7/9/17</u>	<u>VIA EMAIL</u>

NOTES:

Facility: Three Mile Island					Date of Examination: 06/26/17					Operating Test No.: TMI 2017-1						
Competencies	APPLICANTS															
	RO - 1 <input checked="" type="checkbox"/>				RO - 2 <input checked="" type="checkbox"/>				RO - 3 <input checked="" type="checkbox"/>				RO - 4 <input checked="" type="checkbox"/>			
	SRO-I <input type="checkbox"/>				SRO-I <input type="checkbox"/>				SRO-I <input type="checkbox"/>				SRO-I <input type="checkbox"/>			
	SRO-U <input type="checkbox"/>				SRO-U <input type="checkbox"/>				SRO-U <input type="checkbox"/>				SRO-U <input type="checkbox"/>			
	SCENARIO				SCENARIO				SCENARIO				SCENARIO			
	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4
Interpret/ Diagnose Events and Conditions	1, 2, 3, 4, 6, 7, 8	1, 2, 3, 4, 5, 6, 7	1, 2, 3, 4, 6, 7, 8		1, 2, 3, 4, 6, 7, 8	1, 2, 3, 4, 5, 6, 7	1, 2, 3, 4, 6, 7, 8		1, 2, 3, 4, 6, 7, 8	1, 2, 3, 4, 5, 6, 7	1, 2, 3, 4, 6, 7, 8		1, 2, 3, 4, 6, 7, 8	1, 2, 3, 4, 5, 6, 7	1, 2, 3, 4, 6, 7, 8	
Comply With and Use Procedures (1)	1, 2, 3, 4, 6, 7, 8	1, 2, 3, 4, 5, 6, 7	1, 2, 3, 4, 6, 7, 8		1, 2, 3, 4, 6, 7, 8	1, 2, 3, 4, 5, 6, 7	1, 2, 3, 4, 6, 7, 8		1, 2, 3, 4, 6, 7, 8	1, 2, 3, 4, 5, 6, 7	1, 2, 3, 4, 6, 7, 8		1, 2, 3, 4, 6, 7, 8	1, 2, 3, 4, 5, 6, 7	1, 2, 3, 4, 6, 7, 8	
Operate Control Boards (2)	1, 4, 5	1, 3, 4	2, 4, 5		3, 4, 5	1, 4	2, 4, 5		3, 4, 5	1, 3, 4	2, 3, 6		1, 4, 5	1, 3, 4	2, 3, 6	
Communicate and Interact	1, 2, 3, 4, 6, 7, 8	1, 2, 3, 4, 5, 6, 7	1, 2, 3, 4, 6, 7, 8		1, 2, 3, 4, 6, 7, 8	1, 2, 3, 4, 5, 6, 7	1, 2, 3, 4, 6, 7, 8		1, 2, 3, 4, 6, 7, 8	1, 2, 3, 4, 5, 6, 7	1, 2, 3, 4, 6, 7, 8		1, 2, 3, 4, 6, 7, 8	1, 2, 3, 4, 5, 6, 7	1, 2, 3, 4, 6, 7, 8	
Demonstrate Supervisory Ability (3)	N/A	N/A	N/A		N/A	N/A	N/A		N/A	N/A	N/A		N/A	N/A	N/A	
Comply With and Use Tech Specs. (3)	N/A	N/A	N/A		N/A	N/A	N/A		N/A	N/A	N/A		N/A	N/A	N/A	
Notes: (1) Includes Technical Specification compliance for an RO. (2) Optional for an SRO-U. (3) Only applicable to SROs.																

**Instructions:**

Check the applicant's license type and enter one or more event numbers that will allow the examiners to evaluate every applicable competency for every applicant. (This includes all rating factors for each competency.) (competency Rating Factors as described on forms ES-303-1 and ES-303-3.)

Facility: Three Mile Island		Date of Examination: 06/26/17				Operating Test No.: TMI 2017-1										
Competencies	APPLICANTS															
	RO - 5 <input checked="" type="checkbox"/>				RO - 6 <input checked="" type="checkbox"/>				RO <input type="checkbox"/>				RO <input type="checkbox"/>			
	SRO-I <input type="checkbox"/>				SRO-I <input type="checkbox"/>				SRO-I - 5 <input checked="" type="checkbox"/>				SRO-I - 6 <input checked="" type="checkbox"/>			
	SRO-U <input type="checkbox"/>				SRO-U <input type="checkbox"/>				SRO-U <input type="checkbox"/>				SRO-U <input type="checkbox"/>			
	SCENARIO				SCENARIO				SCENARIO				SCENARIO			
	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4
Interpret/ Diagnose Events and Conditions	1, 2, 3, 4, 6, 7, 8	1, 2, 3, 4, 5, 6, 7	1, 2, 3, 4, 6, 7, 8		1, 2, 3, 4, 6, 7, 8	1, 2, 3, 4, 5, 6, 7	1, 2, 3, 4, 6, 7, 8		1, 2, 3, 4, 6, 7, 8	1, 2, 3, 4, 5, 6, 7	1, 2, 3, 4, 6, 7, 8		1, 2, 3, 4, 6, 7, 8	1, 2, 3, 4, 5, 6, 7	1, 2, 3, 4, 6, 7, 8	
Comply With and Use Procedures (1)	1, 2, 3, 4, 6, 7, 8	1, 2, 3, 4, 5, 6, 7	1, 2, 3, 4, 6, 7, 8		1, 2, 3, 4, 6, 7, 8	1, 2, 3, 4, 5, 6, 7	1, 2, 3, 4, 6, 7, 8		1, 2, 3, 4, 6, 7, 8	1, 2, 3, 4, 5, 6, 7	1, 2, 3, 4, 6, 7, 8		1, 2, 3, 4, 6, 7, 8	1, 2, 3, 4, 5, 6, 7	1, 2, 3, 4, 6, 7, 8	
Operate Control Boards (2)	3, 4, 5	1, 2, 4	2, 4, 5		3, 4, 5	1, 3, 4	2, 3, 6		1, 4, 5					1, 2, 4		
Communicate and Interact	1, 2, 3, 4, 6, 7, 8	1, 2, 3, 4, 5, 6, 7	1, 2, 3, 4, 6, 7, 8		1, 2, 3, 4, 6, 7, 8	1, 2, 3, 4, 5, 6, 7	1, 2, 3, 4, 6, 7, 8		1, 2, 3, 4, 6, 7, 8	1, 2, 3, 4, 5, 6, 7	1, 2, 3, 4, 6, 7, 8		1, 2, 3, 4, 6, 7, 8	1, 2, 3, 4, 5, 6, 7	1, 2, 3, 4, 6, 7, 8	
Demonstrate Supervisory Ability (3)	N/A	N/A	N/A		N/A	N/A	N/A		1, 2, 3, 4, 6, 7, 8	1, 2, 3, 4, 5, 6, 7	1, 2, 3, 4, 6, 7, 8		1, 2, 3, 4, 6, 7, 8	1, 2, 3, 4, 5, 6, 7	1, 2, 3, 4, 6, 7, 8	
Comply With and Use Tech Specs. (3)	N/A	N/A	N/A		N/A	N/A	N/A			1, 2	1, 4		2, 3		1, 4	
Notes: (1) Includes Technical Specification compliance for an RO. (2) Optional for an SRO-U. (3) Only applicable to SROs.																

**Instructions:**

Check the applicant's license type and enter one or more event numbers that will allow the examiners to evaluate every applicable competency for every applicant. (This includes all rating factors for each competency.) (competency Rating Factors as described on forms ES-303-1 and ES-303-3.)

Facility: Three Mile Island		Date of Examination: 06/26/17		Operating Test No.: TMI 2017-1												
Competencies	APPLICANTS															
	RO <input type="checkbox"/> SRO-I - 1 <input checked="" type="checkbox"/> SRO-U <input type="checkbox"/>				RO <input type="checkbox"/> SRO-I - 2 <input checked="" type="checkbox"/> SRO-U <input type="checkbox"/>				RO <input type="checkbox"/> SRO-I - 3 <input checked="" type="checkbox"/> SRO-U <input type="checkbox"/>				RO <input type="checkbox"/> SRO-I - 4 <input checked="" type="checkbox"/> SRO-U <input type="checkbox"/>			
	SCENARIO				SCENARIO				SCENARIO				SCENARIO			
	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4
Interpret/ Diagnose Events and Conditions	1, 2, 3, 4, 6, 7, 8	1, 2, 3, 4, 5, 6, 7	1, 2, 3, 4, 6, 7, 8		1, 2, 3, 4, 6, 7, 8	1, 2, 3, 4, 5, 6, 7	1, 2, 3, 4, 6, 7, 8		1, 2, 3, 4, 6, 7, 8	1, 2, 3, 4, 5, 6, 7	1, 2, 3, 4, 6, 7, 8		1, 2, 3, 4, 6, 7, 8	1, 2, 3, 4, 5, 6, 7	1, 2, 3, 4, 6, 7, 8	
Comply With and Use Procedures (1)	1, 2, 3, 4, 6, 7, 8	1, 2, 3, 4, 5, 6, 7	1, 2, 3, 4, 6, 7, 8		1, 2, 3, 4, 6, 7, 8	1, 2, 3, 4, 5, 6, 7	1, 2, 3, 4, 6, 7, 8		1, 2, 3, 4, 6, 7, 8	1, 2, 3, 4, 5, 6, 7	1, 2, 3, 4, 6, 7, 8		1, 2, 3, 4, 6, 7, 8	1, 2, 3, 4, 5, 6, 7	1, 2, 3, 4, 6, 7, 8	
Operate Control Boards (2)			2, 3, 6		1, 4, 5					1, 2, 4					2, 3, 6	
Communicate and Interact	1, 2, 3, 4, 6, 7, 8	1, 2, 3, 4, 5, 6, 7	1, 2, 3, 4, 6, 7, 8		1, 2, 3, 4, 6, 7, 8	1, 2, 3, 4, 5, 6, 7	1, 2, 3, 4, 6, 7, 8		1, 2, 3, 4, 6, 7, 8	1, 2, 3, 4, 5, 6, 7	1, 2, 3, 4, 6, 7, 8		1, 2, 3, 4, 6, 7, 8	1, 2, 3, 4, 5, 6, 7	1, 2, 3, 4, 6, 7, 8	
Demonstrate Supervisory Ability (3)	1, 2, 3, 4, 6, 7, 8	1, 2, 3, 4, 5, 6, 7	1, 2, 3, 4, 6, 7, 8		1, 2, 3, 4, 6, 7, 8	1, 2, 3, 4, 5, 6, 7	1, 2, 3, 4, 6, 7, 8		1, 2, 3, 4, 6, 7, 8	1, 2, 3, 4, 5, 6, 7	1, 2, 3, 4, 6, 7, 8		1, 2, 3, 4, 6, 7, 8	1, 2, 3, 4, 5, 6, 7	1, 2, 3, 4, 6, 7, 8	
Comply With and Use Tech Specs. (3)	2, 3	1, 2				1, 2	1, 4		2, 3		1, 4		2, 3	1, 2		
Notes: (1) Includes Technical Specification compliance for an RO. (2) Optional for an SRO-U. (3) Only applicable to SROs.																

**Instructions:**

Check the applicant's license type and enter one or more event numbers that will allow the examiners to evaluate every applicable competency for every applicant. (This includes all rating factors for each competency.) (competency Rating Factors as described on forms ES-303-1 and ES-303-3.)



**ES-301 Transient and Event Checklist Form ES-301-5**

Facility: Three Mile Island				Date of Exam: 06/26/2017				Operating Test Number: TMI 2017-1									
A P P L I C A N T	E V E N T  T Y P E	S c e n a r i o s												T O T A L	M I N I M U M (*)		
		1			2			3			4						
		C R E W P O S I T I O N			C R E W P O S I T I O N			C R E W P O S I T I O N			C R E W P O S I T I O N						
		S R O	A T C	B O P	S R O	A T C	B O P	S R O	A T C	B O P	S R O	A T C	B O P				
RO-1 <input checked="" type="checkbox"/> SRO-I <input type="checkbox"/> SRO-U	RX		1											1	1	1	0
	NOR													0	1	1	1
	I/C		4, 5			1,3,4			2, 4, 5				8	4	4	2	
	MAJ		6			5			7				3	2	2	1	
	TS												0	0	2	2	
RO-2 <input checked="" type="checkbox"/> SRO-I <input type="checkbox"/> SRO-U	RX				2								1	1	1	0	
	NOR												0	1	1	1	
	I/C			3,4,5		1,4			2, 4, 5				8	4	4	2	
	MAJ			6		5			7				3	2	2	1	
	TS												0	0	2	2	
RO-3 <input checked="" type="checkbox"/> SRO-I <input type="checkbox"/> SRO-U	RX							3					1	1	1	0	
	NOR												0	1	1	1	
	I/C			3,4,5		1,3,4		2, 6					8	4	4	2	
	MAJ			6		5		7					3	2	2	1	
	TS												0	0	2	2	
RO-4 <input checked="" type="checkbox"/> SRO-I <input type="checkbox"/> SRO-U	RX		1										1	1	1	0	
	NOR												0	1	1	1	
	I/C		4, 5			1,3,4			2, 4, 5				8	4	4	2	
	MAJ		6			5			7				3	2	2	1	
	TS												0	0	2	2	

**Instructions:**

- Check the applicant level and enter the operating test number and Form ES-D-1 event numbers for each event type; TS are not applicable for RO applicants. ROs must serve in both the "at-the-controls (ATC)" and "balance-of-plant (BOP)" positions. Instant SROs must serve in both the SRO and the ATC positions, including at least two instrument or component (I/C) malfunctions and one major transient, in the ATC position. If an Instant SRO *additionally* serves in the BOP position, one I/C malfunction can be credited toward the two I/C malfunctions required for the ATC position.
- Reactivity manipulations may be conducted under normal or *controlled* abnormal conditions (refer to Section D.5.d) but must be significant per Section C.2.a of Appendix D. (\*) Reactivity and normal evolutions may be replaced with additional instrument or component malfunctions on a 1-for-1 basis.
- Whenever practical, both instrument and component malfunctions should be included; only those that require verifiable actions that provide insight to the applicant's competence count toward the minimum requirements specified for the applicant's license level in the right-hand columns.
- For licensees that use the ATC operator primarily for monitoring plant parameters, the chief examiner may place SRO-I applicants in either the ATC or BOP position to best evaluate the SRO-I in manipulating plant controls.

**ES-301 Transient and Event Checklist Form ES-301-5**

Facility: Three Mile Island			Date of Exam: 06/26/2017			Operating Test Number: TMI 2017-1												
A P P L I C A N T	E V E N T  T Y P E	Scenarios												T O T A L	M I N I M U M (*)			
		1			2			3			4							
		C R E W P O S I T I O N			C R E W P O S I T I O N			C R E W P O S I T I O N			C R E W P O S I T I O N							
		S R O	A T C	B O P	S R O	A T C	B O P	S R O	A T C	B O P	S R O	A T C	B O P					
																R	I	U
RO-5 <input checked="" type="checkbox"/> SRO-I <input type="checkbox"/> SRO-U	RX				2										1	1	1	0
	NOR														0	1	1	1
	I/C			3,4,5		1,4				2,4,5					8	4	4	2
	MAJ			6		5				7					3	2	2	1
	TS														0	0	2	2
RO-6 <input checked="" type="checkbox"/> SRO-I <input type="checkbox"/> SRO-U	RX							3							1	1	1	0
	NOR														0	1	1	1
	I/C			3,4,5			1,3,4		2,6						8	4	4	2
	MAJ			6		5		7							3	2	2	1
	TS														0	0	2	2
RO <input type="checkbox"/> SRO-I-5 <input checked="" type="checkbox"/> SRO-U	RX		1												1	1	1	0
	NOR														1	1	1	1
	I/C		4,5		3,4			2,3,5,6							8	4	4	2
	MAJ		6		5			7							3	2	2	1
	TS				1,2			1,4							4	0	2	2
RO <input type="checkbox"/> SRO-I-6 <input checked="" type="checkbox"/> SRO-U	RX				2										1	1	1	0
	NOR														0	1	1	1
	I/C	4,5			1,4			2,3,5,6							8	4	4	2
	MAJ	6			5			7							3	2	2	1
	TS	2,3						1,4							4	0	2	2

**Instructions:**

- Check the applicant level and enter the operating test number and Form ES-D-1 event numbers for each event type; TS are not applicable for RO applicants. ROs must serve in both the "at-the-controls (ATC)" and "balance-of-plant (BOP)" positions. Instant SROs must serve in both the SRO and the ATC positions, including at least two instrument or component (I/C) malfunctions and one major transient, in the ATC position. If an Instant SRO *additionally* serves in the BOP position, one I/C malfunction can be credited toward the two I/C malfunctions required for the ATC position.
- Reactivity manipulations may be conducted under normal or *controlled* abnormal conditions (refer to Section D.5.d) but must be significant per Section C.2.a of Appendix D. (\*) Reactivity and normal evolutions may be replaced with additional instrument or component malfunctions on a 1-for-1 basis.
- Whenever practical, both instrument and component malfunctions should be included; only those that require verifiable actions that provide insight to the applicant's competence count toward the minimum requirements specified for the applicant's license level in the right-hand columns.
- For licensees that use the ATC operator primarily for monitoring plant parameters, the chief examiner may place SRO-I applicants in either the ATC or BOP position to best evaluate the SRO-I in manipulating plant controls.

**ES-301 Transient and Event Checklist Form ES-301-5**

Facility: Three Mile Island			Date of Exam: 06/26/2017			Operating Test Number: TMI 2017-1												
A P P L I C A N T	E V E N T  T Y P E	Scenarios												T O T A L	M I N I M U M(*)			
		1			2			3			4							
		CREW POSITION			CREW POSITION			CREW POSITION			CREW POSITION							
		S R O	A T C	B O P	S R O	A T C	B O P	S R O	A T C	B O P	S R O	A T C	B O P					
																R	I	U
RO <input type="checkbox"/> SRO-I-1 <input type="checkbox"/> SRO-U <input checked="" type="checkbox"/>	RX								3					1	1	1	0	
	NOR													1	1	1	1	
	I/C	4, 5			3, 4			2, 6						6	4	4	2	
	MAJ	6			5			7						3	2	2	1	
	TS	2, 3			1, 2									4	0	2	2	
RO <input type="checkbox"/> SRO-I-2 <input type="checkbox"/> SRO-U <input checked="" type="checkbox"/>	RX		1											1	1	1	0	
	NOR													1	1	1	1	
	I/C		4, 5		3, 4			2, 3, 5, 6						8	4	4	2	
	MAJ		6		5			7						3	2	2	1	
	TS				1, 2			1, 4						4	0	2	2	
RO <input type="checkbox"/> SRO-I-3 <input type="checkbox"/> SRO-U <input checked="" type="checkbox"/>	RX					2								1	1	1	0	
	NOR													0	1	1	1	
	I/C	4, 5			1, 4			2, 3, 5, 6						8	4	4	2	
	MAJ	6			5			7						3	2	2	1	
	TS	2, 3						1, 4						4	0	2	2	
RO <input type="checkbox"/> SRO-I-4 <input type="checkbox"/> SRO-U <input checked="" type="checkbox"/>	RX							3						1	1	1	0	
	NOR													0	1	1	1	
	I/C	4, 5			3, 4			2, 6						6	4	4	2	
	MAJ	6			5			7						3	2	2	1	
	TS	2, 3			1, 2									4	0	2	2	

**Instructions:**

- Check the applicant level and enter the operating test number and Form ES-D-1 event numbers for each event type; TS are not applicable for RO applicants. ROs must serve in both the "at-the-controls (ATC)" and "balance-of-plant (BOP)" positions. Instant SROs must serve in both the SRO and the ATC positions, including at least two instrument or component (I/C) malfunctions and one major transient, in the ATC position. If an Instant SRO *additionally* serves in the BOP position, one I/C malfunction can be credited toward the two I/C malfunctions required for the ATC position.
- Reactivity manipulations may be conducted under normal or *controlled* abnormal conditions (refer to Section D.5.d) but must be significant per Section C.2.a of Appendix D. (\*) Reactivity and normal evolutions may be replaced with additional instrument or component malfunctions on a 1-for-1 basis.
- Whenever practical, both instrument and component malfunctions should be included; only those that require verifiable actions that provide insight to the applicant's competence count toward the minimum requirements specified for the applicant's license level in the right-hand columns.
- For licensees that use the ATC operator primarily for monitoring plant parameters, the chief examiner may place SRO-I applicants in either the ATC or BOP position to best evaluate the SRO-I in manipulating plant controls.

Facility: Three Mile Island		Date of Exam: 6/26/17	Scenario Numbers: 1 / 2 / 3		Operating Test Number: TMI 2017-1		
QUALITATIVE ATTRIBUTES				Initials			
				a	b*	c#	
1.	The initial conditions are realistic, in that some equipment and/or instrumentation may be out of service, but it does not cue the operators into expected events.			TB	S	7	
2.	The scenarios consist mostly of related events.			TB	S	7	
3.	Each event description consists of <ul style="list-style-type: none"> <li>the point in the scenario when it is to be initiated</li> <li>the malfunction(s) or conditions that are entered to initiate the event</li> <li>the symptoms/cues that will be visible to the crew</li> <li>the expected operator actions (by shift position)</li> <li>the event termination point (if applicable)</li> </ul>			TB	S	7	
4.	The events are valid with regard to physics and thermodynamics.			TB	S	7	
5.	Sequencing and timing of events is reasonable, and allows the examination team to obtain complete evaluation results commensurate with the scenario objectives.			TB	S	7	
6.	If time compression techniques are used, the scenario summary clearly so indicates. Operators have sufficient time to carry out expected activities without undue time constraints. Cues are given.			TB	S	7	
7.	The simulator modeling is not altered.			TB	S	7	
8.	The scenarios have been validated. Pursuant to 10CFR55.46(d), any open simulator performance deficiencies or deviations from the referenced plant have been evaluated to ensure that functional fidelity is maintained while running the planned scenarios.			TB	S	7	
9.	Every operator will be evaluated using at least one new or significantly modified scenario. All other scenarios have been altered in accordance with Section D.5 of ES-301.			TB	S	7	
10.	All individual operator competencies can be evaluated, as verified using Form ES-301-6 (submit the form along with the simulator scenarios).			TB	S	7	
11.	The scenario set provides the opportunity for each applicant to be evaluated in each of the applicable rating factors. (Competency Rating factors as described on forms ES-303-1 and ES-303-3)			TB	S	7	
12.	Each applicant will be significantly involved in the minimum number of transients and events specified on Form ES-301-5 (submit the form with the simulator scenarios).			TB	S	7	
13.	The level of difficulty is appropriate to support licensing decisions for each crew position.			TB	S	7	
<b>Target Quantitative Attributes (Per Scenario; See Section D.5.d)</b>				<b>Actual Attributes</b>			
1.	Malfunctions after EOP entry (1-2)			1 / 1 / 1	TB	S	
2.	Abnormal events (2-4)			4 / 4 / 6	TB	S	
3.	Major transients (1-2)			1 / 1 / 1	TB	S	
4.	EOPs entered/requiring substantive actions (1-2)			1 / 2 / 1	TB	S	
5.	EOP contingencies requiring substantive actions (0-2)			1 / 1 / 1	TB	S	
6.	Critical tasks (2-3)			2 / 2 / 2	TB	S	
NOTE: * The facility signature is not applicable for NRC-developed tests. # Independent NRC reviewer initial items in Column "c", chief examiner concurrence required.							

Facility: <u>Three Mile Island</u> Date of Exam: <u>6/30/17</u> Exam Level: RO <input checked="" type="checkbox"/> SRO <input type="checkbox"/>			
Item Description	Initials		
	a	b	c
1. Clean answer sheets copied before grading	TB	S	A
2. Answer key changes and question deletions justified and documented	TB	S	A
3. Applicants' scores checked for addition errors (reviewers spot check > 25% of examinations)	TB	S	A
4. Grading for all borderline cases (80 $\pm$ 2% overall and 70 or 80, as applicable, $\pm$ 4% on the SRO-only) reviewed in detail	TB	S	A
5. All other failing examinations checked to ensure that grades are justified	TB	S	N/A
6. Performance on missed questions checked for training deficiencies and wording problems; evaluate validity of questions missed by half or more of the applicants	TB	S	A
Printed Name/Signature		Date	
a. Grader	<u>TODD BEVER / JMB</u>	<u>7/6/17</u>	
b. Facility Reviewer(*)	<u>Scott Simpson / S</u>	<u>7/6/17</u>	
c. NRC Chief Examiner (*)	<u>J. D. ANTONIO / JAC</u>	<u>7/15/17</u>	
d. NRC Supervisor (*)	<u>DONALD E. JACKSON / DJ</u>	<u>8/3/17</u>	
(*) The facility reviewer's signature is not applicable for examinations graded by the NRC; two independent NRC reviews are required.			

Facility: <u>Three Mile Island</u>		Date of Exam: <u>6/30/17</u>		Exam Level: RO <input type="checkbox"/> SRO <input checked="" type="checkbox"/>	
Item Description	Initials				
	a	b	c		
1. Clean answer sheets copied before grading	TB	S	n		
2. Answer key changes and question deletions justified and documented	TB	S	n		
3. Applicants' scores checked for addition errors (reviewers spot check > 25% of examinations)	TB	S	n		
4. Grading for all borderline cases (80 $\pm$ 2% overall and 70 or 80, as applicable, $\pm$ 4% on the SRO-only) reviewed in detail	TB	S	n		
5. All other failing examinations checked to ensure that grades are justified	TB	S	n/h		
6. Performance on missed questions checked for training deficiencies and wording problems; evaluate validity of questions missed by half or more of the applicants	TB	S	n		
Printed Name/Signature		Date			
a. Grader	<u>Todd Beaver / [Signature]</u>	<u>7/6/17</u>			
b. Facility Reviewer(*)	<u>Scott Simpson / [Signature]</u>	<u>7/6/17</u>			
c. NRC Chief Examiner (*)	<u>J. D'Amico / [Signature]</u>	<u>7/25/17</u>			
d. NRC Supervisor (*)	<u>Donald E. Jackson / [Signature]</u>	<u>8/3/17</u>			
(*) The facility reviewer's signature is not applicable for examinations graded by the NRC; two independent NRC reviews are required.					