

**NRC DISTRIBUTION FOR PART 50 DOCKET MATERIAL**  
(TEMPORARY FORM)

CONTROL NO: 6548  
FILE: Enviro

FROM: Florida Power & Light Miami, Fla R E Uhrig			DATE OF DOC 6-13-75	DATE REC'D 6-17-75	LTR XX	TWX	RPT	OTHER
TO: Mr. A Giambusso			ORIG 3 signed	CC	OTHER	SENT NRC PDR <u>XXX</u> SENT LOCAL PDR <u>XXX</u>		
CLASS	UNCLASS XXX	PROP INFO	INPUT	NO CYS REC'D 40		DOCKET NO: 50-335		

DESCRIPTION: Ltr notarized 6-13-75 trans the following:

ENCLOSURES: Proposed revision 2 to Enviro Tech Specs: consists of adding section 3.3, Onsite Meteorological Monitoring, to the ETS...

40 copies encl rec'd

PLANT NAME: St. Lucie # 1

**FOR ACTION/INFORMATION** wtm 6-17-75

BUTLER (L) W/ Copies	SCHWENCER (L) W/ Copies	ZIEMANN (L) W/ Copies	✓ REGAN (E) W/ Copies
CLARK (L) W/ Copies	STOLZ (L) W/ Copies	DICKER (E) W/ Copies	LEAR (L) W/ Copies
✓ PARR (L) W/ Copies	VASSALLO (L) W/ Copies	KNIGHTON (E) W/ Copies	SPIES W/ Copies
KNIEL (L) W/ Copies	PURPLE (L) W/ Copies	YOUNGBLOOD (E) W/ Copies	LPM W/ Copies

**INTERNAL DISTRIBUTION**

<del>REG FILE</del> <del>NRC PDR</del> <del>OGC, ROOM P-506A</del> <del>GOSSICK/STAFF</del> CASE GIAMBUSSO BOYD MOORE (L) DEYOUNG (L) SKOVHOLT (L) GOLLER (L) (Ltr) P. COLLINS DENISE REG OPR <u>cal</u> FILE & REGION (2) MIPC	TECH REVIEW SCHROEDER MACCARY KNIGHT PAWLICKI SHAO STELLO HOUSTON NOVAK ROSS IPPOLITO <del>TEDESCO</del> <del>J. Collins</del> LAINAS BENAROYA VOLLMER	<del>DENTON</del> <del>GRIMES</del> <del>GAMMILL</del> <del>KASTNER</del> <del>BALLARD</del> <del>SPANGLER</del>  <u>ENVIRO</u> <del>MULLER</del> <del>DICKER</del> <del>KNIGHTON</del> <del>YOUNGBLOOD</del> <del>REGAN</del> <del>PROJECT LDR</del> <del>Lynch</del> <del>HARLESS</del>	LIC ASST R. DIGGS (L) H. GEARIN (L) E. GOULBOURNE (L) P. KREUTZER (E) J. LEE (L) M. MAIGRET (L) S. REED (E) M. SERVICE (L) S. SHEPPARD (L) M. SLATER (E) H. SMITH (L) S. TEETS (L) G. WILLIAMS (E) V. WILSON (L) R. INGRAM (L) M. DUNCAN	A/T IND. BRAITMAN SALTZMAN MELTZ  <u>PLANS</u> MCDONALD CHAPMAN DUBE (Ltr) E. COUPE PETERSON HARTFIELD (2) KLECKER EISENHUT WIGGINTON
--	---	--	--	---

**EXTERNAL DISTRIBUTION**

1 - LOCAL PDR Ft. Pierce, Fla 1 - TIC (ABERNATHY) (1/2/75) 1 - NSIC (BUCHANAN) 1 - ASLB 1 - Newton Anderson 1 - ACRS HOLDING/SENT	NATIONAL LABS. <u>PNWL</u> 1 - W. PENNINGTON, Rm E-201 GT 1 - CONSULTANTS NEWMARK/BLUME/AGBABIAN	1 - PDR-SAN/LA/NY 1 - BROOKHAVEN NAT LAB 1 - G. ULRIKSON ORNL
--	---	---

*RM*



FLORIDA POWER & LIGHT COMPANY

June 13, 1975  
L-75-280

Mr. Angelo Giambusso, Director  
Division of Reactor Licensing  
Office of Nuclear Reactor Regulation  
U. S. Nuclear Regulatory Commission  
Washington, D. C. 20555


Dear Mr. Giambusso:

Re: St. Lucie Plant Unit No. 1 - Docket No. 50-335  
Environmental Technical Specification Change

Florida Power & Light Company hereby submits for your review three signed originals and 40 copies of proposed revision 2 to the St. Lucie 1 Environmental Technical Specifications.


This revision consists of adding section 3.3, Onsite Meteorological Monitoring, to the ETS.

Yours very truly,

  
Robert E. Uhrig  
Vice President

REU:nych  
Enclosure

cc: Jack R. Newman, Esquire



6548

THE  
FEDERAL  
BUREAU OF  
INVESTIGATION  
OF THE  
DEPARTMENT OF JUSTICE

REPORT OF THE  
FEDERAL BUREAU OF  
INVESTIGATION  
ON THE  
ACTS OF  
TERRORISM  
AND  
OTHER  
CRIMES  
COMMITTED  
BY  
THE  
BLACK PANTHER PARTY  
IN  
THE  
UNITED STATES  
OF AMERICA

IN  
THE  
CITY OF  
NEW YORK  
ON  
JANUARY  
1, 1968

BY  
SPECIAL AGENT IN CHARGE

STATE OF FLORIDA )  
 )  
COUNTY OF DADE )


SS

ROBERT E. UHRIG, being first duly sworn, deposes and says:

That he is a Vice President of Florida Power & Light Company, the Applicant herein;


That he has executed the foregoing instrument; that the statements made in this said instrument are true and correct to the best of his knowledge, information and belief; and that he is authorized to execute the instrument on behalf of said Applicant.

  
Robert E. Uhrig



Subscribed and sworn to before me


this 13<sup>th</sup> day of June, 1975

  
Notary Public in and for the  
County of Dade, State of Florida

My Commission expires NOTARY PUBLIC STATE OF FLORIDA AT LARGE  
MY COMMISSION EXPIRES JAN. 26, 1979  
BONDED THRU GENERAL INSURANCE UNDERWRITERS


14-1-1954

*[Illegible handwritten signature]*



June 13, 1975  
L-75-280

Mr. Angelo Giambusso, Director  
Division of Reactor Licensing  
Office of Nuclear Reactor Regulation  
U. S. Nuclear Regulatory Commission  
Washington, D. C. 20555




Dear Mr. Giambusso:

Re: St. Lucie Plant Unit No. 1 - Docket No. 50-335  
Environmental Technical Specification Change

Florida Power & Light Company hereby submits for your review three signed originals and 40 copies of proposed revision 2 to the St. Lucie 1 Environmental Technical Specifications:

This revision consists of adding section 3.3, Onsite Meteorological Monitoring, to the ETS.

Yours very truly,

  
Robert E. Uhrig  
Vice President

REU:nch  
Enclosure

cc: Jack R. Newman, Esquire

6548

200

1. The first part of the report is a general introduction to the subject of the study. It discusses the importance of the study and the objectives of the research.

2. The second part of the report is a detailed description of the methodology used in the study. It includes information about the sample size, the data collection methods, and the statistical analysis techniques.

3. The third part of the report is a presentation of the results of the study. It includes tables and graphs showing the data and the statistical analysis results.

4. The fourth part of the report is a discussion of the results and their implications. It discusses the findings of the study and their relevance to the field of study.

5. The fifth part of the report is a conclusion and a summary of the findings. It provides a final statement on the results of the study and the conclusions drawn from them.


6. The sixth part of the report is a list of references. It includes a list of all the sources used in the study, including books, articles, and other documents.

STATE OF FLORIDA    )  
                          )  
COUNTY OF DADE     )     SS

ROBERT E. UHRIG, being first duly sworn, deposes and says:


That he is a Vice President of Florida Power & Light Company,  
the Applicant herein;

That he has executed the foregoing instrument; that the  
statements made in this said instrument are true and correct  
to the best of his knowledge, information and belief; and  
that he is authorized to execute the instrument on behalf  
of said Applicant.

  
Robert E. Uhrig

Subscribed and sworn to before me

this 13<sup>th</sup> day of June, 1975

  
Notary Public in and for the  
County of Dade, State of Florida

My Commission expires

NOTARY PUBLIC STATE OF FLORIDA  
MY COMMISSION EXPIRES JAN. 26, 1979  
BONDED THRU GENERAL INSURANCE UNDERWRITERS





1. The first part of the document discusses the importance of maintaining accurate records of all transactions. It emphasizes that this is crucial for ensuring the integrity of the financial system and for providing a clear audit trail. The text also mentions that this practice helps in identifying any discrepancies or errors early on, which can then be corrected before they become a problem.

2. The second part of the document focuses on the role of technology in modern accounting. It highlights how software solutions have revolutionized the way businesses manage their finances, allowing for faster processing times and more accurate calculations. However, it also notes that while technology is a powerful tool, it must be used responsibly and with proper oversight to avoid potential risks.

3. The third part of the document addresses the challenges faced by small businesses when it comes to financial management. It points out that many small businesses lack the resources and expertise to handle complex financial tasks, which can lead to mistakes and financial instability. The text suggests that seeking professional advice or using specialized services can help these businesses overcome these challenges and thrive.

4. The final part of the document provides a summary of the key points discussed and offers some concluding thoughts. It reiterates the importance of sound financial practices and the need for continuous learning and adaptation in a rapidly changing business environment. The text ends with a call to action, encouraging readers to take the steps necessary to ensure their financial health and success.

## TABLE OF CONTENTS (Continued)

	<u>Page</u>
2.4.6 Effluent Monitors	2-19
2.4.6.1 Liquid Rad Waste Monitor	2-19
2.4.6.2 Gaseous Radwaste Monitor	2-19
2.4.6.3 Plant Vent Monitor	2-20
2.4.6.4 Spent Fuel Storage Area Monitor	2-20
2.4.6.5 Condenser Air Ejector Vent	2-21
2.4.6.6 Steam Generator Blow-down Monitors	2-21
2.4.6.7 Process Monitor Calibration	2-22
2.4.6.8 Process Monitor Inoperability	2-23
2.4.7 Containerized Wastes	2-23
3.0 <u>ENVIRONMENTAL SURVEILLANCE</u>	3-1
3.1 Non-Radiological Surveillance	3-1
3.1.A ABIOTIC	3-1
3.1.A.1 Biocides	3-1
3.1.A.2 Heavy Metals	3-1
3.1.A.3 pH	3-2
3.1.A.4 Dissolved Oxygen	3-2
3.1.A.5 Salinity	3-2
3.1.A.6 Temperature	3-3
3.1.B BIOTIC	3-3
a) Benthic Organisms	3-3
b) Plankton	3-4
c) Nektonic Organisms	3-4
d) Macrophytes	3-4
e) Water Quality	3-4
f) Migratory Sea Turtles	3-4a
3.2 Radiological Environmental Monitoring	3-5
3.3 Onsite Meteorological Monitoring	3-14
4.0 <u>SPECIAL SURVEILLANCE &amp; SPECIAL STUDY ACTIVITIES</u>	4-1
4.1 Entrainment of Aquatic Organisms	4-1
4.2 Impingement of Aquatic Organisms	4-1

Rev. 2 6/13/75  
Rev. 1 5/15/75



### 3.3 ONSITE METEOROLOGICAL MONITORING

#### Objective

The objective of onsite meteorological monitoring is to adequately measure and document meteorological conditions at the site, specifically at heights above ground that are representative of atmospheric conditions that exist at all effluent release points.

#### Specification

The onsite meteorological monitoring program shall conform to the recommendations and intent of Safety Guide 23, Onsite Meteorological Programs, and include instruments to sense wind speed and direction at 33-ft and 190-ft, vertical temperature gradient between 33-ft and 200-ft, and ambient dry bulb and dewpoint temperatures at 33-ft. The location of the meteorological tower shall be located approximately 2400 feet north of the reactor complex.

#### Reporting Requirements

Meteorological data shall be summarized and reported in a format consistent with the recommendations of Regulatory Guide 1.21 and Safety Guide 23. Summaries of data and observations shall be available to the U. S. Nuclear Regulatory Commission upon request. If the outage of any meteorological instrument(s) exceeds three consecutive days, the total outage time and dates of outage, the cause of the outage, and the instrument(s) involved shall be reported within 30 days of the initial time of the outage to the U. S. Nuclear Regulatory Commission, Office of Inspection and Enforcement with a copy to the Office of Nuclear Reactor Regulation, Division of Technical Review. Any modifications to the meteorological monitoring program as described above, or alterations of the area near the meteorological tower that would interfere with the measurement of meteorological conditions representative of the site, shall have the written approval of the U. S. Nuclear Regulatory Commission, Office of Nuclear Reactor Regulation, prior to the initiation of the modification or alteration.

#### Bases

The collection of meteorological data at the plant site will provide information which will be used to develop atmospheric diffusion parameters to estimate potential radiation doses to the public resulting from actual routine or accidental releases of radioactive materials to the atmosphere.

