



WVA Manufacturing, LLC
P.O. Box 248
Route 60 E
Alloy, WV 25002-0248
Phone: 304-779-3200
Fax: 304-779-3297
www.glbsm.com

Br. 2

Licensing Assistant Section
Nuclear Materials Safety Branch
U.S. Nuclear Regulatory Commission, Region I
2100 Renaissance Blvd., Suite 100
King of Prussia, PA 19406-2713

Re: Termination of Lic. No. 47-19784-01

To Whom It May Concern:

03019240

WVA Manufacturing, LLC hereby requests that the USNRC grant a termination of License No. 47-19784-01. The completed Form 314 – Certificate of Disposition of Materials is enclosed with attachments.

Any questions regarding this termination should be addressed to me at 304-779-3379 or rwagner@ferroglobe.com

Sincerely,

A handwritten signature in black ink that reads 'William R. Wagner'.

William R. Wagner
Corporate Quality Director

REC RG1052218 AM0701

608909

NMSS/RGN1 MATERIALS-002



CERTIFICATE OF DISPOSITION OF MATERIALS

Estimated burden per response to comply with this mandatory collection request: 30 minutes. This submittal is used by NRC as part of the basis for its determination that the facility is released for unrestricted use. Send comments regarding burden estimate to the FOIA, Privacy, and Information Collections Branch (7-5 F33), U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, or by e-mail to Infocollections.Resource@nrc.gov, and to the Desk Officer, Office of Information and Regulatory Affairs, NE08-10202, (3150-0028), Office of Management and Budget, Washington, DC 20503. If a means used to impose an information collection does not display a currently valid OMB control number, the NRC may not conduct or sponsor, and a person is not required to respond to, the information collection.

LICENSEE NAME AND ADDRESS

WVA Manufacturing, LLC
US 60 East
PO Box 158
Alloy, West Virginia 25002

LICENSE NUMBER

47-19784-01

DOCKET NUMBER

030-19240

LICENSE EXPIRATION DATE

May 31, 2021

A. LICENSE STATUS (Check the appropriate box)

- ☐ This license has expired. ☒ This license has not yet expired; please terminate it.

B. DISPOSAL OF RADIOACTIVE MATERIAL

(Check the appropriate boxes and complete as necessary. If additional space is needed, provide attachments)

The licensee, or any individual executing this certificate on behalf of the licensee, certifies that:

- ☐ 1. No radioactive materials have ever been procured or possessed by the licensee under this license.
- ☒ 2. All activities authorized by this license have ceased, and all radioactive materials procured and/or possessed by the licensee under this license number cited above have been disposed of in the following manner.
- ☐ a. Transfer of radioactive materials to the licensee listed below:
- ☒ b. Disposal of radioactive materials:
- ☐ 1. Directly by the licensee:
- ☐ 2. By licensed disposal site:
- ☒ 3. By waste contractor:
- WCS TSD Facility, Operated by Waste Control Specialists LLC
9998 W. State Hwy 176, Andrews, TX 79714
- ☐ c. All radioactive materials have been removed such that any remaining residual radioactivity is within the limits of 10 CFR Part 20, Subpart E, and is ALARA.

C. SURVEYS PERFORMED AND REPORTED

- ☐ 1. A radiation survey was conducted by the licensee. The survey confirms:
- ☐ a. the absence of licensed radioactive materials
- ☐ b. that any remaining residual radioactivity is within the limits of 10 CFR 20, Subpart E, and is ALARA.
- ☐ 2. A copy of the radiation survey results:
- ☐ a. is attached; or ☐ b. is not attached (Provide explanation); or ☐ c. was forwarded to NRC on: _____ Date _____
- ☒ 3. A radiation survey is not required as only sealed sources were ever possessed under this license, and
- ☒ a. The results of the latest leak test are attached; and/or ☒ b. No leaking sources have ever been identified.

The person to be contacted regarding the information provided on this form:

NAME	TITLE	TELEPHONE (Include Area Code)	E-MAIL ADDRESS
Roger Wagner	Corporate Quality Director	304-779-3379	rwagner@ferroglobe.com

Mail all future correspondence regarding this license to:

PO Box 158, Alloy, WV 25002

C. CERTIFYING OFFICIAL

I CERTIFY UNDER PENALTY OF PERJURY THAT THE FOREGOING IS TRUE AND CORRECT

PRINTED NAME AND TITLE	SIGNATURE	DATE
William R. Wagner, Corporate Quality Director	<i>William R. Wagner</i>	5-14-18

WARNING: FALSE STATEMENTS IN THIS CERTIFICATE MAY BE SUBJECT TO CIVIL AND/OR CRIMINAL PENALTIES. NRC REGULATIONS REQUIRE THAT SUBMISSIONS TO THE NRC BE COMPLETE AND ACCURATE IN ALL MATERIAL RESPECT. 18 U.S.C. SECTION 1001 MAKES IT A CRIMINAL OFFENSE TO MAKE A WILLFULLY FALSE STATEMENT OR REPRESENTATION TO ANY DEPARTMENT OR AGENCY OF THE UNITED STATES AS TO ANY MATTER WITHIN ITS JURISDICTION.



P.O. Box 817 Kingston, TN 37763 (865) 220-8501

Certificate of Disposal

May 2, 2018

Roger Wagner
Global Metallurgical, Inc.
Rte 60 East
Alloy, WV 25002

Re: Global Metallurgical, Inc. Manifest # 1217GMI (picked up on 12/4/2017) and # 0118GMI (picked up on 1/24/2018)

Dear Roger,

This is to certify that the radioactive material picked up at your facility on January 24, 2018 on manifest # 0118GMI has been disposed of at Waste Control Specialists, LLC. in Andrews, Texas.

Please reference the following table for detailed disposal information.

Manifest Number	Container Number	Disposal Volume (ft ³)	Disposal Date
1217GMI 0118GMI	GMI-01 GMI-02 GMI-03	2.50	3/29/2018

If you have any questions please feel free to contact me at (865) 220-8501.

Sincerely,

A handwritten signature in cursive script that reads 'Leyla Coleman'.

Leyla Coleman
Administrative Assistant
Bionomics, Inc.



P.O. Box 817 — Kingston, TN 37753 — (865) 220-8501

Certificate of Disposal

April 3, 2018

Roger Wagner
Global Metallurgical, Inc.
Rte 60 East
Alloy, WV 25002

Re: Global Metallurgical, Inc. Manifest # 0118GMI picked up on 1/24/2018

Dear Roger,

This is to certify that the radioactive material picked up at your facility on January 24, 2018 on manifest # 0118GMI has been disposed of at Waste Control Specialists, LLC. in Andrews, Texas.

Please reference the following table for detailed disposal information.

Bionomics Manifest Number	Bionomics Container Number	Disposal Volume (ft³)	Disposal Date
BW-03-18	18-000383 18-000384	2.5	3/29/2018

If you have any questions please feel free to contact me at (865) 220-8501.

Sincerely,

A handwritten signature in cursive script that reads 'Leyla Coleman'.

Leyla Coleman
Administrative Assistant
Bionomics, Inc.



P.O. Box 817 – Kingston, TN 37763 – (865) 220-8501

January 29, 2018

ROGER WAGNER

GLOBAL METALLURGICAL, INC.
RTE 60 EAST
ALLOY, WV 25002

Dear Roger,

As required by 10 CFR Part 20 (Appendix G), this letter is notification that Bionomics, Inc. has received the shipment recently picked up at your facility on **January 24, 2018**.

Attached you will find a copy of your NRC Form 540, the only change from the original is in Item No.9 "signature" which identifies that Bionomics, Inc. is acknowledging receipt of waste from your facility.

Please keep this with your original, as well as future disposal certifications.

If you have any questions please feel free to contact me at (865) 220-8501.

Sincerely,

A handwritten signature in black ink that reads 'Paul Nipper'.

Paul Nipper
QA Manager

Cc: File BIO-01-18

[illegible]

FORM 540 UNIFORM LOW-LEVEL RADIOACTIVE WASTE MANIFEST SHIPPING PAPER		SHIPPER - NAME AND FACILITY Bioronics, Inc. for Global Metallurgical, Inc. Rte 80 East Albany, WV 25902		SHIPMENT IS NUMBER 012-0018CVAWVAPACH		PAGE 1 OF 1 (PAGE 1) 1 PAGES NONE PAGES NONE PAGES		FORM 540 AND 540A FORM 541 AND 541A FORM 542 AND 542A ADDITIONAL INFORMATION		4. MANIFEST NUMBER (Use this number on all correspondence pages) 011804M																					
1. EMERGENCY TELEPHONE NUMBER (Include Area Code) (800) 424-5000		2. ORGANIZATION CHEMTREC/CN102-654		3. USER PERMIT NUMBER 011804M		5. SHIPMENT NUMBER 011804M		6. CONSIGNEE - Name and Facility Address Bioronics, Inc. Operated by Bioronics Inc 1540 Bear Creek Road Oak Ridge, TN 37830 (908) 220-6901		7. CONTACT John McCormick (Include Area Code) (908) 220-6901																					
8. DOES EPA REGULATED MATERIAL ACCOMPANY THIS MANIFEST? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		9. TOTAL NUMBER OF PACKAGES IDENTIFIED ON THIS MANIFEST 2		10. CARRIER - Name and Address Bioronics, Inc 1540 Bear Creek Road Oak Ridge, TN 37830		11. TELEPHONE NUMBER (Include Area Code) DUK/2018		12. SHIPMENT DATE 1-24-18		13. DATE 1-24-18																					
14. EPA MANIFEST NUMBER N/A		15. EPA MANIFEST NUMBER N/A		16. CARRIER - Name and Address Bioronics, Inc 1540 Bear Creek Road Oak Ridge, TN 37830		17. TELEPHONE NUMBER (Include Area Code) DUK/2018		18. SHIPMENT DATE 1-24-18		19. DATE 1-24-18																					
20. U.S. DEPARTMENT OF TRANSPORTATION DESCRIPTION (Including proper shipping name, hazard class, UN ID number, and any additional information)		21. DOT LABEL "RADIOACTIVE"		22. TRANSPORT INDEX		23. PHYSICAL AND CHEMICAL FORM		24. SOLIDIFICATION		25. RADIOACTIVE MATERIAL TYPE A PACKAGE 7																					
UN0818, RADIOACTIVE MATERIAL, TYPE A PACKAGE 7 1 - 55 GAL METAL DRUM SEALED SOURCES		Yellow II		0.2		SOLIDIFICATION		CS-137		1 - 55 GAL METAL DRUM SEALED SOURCES																					
UN0819, RADIOACTIVE MATERIAL, TYPE A PACKAGE 7 1 - 55 GAL METAL DRUM SEALED SOURCES		Yellow I		0.2		SOLIDIFICATION		CS-137		1 - 55 GAL METAL DRUM SEALED SOURCES																					
11. U.S. DEPARTMENT OF TRANSPORTATION DESCRIPTION (Including proper shipping name, hazard class, UN ID number, and any additional information)				12. DOT LABEL "RADIOACTIVE"				13. TRANSPORT INDEX				14. PHYSICAL AND CHEMICAL FORM				15. SOLIDIFICATION				16. RADIOACTIVE MATERIAL TYPE A PACKAGE 7				17. DATE				18. DATE			
UN0818, RADIOACTIVE MATERIAL, TYPE A PACKAGE 7 1 - 55 GAL METAL DRUM SEALED SOURCES				Yellow II				0.2				SOLIDIFICATION				CS-137				1 - 55 GAL METAL DRUM SEALED SOURCES				1-24-18				1-24-18			
UN0819, RADIOACTIVE MATERIAL, TYPE A PACKAGE 7 1 - 55 GAL METAL DRUM SEALED SOURCES				Yellow I				0.2				SOLIDIFICATION				CS-137				1 - 55 GAL METAL DRUM SEALED SOURCES				1-24-18				1-24-18			

1. U.S. DEPARTMENT OF TRANSPORTATION DESCRIPTION (Including proper shipping name, hazard class, UN ID number, and any additional information)

UN0818, RADIOACTIVE MATERIAL, TYPE A PACKAGE 7
1 - 55 GAL METAL DRUM
SEALED SOURCES

12. DOT LABEL "RADIOACTIVE"

Yellow II

13. TRANSPORT INDEX

0.2

14. PHYSICAL AND CHEMICAL FORM

SOLIDIFICATION

15. SOLIDIFICATION

CS-137

16. RADIOACTIVE MATERIAL TYPE A PACKAGE 7

1 - 55 GAL METAL DRUM
SEALED SOURCES

17. DATE

1-24-18

18. DATE

1-24-18

19. U.S. DEPARTMENT OF TRANSPORTATION DESCRIPTION (Including proper shipping name, hazard class, UN ID number, and any additional information)

UN0819, RADIOACTIVE MATERIAL, TYPE A PACKAGE 7
1 - 55 GAL METAL DRUM
SEALED SOURCES

20. DOT LABEL "RADIOACTIVE"

Yellow I

21. TRANSPORT INDEX

0.2

22. PHYSICAL AND CHEMICAL FORM

SOLIDIFICATION

23. SOLIDIFICATION

CS-137

24. RADIOACTIVE MATERIAL TYPE A PACKAGE 7

1 - 55 GAL METAL DRUM
SEALED SOURCES

FOR CONSIGNEE USE ONLY

Bio-01-18

Reserve Waste Description Indicators

- ☐ Contamination or Leakage Detected
- ☐ Unexpected Exposure Rate Detected
- ☐ Labels, Markings, etc. Indiscrepancy
- ☐ Container Integrity Indiscrepancy
- ☒ Net Weighings Detected on this Shipment

1. U.S. DEPARTMENT OF TRANSPORTATION DESCRIPTION (Including proper shipping name, hazard class, UN ID number, and any additional information)

UN0818, RADIOACTIVE MATERIAL, TYPE A PACKAGE 7
1 - 55 GAL METAL DRUM
SEALED SOURCES

2. DOT LABEL "RADIOACTIVE"

Yellow II

3. TRANSPORT INDEX

0.2

4. PHYSICAL AND CHEMICAL FORM

SOLIDIFICATION

5. SOLIDIFICATION

CS-137

6. RADIOACTIVE MATERIAL TYPE A PACKAGE 7

1 - 55 GAL METAL DRUM
SEALED SOURCES

7. DATE

1-24-18

8. DATE

1-24-18



P.O. Box 817 – Kingston, TN 37763 – (865) 220-8501

December 15, 2017

ROGER WAGNER

GLOBAL METALLURGICAL, INC.
RTE 60 EAST
ALLOY, WV 25002

Dear Roger,

As required by 10 CFR Part 20 (Appendix G), this letter is notification that Bionomics, Inc. has received the shipment recently picked up at your facility on **December 4, 2017**.

Attached you will find a copy of your NRC Form 540, the only change from the original is in Item No.9 "signature" which identifies that Bionomics, Inc. is acknowledging receipt of waste from your facility.

Please keep this with your original, as well as future disposal certifications.

If you have any questions please feel free to contact me at (865) 220-8501.

Sincerely,

A handwritten signature in black ink that reads 'Paul Nipper'.

Paul Nipper
QA Manager

Cc: File BIO-12-17

Estimated completion time for entry of this information collection request: 45 minutes. This document is required by NRC to meet reporting requirements of Federal and State Agencies for the safe transportation and disposal of low-level waste. Send comments regarding burdens estimate to the Regulatory Information Services Division (1-815-327), U.S. Nuclear Regulatory Commission, Washington, DC 20545-0001, or by electronic mail to reginfo@nrc.gov, and to the Desk Officer, Office of Information and Regulatory Affairs, E.O. 12044, Office of Management and Budget, Washington, DC 20503. If a means must be known, information collection does not directly identify the DND control number. The NRC may not conduct or sponsor and persons are not required to respond to the information collection.

FORM 540 UNIFORM LOW-LEVEL RADIOACTIVE WASTE MANIFEST SHIPPING PAPER		SHIPPER - NAME AND FACILITY Bionomics, Inc. Bionomics, Inc. for Genetic Metallurgical Inc. Rt. 141 East Arroyo, WV 25600		SHIPMENT ID NUMBER 1204-017NOVAPA COLLECTOR PROCESSOR * GENERATOR TYPE (Specify) 1 TELEPHONE NUMBER (Include Area Code) (304) 779-1311		FORM 540 AND 540A FORM 541 AND 541A FORM 542 AND 542A ADDITIONAL INFORMATION		PAGE 1 OF 1 PAGE(S) 1 PAGE(S) NONE PAGE(S) NONE PAGE(S)		MANIFEST NUMBER (Use this number on all continuation pages) 12177040					
1 EMERGENCY TELEPHONE NUMBER (Include Area Code) (800) 424-9300 ORGANIZATION CHEMTRIC / CHEMTRIC		USER PERMIT NUMBER SHIPMENT NUMBER 12177040		CONTACT Roger Wagner		9 CONSIGNEE - Name and Facility Address Bionomics, Inc. Operated By Bionomics, Inc. 1550 Dear Creek Road Oak Ridge, TN 37830		CONTACT John M. Corcoran TELEPHONE NUMBER (Include Area Code) (903) 235-6501							
2 IS THIS AN "EXCLUSIVE USE" SHIPMENT? YES NO		3 TOTAL NUMBER OF PACKAGES IDENTIFIED ON THIS MANIFEST *****		6 CARRIER - Name and Address Bionomics, Inc. 1550 Dear Creek Road Oak Ridge, TN 37830		TRUCK # TRAILER # EPA ID NUMBER TN062116493 SHIPPING DATE 12/4/17		SIGNATURE - Authorized consignee acknowledging waste receipt Paul Nysper DATE 12/8/17							
4 DOES EPA REGULATED WASTE REQUIRE A MANIFEST ACCOMPANY THIS SHIPMENT? YES NO		EPA MANIFEST NUMBER N/A		CONTACT John M. Corcoran		SIGNATURE - Authorized carrier acknowledging waste receipt Jack Kelly DATE 12-4-17		10 CERTIFICATION I hereby certify that the herein named materials are properly classified, packaged, marked and labeled and are in proper condition for transportation according to the applicable requirements of the Department of Transportation. This also certifies that the materials are classified, packaged, marked and labeled and in proper condition for transportation and disposal in accordance with the requirements of 40 CFR Parts 261 and 262 or equivalent state regulations.							
11 U.S. DEPARTMENT OF TRANSPORTATION DESCRIPTION (Including proper shipping name, hazard class, UN ID number, and any additional information)		12 DOT LABEL "RADIOACTIVE"		14 TRANSPORT INDEX		15 PHYSICAL AND CHEMICAL FORM		16 INDIVIDUAL RADIOACTIVITIES		17 TOTAL PACKAGE ACTIVITY MBq		18 TOTAL WEIGHT OR VOLUME (Use appropriate units)		19 IDENTIFICATION NUMBER OF PACKAGE	
UNIFORM RADIOACTIVE MATERIAL TYPE A PACKAGE 110 SEALED SOURCES 1 55 GAL METAL CRUM		7		0.4		SOLID, OXIDES		0.517		6.327OE+04 (1.710OE+03)		1500 30 10		04101 (17-002462)	

FOR CONSIGNEE USE ONLY B50-12-17 No Violations Detected on this Shipment		20 RECORD AND COMMENTS a. HAZARDOUS MATERIALS: Correct and complete and accurate the Radioactive Waste Manifest. If the manifest is a duplicate, it is a duplicate of the original and is not to be used. If the manifest is a duplicate, it is a duplicate of the original and is not to be used. If the manifest is a duplicate, it is a duplicate of the original and is not to be used. b. If the manifest is a duplicate, it is a duplicate of the original and is not to be used. If the manifest is a duplicate, it is a duplicate of the original and is not to be used. If the manifest is a duplicate, it is a duplicate of the original and is not to be used. c. WASTE MATERIAL: Correct and complete and accurate the Waste Manifest. If the manifest is a duplicate, it is a duplicate of the original and is not to be used. If the manifest is a duplicate, it is a duplicate of the original and is not to be used. If the manifest is a duplicate, it is a duplicate of the original and is not to be used. d. WASTE MATERIAL: Correct and complete and accurate the Waste Manifest. If the manifest is a duplicate, it is a duplicate of the original and is not to be used. If the manifest is a duplicate, it is a duplicate of the original and is not to be used. If the manifest is a duplicate, it is a duplicate of the original and is not to be used.	
---	--	--	--

FORM 541		Bionomics, Inc.		1. MANIFEST NUMBER		2. MANIFEST NUMBER	
UNIFORM LOW-LEVEL RADIOACTIVE WASTE MANIFEST				3. MANIFEST NUMBER		4. MANIFEST NUMBER	
CONTAINER AND WASTE DESCRIPTION				5. MANIFEST NUMBER		6. MANIFEST NUMBER	
Additional Nuclear Regulatory Commission (NRC) Requirements for Control, Transfer and Disposal of Radioactive Waste				7. MANIFEST NUMBER		8. MANIFEST NUMBER	
1. CONTAINER IDENTIFICATION NUMBER 2. CONTAINER DESCRIPTION 3. VOLUME 4. WASTE AND CONTAINER WEIGHT 5. SURFACE RADIATION LEVEL 6. SURFACE CONTAMINATION 7. PHYSICAL DESCRIPTION 8. CHEMICAL DESCRIPTION 9. RADIOLOGICAL DESCRIPTION 10. WASTE CLASSIFICATION				11. NET WASTE VOLUME 12. NET WASTE WEIGHT 13. ACTIVITY (MBq/mCi) (S.D. UNITS IN CURIES) 14. ALL NUCLIDES 15. SPECIAL NUCLEAR MATERIAL (S.N.M.) 16. TOTAL 17. SOURCE 18. SHIPMENT ID NUMBER			
19. CONTAINER DESCRIPTION 20. CONTAINER IDENTIFICATION NUMBER 21. CONTAINER DESCRIPTION 22. VOLUME 23. WASTE AND CONTAINER WEIGHT 24. SURFACE RADIATION LEVEL 25. SURFACE CONTAMINATION 26. PHYSICAL DESCRIPTION 27. CHEMICAL DESCRIPTION 28. RADIOLOGICAL DESCRIPTION 29. WASTE CLASSIFICATION				30. NET WASTE VOLUME 31. NET WASTE WEIGHT 32. ACTIVITY (MBq/mCi) (S.D. UNITS IN CURIES) 33. ALL NUCLIDES 34. SPECIAL NUCLEAR MATERIAL (S.N.M.) 35. TOTAL 36. SOURCE 37. SHIPMENT ID NUMBER			
38. CONTAINER DESCRIPTION 39. CONTAINER IDENTIFICATION NUMBER 40. CONTAINER DESCRIPTION 41. VOLUME 42. WASTE AND CONTAINER WEIGHT 43. SURFACE RADIATION LEVEL 44. SURFACE CONTAMINATION 45. PHYSICAL DESCRIPTION 46. CHEMICAL DESCRIPTION 47. RADIOLOGICAL DESCRIPTION 48. WASTE CLASSIFICATION				49. NET WASTE VOLUME 50. NET WASTE WEIGHT 51. ACTIVITY (MBq/mCi) (S.D. UNITS IN CURIES) 52. ALL NUCLIDES 53. SPECIAL NUCLEAR MATERIAL (S.N.M.) 54. TOTAL 55. SOURCE 56. SHIPMENT ID NUMBER			
57. CONTAINER DESCRIPTION 58. CONTAINER IDENTIFICATION NUMBER 59. CONTAINER DESCRIPTION 60. VOLUME 61. WASTE AND CONTAINER WEIGHT 62. SURFACE RADIATION LEVEL 63. SURFACE CONTAMINATION 64. PHYSICAL DESCRIPTION 65. CHEMICAL DESCRIPTION 66. RADIOLOGICAL DESCRIPTION 67. WASTE CLASSIFICATION				68. NET WASTE VOLUME 69. NET WASTE WEIGHT 70. ACTIVITY (MBq/mCi) (S.D. UNITS IN CURIES) 71. ALL NUCLIDES 72. SPECIAL NUCLEAR MATERIAL (S.N.M.) 73. TOTAL 74. SOURCE 75. SHIPMENT ID NUMBER			
76. CONTAINER DESCRIPTION 77. CONTAINER IDENTIFICATION NUMBER 78. CONTAINER DESCRIPTION 79. VOLUME 80. WASTE AND CONTAINER WEIGHT 81. SURFACE RADIATION LEVEL 82. SURFACE CONTAMINATION 83. PHYSICAL DESCRIPTION 84. CHEMICAL DESCRIPTION 85. RADIOLOGICAL DESCRIPTION 86. WASTE CLASSIFICATION				87. NET WASTE VOLUME 88. NET WASTE WEIGHT 89. ACTIVITY (MBq/mCi) (S.D. UNITS IN CURIES) 90. ALL NUCLIDES 91. SPECIAL NUCLEAR MATERIAL (S.N.M.) 92. TOTAL 93. SOURCE 94. SHIPMENT ID NUMBER			
95. CONTAINER DESCRIPTION 96. CONTAINER IDENTIFICATION NUMBER 97. CONTAINER DESCRIPTION 98. VOLUME 99. WASTE AND CONTAINER WEIGHT 100. SURFACE RADIATION LEVEL 101. SURFACE CONTAMINATION 102. PHYSICAL DESCRIPTION 103. CHEMICAL DESCRIPTION 104. RADIOLOGICAL DESCRIPTION 105. WASTE CLASSIFICATION				106. NET WASTE VOLUME 107. NET WASTE WEIGHT 108. ACTIVITY (MBq/mCi) (S.D. UNITS IN CURIES) 109. ALL NUCLIDES 110. SPECIAL NUCLEAR MATERIAL (S.N.M.) 111. TOTAL 112. SOURCE 113. SHIPMENT ID NUMBER			
114. CONTAINER DESCRIPTION 115. CONTAINER IDENTIFICATION NUMBER 116. CONTAINER DESCRIPTION 117. VOLUME 118. WASTE AND CONTAINER WEIGHT 119. SURFACE RADIATION LEVEL 120. SURFACE CONTAMINATION 121. PHYSICAL DESCRIPTION 122. CHEMICAL DESCRIPTION 123. RADIOLOGICAL DESCRIPTION 124. WASTE CLASSIFICATION				125. NET WASTE VOLUME 126. NET WASTE WEIGHT 127. ACTIVITY (MBq/mCi) (S.D. UNITS IN CURIES) 128. ALL NUCLIDES 129. SPECIAL NUCLEAR MATERIAL (S.N.M.) 130. TOTAL 131. SOURCE 132. SHIPMENT ID NUMBER			
133. CONTAINER DESCRIPTION 134. CONTAINER IDENTIFICATION NUMBER 135. CONTAINER DESCRIPTION 136. VOLUME 137. WASTE AND CONTAINER WEIGHT 138. SURFACE RADIATION LEVEL 139. SURFACE CONTAMINATION 140. PHYSICAL DESCRIPTION 141. CHEMICAL DESCRIPTION 142. RADIOLOGICAL DESCRIPTION 143. WASTE CLASSIFICATION				144. NET WASTE VOLUME 145. NET WASTE WEIGHT 146. ACTIVITY (MBq/mCi) (S.D. UNITS IN CURIES) 147. ALL NUCLIDES 148. SPECIAL NUCLEAR MATERIAL (S.N.M.) 149. TOTAL 150. SOURCE 151. SHIPMENT ID NUMBER			
152. CONTAINER DESCRIPTION 153. CONTAINER IDENTIFICATION NUMBER 154. CONTAINER DESCRIPTION 155. VOLUME 156. WASTE AND CONTAINER WEIGHT 157. SURFACE RADIATION LEVEL 158. SURFACE CONTAMINATION 159. PHYSICAL DESCRIPTION 160. CHEMICAL DESCRIPTION 161. RADIOLOGICAL DESCRIPTION 162. WASTE CLASSIFICATION				163. NET WASTE VOLUME 164. NET WASTE WEIGHT 165. ACTIVITY (MBq/mCi) (S.D. UNITS IN CURIES) 166. ALL NUCLIDES 167. SPECIAL NUCLEAR MATERIAL (S.N.M.) 168. TOTAL 169. SOURCE 170. SHIPMENT ID NUMBER			
171. CONTAINER DESCRIPTION 172. CONTAINER IDENTIFICATION NUMBER 173. CONTAINER DESCRIPTION 174. VOLUME 175. WASTE AND CONTAINER WEIGHT 176. SURFACE RADIATION LEVEL 177. SURFACE CONTAMINATION 178. PHYSICAL DESCRIPTION 179. CHEMICAL DESCRIPTION 180. RADIOLOGICAL DESCRIPTION 181. WASTE CLASSIFICATION				182. NET WASTE VOLUME 183. NET WASTE WEIGHT 184. ACTIVITY (MBq/mCi) (S.D. UNITS IN CURIES) 185. ALL NUCLIDES 186. SPECIAL NUCLEAR MATERIAL (S.N.M.) 187. TOTAL 188. SOURCE 189. SHIPMENT ID NUMBER			
190. CONTAINER DESCRIPTION 191. CONTAINER IDENTIFICATION NUMBER 192. CONTAINER DESCRIPTION 193. VOLUME 194. WASTE AND CONTAINER WEIGHT 195. SURFACE RADIATION LEVEL 196. SURFACE CONTAMINATION 197. PHYSICAL DESCRIPTION 198. CHEMICAL DESCRIPTION 199. RADIOLOGICAL DESCRIPTION 200. WASTE CLASSIFICATION				201. NET WASTE VOLUME 202. NET WASTE WEIGHT 203. ACTIVITY (MBq/mCi) (S.D. UNITS IN CURIES) 204. ALL NUCLIDES 205. SPECIAL NUCLEAR MATERIAL (S.N.M.) 206. TOTAL 207. SOURCE 208. SHIPMENT ID NUMBER			
209. CONTAINER DESCRIPTION 210. CONTAINER IDENTIFICATION NUMBER 211. CONTAINER DESCRIPTION 212. VOLUME 213. WASTE AND CONTAINER WEIGHT 214. SURFACE RADIATION LEVEL 215. SURFACE CONTAMINATION 216. PHYSICAL DESCRIPTION 217. CHEMICAL DESCRIPTION 218. RADIOLOGICAL DESCRIPTION 219. WASTE CLASSIFICATION				220. NET WASTE VOLUME 221. NET WASTE WEIGHT 222. ACTIVITY (MBq/mCi) (S.D. UNITS IN CURIES) 223. ALL NUCLIDES 224. SPECIAL NUCLEAR MATERIAL (S.N.M.) 225. TOTAL 226. SOURCE 227. SHIPMENT ID NUMBER			
228. CONTAINER DESCRIPTION 229. CONTAINER IDENTIFICATION NUMBER 230. CONTAINER DESCRIPTION 231. VOLUME 232. WASTE AND CONTAINER WEIGHT 233. SURFACE RADIATION LEVEL 234. SURFACE CONTAMINATION 235. PHYSICAL DESCRIPTION 236. CHEMICAL DESCRIPTION 237. RADIOLOGICAL DESCRIPTION 238. WASTE CLASSIFICATION				239. NET WASTE VOLUME 240. NET WASTE WEIGHT 241. ACTIVITY (MBq/mCi) (S.D. UNITS IN CURIES) 242. ALL NUCLIDES 243. SPECIAL NUCLEAR MATERIAL (S.N.M.) 244. TOTAL 245. SOURCE 246. SHIPMENT ID NUMBER			
247. CONTAINER DESCRIPTION 248. CONTAINER IDENTIFICATION NUMBER 249. CONTAINER DESCRIPTION 250. VOLUME 251. WASTE AND CONTAINER WEIGHT 252. SURFACE RADIATION LEVEL 253. SURFACE CONTAMINATION 254. PHYSICAL DESCRIPTION 255. CHEMICAL DESCRIPTION 256. RADIOLOGICAL DESCRIPTION 257. WASTE CLASSIFICATION				258. NET WASTE VOLUME			

Estimated burden per response to comply with this information collection request: 45 minutes. This uniform manifest is required by HRC to meet reporting requirements of Federal and State Agencies for the safe transportation and disposal of low-level waste. Send comments regarding burdens/needs to the Records and FOIA/Privacy Service Branch (J-4 P51), U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, or by internet e-mail to infocoll@nrc.gov, and to the Desk Officer, Office of Information and Regulatory Affairs, HCR-01027, (3155-0105), Office of Management and Budget, Washington, DC 20503. It is requested that you indicate the information collection does not display a currently valid OMB control number, the HRC may not conduct or sponsor, and a person is not required to respond to, the information collection.

1. MANIFEST NUMBER		2. MANIFEST NUMBER	
3. MANIFEST NUMBER		3. MANIFEST NUMBER	
UNIFORM LOW-LEVEL RADIOACTIVE WASTE MANIFEST		UNIFORM LOW-LEVEL RADIOACTIVE WASTE MANIFEST	
MANIFEST INDEX AND REGIONAL COMPACT TABULATION (CONTINUATION)		MANIFEST INDEX AND REGIONAL COMPACT TABULATION (CONTINUATION)	
1. GENERATOR NAME AND TELEPHONE NUMBER		2. GENERATOR FACILITY ADDRESS	
3. WASTE DESCRIPTION (NOMENCLATURE)		4. PREPROCESSED WASTE (OR MATERIAL) VOLUME	
5. MANIFEST NUMBER UNDER WHICH WASTE (OR MATERIAL) RECEIVED AND DATE OF RECEIPT		6. WASTE CODE	
7. ORIGINATING COMPANY REGION OR STATE		8. A. SOURCE MATERIAL	
9. B. SHM		10. C. ACTIVITY	
11. D. VOLUME		12. E. WEIGHT	
13. F. MAXIMUM PACKAGE RADIATION LEVEL		14. G. MAXIMUM PACKAGE RADIATION LEVEL	
Global Metallurgical, Inc. (304) 778-3378		Rte 60 East Atoy, WV 25902	
Baled Source/Device		0.0708 2.5000	
Onsite Generation 01/28/2018 Onsite Generation 12/06/2017		C	
WV		HP HP HP	
1.2586E+06		1.3834E+02	
0.0708		2.5000	
420.60		155.2	

Applied Health Physics, LLC

2986 Industrial Blvd., Bethel Park, Pa 15102 Phone: (412) 835-9555 Fax: (412) 835-9559
E-Mail address: kmobley.ahp@comcast.net - Web Page address: WWW.APPLIEDHEALTHPHYSICS.COM

Mark V Leak Test Certificate

This certificate shall not be reproduced except in full, without the written approval of Applied Health Physics.

Device Information

Device Serial Number:	511-24	Source Serial Number:	
Device Manufacturer:	Ohmart	Source Manufacturer:	
Device Model:	5192	Source Model:	
Device Type:	Gauge	Make:	
Radioisotope:	Cs 137	Location:	
	Activity:	1000 mCi	

Leak Test Information

Leak Test Performed by:	B Woods	Leak Test Performed on:	12/12/2017
Leak Test Specimen Number:	121217-12	Leak Test Analysis Date:	12/18/2017
Leak Test Analysis Performed by:	L. McAllister		
Leak Test Results Indicate an Activity of:	< 0.005 uCi		

Notification

Analysis of this leak test sample was provided by Applied Health Physics, LLC. Pennsylvania Department of Environmental Protection License Number PA-0228A. In the event this specimen indicates leakage and or contamination in excess of 0.005 microcuries, Applied Health Physics, LLC will notify you promptly by telephone; at such time you will need to take the appropriate actions required by the governing regulatory agency. Applied Health Physics, LLC utilizes the following for leak test (wet-swab) analysis: Model: MARK V Leak Test Kit. Applied Health Physics, LLC utilizes the following instruments for all MARK V Leak Test analysis: Protean Instruments - ASC-950 ; Perkin Elmer - Tri-Carb 2800TR ; Ludlum Measurements - 2200 and Ludlum Measurements - 2929.

Client Information

WVA Manufacturing, LLC	Contact:	Roger Wagner
Route 60 East	Phone:	(304) 640-2131
P.O. Box 248	Contact:	FAX
	Phone:	(304) 779-3297
Alloy	WV	25002

This certificate is an essential record and should be maintained for inspection by the regulatory agency.

Next LT Due 6/12/2018

Applied Health Physics, LLC

2986 Industrial Blvd., Bethel Park, Pa 15102 Phone: (412) 835-9555 Fax: (412) 835-9559
E-Mail address: kmobley.ahp@comcast.net - Web Page address: WWW.APPLIEDHEALTHPHYSICS.COM

Mark V Leak Test Certificate

This certificate shall not be reproduced except in full, without the written approval of Applied Health Physics.

Device Information

Device Serial Number:	M-835	Source Serial Number:	
Device Manufacturer:	Ohmart	Source Manufacturer:	
Device Model:	SHRH-A	Source Model:	
Device Type:	Gauge	Make:	Location:
Radioisotope:	Cs 137	Activity:	500 mCi

Leak Test Information

Leak Test Performed by:	B Woods	Leak Test Performed on:	12/12/2017
Leak Test Specimen Number:	121217-1	Leak Test Analysis Date:	12/18/2017
Leak Test Analysis Performed by:	L McAllister		
Leak Test Results Indicate an Activity of:	< 0.005 uCi		

Notification

Analysis of this leak test sample was provided by Applied Health Physics, LLC. Pennsylvania Department of Environmental Protection License Number PA-0228A. In the event this specimen indicates leakage and/or contamination in excess of 0.005 microcuries, Applied Health Physics, LLC will notify you promptly by telephone; at such time you will need to take the appropriate actions required by the governing regulatory agency. Applied Health Physics, LLC utilizes the following for leak test (wet-swab) analysis: Model: MARK V Leak Test Kit. Applied Health Physics, LLC utilizes the following instruments for all MARK V Leak Test analysis: Protean Instruments - ASC-950 ; Perkin Elmer - Tri-Carb 2800TR ; Ludlum Measurements - 2200 and Ludlum Measurements - 2929.

Client Information

WVA Manufacturing, LLC	Contact:	Roger Wagner
Route 60 East	Phone:	(304) 640-2131
P.O. Box 248	Contact:	FAX
	Phone:	(304) 779-3297
Alloy	WV	25002

This certificate is an essential record and should be maintained for inspection by the regulatory agency.

Next LT Due 6/12/2018

Applied Health Physics, LLC

2986 Industrial Blvd., Bethel Park, Pa 15102 Phone: (412) 835-9555 Fax: (412) 835-9559
E-Mail address: kmobley.ahp@comcast.net - Web Page address: WWW.APPLIEDHEALTHPHYSICS.COM

Mark V Leak Test Certificate

This certificate shall not be reproduced except in full, without the written approval of Applied Health Physics.

Device Information

Device Serial Number:	713-S	Source Serial Number:	713-S
Device Manufacturer:	Ohmart	Source Manufacturer:	Ohmart
Device Model:	SHRH-A	Source Model:	
Device Type: Gauge	Make:	Location:	#3 Fee
Radioisotope: Cs-137	Activity:	500 mCi	

Leak Test Information

Leak Test Performed by:	B Woods	Leak Test Performed on:	12/12/2017
Leak Test Specimen Number:	121217-6	Leak Test Analysis Date:	12/18/2017
Leak Test Analysis Performed by:	L McAllister		
Leak Test Results Indicate an Activity of:	< 0.005 uCi		

Notification

Analysis of this leak test sample was provided by Applied Health Physics, LLC. Pennsylvania Department of Environmental Protection License Number PA-0228A. In the event this specimen indicates leakage and or contamination in excess of 0.005 microcuries, Applied Health Physics, LLC will notify you promptly by telephone; at such time you will need to take the appropriate actions required by the governing regulatory agency. Applied Health Physics, LLC utilizes the following for leak test (wet-swab) analysis: Model: MARK V Leak Test Kit. Applied Health Physics, LLC utilizes the following instruments for all MARK V Leak Test analysis: Protean Instruments - ASC-950 ; Perkin Elmer - Tri-Carb 2800TR ; Ludlum Measurements - 2200 and Ludlum Measurements - 2929.

Client Information

WVA Manufacturing, LLC	Contact:	Roger Wagner
Route 60 East	Phone:	(304) 640-2131
P.O. Box 248	Contact:	FAX
	Phone:	(304) 779-3297
Alloy	WV	25002

This certificate is an essential record and should be maintained for inspection by the regulatory agency.

Next LT Due 6/12/2018

Applied Health Physics, LLC

2986 Industrial Blvd., Bethel Park, Pa 15102 Phone: (412) 835-9555 Fax: (412) 835-9559
E-Mail address: knobley.ahp@comcast.net - Web Page address: WWW.APPLIEDHEALTHPHYSICS.COM

Mark V Leak Test Certificate

This certificate shall not be reproduced except in full, without the written approval of Applied Health Physics.

Device Information

Device Serial Number:	44634	Source Serial Number:	
Device Manufacturer:	Ohmart	Source Manufacturer:	
Device Model:	SHRH-A	Source Model:	
Device Type:	Gauge	Make:	
Radioisotope:	Cs 137	Location:	
	Activity:	500 mCi	

Leak Test Information

Leak Test Performed by:	B. Woods	Leak Test Performed on:	12/12/2017
Leak Test Specimen Number:	121217-14	Leak Test Analysis Date:	12/18/2017
Leak Test Analysis Performed by:	L. McAllister		
Leak Test Results Indicate an Activity of	< 0.005 uCi		

Notification

Analysis of this leak test sample was provided by Applied Health Physics, LLC. Pennsylvania Department of Environmental Protection License Number PA-0228A. In the event this specimen indicates leakage and or contamination in excess of 0.005 microcuries, Applied Health Physics, LLC will notify you promptly by telephone; at such time you will need to take the appropriate actions required by the governing regulatory agency. Applied Health Physics, LLC utilizes the following for leak test (wet-swab) analysis: Model: MARK V Leak Test Kit. Applied Health Physics, LLC utilizes the following instruments for all MARK V Leak Test analysis: Protean Instruments - ASC-950 ; Perkin Elmer - Tri-Carb 2800TR ; Ludlum Measurements - 2200 and Ludlum Measurements - 2929.

Client Information

WVA Manufacturing, LLC	Contact:	Roger Wagner
Route 60 East	Phone:	(304) 640-2131
P.O. Box 248	Contact:	FAX
	Phone:	(304) 779-3297
Alloy	WV	25002

This certificate is an essential record and should be maintained for inspection by the regulatory agency.

Next LT Due 6/12/2018

Applied Health Physics, LLC

2986 Industrial Blvd., Bethel Park, Pa 15102 Phone: (412) 835-9555 Fax: (412) 835-9559
E-Mail address: kmobley.ahp@comcast.net - Web Page address: WWW.APPLIEDHEALTHPHYSICS.COM

Mark V Leak Test Certificate

This certificate shall not be reproduced except in full, without the written approval of Applied Health Physics.

Device Information

Device Serial Number:	46111	Source Serial Number:	
Device Manufacturer:	Ohmart	Source Manufacturer:	
Device Model:	SIIRII-A	Source Model:	
Device Type: Gauge	Make:	Location:	
Radioisotope: Cs 137	Activity: 300 mCi		

Leak Test Information

Leak Test Performed by:	B Woods	Leak Test Performed on:	12/12/2017
Leak Test Specimen Number:	121217-3	Leak Test Analysis Date:	12/18/2017
Leak Test Analysis Performed by:	L McAllister		
Leak Test Results Indicate an Activity of:	< 0.005 uCi		

Notification

Analysis of this leak test sample was provided by Applied Health Physics, LLC. Pennsylvania Department of Environmental Protection License Number PA-0228A. In the event this specimen indicates leakage and or contamination in excess of 0.005 microcuries, Applied Health Physics, LLC will notify you promptly by telephone; at such time you will need to take the appropriate actions required by the governing regulatory agency. Applied Health Physics, LLC utilizes the following for leak test (wet-swab) analysis: Model: MARK V Leak Test Kit. Applied Health Physics, LLC utilizes the following instruments for all MARK V Leak Test analysis: Protean Instruments - ASC-950 ; Perkin Elmer - Tri-Carb 2800TR ; Ludlum Measurements - 2200 and Ludlum Measurements - 2929.

Client Information

WVA Manufacturing, LLC	Contact:	Roger Wagner
Route 60 East	Phone:	(304) 640-2131
P.O. Box 248	Contact:	FAX
	Phone:	(304) 779-3297
Alloy	WV	25002

This certificate is an essential record and should be maintained for inspection by the regulatory agency.

Next LT Due 6/12/2018

Applied Health Physics, LLC

2986 Industrial Blvd., Bethel Park, Pa 15102 Phone: (412) 835-9555 Fax: (412) 835-9559
E-Mail address: kmobley.ahp@comcast.net - Web Page address: WWW.APPLIEDHEALTHPHYSICS.COM

Mark V Leak Test Certificate

This certificate shall not be reproduced except in full, without the written approval of Applied Health Physics.

Device Information

Device Serial Number:	L-143	Source Serial Number:	
Device Manufacturer:	Ohmart	Source Manufacturer:	
Device Model:	SHRH-A	Source Model:	
Device Type:	Gauge	Make:	
Radioisotope:	Cs 137	Location:	
	Activity:	300 mCi	

Leak Test Information

Leak Test Performed by:	B. Woods	Leak Test Performed on:	12/12/2017
Leak Test Specimen Number:	121217-10	Leak Test Analysis Date:	12/18/2017
Leak Test Analysis Performed by:	L. McAllister		
Leak Test Results Indicate an Activity of	< 0.005 uCi		

Notification

Analysis of this leak test sample was provided by Applied Health Physics, LLC. Pennsylvania Department of Environmental Protection License Number PA-0228A. In the event this specimen indicates leakage and/or contamination in excess of 0.005 microcuries, Applied Health Physics, LLC will notify you promptly by telephone; at such time you will need to take the appropriate actions required by the governing regulatory agency. Applied Health Physics, LLC utilizes the following for leak test (wet-swab) analysis: Model: MARK V Leak Test Kit. Applied Health Physics, LLC utilizes the following instruments for all MARK V Leak Test analysis: Protean Instruments - ASC-950 ; Perkin Elmer - Tri-Carb 2800TR ; Ludlum Measurements - 2200 and Ludlum Measurements - 2929.

Client Information

WVA Manufacturing, LLC	Contact:	Roger Wagner
Route 60 East	Phone:	(304) 640-2131
P.O. Box 248	Contact:	FAX
	Phone:	(304) 779-3297
Alloy	WV	25002

This certificate is an essential record and should be maintained for inspection by the regulatory agency.

Next LT Due 6/12/2018

Applied Health Physics, LLC

2986 Industrial Blvd., Bethel Park, Pa 15102 Phone: (412) 835-9555 Fax: (412) 835-9559
E-Mail address: kmobley.ahp@comcast.net - Web Page address: WWW.APPLIEDHEALTHPHYSICS.COM

Mark V Leak Test Certificate

This certificate shall not be reproduced except in full, without the written approval of Applied Health Physics.

Device Information

Device Serial Number:	213	Source Serial Number:	
Device Manufacturer:	Nuclear Chicago	Source Manufacturer:	
Device Model:	5192	Source Model:	
Device Type: Gauge	Make:	Location:	
Radioisotope: Cs 137	Activity: 200 mCi		

Leak Test Information

Leak Test Performed by:	B. Woods	Leak Test Performed on:	12/12/2017
Leak Test Specimen Number:	121217-9	Leak Test Analysis Date:	12/18/2017
Leak Test Analysis Performed by:	L. McAllister		
Leak Test Results Indicate an Activity of:	< 0.005 uCi		

Notification

Analysis of this leak test sample was provided by Applied Health Physics, LLC. Pennsylvania Department of Environmental Protection License Number PA-0228A. In the event this specimen indicates leakage and or contamination in excess of 0.005 microcuries, Applied Health Physics, LLC will notify you promptly by telephone; at such time you will need to take the appropriate actions required by the governing regulatory agency. Applied Health Physics, LLC utilizes the following for leak test (wet-swab) analysis: Model: MARK V Leak Test Kit. Applied Health Physics, LLC utilizes the following instruments for all MARK V Leak Test analysis: Protean Instruments - ASC-950 ; Perkin Elmer - Tri-Carb 2800TR ; Ludlum Measurements - 2200 and Ludlum Measurements - 2929.

Client Information

WVA Manufacturing, LLC	Contact:	Roger Wagner
Route 60 East	Phone:	(304) 640-2131
P.O. Box 248	Contact:	FAX
	Phone:	(304) 779-3297
Alloy	WV	25002

This certificate is an essential record and should be maintained for inspection by the regulatory agency.

Next LT Due 6/12/2018

Applied Health Physics, LLC

2986 Industrial Blvd., Bethel Park, Pa 15102 Phone: (412) 835-9555 Fax: (412) 835-9559
E-Mail address: kmohley.ahp@comcast.net - Web Page address: WWW.APPLIEDHEALTHPHYSICS.COM

Mark V Leak Test Certificate

This certificate shall not be reproduced except in full, without the written approval of Applied Health Physics.

Device Information

Device Serial Number:	194	Source Serial Number:	
Device Manufacturer:	Nuclear Chicago	Source Manufacturer:	
Device Model:	5192	Source Model:	
Device Type:	Gauge	Make:	
Radioisotope:	Cs 137	Location:	
	Activity:	200 mCi	

Leak Test Information

Leak Test Performed by:	B. Woods	Leak Test Performed on:	12/12/2017
Leak Test Specimen Number:	121217-7	Leak Test Analysis Date:	12/18/2017
Leak Test Analysis Performed by:	L. McAllister		
Leak Test Results Indicate an Activity of:	< 0.005 uCi		

Notification

Analysis of this leak test sample was provided by Applied Health Physics, LLC. Pennsylvania Department of Environmental Protection License Number PA-0228A. In the event this specimen indicates leakage and or contamination in excess of 0.005 microcuries, Applied Health Physics, LLC will notify you promptly by telephone; at such time you will need to take the appropriate actions required by the governing regulatory agency. Applied Health Physics, LLC utilizes the following for leak test (wet-swab) analysis: Model: MARK V Leak Test Kit. Applied Health Physics, LLC utilizes the following instruments for all MARK V Leak Test analysis: Protean Instruments - ASC-950 ; Perkin Elmer - Tri-Carb 2800TR ; Ludlum Measurements - 2200 and Ludlum Measurements - 2929.

Client Information

WVA Manufacturing, LLC	Contact:	Roger Wagner
Route 60 East	Phone:	(304) 640-2131
P.O. Box 248	Contact:	FAX
	Phone:	(304) 779-3297
Alloy	WV	25002

This certificate is an essential record and should be maintained for inspection by the regulatory agency.

Next LT Due 6/12/2018

Applied Health Physics, LLC

2986 Industrial Blvd., Bethel Park, Pa 15102 Phone: (412) 835-9555 Fax: (412) 835-9559
E-Mail address: kmobley.ahp@comcast.net - Web Page address: WWW.APPLIEDHEALTHPHYSICS.COM

Mark V Leak Test Certificate

This certificate shall not be reproduced except in full, without the written approval of Applied Health Physics.

Device Information

Device Serial Number:	281	Source Serial Number:	
Device Manufacturer:	Nuclear Chicago	Source Manufacturer:	
Device Model:	5192	Source Model:	
Device Type: Gauge	Make:	Location:	
Radioisotope: Cs 137	Activity: 200 mCi		

Leak Test Information

Leak Test Performed by:	B. Woods	Leak Test Performed on:	12/12/2017
Leak Test Specimen Number:	121217-5	Leak Test Analysis Date:	12/18/2017
Leak Test Analysis Performed by:	L. McAllister		
Leak Test Results Indicate an Activity of	< 0.005 uCi		

Notification

Analysis of this leak test sample was provided by Applied Health Physics, LLC. Pennsylvania Department of Environmental Protection License Number PA-0228A. In the event this specimen indicates leakage and or contamination in excess of 0.005 microcuries, Applied Health Physics, LLC will notify you promptly by telephone; at such time you will need to take the appropriate actions required by the governing regulatory agency. Applied Health Physics, LLC utilizes the following for leak test (wet-swab) analysis: Model: MARK V Leak Test Kit. Applied Health Physics, LLC utilizes the following instruments for all MARK V Leak Test analysis: Protean Instruments - ASC-950 ; Perkin Elmer - Tri-Carb 2800TR ; Ludlum Measurements - 2200 and Ludlum Measurements - 2929.

Client Information

WVA Manufacturing, LLC	Contact:	Roger Wagner
Route 60 East	Phone:	(304) 640-2131
P.O. Box 248	Contact:	FAX
	Phone:	(304) 779-3297
Alloy	WV	25002

This certificate is an essential record and should be maintained for inspection by the regulatory agency.

Next LT Due 6/12/2018

Applied Health Physics, LLC

2986 Industrial Blvd., Bethel Park, Pa 15102 Phone: (412) 835-9555 Fax: (412) 835-9559
E-Mail address: kmobley.ahp@comcast.net - Web Page address: WWW.APPLIEDHEALTHPHYSICS.COM

Mark V Leak Test Certificate

This certificate shall not be reproduced except in full, without the written approval of Applied Health Physics.

Device Information

Device Serial Number:	280	Source Serial Number:	
Device Manufacturer:	Nuclear Chicago	Source Manufacturer:	
Device Model:	5192	Source Model:	
Device Type: Gauge	Make:	Location:	
Radioisotope: Cs 137	Activity: 200 mCi		

Leak Test Information

Leak Test Performed by:	B Woods	Leak Test Performed on:	12/12/2017
Leak Test Specimen Number:	121217-13	Leak Test Analysis Date:	12/18/2017
Leak Test Analysis Performed by:	L McAllister		
Leak Test Results Indicate an Activity of:	< 0.005 uCi		

Notification

Analysis of this leak test sample was provided by Applied Health Physics, LLC. Pennsylvania Department of Environmental Protection License Number PA-0228A. In the event this specimen indicates leakage and or contamination in excess of 0.005 microcuries, Applied Health Physics, LLC will notify you promptly by telephone; at such time you will need to take the appropriate actions required by the governing regulatory agency. Applied Health Physics, LLC utilizes the following for leak test (wet-swab) analysis: Model: MARK V Leak Test Kit. Applied Health Physics, LLC utilizes the following instruments for all MARK V Leak Test analysis: Protean Instruments - ASC-950 ; Perkin Elmer - Tri-Carb 2800TR ; Ludlum Measurements - 2200 and Ludlum Measurements - 2929.

Client Information

WVA Manufacturing, LLC	Contact:	Roger Wagner
Route 60 East	Phone:	(304) 640-213
P.O. Box 248	Contact:	FAX
	Phone:	(304) 779-3297
Alloy	WV	25002

This certificate is an essential record and should be maintained for inspection by the regulatory agency.

Next LT Due 6/12/2018

Applied Health Physics, LLC

2986 Industrial Blvd., Bethel Park, Pa 15102 Phone: (412) 835-9555 Fax: (412) 835-9559
E-Mail address: kmobley.ahp@comcast.net - Web Page address: WWW.APPLIEDHEALTHPHYSICS.COM

Mark V Leak Test Certificate

This certificate shall not be reproduced except in full, without the written approval of Applied Health Physics.

Device Information

Device Serial Number:	284	Source Serial Number:	
Device Manufacturer:	Nuclear Chicago	Source Manufacturer:	
Device Model:	5192	Source Model:	
Device Type:	Gauge	Make:	
Radioisotope:	Cs 137	Location:	
	Activity:	200 mCi	

Leak Test Information

Leak Test Performed by:	B Woods	Leak Test Performed on:	12/12/2017
Leak Test Specimen Number:	121217-8	Leak Test Analysis Date:	12/18/2017
Leak Test Analysis Performed by:	L McAllister		
Leak Test Results Indicate an Activity of:	< 0.005 uCi		

Notification

Analysis of this leak test sample was provided by Applied Health Physics, LLC. Pennsylvania Department of Environmental Protection License Number PA-0228A. In the event this specimen indicates leakage and or contamination in excess of 0.005 microcuries, Applied Health Physics, LLC will notify you promptly by telephone; at such time you will need to take the appropriate actions required by the governing regulatory agency. Applied Health Physics, LLC utilizes the following for leak test (wet-swab) analysis: Model: MARK V Leak Test Kit. Applied Health Physics, LLC utilizes the following instruments for all MARK V Leak Test analysis: Protean Instruments - ASC-950 ; Perkin Elmer - Tri-Carb 2800TR ; Ludlum Measurements - 2200 and Ludlum Measurements - 2929.

Client Information

WVA Manufacturing, LLC	Contact:	Roger Wagner
Route 60 East	Phone:	(304) 640-2131
P.O. Box 248	Contact:	FAX
	Phone:	(304) 779-3297
Alloy	WV	25002

This certificate is an essential record and should be maintained for inspection by the regulatory agency.

Next LT Due 6/12/2018

Applied Health Physics, LLC

2986 Industrial Blvd., Bethel Park, Pa 15102 Phone: (412) 835-9555 Fax: (412) 835-9559
E-Mail address: kmobley.ahp@comcast.net - Web Page address: WWW.APPLIEDHEALTHPHYSICS.COM

Mark V Leak Test Certificate

This certificate shall not be reproduced except in full, without the written approval of Applied Health Physics.

Device Information

Device Serial Number:	289	Source Serial Number:	
Device Manufacturer:	Nuclear Chicago	Source Manufacturer:	
Device Model:	5192	Source Model:	
Device Type:	Gauge	Make:	
Radioisotope:	Cs 137	Location:	
	Activity:	200 mCi	

Leak Test Information

Leak Test Performed by:	B. Woods	Leak Test Performed on:	12/12/2017
Leak Test Specimen Number:	121217-4	Leak Test Analysis Date:	12/18/2017
Leak Test Analysis Performed by:	L. McAllister		
Leak Test Results Indicate an Activity of:	< 0.005 uCi		

Notification

Analysis of this leak test sample was provided by Applied Health Physics, LLC. Pennsylvania Department of Environmental Protection License Number PA-0228A. In the event this specimen indicates leakage and/or contamination in excess of 0.005 microcuries, Applied Health Physics, LLC will notify you promptly by telephone; at such time you will need to take the appropriate actions required by the governing regulatory agency. Applied Health Physics, LLC utilizes the following for leak test (wet-swab) analysis: Model: MARK V Leak Test Kit. Applied Health Physics, LLC utilizes the following instruments for all MARK V Leak Test analysis: Protean Instruments - ASC-950 ; Perkin Elmer - Tri-Carb 2800TR ; Ludlum Measurements - 2200 and Ludlum Measurements - 2929.

Client Information

WVA Manufacturing, LLC	Contact:	Roger Wagner
Route 60 East	Phone:	(304) 640-2131
P.O. Box 248	Contact:	FAX
	Phone:	(304) 779-3297
Alloy	WV	25002

This certificate is an essential record and should be maintained for inspection by the regulatory agency.

Next LT Due 6/12/2018

Applied Health Physics, LLC

2986 Industrial Blvd, Bethel Park, Pa 15102 Phone: (412) 835-9555 Fax: (412) 835-9559
E-Mail address: kmobley.ahp@comcast.net - Web Page address: WWW.APPLIEDHEALTHPHYSICS.COM

Mark V Leak Test Certificate

This certificate shall not be reproduced except in full, without the written approval of Applied Health Physics.

Device Information

Device Serial Number:	196	Source Serial Number:	
Device Manufacturer:	Nuclear Chicago	Source Manufacturer:	
Device Model:	5192	Source Model:	
Device Type:	Gauge	Make:	
Radioisotope:	Cs 137	Location:	
	Activity:	200 mCi	

Leak Test Information

Leak Test Performed by:	B. Woods	Leak Test Performed on:	12/12/2017
Leak Test Specimen Number:	121217-11	Leak Test Analysis Date:	12/18/2017
Leak Test Analysis Performed by:	L. McAllister		
Leak Test Results Indicate an Activity of:	< 0.005 uCi		

Notification

Analysis of this leak test sample was provided by Applied Health Physics, LLC. Pennsylvania Department of Environmental Protection License Number PA-0228A. In the event this specimen indicates leakage and or contamination in excess of 0.005 microcuries, Applied Health Physics, LLC will notify you promptly by telephone; at such time you will need to take the appropriate actions required by the governing regulatory agency. Applied Health Physics, LLC utilizes the following for leak test (wet-swab) analysis: Model: MARK V Leak Test Kit. Applied Health Physics, LLC utilizes the following instruments for all MARK V Leak Test analysis: Protean Instruments - ASC-950 ; Perkin Elmer - Tri-Carb 2800TR ; Ludlum Measurements - 2200 and Ludlum Measurements - 2929.

Client Information

WVA Manufacturing, LLC	Contact:	Roger Wagner
Route 60 East	Phone:	(304) 640-2131
P.O. Box 248	Contact:	FAX
	Phone:	(304) 779-3297
Alloy	WV	25002

This certificate is an essential record and should be maintained for inspection by the regulatory agency.

Next LT Due 6/12/2018

Applied Health Physics, LLC

2986 Industrial Blvd., Bethel Park, Pa 15102 Phone: (412) 835-9555 Fax: (412) 835-9559
E-Mail address: kmobley.ahp@comcast.net - Web Page address: WWW.APPLIEDHEALTHPHYSICS.COM

Mark V Leak Test Certificate

This certificate shall not be reproduced except in full, without the written approval of Applied Health Physics.

Device Information

Device Serial Number:	NR-112-D-102-B	Source Serial Number:	NR-112-D-102-B
Device Manufacturer:	Berthold	Source Manufacturer:	Berthold
Device Model:	LB7400 D/L	Source Model:	LB7400 D/L
Device Type:	Gauge	Make:	Moisture
Radioisotope:	Cs - 137	Location:	#301 Mix House
		Activity:	30 mCi

Leak Test Information

Leak Test Performed by:	B Woods	Leak Test Performed on:	12/12/2017
Leak Test Specimen Number:	121217-2	Leak Test Analysis Date:	12/18/2017
Leak Test Analysis Performed by:	L McAllister		
Leak Test Results Indicate an Activity of:	< 0.005 uCi		

Notification

Analysis of this leak test sample was provided by Applied Health Physics, LLC. Pennsylvania Department of Environmental Protection License Number PA-0228A. In the event this specimen indicates leakage and or contamination in excess of 0.005 microcuries, Applied Health Physics, LLC will notify you promptly by telephone; at such time you will need to take the appropriate actions required by the governing regulatory agency. Applied Health Physics, LLC utilizes the following for leak test (wet-swab) analysis: Model: MARK V Leak Test Kit. Applied Health Physics, LLC utilizes the following instruments for all MARK V Leak Test analysis: Protean Instruments - ASC-950 ; Perkin Elmer - Tri-Carb 2800TR ; Ludlum Measurements - 2200 and Ludlum Measurements - 2929.


Client Information

WVA Manufacturing, LLC	Contact:	Roger Wagner
Route 60 East	Phone:	(304) 640-2131
P.O. Box 248	Contact:	FAX
	Phone:	(304) 779-3297
Alloy	WV	25002

This certificate is an essential record and should be maintained for inspection by the regulatory agency.

Next LT Due 6/12/2018

WVA Manufacturing, LLC
PO Box 248/Rte 60 East
Alloy, WV 25002



Charleston P&DC 253
WED 16 MAY 2018 PM

d nms

Licensing Assistant Section
Nuclear Materials Safety Branch
US Nuclear Regulatory Commission, Region I
2100 Renaissance Blvd., Suite 100
King of Prussia, PA 1406-2713



ACKNOWLEDGEMENT - RECEIPT OF CORRESPONDENCE

Name and Address of Applicant and/or Licensee

William R. Wagner
Corporate Quality Director
WVA Manufacturing, LLC
U.S. 60 East
P.O. Box 158
Alloy, West Virginia 25002

Date

May 30, 2018

License Number(s)

47-19784-01

Mail Control Number(s)

608909

Licensing and/or Technical Reviewer or Branch

Commercial, Industrial, R&D, and Academic Branch
NRC Form 314 dated 5-14-18

This is to acknowledge receipt of your: ☐ Letter and/or ☐ Application Dated: _____

The initial processing, which included an administrative review, has been performed.

☐ Amendment ☒ Termination ☐ New License ☐ Renewal

☒ There were no administrative omissions identified during our initial review.

☐ This is to acknowledge receipt of your application for renewal of the material(s) license identified above. Your application is deemed timely filed, and accordingly, the license will not expire until final action has been taken by this office.

☐ Your application for a new NRC license did not include your taxpayer identification number. Please complete and submit NRC Form 531, Request for Taxpayer Identification Number, located at the following link: <http://www.nrc.gov/reading-rm/doc-collections/forms/nrc531.pdf>

Follow the instructions on the form for submission.

☐ The following administrative omissions have been identified:

Your application has been assigned the above listed MAIL CONTROL NUMBER. When calling to inquire about this action, please refer to this control number. Your application has been forwarded to a technical reviewer. Please note that the technical review, which is normally completed within 180 days for a renewal application (90 days for all other requests), may identify additional omissions or require additional information. If you have any questions concerning the processing of your application, our contact information is listed below:

Region I
U. S. Nuclear Regulatory Commission
Division of Nuclear Materials Safety
2100 Renaissance Boulevard, Suite 100
King of Prussia, PA 19406-2713
(610) 337-5260, (610) 337-5313,
(610) 337-5398, (610) 337-5239