

Appendix 2A. Tables

Table 2-1. 1970 Population Distribution 0-10 Miles

“HISTORICAL INFORMATION NOT REQUIRED TO BE REVISED”

<i>SECTOR</i>	<i>0-1 MILE</i>	<i>1-2 MILES</i>	<i>2-3 MILES</i>	<i>3-4 MILES</i>	<i>4-5 MILES</i>	<i>5-10 MILES</i>	<i>TOTAL</i>
<i>N</i>	0	0	0	0	0	40	40
<i>NNE</i>	0	0	0	38	22	60	120
<i>NE</i>	0	0	0	115	235	2,000	2,350
<i>ENE</i>	0	22	38	108	112	681	961
<i>E</i>	0	0	0	140	417	670	1,227
<i>ESE</i>	0	0	51	70	131	1,326	1,578
<i>SE</i>	0	0	80	6	70	8,472	8,628
<i>SSE</i>	0	0	0	0	45	7,792	7,837
<i>S</i>	0	19	29	6	140	2,027	2,221
<i>SSW</i>	0	6	0	0	112	7,000	7,118
<i>SW</i>	0	19	0	128	166	538	851
<i>WSW</i>	0	13	80	181	35	1,102	1,411
<i>W</i>	0	0	150	38	102	1,419	1,709
<i>WNW</i>	0	3	22	51	26	1,456	1,558
<i>NW</i>	0	0	0	13	32	920	965
<i>NNW</i>	0	3	3	13	16	881	916
<i>TOTAL</i>	0	85	453	907	1,661	36,384	39,490

Table 2-2. 2010 Projected Population Distribution 0-10 Miles

“HISTORICAL INFORMATION NOT REQUIRED TO BE REVISED”

SECTOR	0-1 MILE	1-2 MILES	2-3 MILES	3-4 MILES	4-5 MILES	5-10 MILES	TOTAL
<i>N</i>	0	0	35	123	27	615	800
<i>NNE</i>	0	35	215	46	8	446	750
<i>NE</i>	0	15	33	76	89	1,125	1,338
<i>ENE</i>	0	18	38	81	142	1,666	1,945
<i>E</i>	0	22	44	68	308	1,645	2,087
<i>ESE</i>	0	18	34	14	97	3,280	3,443
<i>SE</i>	0	10	27	22	66	3,865	3,990
<i>SSE</i>	0	12	18	26	133	7,722	7,911
<i>S</i>	0	10	12	36	203	2,885	3,146
<i>SSW</i>	0	48	137	12	6	11,285	11,488
<i>SW</i>	0	31	99	37	28	2,207	2,402
<i>WSW</i>	0	12	79	30	79	4,593	4,793
<i>W</i>	0	21	90	84	81	1,867	2,143
<i>WNW</i>	0	26	53	65	58	1,513	1,715
<i>NW</i>	0	311	515	465	78	1,303	2,672
<i>NNW</i>	0	297	374	884	44	751	2,350
<i>TOTAL</i>	0	886	1,803	2,069	1,447	46,768	52,973

SOURCE: U.S. Census 1910-1960, Extrapolation (for 2010) by Dr. C. Horace Hamilton, Department of Rural Sociology, North Carolina State University, Raleigh, N.C.

Table 2-3. 1970 Population Distribution 0-50 Miles

“HISTORICAL INFORMATION NOT REQUIRED TO BE REVISED”

<i>SECTOR</i>	<i>0-10 MILES</i>	<i>10-20 MILES</i>	<i>20-30 MILES</i>	<i>30-40 MILES</i>	<i>40-50 MILES</i>	<i>TOTAL</i>
<i>N</i>	40	52	2,479	1,087	20,659	24,317
<i>NNE</i>	120	1,095	3,514	13,879	21,431	40,039
<i>NE</i>	2,350	5,007	4,608	2,702	24,312	38,979
<i>ENE</i>	961	9,323	61,552	43,989	25,285	141,110
<i>E</i>	1,227	18,322	78,884	47,398	17,518	163,349
<i>ESE</i>	1,578	1,425	17,561	5,519	5,704	31,787
<i>SE</i>	8,628	3,390	44,033	12,708	9,835	78,594
<i>SSE</i>	7,837	4,957	16,200	6,836	2,700	38,530
<i>S</i>	2,221	4,500	3,040	10,990	12,033	32,784
<i>SSW</i>	7,118	3,681	4,265	8,811	6,384	30,259
<i>SW</i>	851	3,748	12,904	4,317	5,352	27,172
<i>WSW</i>	1,411	5,606	7,506	8,772	14,639	37,934
<i>W</i>	1,709	1,969	2,884	2,760	2,716	12,038
<i>WNW</i>	1,558	835	1,977	2,563	1,740	8,673
<i>NW</i>	965	588	1,772	9,804	2,771	15,900
<i>NNW</i>	916	340	1,448	6,700	11,833	21,237
<i>TOTAL</i>	39,490	64,838	264,627	188,835	184,912	742,702

Table 2-4. 2010 Projected Population Distribution 0-50 Miles

“HISTORICAL INFORMATION NOT REQUIRED TO BE REVISED”

SECTOR	0-10 MILE	10-20 MILES	20-30 MILES	30-40 MILES	40-50 MILES	TOTAL
<i>N</i>	800	570	3,213	1,400	30,600	36,583
<i>NNE</i>	750	1,141	3,970	19,100	29,500	54,461
<i>NE</i>	1,338	3,355	6,018	4,700	26,100	41,511
<i>ENE</i>	1,945	12,325	60,430	53,000	41,400	169,100
<i>E</i>	2,087	19,600	127,913	75,300	23,800	248,700
<i>ESE</i>	3,443	4,285	15,572	9,000	7,400	39,700
<i>SE</i>	3,990	5,700	54,210	13,200	6,900	84,000
<i>SSE</i>	7,911	4,015	19,574	7,600	2,300	41,400
<i>S</i>	3,146	3,140	4,932	6,000	8,400	25,618
<i>SSW</i>	11,488	3,190	4,336	6,100	3,100	28,214
<i>SW</i>	2,402	7,400	9,129	4,500	900	24,331
<i>WSW</i>	4,793	4,105	15,176	10,700	16,900	51,674
<i>W</i>	2,143	1,535	4,264	4,100	3,600	15,642
<i>WNW</i>	1,715	1,085	3,152	2,200	2,300	10,452
<i>NW</i>	2,672	525	2,204	9,400	4,800	19,601
<i>NNW</i>	2,350	695	1,693	4,800	13,700	23,238
<i>TOTAL</i>	52,973	72,666	335,786	231,100	221,700	914,225
SOURCE: <i>U.S. Census 1910-1960, Extrapolation (for 2010) by Dr. C. Horace Hamilton, Department of Rural Sociology, North Carolina State University, Raleigh N.C</i>						

Table 2-5. 1970 Cumulative Population Density 0-50 Miles

“HISTORICAL INFORMATION NOT REQUIRED TO BE REVISED”

<i>SECTOR</i>	<i>0-1 MILE</i>	<i>0-2 MILES</i>	<i>0-3 MILES</i>	<i>0-4 MILES</i>	<i>0-5 MILES</i>	<i>0-10 MILES</i>	<i>0-20 MILES</i>	<i>0-30 MILES</i>	<i>0-40 MILES</i>	<i>0-50 MILES</i>
<i>N</i>	0	0	0	0	0	2	1	15	12	49
<i>NNE</i>	0	0	0	12	12	6	15	27	59	81
<i>NE</i>	0	0	0	38	71	120	93	68	47	79
<i>ENE</i>	0	28	34	55	57	47	131	406	368	285
<i>E</i>	0	0	0	46	114	62	248	557	464	330
<i>ESE</i>	0	0	29	40	51	80	38	116	83	64
<i>SE</i>	0	0	45	28	32	439	153	317	219	159
<i>SSE</i>	0	0	0	0	9	399	162	164	114	78
<i>S</i>	0	25	27	18	19	113	85	55	66	66
<i>SSW</i>	0	8	3	2	24	362	137	85	76	61
<i>SW</i>	0	25	5	48	64	43	58	99	69	55
<i>WSW</i>	0	17	53	90	63	72	89	82	74	77
<i>W</i>	0	0	85	62	59	87	47	37	30	24
<i>WNW</i>	0	4	14	25	21	79	30	25	22	18
<i>NW</i>	0	0	0	4	9	49	20	19	42	32
<i>NNW</i>	0	4	3	6	7	47	16	15	30	43
<i>TOTAL</i>	0	7	19	29	40	126	83	130	111	95

Table 2-6. 2010 Projected Cumulative Population Density 0-50 Miles

“HISTORICAL INFORMATION NOT REQUIRED TO BE REVISED”

<i>SECTOR</i>	<i>0-1 MILE</i>	<i>0-2 MILES</i>	<i>0-3 MILES</i>	<i>0-4 MILES</i>	<i>0-5 MILES</i>	<i>0-10 MILES</i>	<i>0-20 MILES</i>	<i>0-30 MILES</i>	<i>0-40 MILES</i>	<i>0-50 MILES</i>
<i>N</i>	0	0	20	52	38	41	17	26	19	74
<i>NNE</i>	0	44	141	97	62	38	24	33	79	110
<i>NE</i>	0	19	27	41	43	68	60	61	49	84
<i>ENE</i>	0	23	32	45	57	99	181	423	406	342
<i>E</i>	0	28	37	44	90	101	275	847	715	502
<i>ESE</i>	0	23	29	22	33	175	98	132	103	80
<i>SE</i>	0	13	21	19	26	203	123	362	245	170
<i>SSE</i>	0	15	17	18	39	403	151	178	124	84
<i>S</i>	0	13	12	19	53	160	80	63	55	52
<i>SSW</i>	0	61	105	65	41	585	186	108	80	57
<i>SW</i>	0	39	73	55	40	122	124	107	75	49
<i>WSW</i>	0	15	51	40	41	244	113	136	111	104
<i>W</i>	0	27	63	64	56	109	47	45	38	32
<i>WNW</i>	0	33	45	47	41	87	36	34	26	21
<i>NW</i>	0	395	467	423	279	136	41	31	47	40
<i>NNW</i>	0	377	379	510	326	120	39	27	30	47
<i>TOTAL</i>	0	70	95	95	79	169	100	163	138	116

Table 2-7. Frequency of Tropical Cyclones in Georgia, South Carolina and North Carolina Plus Coastal Waters

["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED"]

<i>Period (Years)</i>	<i>Total</i>	<i>Average per Year</i>	<i>No. Years with no Tropical Storms</i>	<i>No. Years with Double the Average No.</i>
<i>1871-1875</i>	<i>8</i>	<i>1.6</i>	<i>0</i>	<i>0</i>
<i>1876-1885</i>	<i>18</i>	<i>1.8</i>	<i>1</i>	<i>1</i>
<i>1886-1895</i>	<i>19</i>	<i>1.9</i>	<i>2</i>	<i>1</i>
<i>1896-1905</i>	<i>21</i>	<i>2.1</i>	<i>1</i>	<i>0</i>
<i>1906-1915</i>	<i>16</i>	<i>1.6</i>	<i>0</i>	<i>0</i>
<i>1916-1925</i>	<i>12</i>	<i>1.2</i>	<i>3</i>	<i>2</i>
<i>1926-1935</i>	<i>16</i>	<i>1.6</i>	<i>1</i>	<i>0</i>
<i>1936-1945</i>	<i>12</i>	<i>1.2</i>	<i>1</i>	<i>1</i>
<i>1946-1955</i>	<i>25</i>	<i>2.5</i>	<i>2</i>	<i>0</i>
<i>1956-1965</i>	<i>17</i>	<i>1.7</i>	<i>0</i>	<i>1</i>
<i>Total (95 Years)</i>	<i>164</i>		<i>11</i>	<i>6</i>
<i>Note: (References 1, 2 and 3)</i>				

Table 2-8. Mean Monthly Thunderstorm Days and Thunderstorms for Nuclear Plant Site
 ["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED"]

<i>Month</i>	<i>Thunderstorm Days</i>	<i>Thunderstorms</i>
<i>Jan</i>	<i>1</i>	<i>1.1</i>
<i>Feb</i>	<i>1.5</i>	<i>1.6</i>
<i>Mar</i>	<i>3.5</i>	<i>3.8</i>
<i>Apr</i>	<i>4</i>	<i>4.6</i>
<i>May</i>	<i>7</i>	<i>8.0</i>
<i>Jun</i>	<i>11</i>	<i>12.6</i>
<i>Jul</i>	<i>13</i>	<i>15.0</i>
<i>Aug</i>	<i>10</i>	<i>11.5</i>
<i>Sept</i>	<i>5</i>	<i>5.8</i>
<i>Oct</i>	<i>1.5</i>	<i>1.6</i>
<i>Nov</i>	<i>1.5</i>	<i>1.6</i>
<i>Dec</i>	<i>1</i>	<i>1.1</i>
<i>Annual</i>	<i>60</i>	<i>68.3</i>
Note:		
1. Reference 11		

Table 2-9. Duration and Frequency (in Hours) of Calm and Near-Calm Winds Average of Three Locations⁽¹⁾ (1/59 - 12/63)

["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED"]

<i>Duration (Hours)</i>	<i>Winter</i>	<i>Spring</i>	<i>Summer</i>	<i>Fall</i>	<i>Annual</i>
<i>A. Calm Conditions: Calm at all locations</i>					
<i>01-05</i>	<i>74.2⁽²⁾</i>	<i>70.4</i>	<i>94.7</i>	<i>92.5</i>	<i>331.8</i>
<i>06-11</i>	<i>3.9</i>	<i>3.4</i>	<i>5.9</i>	<i>6.9</i>	<i>20.1</i>
<i>12-17</i>	<i>0.3</i>	<i>0.3</i>	<i>0.8</i>	<i>1.3</i>	<i>2.7</i>
<i>18-23</i>	<i>0.0</i>	<i>0.0</i>	<i>0.1</i>	<i>0.3</i>	<i>0.4</i>
<i>24-29</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>
<i>30-35</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>
<i>36-41</i>	<i>0.1</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.1</i>
<i>Total</i>					<i>355.1</i>
<i>B. Average Wind Speed: 1 Knot or Less</i>					
<i>01-05</i>	<i>76.2</i>	<i>74.5</i>	<i>98.9</i>	<i>95.6</i>	<i>345.2</i>
<i>06-11</i>	<i>4.0</i>	<i>3.5</i>	<i>6.1</i>	<i>7.1</i>	<i>20.7</i>
<i>12-17</i>	<i>0.3</i>	<i>0.3</i>	<i>0.8</i>	<i>1.3</i>	<i>2.7</i>
<i>18-23</i>	<i>0.0</i>	<i>0.0</i>	<i>0.1</i>	<i>0.3</i>	<i>0.4</i>
<i>24-29</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>
<i>30-35</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>
<i>36-41</i>	<i>0.1</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.1</i>
<i>Total</i>					<i>369.1</i>
<i>Note:</i>					
1. The three locations were Charlotte WBAS, Winston-Salem WBAS, North Carolina; and Greenville WBAS and Greenville-Spartanburg WBAS, South Carolina.					
2. Hours per season or hours per year as appropriate.					
3. Reference 13 .					

Table 2-10. Annual Surface Wind Rose For Greenville, South Carolina (1/59 - 12/63)⁽¹⁾

["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED"]

<i>Wind Speeds in Knots</i>								
<i>Wind Direction</i>	<i>1-3</i>	<i>4-6</i>	<i>7-10</i>	<i>11-16</i>	<i>17-21</i>	<i>22-27</i>	<i>Total Freq.</i>	<i>Mean Speed</i>
<i>N</i>	<i>1.2⁽²⁾</i>	<i>2.4</i>	<i>2.2</i>	<i>1.1</i>	<i>0.1</i>	<i>.0</i>	<i>7.0</i>	<i>7.1</i>
<i>NNE</i>	<i>0.8</i>	<i>2.7</i>	<i>2.7</i>	<i>1.0</i>	<i>0.1</i>	<i>.0</i>	<i>7.3</i>	<i>7.2</i>
<i>NE</i>	<i>1.2</i>	<i>5.2</i>	<i>6.0</i>	<i>2.1</i>	<i>0.2</i>	<i>.0</i>	<i>14.7</i>	<i>7.5</i>
<i>ENE</i>	<i>0.8</i>	<i>3.6</i>	<i>3.2</i>	<i>1.0</i>	<i>0.1</i>	<i>.0</i>	<i>8.7</i>	<i>7.0</i>
<i>E</i>	<i>1.3</i>	<i>2.5</i>	<i>1.5</i>	<i>0.2</i>	<i>.0</i>	<i>.0</i>	<i>5.5</i>	<i>5.5</i>
<i>ESE</i>	<i>0.8</i>	<i>1.3</i>	<i>0.5</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>2.6</i>	<i>4.8</i>
<i>SE</i>	<i>0.9</i>	<i>1.4</i>	<i>0.4</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>2.7</i>	<i>4.6</i>
<i>SSE</i>	<i>0.5</i>	<i>1.0</i>	<i>0.4</i>	<i>.0</i>	<i>.0</i>	<i>.0</i>	<i>1.9</i>	<i>5.1</i>
<i>S</i>	<i>1.0</i>	<i>2.0</i>	<i>1.0</i>	<i>0.1</i>	<i>.0</i>	<i>.0</i>	<i>4.1</i>	<i>5.4</i>
<i>SSW</i>	<i>0.5</i>	<i>1.9</i>	<i>1.5</i>	<i>0.4</i>	<i>.0</i>	<i>.0</i>	<i>4.3</i>	<i>6.6</i>
<i>SW</i>	<i>1.0</i>	<i>3.6</i>	<i>3.5</i>	<i>1.3</i>	<i>0.1</i>	<i>.0</i>	<i>9.5</i>	<i>7.2</i>
<i>WSW</i>	<i>0.7</i>	<i>2.9</i>	<i>3.7</i>	<i>1.8</i>	<i>0.3</i>	<i>0.1</i>	<i>9.5</i>	<i>8.2</i>
<i>W</i>	<i>0.8</i>	<i>2.4</i>	<i>2.0</i>	<i>0.8</i>	<i>0.2</i>	<i>.0</i>	<i>6.2</i>	<i>7.2</i>
<i>WNW</i>	<i>0.6</i>	<i>2.2</i>	<i>1.2</i>	<i>0.4</i>	<i>0.1</i>	<i>.0</i>	<i>4.5</i>	<i>6.6</i>
<i>NW</i>	<i>1.1</i>	<i>2.4</i>	<i>0.7</i>	<i>0.2</i>	<i>.0</i>	<i>.0</i>	<i>4.4</i>	<i>5.3</i>
<i>NNW</i>	<i>0.6</i>	<i>1.5</i>	<i>0.9</i>	<i>0.4</i>	<i>0.1</i>	<i>.0</i>	<i>3.5</i>	<i>6.7</i>
<i>Calm</i>							<i>3.6</i>	
	<i>13.8</i>	<i>39.0</i>	<i>31.4</i>	<i>10.8</i>	<i>1.3</i>	<i>0.1</i>	<i>100.0</i>	<i>6.6</i>

Note:

1. Reference [12](#)
2. Percent Frequency

Table 2-11. Percent Frequency of Wind Speeds at Various Hours Through the Day - Greenville, S. C. (1/59 - 12/63)¹

["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED"]

<i>Hour</i>	<i>Wind Speed in Knots</i>							
	<i>0</i>	<i>1-3</i>	<i>4-6</i>	<i>7-10</i>	<i>11-16</i>	<i>17-21</i>	<i>22-23</i>	<i>34+</i>
<i>01</i>	<i>4.3</i>	<i>20.1</i>	<i>42.8⁽²⁾</i>	<i>25.2</i>	<i>7.0</i>	<i>.6</i>	<i>0</i>	<i>0</i>
<i>04</i>	<i>4.7</i>	<i>21.0</i>	<i>42.9⁽²⁾</i>	<i>23.8</i>	<i>7.3</i>	<i>.4</i>	<i>0</i>	<i>0</i>
<i>07</i>	<i>4.1</i>	<i>19.0</i>	<i>39.6⁽²⁾</i>	<i>29.4</i>	<i>6.9</i>	<i>.9</i>	<i>.2</i>	<i>0</i>
<i>10</i>	<i>1.5</i>	<i>8.2</i>	<i>34.6</i>	<i>39.0⁽²⁾</i>	<i>15.7</i>	<i>1.4</i>	<i>.1</i>	<i>0</i>
<i>13</i>	<i>0.7</i>	<i>4.9</i>	<i>32.0</i>	<i>41.1⁽²⁾</i>	<i>18.4</i>	<i>2.6</i>	<i>.4</i>	<i>0</i>
<i>16</i>	<i>0.6</i>	<i>6.1</i>	<i>31.6</i>	<i>41.2⁽²⁾</i>	<i>16.8</i>	<i>3.2</i>	<i>.6</i>	<i>0</i>
<i>19</i>	<i>2.9</i>	<i>14.0</i>	<i>46.5⁽²⁾</i>	<i>26.1</i>	<i>9.0</i>	<i>1.3</i>	<i>.1</i>	<i>.1</i>
<i>22</i>	<i>7.5</i>	<i>16.2</i>	<i>43.1⁽²⁾</i>	<i>25.3</i>	<i>6.6</i>	<i>1.1</i>	<i>.1</i>	<i>.0</i>
<i>Average</i>	<i>3.3</i>	<i>13.7</i>	<i>39.1⁽²⁾</i>	<i>31.4</i>	<i>11.0</i>	<i>1.4</i>	<i>.1</i>	<i>.1</i>
Note:								
1. Reference 12								
2. Indicates the Speed Class of the 50 Percent Level								

Table 2-12. Duration and Frequency of Calm and Near-Calm Winds Average of Three Locations⁽²⁾ (1/59 - 12/63)

["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED"]

<i>Duration (Hours)</i>	<i>Winter</i>	<i>Spring</i>	<i>Summer</i>	<i>Fall</i>	<i>Annual</i>
<i>A. Calm Conditions: Calm at all Locations</i>					
<i>Incidents/Season/Stations</i>					
<i>01-05</i>	<i>74.2</i>	<i>70.4</i>	<i>94.7</i>	<i>92.5</i>	<i>331.8</i>
<i>06-11</i>	<i>3.9</i>	<i>3.4</i>	<i>5.9</i>	<i>6.9</i>	<i>20.1</i>
<i>12-17</i>	<i>0.3</i>	<i>0.3</i>	<i>0.8</i>	<i>1.3</i>	<i>2.7</i>
<i>18-23</i>	<i>0.0</i>	<i>0.0</i>	<i>0.1</i>	<i>0.3</i>	<i>0.4</i>
<i>24-29</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>
<i>30-35</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>
<i>36-41</i>	<i>0.1</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.1</i>
<i>Total</i>					<i>355.1</i>
<i>B. Average Wind Speed: 1 Knot or Less</i>					
<i>01-05</i>	<i>76.2</i>	<i>74.5</i>	<i>98.9</i>	<i>95.6</i>	<i>345.2</i>
<i>06-11</i>	<i>4.0</i>	<i>3.5</i>	<i>6.1</i>	<i>7.1</i>	<i>20.7</i>
<i>12-17</i>	<i>0.3</i>	<i>0.3</i>	<i>0.8</i>	<i>1.3</i>	<i>2.7</i>
<i>18-23</i>	<i>0.0</i>	<i>0.0</i>	<i>0.1</i>	<i>0.3</i>	<i>0.4</i>
<i>24-35</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>
<i>36-41</i>	<i>0.1</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.1</i>
<i>Total</i>					<i>369.1</i>
<i>Note:</i>					
1. Frequency of incidents/season/station were determined by dividing 15 into total number of occurrences for each season-duration group (5 years of record times 3 stations = 15).					
2. Reference 13 - The three locations were Charlotte WBAS, Winston-Salem WBAS, North Carolina; and Greenville WBAS and Greenville-Spartanburg WBAS, South Carolina.					

Table 2-13. Percentage Distribution of Athens, Georgia Annual Winds at 0630 Eastern Standard Time (800-1300 Feet Above Ground)

["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED"]

<i>Wind Direction</i>	<i>1-5 ⁽¹⁾</i>	<i>6-10</i>	<i>11-14</i>	<i>>15</i>	<i>Totals</i>
<i>N</i>	<i>1.84</i>	<i>1.55</i>	<i>0.14</i>	<i>0</i>	<i>3.53</i>
<i>NNE</i>	<i>0.99</i>	<i>0.14</i>	<i>0.28</i>	<i>0</i>	<i>1.41</i>
<i>NE</i>	<i>2.11</i>	<i>1.55</i>	<i>0.42</i>	<i>0</i>	<i>4.09</i>
<i>ENE</i>	<i>2.82</i>	<i>5.08</i>	<i>3.24</i>	<i>1.97</i>	<i>13.12</i>
<i>E</i>	<i>2.26</i>	<i>3.95</i>	<i>1.13</i>	<i>0</i>	<i>7.33</i>
<i>ESE</i>	<i>2.12</i>	<i>2.12</i>	<i>0.71</i>	<i>0.14</i>	<i>5.08</i>
<i>SE</i>	<i>1.41</i>	<i>0.99</i>	<i>0.85</i>	<i>0.14</i>	<i>3.39</i>
<i>SSE</i>	<i>1.27</i>	<i>1.27</i>	<i>0.28</i>	<i>0.14</i>	<i>2.96</i>
<i>S</i>	<i>1.83</i>	<i>0.42</i>	<i>0.28</i>	<i>0.14</i>	<i>2.68</i>
<i>SSW</i>	<i>2.12</i>	<i>2.12</i>	<i>0.71</i>	<i>0.28</i>	<i>5.22</i>
<i>SW</i>	<i>1.41</i>	<i>3.95</i>	<i>1.13</i>	<i>0.42</i>	<i>6.91</i>
<i>WSW</i>	<i>1.55</i>	<i>2.96</i>	<i>1.13</i>	<i>0.28</i>	<i>5.92</i>
<i>W</i>	<i>2.96</i>	<i>4.09</i>	<i>2.54</i>	<i>0.71</i>	<i>10.30</i>
<i>WNW</i>	<i>2.40</i>	<i>4.94</i>	<i>4.37</i>	<i>1.13</i>	<i>12.83</i>
<i>NW</i>	<i>1.83</i>	<i>5.22</i>	<i>3.10</i>	<i>0.14</i>	<i>10.30</i>
<i>NNW</i>	<i>2.12</i>	<i>1.83</i>	<i>0.28</i>	<i>0</i>	<i>4.23</i>
<i>Calm</i>					<i>0.71</i>
	<i>31.03</i>	<i>42.17</i>	<i>20.6</i>	<i>5.50</i>	<i>100.01</i>

Note:

- 1. Wind Speeds in Meters/Sec*
- 2. Reference [16](#)*
- 3. December 1, 1954 through November 30, 1961*

Table 2-14. Percentage Distribution of Athens, Georgia Annual Winds at 0630 Eastern Standard Time (2300-2800 Feet Above Ground)

["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED"]

<i>Wind Direction</i>	<i>1-5 ⁽¹⁾</i>	<i>6-10</i>	<i>11-14</i>	<i>>15</i>	<i>Totals</i>
<i>N</i>	<i>1.46</i>	<i>1.32</i>	<i>0.44</i>	<i>0.44</i>	<i>3.66</i>
<i>NNE</i>	<i>1.61</i>	<i>0.88</i>	<i>0.15</i>	<i>0</i>	<i>2.64</i>
<i>NE</i>	<i>1.75</i>	<i>0.88</i>	<i>0.29</i>	<i>0.15</i>	<i>3.07</i>
<i>ENE</i>	<i>2.19</i>	<i>2.78</i>	<i>1.02</i>	<i>0.88</i>	<i>6.87</i>
<i>E</i>	<i>1.90</i>	<i>4.24</i>	<i>0.44</i>	<i>0.29</i>	<i>6.87</i>
<i>ESE</i>	<i>2.34</i>	<i>2.78</i>	<i>0.29</i>	<i>0.44</i>	<i>5.85</i>
<i>SE</i>	<i>1.32</i>	<i>1.02</i>	<i>0.29</i>	<i>0.29</i>	<i>2.92</i>
<i>SSE</i>	<i>1.61</i>	<i>1.61</i>	<i>0.29</i>	<i>0.88</i>	<i>4.39</i>
<i>S</i>	<i>1.32</i>	<i>1.90</i>	<i>0.44</i>	<i>0.88</i>	<i>4.54</i>
<i>SSW</i>	<i>1.61</i>	<i>1.32</i>	<i>0.88</i>	<i>0.88</i>	<i>4.69</i>
<i>SW</i>	<i>2.92</i>	<i>3.22</i>	<i>1.02</i>	<i>1.61</i>	<i>8.77</i>
<i>WSW</i>	<i>1.70</i>	<i>4.09</i>	<i>1.02</i>	<i>1.02</i>	<i>7.83</i>
<i>W</i>	<i>2.78</i>	<i>4.53</i>	<i>2.34</i>	<i>2.49</i>	<i>12.14</i>
<i>WNW</i>	<i>3.95</i>	<i>4.53</i>	<i>2.92</i>	<i>2.19</i>	<i>13.59</i>
<i>NW</i>	<i>1.46</i>	<i>2.34</i>	<i>1.75</i>	<i>1.90</i>	<i>7.45</i>
<i>NNW</i>	<i>1.32</i>	<i>2.49</i>	<i>0.73</i>	<i>0.29</i>	<i>4.83</i>
<i>Calm</i>					<i>0.44</i>
	<i>31.24</i>	<i>39.93</i>	<i>14.31</i>	<i>14.63</i>	<i>100.+</i>

Note:

- 1. Wind Speeds in Meters/Sec*
- 2. Reference [16](#)*
- 3. December 1, 1954 through November 30, 1961*

Table 2-15. Average Wind Direction Change with Height, Athens, Georgia, by Lapse Rates in the Lowest 50 Meters-Two Years of Record ⁽¹⁾

["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED"]

<i>Height Above Ground (meters)</i>	<i>Stable</i>	<i>Unstable</i>
50	4.6°	3°
100	9.6°	6°
150	14.2°	8.4°
200	18.6°	11°
250	25°	13.6°
300	28°	17.5°
350	33°	19.2°
400	37°	21.1°

Note:

1. Reference [16](#)
2. Years of Record are DEC 1959 - NOV 1961

Table 2-16. 67.5° Sector Wind Direction Persistence Duration (in Hours) Greenville, S. C. WBAS

["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED"]

<i>Direction</i>	<i>Summer \bar{P}</i>	<i>Summer RMSP</i>	<i>Winter \bar{P}</i>	<i>Winter RMSP</i>	<i>Summer $\bar{P} > 24\text{Hrs.}$</i>	<i>Winter $\bar{P} > 24\text{Hrs.}$</i>
<i>N</i>	<i>1.49</i>	<i>1.82</i>	<i>3.23</i>	<i>4.67</i>	<i>0</i>	<i>0</i>
<i>NNE</i>	<i>2.75</i>	<i>3.51</i>	<i>3.47</i>	<i>4.65</i>	<i>0</i>	<i>0</i>
<i>NE</i>	<i>4.02</i>	<i>6.70</i>	<i>5.65</i>	<i>11.13</i>	<i>1-29</i>	<i>1-48</i>
<i>ENE</i>	<i>2.96</i>	<i>3.80</i>	<i>7.73</i>	<i>15.0</i>	<i>0</i>	<i>1-52,1-71</i>
<i>E</i>	<i>2.75</i>	<i>3.75</i>	<i>2.74</i>	<i>3.45</i>	<i>0</i>	<i>0</i>
<i>ESE</i>	<i>2.53</i>	<i>3.55</i>	<i>1.43</i>	<i>1.66</i>	<i>0</i>	<i>0</i>
<i>SE</i>	<i>1.35</i>	<i>1.57</i>	<i>1.38</i>	<i>1.84</i>	<i>0</i>	<i>0</i>
<i>SSE</i>	<i>2.04</i>	<i>2.59</i>	<i>3.00</i>	<i>3.64</i>	<i>0</i>	<i>0</i>
<i>S</i>	<i>1.86</i>	<i>2.79</i>	<i>1.72</i>	<i>2.13</i>	<i>0</i>	<i>0</i>
<i>SSW</i>	<i>2.02</i>	<i>2.70</i>	<i>2.41</i>	<i>3.01</i>	<i>0</i>	<i>0</i>
<i>SW</i>	<i>3.32</i>	<i>4.84</i>	<i>3.27</i>	<i>4.67</i>	<i>0</i>	<i>0</i>
<i>WSW</i>	<i>4.34</i>	<i>9.87</i>	<i>5.29</i>	<i>7.95</i>	<i>0</i>	<i>0</i>
<i>W</i>	<i>2.70</i>	<i>3.45</i>	<i>2.29</i>	<i>3.04</i>	<i>0</i>	<i>0</i>
<i>WNW</i>	<i>2.90</i>	<i>4.18</i>	<i>2.63</i>	<i>3.13</i>	<i>0</i>	<i>0</i>
<i>NW</i>	<i>2.26</i>	<i>3.01</i>	<i>1.60</i>	<i>1.86</i>	<i>0</i>	<i>0</i>
<i>NNW</i>	<i>1.67</i>	<i>2.10</i>	<i>2.33</i>	<i>2.99</i>	<i>0</i>	<i>0</i>
<i>Calm</i>	<i>1.58</i>	<i>1.77</i>	<i>1.87</i>	<i>2.28</i>	<i>0</i>	<i>0</i>

Table 2-17. 112.5° Sector Wind Direction Persistence Duration (in Hours) (Greenville, S. C. WBAS)

["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED"]

<i>Wind Direction</i>	<i>Summer \bar{P}</i>	<i>Summer RMSP</i>	<i>Winter \bar{P}</i>	<i>Winter RMSP</i>	<i>Summer $\bar{P} > 24\text{Hrs.}$</i>	<i>Winter $\bar{P} > 24\text{Hrs.}$</i>
<i>N</i>	<i>2.51</i>	<i>3.09</i>	<i>6.24</i>	<i>10.28</i>	<i>0</i>	<i>1-28, 1-31</i>
<i>NNE</i>	<i>4.49</i>	<i>6.88</i>	<i>4.67</i>	<i>6.57</i>	<i>0</i>	<i>0</i>
<i>NE</i>	<i>11.89</i>	<i>20.46</i>	<i>15.56</i>	<i>28.05</i>	<i>1-41, 1-57, 1-64, 1-44, 1-45</i>	<i>1-26, 1-51, 1-66, 1-101</i>
<i>ENE</i>	<i>5.03</i>	<i>7.53</i>	<i>10.00</i>	<i>15.70</i>	<i>0</i>	<i>1-26, 1-32, 1-36, 1-41</i>
<i>E</i>	<i>5.36</i>	<i>5.79</i>	<i>5.40</i>	<i>7.92</i>	<i>1-56</i>	<i>1-24</i>
<i>ESE</i>	<i>4.15</i>	<i>5.73</i>	<i>4.10</i>	<i>6.42</i>	<i>0</i>	<i>1-24</i>
<i>SE</i>	<i>2.19</i>	<i>3.86</i>	<i>4.00</i>	<i>6.50</i>	<i>0</i>	<i>0</i>
<i>SSE</i>	<i>2.24</i>	<i>2.79</i>	<i>3.42</i>	<i>3.84</i>	<i>0</i>	<i>0</i>
<i>S</i>	<i>2.76</i>	<i>3.26</i>	<i>3.92</i>	<i>6.28</i>	<i>0</i>	<i>1-29</i>
<i>SSW</i>	<i>3.83</i>	<i>5.32</i>	<i>2.58</i>	<i>3.17</i>	<i>0</i>	<i>0</i>
<i>SW</i>	<i>6.71</i>	<i>11.70</i>	<i>5.62</i>	<i>7.79</i>	<i>1-29, 1-40, 1-25, 1-37, 1-24</i>	<i>1-26</i>
<i>WSW</i>	<i>9.74</i>	<i>16.40</i>	<i>6.68</i>	<i>10.00</i>	<i>1-58, 1-24 1-60, 1-25</i>	<i>1-31</i>
<i>W</i>	<i>5.68</i>	<i>8.70</i>	<i>4.30</i>	<i>5.48</i>	<i>1-25</i>	<i>0</i>
<i>WNW</i>	<i>3.78</i>	<i>5.13</i>	<i>5.28</i>	<i>7.94</i>	<i>0</i>	<i>1-35</i>
<i>NW</i>	<i>3.71</i>	<i>4.74</i>	<i>2.83</i>	<i>3.66</i>	<i>0</i>	<i>0</i>
<i>NNW</i>	<i>2.47</i>	<i>3.13</i>	<i>5.20</i>	<i>8.10</i>	<i>0</i>	<i>0</i>

Table 2-18. Surface Temperature (°F) Clemson, S. C. (68 Years of Record) ⁽¹⁾

["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED"]

<i>Month</i>	<i>Absolute Min.</i>	<i>Mean Min.</i>	<i>Mean</i>	<i>Mean Max.</i>	<i>Absolute Max.</i>
<i>Jan</i>	-5	+33	43.6	54	80
<i>Feb</i>	-7	34	45.5	57	82
<i>Mar</i>	+10	40	52.2	64	89
<i>Apr</i>	24	48	60.5	73	93
<i>May</i>	33	57	68.9	81	100
<i>Jun</i>	42	65	76.2	88	105
<i>Jul</i>	49	68	78.6	89	104
<i>Aug</i>	52	67	77.8	88	104
<i>Sep</i>	38	62	73.1	84	104
<i>Oct</i>	23	50	62.2	75	98
<i>Nov</i>	10	39	51.4	64	86
<i>Dec</i>	+2	33	44.0	55	81
<i>Annual</i>	22.6	49.7	61.2	72.7	93.8

Note:1. References [15a-f](#)

Table 2-19. Surface Precipitation (Inches) Clemson, S. C. (71 Years of Record) ⁽²⁾

["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED"]

<i>Normals</i>		<i>Month</i>	<i>Amount</i>
<i>Jan</i>	4.88	<i>Highest Annual</i>	<i>73.70 (1936)</i>
<i>Feb</i>	5.28	<i>Lowest Annual</i>	<i>37.07 (1941)</i>
<i>Mar</i>	5.23	<i>Heaviest Snowfall</i>	<i>14.1 inches (Dec 1930)</i>
<i>Apr</i>	4.16		
<i>May</i>	3.83	<i>Heaviest Rainfall - Short Periods of Time⁽¹⁾</i>	
<i>Jun</i>	4.32	<i>in 1 hour</i>	<i>3.18 inches 7/17/40</i>
<i>Jul</i>	5.09	<i>in 2 hours</i>	<i>4.38 inches 7/17/40</i>
<i>Aug</i>	4.91	<i>in 3 hours</i>	<i>4.48 inches 7/17/40</i>
<i>Sep</i>	3.64	<i>in 6 hours</i>	<i>4.48 inches 7/17/40</i>
<i>Oct</i>	3.25	<i>in 12 hours</i>	<i>5.42 inches 8/12-13/40</i>
<i>Nov</i>	3.04	<i>in 24 hours</i>	<i>9.92 inches 9/29/36</i>
<i>Dec</i>	5.27		
<i>Annual</i>	52.90		

Note:

1. All records were associated with tropical storms
2. References [15a-f](#).

Table 2-20. Precipitation - Wind Statistics - Greenville, S. C. 1959-1963 (By Precipitation Intensities) ⁽¹⁾

["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED"]

<i>Wind Direction</i>	<i>Light</i>		<i>Moderate</i>		<i>Heavy</i>		<i>Total</i>	
	<i>%</i>	<i>Speed</i>	<i>%</i>	<i>Speed</i>	<i>%</i>	<i>Speed</i>	<i>%</i>	<i>Speed</i>
<i>N</i>	<i>0.351</i>	<i>6.58</i>	<i>0.030</i>	<i>6.69</i>	<i>0.023</i>	<i>12.10</i>	<i>0.404</i>	<i>6.90</i>
<i>NNE</i>	<i>0.659</i>	<i>7.62</i>	<i>0.052</i>	<i>9.26</i>	<i>0.018</i>	<i>8.50</i>	<i>0.729</i>	<i>7.76</i>
<i>NE</i>	<i>2.526</i>	<i>9.19</i>	<i>0.219</i>	<i>10.97</i>	<i>0.082</i>	<i>10.00</i>	<i>2.827</i>	<i>9.35</i>
<i>ENE</i>	<i>1.381</i>	<i>8.24</i>	<i>0.128</i>	<i>9.52</i>	<i>0.034</i>	<i>7.53</i>	<i>1.543</i>	<i>8.33</i>
<i>E</i>	<i>0.486</i>	<i>6.16</i>	<i>0.057</i>	<i>6.28</i>	<i>0.018</i>	<i>10.25</i>	<i>0.561</i>	<i>6.30</i>
<i>ESE</i>	<i>0.221</i>	<i>5.45</i>	<i>0.014</i>	<i>5.83</i>	<i>0.009</i>	<i>7.25</i>	<i>0.244</i>	<i>5.54</i>
<i>SE</i>	<i>0.203</i>	<i>4.98</i>	<i>0.023</i>	<i>5.70</i>	<i>0.018</i>	<i>7.25</i>	<i>0.244</i>	<i>5.22</i>
<i>SSE</i>	<i>0.171</i>	<i>5.95</i>	<i>0.016</i>	<i>7.29</i>	<i>0.014</i>	<i>6.83</i>	<i>0.201</i>	<i>6.12</i>
<i>S</i>	<i>0.399</i>	<i>6.93</i>	<i>0.023</i>	<i>8.00</i>	<i>0.009</i>	<i>8.75</i>	<i>0.431</i>	<i>7.03</i>
<i>SSW</i>	<i>0.395</i>	<i>8.05</i>	<i>0.034</i>	<i>10.20</i>	<i>0.014</i>	<i>9.33</i>	<i>0.443</i>	<i>8.26</i>
<i>SW</i>	<i>0.591</i>	<i>7.39</i>	<i>0.046</i>	<i>8.40</i>	<i>0.009</i>	<i>6.50</i>	<i>0.646</i>	<i>7.45</i>
<i>SWS</i>	<i>0.507</i>	<i>7.36</i>	<i>0.016</i>	<i>7.43</i>	<i>0.005</i>	<i>17.50</i>	<i>0.528</i>	<i>7.46</i>
<i>W</i>	<i>0.278</i>	<i>7.29</i>	<i>0.014</i>	<i>7.83</i>	<i>0.014</i>	<i>13.00</i>	<i>0.306</i>	<i>7.58</i>
<i>WNW</i>	<i>0.157</i>	<i>6.35</i>	<i>0.001</i>	<i>8.40</i>	<i>0.016</i>	<i>9.71</i>	<i>0.184</i>	<i>6.76</i>
<i>NW</i>	<i>0.171</i>	<i>5.97</i>	<i>0.007</i>	<i>7.33</i>	<i>0.009</i>	<i>13.50</i>	<i>0.187</i>	<i>6.38</i>
<i>NNW</i>	<i>0.153</i>	<i>7.08</i>	<i>0.014</i>	<i>8.83</i>	<i>0.018</i>	<i>14.75</i>	<i>0.185</i>	<i>7.96</i>
<i>Calm</i>	<i>0.132</i>	<i>-</i>	<i>0.005</i>	<i>-</i>	<i>0</i>	<i>-</i>	<i>0.137</i>	<i>-</i>
<i>Totals</i>	<i>8.781</i>		<i>0.709</i>		<i>0.310</i>		<i>9.800</i>	

Note:

1. Reference [17](#).
2. Percentages are expressed in terms of the percentage of total hours in the five-year period. Wind speeds are in knots.

Table 2-21. Pasquill Stability Categories for Greenville, South Carolina

["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED"]

<i>Wind Direction</i>	<i>Column 1</i>		<i>Column 2</i>		<i>Column 3</i>		<i>Column 4</i>	
	P_C	\bar{u}_C	P_D	\bar{u}_D	P_{E+F}	\bar{u}_{E+F}	P_F	\bar{u}_F
<i>N</i>	<i>1.66</i>	<i>10.326</i>	<i>2.42</i>	<i>10.189</i>	<i>2.10</i>	<i>4.371</i>	<i>1.52</i>	<i>3.567</i>
<i>NNE</i>	<i>1.42</i>	<i>9.083</i>	<i>2.25</i>	<i>8.662</i>	<i>1.80</i>	<i>4.821</i>	<i>1.13</i>	<i>3.851</i>
<i>NE</i>	<i>4.01</i>	<i>9.308</i>	<i>4.13</i>	<i>8.570</i>	<i>4.07</i>	<i>4.971</i>	<i>2.34</i>	<i>3.870</i>
<i>ENE</i>	<i>2.90</i>	<i>8.251</i>	<i>1.91</i>	<i>7.487</i>	<i>2.34</i>	<i>4.522</i>	<i>1.73</i>	<i>3.843</i>
<i>E</i>	<i>1.19</i>	<i>6.800</i>	<i>0.47</i>	<i>4.714</i>	<i>1.46</i>	<i>3.674</i>	<i>1.34</i>	<i>3.468</i>
<i>ESE</i>	<i>0.42</i>	<i>6.680</i>	<i>0.34</i>	<i>4.450</i>	<i>0.74</i>	<i>3.045</i>	<i>0.74</i>	<i>3.045</i>
<i>SE</i>	<i>0.34</i>	<i>5.850</i>	<i>0.25</i>	<i>4.200</i>	<i>1.30</i>	<i>3.494</i>	<i>1.25</i>	<i>3.392</i>
<i>SSE</i>	<i>0.49</i>	<i>6.621</i>	<i>0.20</i>	<i>5.500</i>	<i>0.61</i>	<i>3.361</i>	<i>0.58</i>	<i>3.206</i>
<i>S</i>	<i>1.19</i>	<i>7.486</i>	<i>0.59</i>	<i>5.257</i>	<i>1.47</i>	<i>3.966</i>	<i>1.32</i>	<i>3.705</i>
<i>SSW</i>	<i>1.37</i>	<i>9.247</i>	<i>0.51</i>	<i>7.733</i>	<i>1.10</i>	<i>4.538</i>	<i>0.75</i>	<i>3.614</i>
<i>SW</i>	<i>3.18</i>	<i>9.883</i>	<i>1.15</i>	<i>7.824</i>	<i>2.37</i>	<i>4.614</i>	<i>1.73</i>	<i>3.941</i>
<i>WSW</i>	<i>4.25</i>	<i>11.570</i>	<i>2.17</i>	<i>10.164</i>	<i>1.93</i>	<i>5.491</i>	<i>0.85</i>	<i>4.180</i>
<i>W</i>	<i>2.12</i>	<i>10.720</i>	<i>1.34</i>	<i>9.089</i>	<i>1.85</i>	<i>4.486</i>	<i>1.39</i>	<i>3.829</i>
<i>WNW</i>	<i>0.90</i>	<i>11.566</i>	<i>0.81</i>	<i>8.562</i>	<i>2.27</i>	<i>4.455</i>	<i>1.76</i>	<i>3.913</i>
<i>NW</i>	<i>0.68</i>	<i>9.425</i>	<i>0.47</i>	<i>6.214</i>	<i>2.74</i>	<i>4.130</i>	<i>2.18</i>	<i>3.574</i>
<i>NNW</i>	<i>0.51</i>	<i>9.700</i>	<i>0.36</i>	<i>8.810</i>	<i>1.10</i>	<i>4.277</i>	<i>0.85</i>	<i>3.640</i>
<i>Calm</i>	<i>0.20</i>	<i>0</i>	<i>0.37</i>	<i>0</i>	<i>2.76</i>	<i>0</i>	<i>2.76</i>	<i>0</i>
<i>Total Percent</i>	<i>26.83</i>	<i>9.47</i>	<i>19.74</i>	<i>8.26</i>	<i>32.01</i>	<i>4.06</i>	<i>24.22</i>	<i>3.72</i>

Note:

1. \bar{u} in knots above
2. P in % of total observations
3. 5904 observations equally distributed throughout the year for a two-year period from December 1, 1959 through November 30, 1961
4. References [20](#) and [21](#)

Table 2-22. Pasquill Stability Category and Supplemental Data for Greenville, S. C.

["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED"]

<i>Wind Direction</i>	<i>Column 5</i>		<i>Column 6</i>		<i>Column 7</i>		<i>Column 8⁽⁴⁾</i>	
	<i>P_L</i>	<i>ū_L</i>	<i>P_{fum}</i>	<i>ū_{fum}</i>	<i>P_{all}</i>	<i>ū_{all}</i>	<i>P_{5yrs}</i>	<i>ū_{5yrs}</i>
<i>N</i>	0.36	5.286	0.35	5.000	6.90	7.93	7.00	7.1
<i>NNE</i>	0.81	4.375	0.19	4.353	6.41	7.09	7.30	7.2
<i>NE</i>	1.34	4.861	0.68	5.417	14.23	7.25	14.70	7.5
<i>ENE</i>	1.80	3.849	0.38	4.912	9.30	6.19	8.70	7.0
<i>E</i>	1.32	4.449	0.23	4.550	4.67	4.84	5.50	5.5
<i>ESE</i>	0.86	4.098	0.07	4.000	2.40	4.32	2.60	4.8
<i>SE</i>	0.93	4.473	0.05	2.500	2.82	4.40	2.70	4.6
<i>SSE</i>	0.76	4.178	0.05	3.500	2.08	4.69	2.00	5.1
<i>S</i>	1.20	4.535	0.10	3.444	4.49	5.26	4.10	5.4
<i>SSW</i>	1.25	4.486	0.17	4.533	4.37	6.53	4.30	6.6
<i>SW</i>	2.27	4.619	0.32	4.670	9.24	6.86	9.50	7.2
<i>WSW</i>	1.10	4.585	0.39	5.400	9.80	9.10	9.50	8.2
<i>W</i>	0.83	5.020	0.54	4.896	6.79	7.37	6.20	7.2
<i>WNW</i>	0.73	5.302	0.38	5.176	5.17	6.44	4.50	6.6
<i>NW</i>	0.56	4.394	0.46	4.122	5.02	4.98	4.40	5.3
<i>NNW</i>	0.44	4.385	0.13	4.417	2.55	6.01	3.50	6.7
<i>Calm</i>	0.10	0	0.27	0	3.75	0	3.50	-
<i>Total Percent</i>	16.66	4.479	4.76	4.527	100.00	6.44	100.00	6.57

Note:

1. *ū* in knots above.
2. *P* in % of total observations.
3. Based on 5904 observations equally distributed throughout the two-year period from December 1, 1959 through November 30, 1961.
4. Entire 5 year period 1959 - 1963.
5. References [20](#), [21](#), and [12](#).

Table 2-23. Average Temperature Difference (°F) at Minimum Temperature Time⁽¹⁾. (Paris Mountain Fire Tower - Clemson) Versus Pasquill Stability Class (From Greenville, South Carolina Hourly Observations)

["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED"]

<i>Pasquill Stability Class</i>	<i>Season</i>				
	<i>Winter</i>	<i>Spring</i>	<i>Summer</i>	<i>Fall</i>	<i>Annual</i>
<i>C</i>	<i>-5.43</i>	<i>-5.75</i>	<i>-6.60</i>	<i>-4.63</i>	<i>-4.93</i>
<i>D</i>	<i>-1.28</i>	<i>-2.05</i>	<i>-2.28</i>	<i>0.00</i>	<i>-1.37</i>
<i>E</i>	<i>+3.96</i>	<i>+2.25</i>	<i>-1.59</i>	<i>+2.31</i>	<i>+1.75</i>
<i>F</i>	<i>+5.18</i>	<i>+4.87</i>	<i>+1.11</i>	<i>+4.18</i>	<i>+3.72</i>

Note:

1. 602 Days of Record from December 1, 1959 through November 30, 1961.
2. Reference [23](#).

Table 2-24. Joint Frequency Distribution of Wind Speed and Wind Direction for each Stability Class, for Greenville-Spartanburg, South Carolina for 1975

["HISTORICAL INFORMATION NOT REQUIRED TO BE REVISED."]

SPEED (KTS)							
DIRECTION	0 - 3	4 - 6	7 - 10	11 - 16	17 - 21	GREATER THAN 21	TOTAL
N	0.000405	0.001370	0.000000	0.000000	0.000000	0.000000	0.001775
NNE	0.000747	0.001027	0.000000	0.000000	0.000000	0.000000	0.001775
NE	0.000747	0.001027	0.000000	0.000000	0.000000	0.000000	0.001775
ENE	0.000444	0.000000	0.000000	0.000000	0.000000	0.000000	0.000444
E	0.001051	0.002055	0.000000	0.000000	0.000000	0.000000	0.003106
ESE	0.000444	0.000000	0.000000	0.000000	0.000000	0.000000	0.000444
SE	0.000444	0.000000	0.000000	0.000000	0.000000	0.000000	0.000444
SSE	0.000101	0.000342	0.000000	0.000000	0.000000	0.000000	0.000444
S	0.002281	0.001712	0.000000	0.000000	0.000000	0.000000	0.003993
SSW	0.000101	0.000342	0.000000	0.000000	0.000000	0.000000	0.000444
SW	0.000304	0.001027	0.000000	0.000000	0.000000	0.000000	0.001331
WSW	0.000444	0.000000	0.000000	0.000000	0.000000	0.000000	0.000444
W	0.000607	0.002055	0.000000	0.000000	0.000000	0.000000	0.002662
WNW	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000
NW	0.000101	0.000342	0.000000	0.000000	0.000000	0.000000	0.000444
NNW	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000
TOTAL	0.000219	0.011301	0.000000	0.000000	0.000000	0.000000	
RELATIVE FREQUENCY OF OCCURRENCE OF A STABILITY = 0.019521							
RELATIVE FREQUENCY OF CALMS DISTRIBUTED ABOVE WITH A STABILITY = 0.004452							

DIRECTION	SPEED(KTS)							TOTAL
	0 - 3	4 - 6	7 - 10	11 - 16	17 - 21	GREATER THAN 21		
N	0.006538	0.004795	0.000685	0.000000	0.000000	0.000000		0.012017
NNE	0.000681	0.002055	0.001370	0.000000	0.000000	0.000000		0.004105
NE	0.002972	0.004452	0.000685	0.000000	0.000000	0.000000		0.008109
ENE	0.001462	0.002055	0.000000	0.000000	0.000000	0.000000		0.003517
E	0.003359	0.007192	0.000342	0.000000	0.000000	0.000000		0.010893
ESE	0.002586	0.001712	0.000342	0.000000	0.000000	0.000000		0.004641
SE	0.001559	0.002740	0.000342	0.000000	0.000000	0.000000		0.004641
SSE	0.002731	0.002740	0.001712	0.000000	0.000000	0.000000		0.007189
S	0.002401	0.006537	0.002397	0.000000	0.000000	0.000000		0.011305
SSW	0.003025	0.002055	0.000685	0.000000	0.000000	0.000000		0.005765
SW	0.002191	0.004452	0.003767	0.000000	0.000000	0.000000		0.010410
WSW	0.000729	0.002397	0.002740	0.000000	0.000000	0.000000		0.005866
W	0.003069	0.005137	0.001712	0.000000	0.000000	0.000000		0.009918
WNW	0.001414	0.001712	0.000000	0.000000	0.000000	0.000000		0.003126
NW	0.001365	0.001370	0.000342	0.000000	0.000000	0.000000		0.003078
NNW	0.001510	0.002397	0.000685	0.000000	0.000000	0.000000		0.004593
TOTAL	0.037671	0.053767	0.017808	0.000000	0.000000	0.000000		
RELATIVE FREQUENCY OF OCCURRENCE OF B STABILITY = 0.109247								
RELATIVE FREQUENCY OF CALMS DISTRIBUTED ABOVE WITH B STABILITY = 0.011301								

SPEED(KTS)							
DIRECTION	0 - 3	4 - 6	7 - 10	11 - 16	17 - 21	GREATER THAN 21	TOTAL
N	0.003056	0.004452	0.004795	0.001027	0.000000	0.000000	0.013330
NNE	0.001520	0.004795	0.004110	0.000700	0.000000	0.000000	0.010432
NE	0.000685	0.004452	0.003425	0.000000	0.000000	0.000000	0.005562
ENE	0.000053	0.003425	0.004795	0.000000	0.000000	0.000000	0.005190
E	0.000474	0.003082	0.002767	0.000000	0.000000	0.000000	0.007323
ESE	0.00263	0.001712	0.000685	0.000000	0.000000	0.000000	0.002661
SE	0.00764	0.002397	0.000685	0.000000	0.000000	0.000000	0.003846
SSE	0.000764	0.002397	0.000342	0.000000	0.000000	0.000000	0.003504
S	0.001027	0.004110	0.003767	0.000000	0.000000	0.000000	0.008904
SSW	0.001264	0.003082	0.005822	0.000000	0.000000	0.000000	0.010169
SW	0.000316	0.002055	0.011986	0.001027	0.000000	0.000000	0.015385
WSW	0.000363	0.002397	0.003425	0.000685	0.000000	0.000000	0.006876
W	0.000360	0.002397	0.003767	0.000342	0.000000	0.000000	0.006876
WNW	0.000158	0.001027	0.001027	0.000000	0.000000	0.000000	0.002213
NW	0.000053	0.000342	0.000685	0.000000	0.000000	0.000000	0.001080
NNW	0.000501	0.000685	0.002055	0.000000	0.000342	0.000000	0.003583
TOTAL	0.011644	0.039726	0.055137	0.003082	0.000342	0.000000	
RELATIVE FREQUENCY OF OCCURRENCE OF C STABILITY = 0.109932							
RELATIVE FREQUENCY OF CALMS DISTRIBUTED ABOVE WITH C STABILITY = 0.006849							

DIRECTION	SPEED(KTS)							TOTAL
	D - 3	4 - 6	7 - 10	11 - 15	17 - 21	GREATER THAN 21		
N	0.0006192	0.020890	0.006849	0.006507	0.001370	0.000000		0.042208
NNE	0.004712	0.016796	0.026027	0.004452	0.000000	0.000000		0.021287
NE	0.004019	0.014141	0.020548	0.005479	0.000000	0.000000		0.044087
ENE	0.002473	0.006164	0.007534	0.000685	0.000000	0.000000		0.016856
E	0.003659	0.008904	0.003767	0.001027	0.000000	0.000000		0.017358
ESE	0.001337	0.003767	0.001370	0.000342	0.000000	0.000000		0.008916
SE	0.002364	0.002740	0.002035	0.000000	0.000000	0.000000		0.007159
SSE	0.001337	0.003767	0.001027	0.000685	0.000000	0.000000		0.008916
S	0.003709	0.009247	0.008219	0.003767	0.000000	0.000000		0.024942
SSW	0.002431	0.008562	0.010959	0.004795	0.000342	0.000342		0.027431
SW	0.002841	0.014041	0.019863	0.016781	0.002397	0.000000		0.055923
WSW	0.001487	0.004795	0.009599	0.008904	0.001712	0.000000		0.026487
W	0.002566	0.006849	0.006164	0.003082	0.002035	0.000685		0.021801
WNW	0.002114	0.002397	0.000000	0.000342	0.000000	0.000000		0.005054
NW	0.001080	0.002035	0.000342	0.001712	0.000000	0.000000		0.005196
NNW	0.002565	0.004110	0.003082	0.005822	0.000000	0.000000		0.019578
TOTAL	0.045590	0.128424	0.127397	0.064384	0.007877	0.001027		
RELATIVE FREQUENCY OF OCCURRENCE OF D STABILITY = 0.275000								
RELATIVE FREQUENCY OF CALMS DISTRIBUTED ABOVE WITH D STABILITY = 0.022260								

DIRECTION	SPEED(KTS)							TOTAL
	0 - 3	4 - 6	7 - 10	11 - 16	17 - 21	GREATER THAN 21		
N	0.000000	0.011301	0.010616	0.000000	0.000000	0.000000	0.021918	
NNE	0.000000	0.013156	0.003425	0.000000	0.000000	0.000000	0.016781	
NE	0.000000	0.004795	0.002397	0.000000	0.000000	0.000000	0.007192	
ENE	0.000000	0.002397	0.000342	0.000000	0.000000	0.000000	0.002740	
E	0.000000	0.003082	0.000000	0.000000	0.000000	0.000000	0.003082	
ESE	0.000000	0.001027	0.000000	0.000000	0.000000	0.000000	0.001027	
SE	0.000000	0.001712	0.000000	0.000000	0.000000	0.000000	0.001712	
SSE	0.000000	0.002740	0.000000	0.000000	0.000000	0.000000	0.002740	
S	0.000000	0.008219	0.000000	0.000000	0.000000	0.000000	0.008219	
SSW	0.000000	0.002740	0.001712	0.000000	0.000000	0.000000	0.004452	
SW	0.000000	0.007192	0.003822	0.000000	0.000000	0.000000	0.013014	
WSW	0.000000	0.003082	0.002055	0.000000	0.000000	0.000000	0.005137	
W	0.000000	0.003767	0.002055	0.000000	0.000000	0.000000	0.005822	
WNW	0.000000	0.000683	0.000342	0.000000	0.000000	0.000000	0.001027	
NW	0.000000	0.000683	0.001712	0.000000	0.000000	0.000000	0.002397	
NNW	0.000000	0.003082	0.00137	0.000000	0.000000	0.000000	0.004452	
TOTAL	0.000000	0.069863	0.035616	0.000000	0.000000	0.000000	0.008219	
RELATIVE FREQUENCY OF OCCURRENCE OF E STABILITY = 0.105479								
RELATIVE FREQUENCY OF CALMS DISTRIBUTED ABOVE WITH E STABILITY = 0.000000								

DIRECTION	SPEED(KTS)							TOTAL
	0 - 3	4 - 6	7 - 10	11 - 16	17 - 21	GREATER THAN 21		
N	0.013303	0.027740	0.000000	0.000000	0.000000	0.000000		0.041043
NNE	0.003385	0.012329	0.000000	0.000000	0.000000	0.000000		0.017713
NE	0.002281	0.003767	0.000000	0.000000	0.000000	0.000000		0.006048
ENE	0.000954	0.000342	0.000000	0.000000	0.000000	0.000000		0.001296
E	0.003021	0.001027	0.000000	0.000000	0.000000	0.000000		0.006048
ESE	0.002176	0.001712	0.000000	0.000000	0.000000	0.000000		0.003888
SE	0.002429	0.001027	0.000000	0.000000	0.000000	0.000000		0.003456
SSE	0.001222	0.001370	0.000000	0.000000	0.000000	0.000000		0.002592
S	0.003769	0.007192	0.000000	0.000000	0.000000	0.000000		0.012961
SSW	0.004204	0.006164	0.000000	0.000000	0.000000	0.000000		0.010369
SW	0.006770	0.012671	0.000000	0.000000	0.000000	0.000000		0.019442
WSW	0.003430	0.006307	0.000000	0.000000	0.000000	0.000000		0.009937
W	0.004847	0.010274	0.000000	0.000000	0.000000	0.000000		0.015121
WNW	0.001149	0.002740	0.000000	0.000000	0.000000	0.000000		0.003888
NW	0.001776	0.005137	0.000000	0.000000	0.000000	0.000000		0.006913
NNW	0.002640	0.005137	0.000000	0.000000	0.000000	0.000000		0.007777
TOTAL	0.063356	0.105137	0.000000	0.000000	0.000000	0.000000		
RELATIVE FREQUENCY OF OCCURRENCE OF F STABILITY = 0.168493								
RELATIVE FREQUENCY OF CALMS DISTRIBUTED ABOVE WITH F STABILITY = 0.034932								

DIRECTION	SPEED(KTS)							TOTAL
	0 - 3	4 - 6	7 - 10	11 - 16	17 - 21	GREATER THAN 21		
N	0.018437	0.000000	0.000000	0.000000	0.000000	0.000000		0.018437
NNE	0.007658	0.000000	0.000000	0.000000	0.000000	0.000000		0.007658
NE	0.003389	0.000000	0.000000	0.000000	0.000000	0.000000		0.003389
ENE	0.002836	0.000000	0.000000	0.000000	0.000000	0.000000		0.002836
E	0.001844	0.000000	0.000000	0.000000	0.000000	0.000000		0.001844
ESE	0.002269	0.000000	0.000000	0.000000	0.000000	0.000000		0.002269
SE	0.003404	0.000000	0.000000	0.000000	0.000000	0.000000		0.003404
SSE	0.002978	0.000000	0.000000	0.000000	0.000000	0.000000		0.002978
S	0.003331	0.000000	0.000000	0.000000	0.000000	0.000000		0.003331
SSW	0.003673	0.000000	0.000000	0.000000	0.000000	0.000000		0.003673
SW	0.003360	0.000000	0.000000	0.000000	0.000000	0.000000		0.003360
WSW	0.004964	0.000000	0.000000	0.000000	0.000000	0.000000		0.004964
W	0.006324	0.000000	0.000000	0.000000	0.000000	0.000000		0.006324
WNW	0.006324	0.000000	0.000000	0.000000	0.000000	0.000000		0.006324
NW	0.006666	0.000000	0.000000	0.000000	0.000000	0.000000		0.006666
NNW	0.006382	0.000000	0.000000	0.000000	0.000000	0.000000		0.006382
TOTAL	0.096438	0.000000	0.000000	0.000000	0.000000	0.000000		0.096438
RELATIVE FREQUENCY OF OCCURRENCE OF G STABILITY = 0.096438								
RELATIVE FREQUENCY OF CALMS DISTRIBUTED ABOVE WITH G STABILITY = 0.049863								

DIRECTION	SPEED(KTS)							TOTAL
	0 - 3	4 - 6	7 - 10	11 - 16	17 - 21	GREATER THAN 21		
N	0.049998	0.070348	0.022945	0.007534	0.001370	0.000000	0.152395	
NNE	0.025738	0.049658	0.039322	0.004452	0.000000	0.000000	0.114779	
NE	0.016122	0.032534	0.027055	0.005479	0.000000	0.000000	0.081191	
ENE	0.008863	0.011301	0.012671	0.000685	0.000000	0.000000	0.033520	
E	0.010931	0.025342	0.007877	0.001027	0.000000	0.000000	0.033177	
ESE	0.008917	0.009932	0.002397	0.000342	0.000000	0.000000	0.021589	
SE	0.011301	0.010616	0.003082	0.000000	0.000000	0.000000	0.025000	
SSE	0.010315	0.013356	0.003082	0.000685	0.000000	0.000000	0.027438	
S	0.026574	0.036386	0.014384	0.003767	0.006000	0.000000	0.081711	
SSW	0.019134	0.022945	0.019178	0.004795	0.000342	0.000342	0.066739	
SW	0.022122	0.041438	0.041438	0.017808	0.002397	0.000000	0.125204	
WSW	0.012383	0.019178	0.017808	0.009589	0.001712	0.000000	0.060671	
W	0.019931	0.030479	0.013699	0.003425	0.002055	0.000685	0.070273	
WNW	0.007657	0.008562	0.001370	0.000342	0.000000	0.000000	0.017931	
NW	0.008917	0.009932	0.003082	0.001712	0.000000	0.000000	0.023643	
NNW	0.012205	0.013411	0.010959	0.005822	0.000342	0.000000	0.044739	
TOTAL	0.279109	0.408219	0.235959	0.067466	0.008219	0.001027		
TOTAL RELATIVE FREQUENCY OF OBSERVATIONS = 1.000001								
TOTAL RELATIVE FREQUENCY OF CALMS DISTRIBUTED ABOVE = 0.150343								

Table 2-25. Joint Frequency Distribution of Wind Speed and Wind Direction for each Stability Class, for Greenville-Spartanburg, South Carolina for 1968-1972

["HISTORICAL INFORMATION NOT REQUIRED TO BE REVISED."]

DIRECTION	SPEED(KTS)						TOTAL
	0 - 3	4 - 6	7 - 10	11 - 16	17 - 21	GREATER THAN 21	
N	0.000286	0.000890	0.000000	0.000000	0.000000	0.000000	0.001177
NNE	0.000546	0.000274	0.000000	0.000000	0.000000	0.000000	0.000840
NE	0.000441	0.000948	0.000000	0.000000	0.000000	0.000000	0.001008
ENE	0.000290	0.000274	0.000000	0.000000	0.000000	0.000000	0.000504
E	0.000202	0.000890	0.000000	0.000000	0.000000	0.000000	0.001092
ESE	0.000314	0.000274	0.000000	0.000000	0.000000	0.000000	0.000588
SE	0.000131	0.000209	0.000000	0.000000	0.000000	0.000000	0.000390
SSE	0.000042	0.000274	0.000000	0.000000	0.000000	0.000000	0.000336
S	0.000476	0.000616	0.000000	0.000000	0.000000	0.000000	0.001092
SSW	0.000177	0.000411	0.000000	0.000000	0.000000	0.000000	0.000368
SW	0.000349	0.000411	0.000000	0.000000	0.000000	0.000000	0.000756
WSW	0.000292	0.000548	0.000000	0.000000	0.000000	0.000000	0.000840
W	0.000339	0.000822	0.000000	0.000000	0.000000	0.000000	0.001177
WNW	0.000461	0.000548	0.000000	0.000000	0.000000	0.000000	0.001008
NW	0.000119	0.000137	0.000000	0.000000	0.000000	0.000000	0.000252
NNW	0.000047	0.000209	0.000000	0.000000	0.000000	0.000000	0.000252
TOTAL	0.004521	0.007329	0.000000	0.000000	0.000000	0.000000	
RELATIVE FREQUENCY OF OCCURRENCE OF A STABILITY = 0.011849							
RELATIVE FREQUENCY OF CALMS DISTRIBUTED ABOVE WITH A STABILITY = 0.002192							

DIRECTION	SPEED(KTS)						TOTAL
	0 - 3	4 - 6	7 - 10	11 - 16	17 - 21	GREATER THAN 21	
N	0.002982	0.003767	0.001096	0.000000	0.000000	0.000000	0.007849
NNE	0.001779	0.002943	0.001233	0.000000	0.000000	0.000000	0.005937
NE	0.001377	0.003073	0.002053	0.000000	0.000000	0.000000	0.007604
NNE	0.001338	0.001986	0.001781	0.000000	0.000000	0.000000	0.005305
E	0.002378	0.003699	0.001027	0.000000	0.000000	0.000000	0.007102
ESE	0.002578	0.002671	0.001096	0.000000	0.000000	0.000000	0.006343
SE	0.001331	0.002123	0.000822	0.000000	0.000000	0.000000	0.004497
SSE	0.001262	0.001233	0.000479	0.000000	0.000000	0.000000	0.002934
S	0.002310	0.002740	0.001438	0.000000	0.000000	0.000000	0.006688
SSW	0.001343	0.001307	0.001027	0.000000	0.000000	0.000000	0.003877
SW	0.001436	0.003493	0.003336	0.000000	0.000000	0.000000	0.008306
WSW	0.001370	0.003904	0.002877	0.000000	0.000000	0.000000	0.008331
W	0.001632	0.002397	0.001781	0.000000	0.000000	0.000000	0.005930
WNW	0.001284	0.002466	0.000348	0.000000	0.000000	0.000000	0.004298
NW	0.001131	0.001644	0.000822	0.000000	0.000000	0.000000	0.003397
NNW	0.001649	0.001375	0.000753	0.000000	0.000000	0.000000	0.003976
TOTAL	0.028219	0.042123	0.022192	0.000000	0.000000	0.000000	
RELATIVE FREQUENCY OF OCCURRENCE OF B STABILITY = 0.092334							
RELATIVE FREQUENCY OF CALMS DISTRIBUTED ABOVE WITH B STABILITY = 0.006096							

DIRECTION	SPEED(KTS)							TOTAL
	0 - 3	4 - 6	7 - 10	11 - 14	15 - 21	GREATER THAN 21		
M	0.001663	0.004384	0.004452	0.00342	0.00000	0.00000		0.010841
NNE	0.001017	0.003014	0.004041	0.00479	0.00000	0.00000		0.008532
NE	0.000606	0.003425	0.006096	0.00890	0.00000	0.00000		0.011017
ENE	0.000508	0.002329	0.004178	0.00153	0.00000	0.00000		0.007768
E	0.001017	0.002016	0.002394	0.00274	0.00000	0.00000		0.004839
ESE	0.000813	0.001575	0.001370	0.00000	0.00000	0.00000		0.003759
SE	0.000428	0.001438	0.000411	0.00000	0.00000	0.00000		0.002346
SSE	0.000347	0.001370	0.000322	0.00000	0.00000	0.00000		0.002359
S	0.001122	0.004178	0.003219	0.00342	0.00000	0.00000		0.008862
SSW	0.000633	0.002055	0.004178	0.000890	0.00000	0.00000		0.007756
SW	0.000712	0.002767	0.000658	0.001849	0.00000	0.00000		0.016054
WSW	0.000663	0.002219	0.002247	0.002055	0.00000	0.00000		0.013889
W	0.000625	0.003690	0.004041	0.000411	0.00000	0.00000		0.008707
WNW	0.000727	0.001438	0.001164	0.000342	0.00000	0.00000		0.003672
NW	0.000459	0.001781	0.002329	0.000411	0.00000	0.00000		0.004979
NNW	0.000303	0.001712	0.002394	0.000205	0.00000	0.00000		0.004755
TOTAL	0.011844	0.042329	0.060274	0.009315	0.000274	0.000000		
RELATIVE FREQUENCY OF OCCURRENCE OF C STABILITY = 0.123836								
RELATIVE FREQUENCY OF CALMS DISTRIBUTED ABOVE WITH C STABILITY = 0.004452								

DIRECTION	SPEED(KTS)							TOTAL
	0 - 3	4 - 6	7 - 10	11 - 16	17 - 21	GREATER THAN 21		
N	0.004835	0.011849	0.011844	0.009558	0.008890	0.000000		0.028878
NNE	0.004716	0.013274	0.022534	0.007055	0.000068	0.000000		0.049848
NE	0.004775	0.015753	0.028904	0.014110	0.008822	0.000000		0.064364
NNE	0.001457	0.005616	0.010411	0.003425	0.000137	0.000000		0.021048
E	0.002181	0.009507	0.004726	0.001027	0.000000	0.000000		0.014441
ESE	0.002033	0.005041	0.001507	0.000205	0.000000	0.000000		0.007788
SE	0.001949	0.003356	0.001575	0.000048	0.000000	0.000000		0.006949
SSE	0.001713	0.002055	0.001164	0.000342	0.000000	0.000000		0.003274
S	0.002665	0.007943	0.005685	0.002397	0.000000	0.000000		0.018692
SSW	0.001301	0.004452	0.007123	0.003354	0.000137	0.000000		0.016528
SW	0.003091	0.008208	0.019384	0.014507	0.002329	0.000000		0.049087
WSW	0.001943	0.008767	0.014726	0.014724	0.001301	0.000000		0.041632
W	0.001423	0.003342	0.004110	0.005137	0.000342	0.000000		0.018423
WNW	0.000926	0.002534	0.001649	0.001712	0.000137	0.000000		0.007158
WW	0.000919	0.001849	0.002035	0.003334	0.000868	0.000000		0.008727
WNW	0.001550	0.001980	0.002329	0.004932	0.000411	0.000000		0.011208
TOTAL	0.027466	0.105616	0.139726	0.088493	0.006644	0.000274		
RELATIVE FREQUENCY OF OCCURRENCE OF D STABILITY = 0.378219								
RELATIVE FREQUENCY OF CALMS DISTRIBUTED ABOVE WITH D STABILITY = 0.015616								

SPEED (KTS)							
DIRECTION	0 - 3	4 - 6	7 - 10	11 - 16	17 - 21	GREATER THAN 21	TOTAL
N	0.000000	0.012192	0.008356	0.000000	0.000000	0.000000	0.020548
NNE	0.000000	0.012397	0.003342	0.000000	0.000000	0.000000	0.017740
NE	0.000000	0.005959	0.002945	0.000000	0.000000	0.000000	0.008904
ENE	0.000000	0.002123	0.001027	0.000000	0.000000	0.000000	0.003151
E	0.000000	0.002053	0.000048	0.000000	0.000000	0.000000	0.002129
ESE	0.000000	0.001430	0.000205	0.000000	0.000000	0.000000	0.001644
SE	0.000000	0.001781	0.000197	0.000000	0.000000	0.000000	0.001910
SSE	0.000000	0.002240	0.000058	0.000000	0.000000	0.000000	0.002329
S	0.000000	0.006975	0.000822	0.000000	0.000000	0.000000	0.007397
SSW	0.000000	0.003425	0.001375	0.000000	0.000000	0.000000	0.005000
SW	0.000000	0.007740	0.004986	0.000000	0.000000	0.000000	0.014726
WSW	0.000000	0.007260	0.005479	0.000000	0.000000	0.000000	0.012740
W	0.000000	0.005411	0.002943	0.000000	0.000000	0.000000	0.008356
WNW	0.000000	0.002877	0.001370	0.000000	0.000000	0.000000	0.004247
W	0.000000	0.002934	0.002466	0.000000	0.000000	0.000000	0.005000
WNW	0.000000	0.002740	0.003836	0.000000	0.000000	0.000000	0.006575
TOTAL	0.000000	0.078767	0.043430	0.000000	0.000000	0.000000	
RELATIVE FREQUENCY OF OCCURRENCE OF E STABILITY = 0.122397							
RELATIVE FREQUENCY OF CALMS DISTRIBUTED ABOVE WITH E STABILITY = 0.000000							

SPEED(KTS)							
DIRECTION	0 - 3	4 - 6	7 - 10	11 - 16	17 - 21	GREATER THAN 21	TOTAL
M	0.008878	0.021096	0.000000	0.000000	0.000000	0.000000	0.029974
MNE	0.003508	0.017671	0.000000	0.000000	0.000000	0.000000	0.029180
NE	0.004399	0.009889	0.000000	0.000000	0.000000	0.000000	0.019988
ENE	0.001679	0.003356	0.000000	0.000000	0.000000	0.000000	0.009036
E	0.002296	0.001781	0.000000	0.000000	0.000000	0.000000	0.004076
ESE	0.001702	0.002093	0.000000	0.000000	0.000000	0.000000	0.003797
SE	0.002661	0.001575	0.000000	0.000000	0.000000	0.000000	0.004236
SSE	0.002181	0.002055	0.000000	0.000000	0.000000	0.000000	0.004236
S	0.003220	0.006849	0.000000	0.000000	0.000000	0.000000	0.012069
SSW	0.002616	0.005137	0.000000	0.000000	0.000000	0.000000	0.007753
SW	0.004924	0.009384	0.000000	0.000000	0.000000	0.000000	0.019908
WSW	0.004799	0.010548	0.000000	0.000000	0.000000	0.000000	0.019346
W	0.003636	0.008493	0.000000	0.000000	0.000000	0.000000	0.012149
WNW	0.002845	0.006507	0.000000	0.000000	0.000000	0.000000	0.009352
W	0.002936	0.005616	0.000000	0.000000	0.000000	0.000000	0.008592
WNW	0.001977	0.005137	0.000000	0.000000	0.000000	0.000000	0.007114
TOTAL	0.037877	0.116849	0.000000	0.000000	0.000000	0.000000	
RELATIVE FREQUENCY OF OCCURRENCE OF F STABILITY = 0.174726							
RELATIVE FREQUENCY OF CALMS DISTRIBUTED ABOVE WITH F STABILITY = 0.025000							

SPEED(KTS)						
DIRECTION	0 - 3	4 - 6	7 - 10	11 - 16	17 - 21	GREATER THAN 21
W	0.018437	0.000000	0.000000	0.000000	0.000000	0.000000
NW	0.007636	0.000000	0.000000	0.000000	0.000000	0.000000
NE	0.003389	0.000000	0.000000	0.000000	0.000000	0.000000
E	0.002836	0.000000	0.000000	0.000000	0.000000	0.000000
SE	0.001844	0.000000	0.000000	0.000000	0.000000	0.000000
SW	0.002289	0.000000	0.000000	0.000000	0.000000	0.000000
SSW	0.003404	0.000000	0.000000	0.000000	0.000000	0.000000
SSE	0.002978	0.000000	0.000000	0.000000	0.000000	0.000000
S	0.003331	0.000000	0.000000	0.000000	0.000000	0.000000
SSW	0.003673	0.000000	0.000000	0.000000	0.000000	0.000000
SW	0.003360	0.000000	0.000000	0.000000	0.000000	0.000000
WSW	0.004964	0.000000	0.000000	0.000000	0.000000	0.000000
W	0.004524	0.000000	0.000000	0.000000	0.000000	0.000000
WNW	0.004524	0.000000	0.000000	0.000000	0.000000	0.000000
NW	0.004666	0.000000	0.000000	0.000000	0.000000	0.000000
NNW	0.004382	0.000000	0.000000	0.000000	0.000000	0.000000
TOTAL	0.096439	0.000000	0.000000	0.000000	0.000000	0.000000
RELATIVE FREQUENCY OF OCCURRENCE OF CALMS DISTRIBUTED ABOVE WITH C STABILITY = 0.096438						
RELATIVE FREQUENCY OF CALMS DISTRIBUTED ABOVE WITH C STABILITY = 0.049843						

SPEED(KTS)							
DIRECTION	0 - 3	4 - 6	7 - 10	11 - 16	17 - 21	GREATER THAN 21	TOTAL
N	0.034721	0.054178	0.025948	0.010000	0.000890	0.000000	0.123338
NNE	0.023149	0.031378	0.033131	0.007334	0.000068	0.000000	0.115678
NE	0.018641	0.039247	0.040000	0.015000	0.002822	0.000000	0.113750
NNE	0.008650	0.015485	0.017397	0.004178	0.000137	0.000000	0.044847
E	0.011142	0.017945	0.008356	0.001361	0.000000	0.000000	0.038744
ESE	0.010231	0.012055	0.004178	0.000205	0.000000	0.000000	0.024670
SE	0.010004	0.010479	0.002943	0.000137	0.000000	0.000000	0.023566
SSE	0.008451	0.009247	0.002534	0.000342	0.000000	0.000000	0.020373
S	0.018454	0.028904	0.011164	0.002740	0.000000	0.000000	0.061262
SSW	0.011199	0.014968	0.013904	0.004247	0.000137	0.000068	0.044542
SW	0.019028	0.032882	0.039384	0.018356	0.002397	0.000068	0.113216
WSW	0.015406	0.034247	0.032329	0.016781	0.001507	0.000068	0.100337
W	0.014052	0.026096	0.012877	0.005548	0.000342	0.000068	0.058984
WNW	0.011570	0.016370	0.004932	0.002055	0.000137	0.000000	0.039043
WW	0.010773	0.013562	0.007471	0.004247	0.000068	0.000000	0.034321
WNW	0.010651	0.013356	0.009452	0.005137	0.000411	0.000000	0.039007
TOTAL	0.236164	0.393013	0.265822	0.097808	0.008918	0.000274	
TOTAL RELATIVE FREQUENCY OF OBSERVATIONS = 1.000000							
TOTAL RELATIVE FREQUENCY OF CALMS DISTRIBUTED ABOVE = 0.103219							

DCVKEE METEOROLOGICAL SURVEY TOWER DATA											
FOR PERIOD OF MAR. 15, 1970 THRU MAR. 14, 1972											
WIND OCCURRENCES BY SECTOR + SPEED CLASS (NO. OCCUR., PERCENT)											
DATE OF REPORT 5-16-72											
WIND SPEED CLASS											
WIND	SECTOR	1.0-3.2	3.3-5.5	5.6-7.8	7.9-10.0	10.1-12.3	12.4-14.5	14.6-16.7	16.8-19.0	19.1-21.2	>21.2 MPH
SECTOR	ITEM	TOTAL	4.5-1.49	1.5-2.49	2.5-3.49	3.5-4.49	4.5-5.49	5.5-6.49	6.5-7.49	7.5-8.49	8.5-9.49
360.0	ND	20	3	8	3	4	0	0	2	0	0
-N-	PCT	0.14	0.02	0.05	0.02	0.03	0.00	0.00	0.01	0.00	0.00
27.5	ND	34	6	8	8	2	2	3	2	1	0
-NN-	PCT	0.24	0.04	0.05	0.05	0.01	0.01	0.03	0.01	0.01	0.00
45.0	ND	57	3	8	9	11	7	9	6	3	0
-NF-	PCT	0.40	0.02	0.05	0.06	0.08	0.05	0.06	0.04	0.02	0.01
67.5	ND	52	0	10	2	12	9	7	7	3	1
-ENE-	PCT	0.36	0.00	0.07	0.01	0.08	0.06	0.05	0.05	0.02	0.01
90.0	ND	37	4	11	10	5	7	0	0	0	0
-E-	PCT	0.26	0.03	0.08	0.07	0.03	0.05	0.00	0.00	0.00	0.00
112.5	ND	32	5	9	12	6	2	0	0	0	0
-ESE-	PCT	0.22	0.03	0.06	0.08	0.03	0.01	0.00	0.00	0.00	0.00
135.0	ND	51	11	16	11	9	4	0	0	0	0
-SE-	PCT	0.36	0.08	0.11	0.08	0.06	0.03	0.00	0.00	0.00	0.00
157.5	ND	40	1	11	12	7	6	2	1	0	0
-SSE-	PCT	0.28	0.01	0.08	0.08	0.05	0.04	0.01	0.01	0.00	0.00
180.0	ND	48	5	9	6	8	10	4	3	2	0
-S-	PCT	0.33	0.03	0.06	0.04	0.05	0.07	0.03	0.02	0.01	0.00
202.5	ND	74	2	13	12	14	11	5	10	5	2
-SSW-	PCT	0.52	0.01	0.09	0.08	0.10	0.08	0.03	0.07	0.03	0.01
225.0	ND	75	7	9	8	18	7	11	10	2	3
-SW-	PCT	0.52	0.05	0.06	0.05	0.13	0.05	0.08	0.07	0.01	0.02
247.5	ND	37	3	6	4	3	2	7	2	4	0
-WSW-	PCT	0.26	0.02	0.04	0.03	0.02	0.01	0.05	0.01	0.03	0.00
270.0	ND	24	3	4	3	0	4	2	2	1	0
-W-	PCT	0.17	0.02	0.03	0.02	0.00	0.03	0.01	0.01	0.01	0.00
292.5	ND	21	2	9	0	0	0	0	3	3	1
-WNW-	PCT	0.15	0.01	0.06	0.00	0.00	0.00	0.00	0.02	0.02	0.01
315.0	ND	28	6	8	2	1	3	2	0	2	1
-NW-	PCT	0.20	0.03	0.05	0.01	0.01	0.02	0.01	0.00	0.01	0.03
337.5	ND	26	4	8	8	3	1	0	0	0	0
-NNW-	PCT	0.18	0.03	0.05	0.05	0.02	0.01	0.00	0.00	0.00	0.00
CALM	ND	0									
	PCT	0.00									
TOTAL	ND	656	63	147	110	101	75	54	48	26	9
	PCT	4.58	0.44	1.03	0.77	0.70	0.52	0.38	0.33	0.18	0.06
TOTAL VALID OBSERVATIONS 14333											
TOTAL OBSERVATIONS 17545											

OCONEE METEOROLOGICAL SURVEY TOWER DATA									
FOR PERIOD OF MAR. 15, 1970 THRU MAR. 14, 1972									
SUMMARY OF PASQUILL D									
WIND OCCURRENCES BY SECTOR + SPEED CLASS (NO. OCCURR., PERCENT)									
DATE OF REPORT 5-16-72									
WIND SPEED CLASS									
WIND	SECTOR	1.0-3.2	3.3-5.5	5.6-7.8	7.9-10.0	10.1-12.3	12.4-14.5	14.6-16.7	16.8-19.0
SECTOR	ITEM	1.0-3.2	3.3-5.5	5.6-7.8	7.9-10.0	10.1-12.3	12.4-14.5	14.6-16.7	16.8-19.0
ITEM	TOTAL	1.0-3.2	3.3-5.5	5.6-7.8	7.9-10.0	10.1-12.3	12.4-14.5	14.6-16.7	16.8-19.0
NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
PCT	PCT	PCT	PCT	PCT	PCT	PCT	PCT	PCT	PCT
360.0	NO	30	10	10	3	4	1	0	1
-N-	PCT	0.21	0.07	0.07	0.02	0.03	0.01	0.00	0.01
22.5	NO	43	2	8	12	11	4	6	0
-NNE-	PCT	0.30	0.01	0.05	0.08	0.08	0.03	0.04	0.00
45.0	NO	95	7	10	18	9	19	11	2
-NE-	PCT	0.66	0.05	0.07	0.13	0.06	0.13	0.08	0.01
67.5	NO	55	4	7	10	12	13	6	0
-ENE-	PCT	0.36	0.03	0.05	0.07	0.08	0.09	0.04	0.00
90.0	NO	63	6	20	14	8	9	4	1
-E-	PCT	0.44	0.04	0.14	0.10	0.05	0.06	0.03	0.01
112.5	NO	26	4	12	7	3	0	0	0
-ESE-	PCT	0.16	0.03	0.08	0.05	0.02	0.00	0.00	0.00
135.0	NO	35	7	12	7	7	2	0	0
-SE-	PCT	0.24	0.05	0.08	0.05	0.05	0.01	0.00	0.00
157.5	NO	43	6	14	10	8	3	1	0
-SSE-	PCT	0.30	0.04	0.10	0.07	0.05	0.02	0.01	0.00
180.0	NO	44	4	7	7	4	7	9	3
-S-	PCT	0.31	0.03	0.05	0.05	0.03	0.05	0.06	0.02
202.5	NO	65	3	9	16	8	14	9	4
-SSW-	PCT	0.45	0.02	0.06	0.11	0.05	0.10	0.06	0.03
225.0	NO	98	2	23	25	13	9	14	11
-SW-	PCT	0.68	0.01	0.16	0.17	0.09	0.06	0.10	0.08
247.5	NO	38	5	10	2	2	5	8	2
-WSW-	PCT	0.26	0.03	0.07	0.01	0.01	0.03	0.05	0.01
270.0	NO	51	8	10	3	5	4	6	5
-W-	PCT	0.36	0.05	0.07	0.02	0.03	0.03	0.04	0.03
292.5	NO	24	2	6	2	1	1	2	0
-WNW-	PCT	0.17	0.01	0.04	0.01	0.01	0.01	0.01	0.00
315.0	NO	36	14	9	1	1	1	1	1
-NW-	PCT	0.25	0.10	0.06	0.01	0.01	0.01	0.01	0.01
337.5	NO	26	6	9	6	3	0	0	1
-NNW-	PCT	0.18	0.04	0.06	0.04	0.02	0.00	0.00	0.01
CALM	NO	0							
PCT	PCT	0.00							
TOTAL	NO	712	90	176	163	99	91	86	21
PCT	PCT	5.38	0.63	1.23	1.00	0.69	0.63	0.60	0.15
TOTAL VALID OBSERVATIONS 14333									
TOTAL OBSERVATIONS 17545									

GCONEE METEOROLOGICAL SURVEY POWER DATA
 SUMMARY OF PASQUILL E WIND OCCURRENCES BY SECTOR + SPEED CLASS (NO. OCCUR, PERCENT)
 FOR PERIOD OF MAR. 15, 1970 THRU MAR. 14, 1972

#IND		SECTOR		WIND SPEED CLASS																DATE OF REPORT		5-16-77																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
SECTOR	ITEM	TOTAL	1.0-3.2	3.3-5.5	5.6-7.8	7.9-10.0	10.1-12.3	12.4-14.3	14.6-16.7	16.8-19.0	19.1-21.2	21.3-23.4	23.5-25.6	25.7-27.8	27.9-29.9	30.0-32.1	32.2-34.3	34.4-36.5	36.6-38.7	38.8-40.9	41.0-43.1	43.2-45.3	45.4-47.5	47.6-49.7	49.8-51.9	52.0-54.1	54.2-56.3	56.4-58.5	58.6-60.7	60.8-62.9	63.0-65.1	65.2-67.3	67.4-69.5	69.6-71.7	71.8-73.9	74.0-76.1	76.2-78.3	78.4-80.5	80.6-82.7	82.8-84.9	85.0-87.1	87.2-89.3	89.4-91.5	91.6-93.7	93.8-95.9	96.0-98.1	98.2-100.3	100.4-102.5	102.6-104.7	104.8-106.9	106.0-108.1	108.2-110.3	110.4-112.5	112.6-114.7	114.8-116.9	117.0-119.1	119.2-121.3	121.4-123.5	123.6-125.7	125.8-127.9	128.0-130.1	130.2-132.3	132.4-134.5	134.6-136.7	136.8-138.9	139.0-141.1	141.2-143.3	143.4-145.5	145.6-147.7	147.8-149.9	150.0-152.1	152.2-154.3	154.4-156.5	156.6-158.7	158.8-160.9	161.0-163.1	163.2-165.3	165.4-167.5	167.6-169.7	169.8-171.9	172.0-174.1	174.2-176.3	176.4-178.5	178.6-180.7	180.8-182.9	183.0-185.1	185.2-187.3	187.4-189.5	189.6-191.7	191.8-193.9	194.0-196.1	196.2-198.3	198.4-200.5	200.6-202.7	202.8-204.9	205.0-207.1	207.2-209.3	209.4-211.5	211.6-213.7	213.8-215.9	216.0-218.1	218.2-220.3	220.4-222.5	222.6-224.7	224.8-226.9	227.0-229.1	229.2-231.3	231.4-233.5	233.6-235.7	235.8-237.9	238.0-240.1	240.2-242.3	242.4-244.5	244.6-246.7	246.8-248.9	249.0-251.1	251.2-253.3	253.4-255.5	255.6-257.7	257.8-259.9	260.0-262.1	262.2-264.3	264.4-266.5	266.6-268.7	268.8-270.9	271.0-273.1	273.2-275.3	275.4-277.5	277.6-279.7	279.8-281.9	282.0-284.1	284.2-286.3	286.4-288.5	288.6-290.7	290.8-292.9	293.0-295.1	295.2-297.3	297.4-299.5	299.6-301.7	301.8-303.9	304.0-306.1	306.2-308.3	308.4-310.5	310.6-312.7	312.8-314.9	315.0-317.1	317.2-319.3	319.4-321.5	321.6-323.7	323.8-325.9	326.0-328.1	328.2-330.3	330.4-332.5	332.6-334.7	334.8-336.9	337.0-339.1	339.2-341.3	341.4-343.5	343.6-345.7	345.8-347.9	348.0-350.1	350.2-352.3	352.4-354.5	354.6-356.7	356.8-358.9	359.0-361.1	361.2-363.3	363.4-365.5	365.6-367.7	367.8-369.9	370.0-372.1	372.2-374.3	374.4-376.5	376.6-378.7	378.8-380.9	381.0-383.1	383.2-385.3	385.4-387.5	387.6-389.7	389.8-391.9	392.0-394.1	394.2-396.3	396.4-398.5	398.6-400.7	400.8-402.9	403.0-405.1	405.2-407.3	407.4-409.5	409.6-411.7	411.8-413.9	414.0-416.1	416.2-418.3	418.4-420.5	420.6-422.7	422.8-424.9	425.0-427.1	427.2-429.3	429.4-431.5	431.6-433.7	433.8-435.9	436.0-438.1	438.2-440.3	440.4-442.5	442.6-444.7	444.8-446.9	447.0-449.1	449.2-451.3	451.4-453.5	453.6-455.7	455.8-457.9	458.0-460.1	460.2-462.3	462.4-464.5	464.6-466.7	466.8-468.9	469.0-471.1	471.2-473.3	473.4-475.5	475.6-477.7	477.8-479.9	480.0-482.1	482.2-484.3	484.4-486.5	486.6-488.7	488.8-490.9	491.0-493.1	493.2-495.3	495.4-497.5	497.6-499.7	500.0-502.1	502.2-504.3	504.4-506.5	506.6-508.7	508.8-510.9	511.0-513.1	513.2-515.3	515.4-517.5	517.6-519.7	519.8-521.9	522.0-524.1	524.2-526.3	526.4-528.5	528.6-530.7	530.8-532.9	533.0-535.1	535.2-537.3	537.4-539.5	539.6-541.7	541.8-543.9	544.0-546.1	546.2-548.3	548.4-550.5	550.6-552.7	552.8-554.9	555.0-557.1	557.2-559.3	559.4-561.5	561.6-563.7	563.8-565.9	566.0-568.1	568.2-570.3	570.4-572.5	572.6-574.7	574.8-576.9	577.0-579.1	579.2-581.3	581.4-583.5	583.6-585.7	585.8-587.9	588.0-590.1	590.2-592.3	592.4-594.5	594.6-596.7	596.8-598.9	599.0-601.1	601.2-603.3	603.4-605.5	605.6-607.7	607.8-609.9	610.0-612.1	612.2-614.3	614.4-616.5	616.6-618.7	618.8-620.9	621.0-623.1	623.2-625.3	625.4-627.5	627.6-629.7	629.8-631.9	632.0-634.1	634.2-636.3	636.4-638.5	638.6-640.7	640.8-642.9	643.0-645.1	645.2-647.3	647.4-649.5	649.6-651.7	651.8-653.9	654.0-656.1	656.2-658.3	658.4-660.5	660.6-662.7	662.8-664.9	665.0-667.1	667.2-669.3	669.4-671.5	671.6-673.7	673.8-675.9	676.0-678.1	678.2-680.3	680.4-682.5	682.6-684.7	684.8-686.9	687.0-689.1	689.2-691.3	691.4-693.5	693.6-695.7	695.8-697.9	698.0-700.1	700.2-702.3	702.4-704.5	704.6-706.7	706.8-708.9	709.0-711.1	711.2-713.3	713.4-715.5	715.6-717.7	717.8-719.9	720.0-722.1	722.2-724.3	724.4-726.5	726.6-728.7	728.8-730.9	731.0-733.1	733.2-735.3	735.4-737.5	737.6-739.7	739.8-741.9	742.0-744.1	744.2-746.3	746.4-748.5	748.6-750.7	750.8-752.9	753.0-755.1	755.2-757.3	757.4-759.5	759.6-761.7	761.8-763.9	764.0-766.1	766.2-768.3	768.4-770.5	770.6-772.7	772.8-774.9	775.0-777.1	777.2-779.3	779.4-781.5	781.6-783.7	783.8-785.9	786.0-788.1	788.2-790.3	790.4-792.5	792.6-794.7	794.8-796.9	797.0-799.1	799.2-801.3	801.4-803.5	803.6-805.7	805.8-807.9	808.0-810.1	810.2-812.3	812.4-814.5	814.6-816.7	816.8-818.9	819.0-821.1	821.2-823.3	823.4-825.5	825.6-827.7	827.8-829.9	830.0-832.1	832.2-834.3	834.4-836.5	836.6-838.7	838.8-840.9	841.0-843.1	843.2-845.3	845.4-847.5	847.6-849.7	849.8-851.9	852.0-854.1	854.2-856.3	856.4-858.5	858.6-860.7	860.8-862.9	863.0-865.1	865.2-867.3	867.4-869.5	869.6-871.7	871.8-873.9	874.0-876.1	876.2-878.3	878.4-880.5	880.6-882.7	882.8-884.9	885.0-887.1	887.2-889.3	889.4-891.5	891.6-893.7	893.8-895.9	896.0-898.1	898.2-900.3	900.4-902.5	902.6-904.7	904.8-906.9	907.0-909.1	909.2-911.3	911.4-913.5	913.6-915.7	915.8-917.9	918.0-920.1	920.2-922.3	922.4-924.5	924.6-926.7	926.8-928.9	929.0-931.1	931.2-933.3	933.4-935.5	935.6-937.7	937.8-939.9	940.0-942.1	942.2-944.3	944.4-946.5	946.6-948.7	948.8-950.9	951.0-953.1	953.2-955.3	955.4-957.5	957.6-959.7	959.8-961.9	962.0-964.1	964.2-966.3	966.4-968.5	968.6-970.7	970.8-972.9	973.0-975.1	975.2-977.3	977.4-979.5	979.6-981.7	981.8-983.9	984.0-986.1	986.2-988.3	988.4-990.5	990.6-992.7	992.8-994.9	995.0-997.1	997.2-999.3	1000.0-1002.1	1002.2-1004.3	1004.4-1006.5	1006.6-1008.7	1008.8-1010.9	1011.0-1013.1	1013.2-1015.3	1015.4-1017.5	1017.6-1019.7	1019.8-1021.9	1022.0-1024.1	1024.2-1026.3	1026.4-1028.5	1028.6-1030.7	1030.8-1032.9	1033.0-1035.1	1035.2-1037.3	1037.4-1039.5	1039.6-1041.7	1041.8-1043.9	1044.0-1046.1	1046.2-1048.3	1048.4-1050.5	1050.6-1052.7	1052.8-1054.9	1055.0-1057.1	1057.2-1059.3	1059.4-1061.5	1061.6-1063.7	1063.8-1065.9	1066.0-1068.1	1068.2-1070.3	1070.4-1072.5	1072.6-1074.7	1074.8-1076.9	1077.0-1079.1	1079.2-1081.3	1081.4-1083.5	1083.6-1085.7	1085.8-1087.9	1088.0-1090.1	1090.2-1092.3	1092.4-1094.5	1094.6-1096.7	1096.8-1098.9	1099.0-1101.1	1101.2-1103.3	1103.4-1105.5	1105.6-1107.7	1107.8-1109.9	1110.0-1112.1	1112.2-1114.3	1114.4-1116.5	1116.6-1118.7	1118.8-1120.9	1121.0-1123.1	1123.2-1125.3	1125.4-1127.5	1127.6-1129.7	1129.8-1131.9	1132.0-1134.1	1134.2-1136.3	1136.4-1138.5	1138.6-1140.7	1140.8-1142.9	1143.0-1145.1	1145.2-1147.3	1147.4-1149.5	1149.6-1151.7	1151.8-1153.9	1154.0-1156.1	1156.2-1158.3	1158.4-1160.5	1160.6-1162.7	1162.8-1164.9	1165.0-1167.1	1167.2-1169.3	1169.4-1171.5	1171.6-1173.7	1173.8-1175.9	1176.0-1178.1	1178.2-1180.3	1180.4-1182.5	1182.6-1184.7	1184.8-1186.9	1187.0-1189.1	1189.2-1191.3	1191.4-1193.5	1193.6-1195.7	1195.8-1197.9	1198.0-1199.1	1200.0-1202.1	1202.2-1204.3	1204.4-1206.5	1206.6-1208.7	1208.8-1210.9	1211.0-1213.1	1213.2-1215.3	1215.4-1217.5	1217.6-1219.7	1219.8-1221.9	1222.0-1224.1	1224.2-1226.3	1226.4-1228.5	1228.6-1230.7	1230.8-1232.9	1233.0-1235.1	1235.2-1237.3	1237.4-1239.5	1239.6-1241.7	1241.8-1243.9	1244.0-1246.1	1246.2-1248.3	1248.4-1250.5	1250.6-1252.7	1252.8-1254.9	1255.0-1257.1	1257.2-1259.3	1259.4-1261.5	1261.6-1263.7	1263.8-1265.9	1266.0-1268.1	1268.2-1270.3	1270.4-1272.5	1272.6-1274.7	1274.8-1276.9	1277.0-1279.1	1279.2-1281.3	1281.4-1283.5	1283.6-1285.7	1285.8-1287.9	1288.0-1290.1	1290.2-1292.3	1292.4-1294.5	1294.6-1296.7	1296.8-1298.9	1299.0-1301.1	1301.2-1303.3	1303.4-1305.5	1305.6-1307.7	1307.8-1309.9	1310.0-1312.1	1312.2-1314.3	1314.4-1316.5	1316.6-1318.7	1318.8-1320.9	1321.0-1323.1	1323.2-1325.3	1325.4-1327.5	1327.6-1329.7	1329.8-1331.9	1332.0-1334.1	1334.2-1336.3	1336.4-1338.5	1338.6-1340.7	1340.8-1342.9	1343.0-1345.1	1345.2-1347.3	1347.4-1349.5	1349.6-1351.7	1351.8-1353.9	1354.0-1356.1	1356.2-1358.3	1358.4-1360.5	1360.6-1362.7	1362.8-1364.9	1365.0-1367.1	1367.2-1369.3	1369.4-1371.5	1371.6-1373.7	1373.8-1375.9	1376.0-1378.1	1378.2-1380.3	1380.4-1382.5	1382.6-1384.7	1384.8-1386.9	1387.0-1389.1	1389.2-1391.3	1391.4-1393.5	1393.6-1395.7	1395.8-1397.9	1398.0-1400.1	1400.2-1402.3	1402.4-1404.5	1404.6-1406.7	1406.8-1408.9	1409.0-1411.1	1411.2-1413.3	1413.4-1415.5	1415.6-1417.7	1417.8-1419.9	1420.0-1422.1	1422.2-1424.3	1424.4-1426.5	1426.6-1428.7	1428.8-1430.9	1431.0-1433.1	1433.2-1435.3	1435.4-1437.5	1437.6-1439.7	1439.8-1441.9	1442.0-1444.1	1444.2-1446.3	1446.4-1448.5	1448.6-1450.7	1450.8-1452.9	1453.0-1455.1	1455.2-1457.3	1457.4-1459.5	1459.6-1461.7	1461.8-1463.9	1464.0-1466.1	1466.2-1468.3	1468.4-1470.5	1470.6-1472.7	1472.8-1474.9	1475.0-1477.1	1477.2-1479.3	1479.4-1481.5	1481.6-1483.7	1483.8-1485.9	1486.0-1488.1	1488.2-1490.3	1490.4-1492.5	1492.6-1494.7	1494.8-1496.9	1497.0-1499.1	1499.2-1501.3	1501.4-1503.5	1503.6-1505.7	1505.8-1507.9	1508.0-1510.1	1510.2-1512.3	1512.4-1514.5	1514.6-1516.7	1516.8-1518.9	1519.0-1521.1	1521.2-1523.3	1523.4-1525.5	1525.6-1527.7	1527.8-1529.9	1530.0-1532.1	1532.2-1534.3	1534.4-1536.5	1536.6-1538.7	1538.8-1540.9	1541.0-1543.1	1543.2-1545.3	1545.4-1547.5	1547.6-1549.7	1549.8-1551.9	1552.0-1554.1	1554.2-1556.3	1556.4-1558.5	1558.6-1560.7	1560.8-1562.9	1563.0-1565.1	1565.2-1567.3	1567.4-1569.5	1569.6-1571.7	1571.8-1573.9	1574.0-1576.1	1576.2-1578.3	1578.4-1580.5	1580.6-1582.7	1582.8-1584.9	1585.0-1587.1	1587.2-1589.3	1589.4-1591.5	1591.6-1593.7	1593.8-1595.9	1596.0-1598.1	1598.2-1600.3	1600.4-1602.5	1602.6-1604.7	1604.8-1606.9	1607.0-1609.1	1609.2-1611.3	1611.4-1613.5	1613.6-1615.7	1615.8-1617.9	1618.0-1620.1	1620.2-1622.3	1622.4-1624.5	1624.6-1626.7

OCCURRING METEOROLOGICAL SURVEY TOWER DATA												
SUMMARY OF PASQUILL F												
FOR PERIOD OF MAR. 15, 1970 THRU MAR. 14, 1972												
WIND OCCURRENCES BY SECTOR & SPEED CLASS IND. OCCURR. PERCENT												
DATE OF REPORT 5-16-72												
WIND SPEED CLASS												
WIND SECTOR	ITEM	TOTAL	1.0-3.2	3.3-5.5	5.6-7.8	7.9-10.0	10.1-12.3	12.4-14.5	14.6-16.7	16.8-19.0	19.1-21.2	>21.2 MPH
360.0	NO	384	38	160	150	30	0.21	0.04	0.00	0.00	0.00	0.00
-N-	PCT	2.68	0.26	1.12	1.05	0.21	0.04	0.00	0.00	0.00	0.00	0.00
22.5	NO	213	24	93	76	16	0.11	0.01	0.01	0.00	0.00	0.00
-NNE-	PCT	1.48	0.17	0.65	0.53	0.11	0.01	0.01	0.01	0.00	0.00	0.00
45.0	NO	170	23	83	45	12	0.08	0.03	0.01	0.00	0.00	0.00
-NE-	PCT	1.19	0.16	0.58	0.31	0.08	0.03	0.01	0.01	0.00	0.00	0.00
67.5	NO	106	12	50	31	5	0.03	0.03	0.00	0.00	0.00	0.00
-ENE-	PCT	0.74	0.08	0.35	0.22	0.03	0.03	0.00	0.01	0.00	0.01	0.01
90.0	NO	88	19	30	31	5	0.03	0.02	0.00	0.00	0.00	0.00
-E-	PCT	0.61	0.13	0.21	0.22	0.03	0.02	0.00	0.00	0.00	0.00	0.00
112.5	NO	53	11	25	12	4	0.01	0.00	0.00	0.00	0.00	0.00
-ESE-	PCT	0.37	0.08	0.17	0.08	0.03	0.01	0.00	0.00	0.00	0.00	0.00
135.0	NO	84	9	33	26	13	0.03	0.02	0.00	0.00	0.00	0.00
-SE-	PCT	0.59	0.06	0.23	0.18	0.09	0.02	0.00	0.00	0.00	0.00	0.00
157.5	NO	84	10	26	26	17	0.03	0.03	0.00	0.00	0.00	0.00
-SSE-	PCT	0.59	0.07	0.18	0.18	0.12	0.03	0.00	0.00	0.00	0.00	0.00
180.0	NO	108	14	27	26	14	0.10	0.15	0.04	0.00	0.00	0.00
-S-	PCT	0.75	0.10	0.19	0.18	0.10	0.15	0.04	0.00	0.00	0.00	0.00
202.5	NO	124	8	31	35	24	0.08	0.06	0.02	0.01	0.00	0.00
-SSW-	PCT	0.86	0.05	0.22	0.24	0.17	0.08	0.06	0.02	0.01	0.00	0.00
225.0	NO	173	16	49	32	35	0.24	0.17	0.10	0.00	0.00	0.00
-SW-	PCT	1.21	0.11	0.34	0.22	0.24	0.17	0.10	0.05	0.01	0.00	0.00
247.5	NO	142	13	40	29	30	0.21	0.10	0.04	0.05	0.01	0.00
-WSW-	PCT	0.99	0.09	0.28	0.20	0.21	0.10	0.04	0.05	0.01	0.00	0.00
270.0	NO	185	34	58	29	20	0.14	0.10	0.07	0.08	0.04	0.00
-W-	PCT	1.29	0.24	0.40	0.20	0.14	0.10	0.07	0.08	0.04	0.01	0.00
292.5	NO	159	23	67	29	16	0.11	0.07	0.04	0.03	0.01	0.00
-WNW-	PCT	1.11	0.16	0.47	0.20	0.11	0.07	0.04	0.03	0.01	0.01	0.00
315.0	NO	246	39	123	50	19	0.13	0.04	0.03	0.01	0.01	0.00
-NW-	PCT	1.72	0.27	0.86	0.35	0.13	0.04	0.03	0.01	0.01	0.01	0.00
337.5	NO	337	38	155	104	30	0.03	0.03	0.01	0.00	0.00	0.00
-NNW-	PCT	2.35	0.26	1.08	0.72	0.21	0.03	0.03	0.01	0.00	0.00	0.00
CALM	NO	3										
	PCT	0.02										
TOTAL	NO	2656	331	1050	731	290	135	64	33	12	7	3
	PCT	16.53	2.31	7.33	5.10	2.32	0.94	0.45	0.23	0.08	0.05	0.02
TOTAL VALID OBSERVATIONS 14333												
TOTAL OBSERVATIONS 17545												

OCCURRING METEOROLOGICAL SURVEY TOWER DATA																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
FOR PERIOD OF MAR. 15, 1970 THRU MAR. 14, 1972																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
SUMMARY OF PASQUILL G																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
WIND OCCURRENCES BY SECTOR + SPEED CLASS (NO., OCCURANCE, PERCENT)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
DATE OF REPORT 5-16-72																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
WIND SPEED CLASS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
WIND SECTOR	ITEM	1-0-3-2	3-3-5-5	5-6-7-8	7-9-10-0	10-1-12-3	12-4-14-5	14-6-16-7	16-8-19-0	19-21-23	23-25-27	27-29-31	31-33-35	35-37-39	39-41-43	43-45-47	47-49-51	51-53-55	55-57-59	59-61-63	63-65-67	67-69-71	71-73-75	75-77-79	79-81-83	83-85-87	87-89-91	91-93-95	95-97-99	99-101-103	103-105-107	107-109-111	111-113-115	115-117-119	119-121-123	123-125-127	127-129-131	131-133-135	135-137-139	139-141-143	143-145-147	147-149-151	151-153-155	155-157-159	159-161-163	163-165-167	167-169-171	171-173-175	175-177-179	179-181-183	183-185-187	187-189-191	191-193-195	195-197-199	199-201-203	203-205-207	207-209-211	211-213-215	215-217-219	219-221-223	223-225-227	227-229-231	231-233-235	235-237-239	239-241-243	243-245-247	247-249-251	251-253-255	255-257-259	259-261-263	263-265-267	267-269-271	271-273-275	275-277-279	279-281-283	283-285-287	287-289-291	291-293-295	295-297-299	299-301-303	303-305-307	307-309-311	311-313-315	315-317-319	319-321-323	323-325-327	327-329-331	331-333-335	335-337-339	339-341-343	343-345-347	347-349-351	351-353-355	355-357-359	359-361-363	363-365-367	367-369-371	371-373-375	375-377-379	379-381-383	383-385-387	387-389-391	391-393-395	395-397-399	399-401-403	403-405-407	407-409-411	411-413-415	415-417-419	419-421-423	423-425-427	427-429-431	431-433-435	435-437-439	439-441-443	443-445-447	447-449-451	451-453-455	455-457-459	459-461-463	463-465-467	467-469-471	471-473-475	475-477-479	479-481-483	483-485-487	487-489-491	491-493-495	495-497-499	499-501-503	503-505-507	507-509-511	511-513-515	515-517-519	519-521-523	523-525-527	527-529-531	531-533-535	535-537-539	539-541-543	543-545-547	547-549-551	551-553-555	555-557-559	559-561-563	563-565-567	567-569-571	571-573-575	575-577-579	579-581-583	583-585-587	587-589-591	591-593-595	595-597-599	599-601-603	603-605-607	607-609-611	611-613-615	615-617-619	619-621-623	623-625-627	627-629-631	631-633-635	635-637-639	639-641-643	643-645-647	647-649-651	651-653-655	655-657-659	659-661-663	663-665-667	667-669-671	671-673-675	675-677-679	679-681-683	683-685-687	687-689-691	691-693-695	695-697-699	699-701-703	703-705-707	707-709-711	711-713-715	715-717-719	719-721-723	723-725-727	727-729-731	731-733-735	735-737-739	739-741-743	743-745-747	747-749-751	751-753-755	755-757-759	759-761-763	763-765-767	767-769-771	771-773-775	775-777-779	779-781-783	783-785-787	787-789-791	791-793-795	795-797-799	799-801-803	803-805-807	807-809-811	811-813-815	815-817-819	819-821-823	823-825-827	827-829-831	831-833-835	835-837-839	839-841-843	843-845-847	847-849-851	851-853-855	855-857-859	859-861-863	863-865-867	867-869-871	871-873-875	875-877-879	879-881-883	883-885-887	887-889-891	891-893-895	895-897-899	899-901-903	903-905-907	907-909-911	911-913-915	915-917-919	919-921-923	923-925-927	927-929-931	931-933-935	935-937-939	939-941-943	943-945-947	947-949-951	951-953-955	955-957-959	959-961-963	963-965-967	967-969-971	971-973-975	975-977-979	979-981-983	983-985-987	987-989-991	991-993-995	995-997-999	999-1001-1003	1003-1005-1007	1007-1009-1011	1011-1013-1015	1015-1017-1019	1019-1021-1023	1023-1025-1027	1027-1029-1031	1031-1033-1035	1035-1037-1039	1039-1041-1043	1043-1045-1047	1047-1049-1051	1051-1053-1055	1055-1057-1059	1059-1061-1063	1063-1065-1067	1067-1069-1071	1071-1073-1075	1075-1077-1079	1079-1081-1083	1083-1085-1087	1087-1089-1091	1091-1093-1095	1095-1097-1099	1099-1101-1103	1103-1105-1107	1107-1109-1111	1111-1113-1115	1115-1117-1119	1119-1121-1123	1123-1125-1127	1127-1129-1131	1131-1133-1135	1135-1137-1139	1139-1141-1143	1143-1145-1147	1147-1149-1151	1151-1153-1155	1155-1157-1159	1159-1161-1163	1163-1165-1167	1167-1169-1171	1171-1173-1175	1175-1177-1179	1179-1181-1183	1183-1185-1187	1187-1189-1191	1191-1193-1195	1195-1197-1199	1199-1201-1203	1203-1205-1207	1207-1209-1211	1211-1213-1215	1215-1217-1219	1219-1221-1223	1223-1225-1227	1227-1229-1231	1231-1233-1235	1235-1237-1239	1239-1241-1243	1243-1245-1247	1247-1249-1251	1251-1253-1255	1255-1257-1259	1259-1261-1263	1263-1265-1267	1267-1269-1271	1271-1273-1275	1275-1277-1279	1279-1281-1283	1283-1285-1287	1287-1289-1291	1291-1293-1295	1295-1297-1299	1299-1301-1303	1303-1305-1307	1307-1309-1311	1311-1313-1315	1315-1317-1319	1319-1321-1323	1323-1325-1327	1327-1329-1331	1331-1333-1335	1335-1337-1339	1339-1341-1343	1343-1345-1347	1347-1349-1351	1351-1353-1355	1355-1357-1359	1359-1361-1363	1363-1365-1367	1367-1369-1371	1371-1373-1375	1375-1377-1379	1379-1381-1383	1383-1385-1387	1387-1389-1391	1391-1393-1395	1395-1397-1399	1399-1401-1403	1403-1405-1407	1407-1409-1411	1411-1413-1415	1415-1417-1419	1419-1421-1423	1423-1425-1427	1427-1429-1431	1431-1433-1435	1435-1437-1439	1439-1441-1443	1443-1445-1447	1447-1449-1451	1451-1453-1455	1455-1457-1459	1459-1461-1463	1463-1465-1467	1467-1469-1471	1471-1473-1475	1475-1477-1479	1479-1481-1483	1483-1485-1487	1487-1489-1491	1491-1493-1495	1495-1497-1499	1499-1501-1503	1503-1505-1507	1507-1509-1511	1511-1513-1515	1515-1517-1519	1519-1521-1523	1523-1525-1527	1527-1529-1531	1531-1533-1535	1535-1537-1539	1539-1541-1543	1543-1545-1547	1547-1549-1551	1551-1553-1555	1555-1557-1559	1559-1561-1563	1563-1565-1567	1567-1569-1571	1571-1573-1575	1575-1577-1579	1579-1581-1583	1583-1585-1587	1587-1589-1591	1591-1593-1595	1595-1597-1599	1599-1601-1603	1603-1605-1607	1607-1609-1611	1611-1613-1615	1615-1617-1619	1619-1621-1623	1623-1625-1627	1627-1629-1631	1631-1633-1635	1635-1637-1639	1639-1641-1643	1643-1645-1647	1647-1649-1651	1651-1653-1655	1655-1657-1659	1659-1661-1663	1663-1665-1667	1667-1669-1671	1671-1673-1675	1675-1677-1679	1679-1681-1683	1683-1685-1687	1687-1689-1691	1691-1693-1695	1695-1697-1699	1699-1701-1703	1703-1705-1707	1707-1709-1711	1711-1713-1715	1715-1717-1719	1719-1721-1723	1723-1725-1727	1727-1729-1731	1731-1733-1735	1735-1737-1739	1739-1741-1743	1743-1745-1747	1747-1749-1751	1751-1753-1755	1755-1757-1759	1759-1761-1763	1763-1765-1767	1767-1769-1771	1771-1773-1775	1775-1777-1779	1779-1781-1783	1783-1785-1787	1787-1789-1791	1791-1793-1795	1795-1797-1799	1799-1801-1803	1803-1805-1807	1807-1809-1811	1811-1813-1815	1815-1817-1819	1819-1821-1823	1823-1825-1827	1827-1829-1831	1831-1833-1835	1835-1837-1839	1839-1841-1843	1843-1845-1847	1847-1849-1851	1851-1853-1855	1855-1857-1859	1859-1861-1863	1863-1865-1867	1867-1869-1871	1871-1873-1875	1875-1877-1879	1879-1881-1883	1883-1885-1887	1887-1889-1891	1891-1893-1895	1895-1897-1899	1899-1901-1903	1903-1905-1907	1907-1909-1911	1911-1913-1915	1915-1917-1919	1919-1921-1923	1923-1925-1927	1927-1929-1931	1931-1933-1935	1935-1937-1939	1939-1941-1943	1943-1945-1947	1947-1949-1951	1951-1953-1955	1955-1957-1959	1959-1961-1963	1963-1965-1967	1967-1969-1971	1971-1973-1975	1975-1977-1979	1979-1981-1983	1983-1985-1987	1987-1989-1991	1991-1993-1995	1995-1997-1999	1999-2001-2003	2003-2005-2007	2007-2009-2011	2011-2013-2015	2015-2017-2019	2019-2021-2023	2023-2025-2027	2027-2029-2031	2031-2033-2035	2035-2037-2039	2039-2041-2043	2043-2045-2047	2047-2049-2051	2051-2053-2055	2055-2057-2059	2059-2061-2063	2063-2065-2067	2067-2069-2071	2071-2073-2075	2075-2077-2079	2079-2081-2083	2083-2085-2087	2087-2089-2091	2091-2093-2095	2095-2097-2099	2099-2101-2103	2103-2105-2107	2107-2109-2111	2111-2113-2115	2115-2117-2119	2119-2121-2123	2123-2125-2127	2127-2129-2131	2131-2133-2135	2135-2137-2139	2139-2141-2143	2143-2145-2147	2147-2149-2151	2151-2153-2155	2155-2157-2159	2159-2161-2163	2163-2165-2167	2167-2169-2171	2171-2173-2175	2175-2177-2179	2179-2181-2183	2183-2185-2187	2187-2189-2191	2191-2193-2195	2195-2197-2199	2199-2201-2203	2203-2205-2207	2207-2209-2211	2211-2213-2215	2215-2217-2219	2219-2221-2223	2223-2225-2227	2227-2229-2231	2231-2233-2235	2235-2237-2239	2239-2241-2243	2243-2245-2247	2247-2249-2251	2251-2253-2255	2255-2257-2259	2259-2261-2263	2263-2265-2267	2267-2269-2271	2271-2273-2275	2275-2277-2279	2279-2281-2283	2283-2285-2287	2287-2289-2291	2291-2293-2295	2295-2297-2299	2299-2301-2303	2303-2305-2307	2307-2309-2311	2311-2313-2315	2315-2317-2319	2319-2321-2323	2323-2325-2327	2327-2329-2331	2331-2333-2335	2335-2337-2339	2339-2341-2343	2343-2345-2347	2347-2349-2351	2351-2353-2355	2355-2357-2359	2359-2361-2363	2363-2365-2367	2367-2369-2371	2371-2373-2375	2375-2377-2379	2379-2381-2383	2383-2385-2387	2387-2389-2391	2391-2393-2395	2395-2397-2399	2399-2401-2403	2403-2405-2407	2407-2409-

GEORGE LOW LEVEL
SUMMARY OF PASQUILL C

* 1-MO AGGREGATES BY SECTION * SPEED CLASS (NO. OCCURR, PERCENT)

FOR 1975

DATE OF REPORT 6-14-76

WIND	SECTION	ITEM	TOTAL	1.0-3.2	3.3-5.5	5.6-7.8	7.9-10.0	10.1-12.3	12.4-14.6	14.7-16.9	17.0-19.1	19.2-21.3	21.4-23.5	23.6-25.7
NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
PCT	PCT	PCT	PCT	PCT	PCT	PCT	PCT	PCT	PCT	PCT	PCT	PCT	PCT	PCT
350.0	NO	25	0.16	0.17	0.03	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00
350.0	PCT	0.37	0.16	0.17	0.03	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00
225.0	NO	18	0.11	0.05	0.04	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
225.0	PCT	0.24	0.11	0.05	0.04	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
450.0	NO	27	0.11	0.07	0.06	0.03	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00
450.0	PCT	0.36	0.11	0.07	0.06	0.03	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00
975.0	NO	35	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
975.0	PCT	0.45	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
90.0	NO	29	0.04	0.17	0.16	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
90.0	PCT	0.39	0.04	0.17	0.16	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1125.0	NO	10	0.03	0.05	0.01	0.03	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1125.0	PCT	0.13	0.03	0.05	0.01	0.03	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1350.0	NO	26	0.11	0.21	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1350.0	PCT	0.35	0.11	0.21	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1875.0	NO	39	0.13	0.11	0.09	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1875.0	PCT	0.39	0.13	0.11	0.09	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
180.0	NO	27	0.07	0.14	0.05	0.04	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00
180.0	PCT	0.36	0.07	0.14	0.05	0.04	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2025.0	NO	59	0.11	0.19	0.25	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2025.0	PCT	0.73	0.11	0.19	0.25	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2350.0	NO	43	0.12	0.14	0.11	0.05	0.07	0.05	0.00	0.01	0.01	0.01	0.00	0.00
2350.0	PCT	0.57	0.12	0.14	0.11	0.05	0.07	0.05	0.00	0.01	0.01	0.01	0.00	0.00
2850.0	NO	59	0.12	0.00	0.05	0.03	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2850.0	PCT	0.59	0.12	0.00	0.05	0.03	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2700.0	NO	20	0.07	0.07	0.01	0.03	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
2700.0	PCT	0.27	0.07	0.07	0.01	0.03	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
2925.0	NO	17	0.05	0.03	0.01	0.01	0.00	0.04	0.04	0.01	0.01	0.01	0.01	0.01
2925.0	PCT	0.23	0.05	0.03	0.01	0.01	0.00	0.04	0.04	0.01	0.01	0.01	0.01	0.01
3150.0	NO	17	0.05	0.05	0.01	0.03	0.03	0.03	0.03	0.00	0.00	0.00	0.00	0.00
3150.0	PCT	0.23	0.05	0.05	0.01	0.03	0.03	0.03	0.03	0.00	0.00	0.00	0.00	0.00
3375.0	NO	3	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3375.0	PCT	0.04	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CALC	NO	1	---	---	---	---	---	---	---	---	---	---	---	---
CALC	PCT	0.01	---	---	---	---	---	---	---	---	---	---	---	---
TOTAL	NO	549	1.38	1.25	1.01	0.51	0.51	0.21	0.06	0.04	0.04	0.04	0.04	0.04
TOTAL	PCT	5.49	1.38	1.25	1.01	0.51	0.51	0.21	0.06	0.04	0.04	0.04	0.04	0.04

OCONEE LOW LEVEL SUMMARY OF PASQUILL U			FOR 1975										DATE OF REPORT	
			*100 OCCURRENCES BY SECTION * SPEED CLASS (NO. OCCURRENCES PERCENT)										4-14-76	
SECTION			*100 OCCURRENCES BY SECTION * SPEED CLASS											
WIND	ITEM	SECTION	1-0-3-2	3-3-5-5	5-6-7-8	7-9-10-11	11-12-13	13-14-15	15-16-17	17-18-19	19-20-21	21-22-23		
360-0	NU	1.0-3-2	1.0-3-2	3-3-5-5	5-6-7-8	7-9-10-11	11-12-13	13-14-15	15-16-17	17-18-19	19-20-21	21-22-23		
360-0	PCT	0.81	0.24	0.41	0.12	0.01	0.00	0.01	0.01	0.01	0.00	0.00		
225-5	NU	0.71	0.12	0.22	0.17	0.03	0.00	0.00	0.00	0.00	0.00	0.00		
225-5	PCT	0.71	0.12	0.22	0.17	0.03	0.00	0.00	0.00	0.00	0.00	0.00		
45-0	NU	1.16	0.27	0.41	0.33	0.24	0.08	0.05	0.00	0.00	0.00	0.00		
45-0	PCT	1.16	0.27	0.41	0.33	0.24	0.08	0.05	0.00	0.00	0.00	0.00		
67.5	NU	1.09	0.08	0.39	0.51	0.31	0.12	0.03	0.00	0.00	0.00	0.00		
67.5	PCT	1.09	0.08	0.39	0.51	0.31	0.12	0.03	0.00	0.00	0.00	0.00		
90-0	NU	1.08	0.14	0.51	0.32	0.07	0.03	0.01	0.00	0.00	0.00	0.00		
90-0	PCT	1.08	0.14	0.51	0.32	0.07	0.03	0.01	0.00	0.00	0.00	0.00		
112.5	NU	0.57	0.09	0.31	0.11	0.01	0.00	0.01	0.00	0.00	0.00	0.00		
112.5	PCT	0.57	0.09	0.31	0.11	0.01	0.00	0.01	0.00	0.00	0.00	0.00		
135-0	NU	0.76	0.21	0.37	0.14	0.03	0.00	0.00	0.00	0.00	0.00	0.00		
135-0	PCT	0.76	0.21	0.37	0.14	0.03	0.00	0.00	0.00	0.00	0.00	0.00		
157.5	NU	0.69	0.20	0.31	0.13	0.05	0.00	0.00	0.00	0.00	0.00	0.00		
157.5	PCT	0.69	0.20	0.31	0.13	0.05	0.00	0.00	0.00	0.00	0.00	0.00		
180-0	NU	1.07	0.17	0.43	0.34	0.08	0.01	0.01	0.00	0.01	0.00	0.00		
180-0	PCT	1.07	0.17	0.43	0.34	0.08	0.01	0.01	0.00	0.01	0.00	0.00		
202.5	NU	1.26	0.23	0.34	0.37	0.19	0.10	0.04	0.00	0.01	0.00	0.00		
202.5	PCT	1.26	0.23	0.34	0.37	0.19	0.10	0.04	0.00	0.01	0.00	0.00		
225-0	NU	1.85	0.24	0.51	0.49	0.33	0.16	0.07	0.05	0.00	0.00	0.00		
225-0	PCT	1.85	0.24	0.51	0.49	0.33	0.16	0.07	0.05	0.00	0.00	0.00		
247.5	NU	0.96	0.19	0.24	0.27	0.08	0.05	0.07	0.05	0.00	0.00	0.00		
247.5	PCT	0.96	0.19	0.24	0.27	0.08	0.05	0.07	0.05	0.00	0.00	0.00		
270-0	NU	1.15	0.37	0.50	0.09	0.08	0.13	0.11	0.04	0.04	0.01	0.03		
270-0	PCT	1.15	0.37	0.50	0.09	0.08	0.13	0.11	0.04	0.04	0.01	0.03		
292.5	NU	0.53	0.20	0.12	0.01	0.04	0.11	0.10	0.05	0.04	0.01	0.01		
292.5	PCT	0.53	0.20	0.12	0.01	0.04	0.11	0.10	0.05	0.04	0.01	0.01		
315-0	NU	0.57	0.19	0.16	0.04	0.03	0.03	0.07	0.05	0.01	0.00	0.00		
315-0	PCT	0.57	0.19	0.16	0.04	0.03	0.03	0.07	0.05	0.01	0.00	0.00		
337.5	NU	0.65	0.34	0.24	0.03	0.01	0.01	0.01	0.00	0.00	0.00	0.00		
337.5	PCT	0.65	0.34	0.24	0.03	0.01	0.01	0.01	0.00	0.00	0.00	0.00		
CALM	NU	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
CALM	PCT	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
TOTAL	NU	15.87	3.33	5.23	3.62	1.62	0.90	0.63	0.29	0.12	0.05	0.07		
TOTAL	PCT	15.87	3.33	5.23	3.62	1.62	0.90	0.63	0.29	0.12	0.05	0.07		
AVERAGE WIND SPEED			6.07											
													TOTAL OBSERVATIONS 8760	

OCONEE LOW LEVEL SUMMARY OF PASQUILL E										FOR 1975										WIND OCCURRENCES BY SECTOR + SPEED CLASS (NO., OCCUR., PERCENT)										DATE OF REPORT 4-14-76																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
WIND		SECTION		TOTAL		1.0-1.2		1.3-1.5		1.6-1.8		1.9-2.0		2.1-2.3		2.4-2.6		2.7-2.9		3.0-3.2		3.3-3.5		3.6-3.8		3.9-4.1		4.2-4.4		4.5-4.7		4.8-5.0		5.1-5.3		5.4-5.6		5.7-5.9		6.0-6.2		6.3-6.5		6.6-6.8		6.9-7.1		7.2-7.4		7.5-7.7		7.8-8.0		8.1-8.3		8.4-8.6		8.5-8.7		8.8-9.0		9.1-9.3		9.4-9.6		9.7-9.9		10.0-10.2		10.3-10.5		10.6-10.8		10.9-11.1		11.2-11.4		11.5-11.7		11.8-12.0		12.1-12.3		12.4-12.6		12.7-12.9		13.0-13.2		13.3-13.5		13.6-13.8		13.9-14.1		14.2-14.4		14.5-14.7		14.8-15.0		15.1-15.3		15.4-15.6		15.7-15.9		16.0-16.2		16.3-16.5		16.6-16.8		16.9-17.1		17.2-17.4		17.5-17.7		17.8-18.0		18.1-18.3		18.4-18.6		18.7-18.9		19.0-19.2		19.3-19.5		19.6-19.8		19.9-20.1		20.2-20.4		20.5-20.7		20.8-21.0		21.1-21.3		21.4-21.6		21.7-21.9		22.0-22.2		22.3-22.5		22.6-22.8		22.9-23.1		23.2-23.4		23.5-23.7		23.8-24.0		24.1-24.3		24.4-24.6		24.7-24.9		25.0-25.2		25.3-25.5		25.6-25.8		25.9-26.1		26.2-26.4		26.5-26.7		26.8-27.0		27.1-27.3		27.4-27.6		27.7-27.9		28.0-28.2		28.3-28.5		28.6-28.8		28.9-29.1		29.2-29.4		29.5-29.7		29.8-30.0		30.1-30.3		30.4-30.6		30.7-30.9		31.0-31.2		31.3-31.5		31.6-31.8		31.9-32.1		32.2-32.4		32.5-32.7		32.8-33.0		33.1-33.3		33.4-33.6		33.7-33.9		34.0-34.2		34.3-34.5		34.6-34.8		34.9-35.1		35.2-35.4		35.5-35.7		35.8-36.0		36.1-36.3		36.4-36.6		36.7-36.9		37.0-37.2		37.3-37.5		37.6-37.8		37.9-38.1		38.2-38.4		38.5-38.7		38.8-39.0		39.1-39.3		39.4-39.6		39.7-39.9		40.0-40.2		40.3-40.5		40.6-40.8		40.9-41.1		41.2-41.4		41.5-41.7		41.8-42.0		42.1-42.3		42.4-42.6		42.7-42.9		43.0-43.2		43.3-43.5		43.6-43.8		43.9-44.1		44.2-44.4		44.5-44.7		44.8-45.0		45.1-45.3		45.4-45.6		45.7-45.9		46.0-46.2		46.3-46.5		46.6-46.8		46.9-47.1		47.2-47.4		47.5-47.7		47.8-48.0		48.1-48.3		48.4-48.6		48.7-48.9		49.0-49.2		49.3-49.5		49.6-49.8		49.9-50.1		50.2-50.4		50.5-50.7		50.8-51.0		51.1-51.3		51.4-51.6		51.7-51.9		52.0-52.2		52.3-52.5		52.6-52.8		52.9-53.1		53.2-53.4		53.5-53.7		53.8-54.0		54.1-54.3		54.4-54.6		54.7-54.9		55.0-55.2		55.3-55.5		55.6-55.8		55.9-56.1		56.2-56.4		56.5-56.7		56.8-57.0		57.1-57.3		57.4-57.6		57.7-57.9		58.0-58.2		58.3-58.5		58.6-58.8		58.9-59.1		59.2-59.4		59.5-59.7		59.8-60.0		60.1-60.3		60.4-60.6		60.7-60.9		61.0-61.2		61.3-61.5		61.6-61.8		61.9-62.1		62.2-62.4		62.5-62.7		62.8-63.0		63.1-63.3		63.4-63.6		63.7-63.9		64.0-64.2		64.3-64.5		64.6-64.8		64.9-65.1		65.2-65.4		65.5-65.7		65.8-66.0		66.1-66.3		66.4-66.6		66.7-66.9		67.0-67.2		67.3-67.5		67.6-67.8		67.9-68.1		68.2-68.4		68.5-68.7		68.8-69.0		69.1-69.3		69.4-69.6		69.7-69.9		70.0-70.2		70.3-70.5		70.6-70.8		70.9-71.1		71.2-71.4		71.5-71.7		71.8-72.0		72.1-72.3		72.4-72.6		72.7-72.9		73.0-73.2		73.3-73.5		73.6-73.8		73.9-74.1		74.2-74.4		74.5-74.7		74.8-75.0		75.1-75.3		75.4-75.6		75.7-75.9		76.0-76.2		76.3-76.5		76.6-76.8		76.9-77.1		77.2-77.4		77.5-77.7		77.8-78.0		78.1-78.3		78.4-78.6		78.7-78.9		79.0-79.2		79.3-79.5		79.6-79.8		79.9-80.1		80.2-80.4		80.5-80.7		80.8-81.0		81.1-81.3		81.4-81.6		81.7-81.9		82.0-82.2		82.3-82.5		82.6-82.8		82.9-83.1		83.2-83.4		83.5-83.7		83.8-84.0		84.1-84.3		84.4-84.6		84.7-84.9		85.0-85.2		85.3-85.5		85.6-85.8		85.9-86.1		86.2-86.4		86.5-86.7		86.8-87.0		87.1-87.3		87.4-87.6		87.7-87.9		88.0-88.2		88.3-88.5		88.6-88.8		88.9-89.1		89.2-89.4		89.5-89.7		89.8-89.9		90.0-90.2		90.3-90.5		90.6-90.8		90.9-91.1		91.2-91.4		91.5-91.7		91.8-92.0		92.1-92.3		92.4-92.6		92.7-92.9		93.0-93.2		93.3-93.5		93.6-93.8		93.9-94.1		94.2-94.4		94.5-94.7		94.8-95.0		95.1-95.3		95.4-95.6		95.7-95.9		96.0-96.2		96.3-96.5		96.6-96.8		96.9-97.1		97.2-97.4		97.5-97.7		97.8-98.0		98.1-98.3		98.4-98.6		98.7-98.9		99.0-99.2		99.3-99.5		99.6-99.8		99.9-100.0	
350.0	NO	194	60	95	30	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																																																						

[illegible]

OCCURRENCE LOW LEVEL SUMMARY OF PASQUILL G										WIND OCCURRENCES BY SECTOR + SPEED CLASS (NO. OCCURRENCE PERCENT)										DATE OF REPORT 4-14-76									
FOR 1975										WIND SPEED CLASS										1975									
WIND										10-1-12.3										14.5-16.7									
SECTOR										1.0-3.2										3.3-5.5									
TOTAL										1.0-3.2										1.0-3.2									
ITEM										1.0-3.2										1.0-3.2									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL										0.10										0.10									
NO										0.10										0.10									
PCT										0.10										0.10									
TOTAL																													

OCONEE LOW LEVEL

SUMMARY OF PASQUILL AECUT-1-F-60

WIND OCCURRENCES BY SECTOR • SPEED CLASS (NO. OCCURR+PERCENT)

FOR 1/17/5

DATE OF REPORT 4-14-76

WIND	ITEM	SECTOR	1.0-3.2	3.3-5.5	5.6-7.8	7.9-10.0	10.1-12.3	12.4-14.5	14.6-16.7	16.8-19.0	19.1-21.2	21.3-23.4	23.5-25.6	25.7-27.8	27.9-29.9	30.0-32.1	32.2-34.3	34.4-36.5	36.6-38.7	38.8-40.9	41.0-43.1	43.2-45.3	45.4-47.5	47.6-49.7	49.8-51.9	52.0-54.1	54.2-56.3	56.4-58.5	58.6-60.7	60.8-62.9	63.0-65.1	65.2-67.3	67.4-69.5	69.6-71.7	71.8-73.9	74.0-76.1	76.2-78.3	78.4-80.5	80.6-82.7	82.8-84.9	85.0-87.1	87.2-89.3	89.4-91.5	91.6-93.7	93.8-95.9	96.0-98.1	98.2-100.3	100.4-102.5	102.6-104.7	104.8-106.9	107.0-109.1	109.2-111.3	111.4-113.5	113.6-115.7	115.8-117.9	118.0-120.1	120.2-122.3	122.4-124.5	124.6-126.7	126.8-128.9	129.0-131.1	131.2-133.3	133.4-135.5	135.6-137.7	137.8-139.9	140.0-142.1	142.2-144.3	144.4-146.5	146.6-148.7	148.8-150.9	151.0-153.1	153.2-155.3	155.4-157.5	157.6-159.7	159.8-161.9	162.0-164.1	164.2-166.3	166.4-168.5	168.6-170.7	170.8-172.9	173.0-175.1	175.2-177.3	177.4-179.5	179.6-181.7	181.8-183.9	184.0-186.1	186.2-188.3	188.4-190.5	190.6-192.7	192.8-194.9	195.0-197.1	197.2-199.3	199.4-201.5	201.6-203.7	203.8-205.9	206.0-208.1	208.2-210.3	210.4-212.5	212.6-214.7	214.8-216.9	217.0-219.1	219.2-221.3	221.4-223.5	223.6-225.7	225.8-227.9	228.0-230.1	230.2-232.3	232.4-234.5	234.6-236.7	236.8-238.9	239.0-241.1	241.2-243.3	243.4-245.5	245.6-247.7	247.8-249.9	250.0-252.1	252.2-254.3	254.4-256.5	256.6-258.7	258.8-260.9	261.0-263.1	263.2-265.3	265.4-267.5	267.6-269.7	269.8-271.9	272.0-274.1	274.2-276.3	276.4-278.5	278.6-280.7	280.8-282.9	283.0-285.1	285.2-287.3	287.4-289.5	289.6-291.7	291.8-293.9	294.0-296.1	296.2-298.3	298.4-300.5	300.6-302.7	302.8-304.9	305.0-307.1	307.2-309.3	309.4-311.5	311.6-313.7	313.8-315.9	316.0-318.1	318.2-320.3	320.4-322.5	322.6-324.7	324.8-326.9	327.0-329.1	329.2-331.3	331.4-333.5	333.6-335.7	335.8-337.9	338.0-340.1	340.2-342.3	342.4-344.5	344.6-346.7	346.8-348.9	349.0-351.1	351.2-353.3	353.4-355.5	355.6-357.7	357.8-359.9	360.0-362.1	362.2-364.3	364.4-366.5	366.6-368.7	368.8-370.9	371.0-373.1	373.2-375.3	375.4-377.5	377.6-379.7	379.8-381.9	382.0-384.1	384.2-386.3	386.4-388.5	388.6-390.7	390.8-392.9	393.0-395.1	395.2-397.3	397.4-399.5	399.6-401.7	401.8-403.9	404.0-406.1	406.2-408.3	408.4-410.5	410.6-412.7	412.8-414.9	415.0-417.1	417.2-419.3	419.4-421.5	421.6-423.7	423.8-425.9	426.0-428.1	428.2-430.3	430.4-432.5	432.6-434.7	434.8-436.9	437.0-439.1	439.2-441.3	441.4-443.5	443.6-445.7	445.8-447.9	448.0-450.1	450.2-452.3	452.4-454.5	454.6-456.7	456.8-458.9	459.0-461.1	461.2-463.3	463.4-465.5	465.6-467.7	467.8-469.9	470.0-472.1	472.2-474.3	474.4-476.5	476.6-478.7	478.8-480.9	481.0-483.1	483.2-485.3	485.4-487.5	487.6-489.7	489.8-491.9	492.0-494.1	494.2-496.3	496.4-498.5	498.6-500.7	500.8-502.9	503.0-505.1	505.2-507.3	507.4-509.5	509.6-511.7	511.8-513.9	514.0-516.1	516.2-518.3	518.4-520.5	520.6-522.7	522.8-524.9	525.0-527.1	527.2-529.3	529.4-531.5	531.6-533.7	533.8-535.9	536.0-538.1	538.2-540.3	540.4-542.5	542.6-544.7	544.8-546.9	547.0-549.1	549.2-551.3	551.4-553.5	553.6-555.7	555.8-557.9	558.0-560.1	560.2-562.3	562.4-564.5	564.6-566.7	566.8-568.9	569.0-571.1	571.2-573.3	573.4-575.5	575.6-577.7	577.8-579.9	580.0-582.1	582.2-584.3	584.4-586.5	586.6-588.7	588.8-590.9	591.0-593.1	593.2-595.3	595.4-597.5	597.6-599.7	599.8-601.9	602.0-604.1	604.2-606.3	606.4-608.5	608.6-610.7	610.8-612.9	613.0-615.1	615.2-617.3	617.4-619.5	619.6-621.7	621.8-623.9	624.0-626.1	626.2-628.3	628.4-630.5	630.6-632.7	632.8-634.9	635.0-637.1	637.2-639.3	639.4-641.5	641.6-643.7	643.8-645.9	646.0-648.1	648.2-650.3	650.4-652.5	652.6-654.7	654.8-656.9	657.0-659.1	659.2-661.3	661.4-663.5	663.6-665.7	665.8-667.9	668.0-670.1	670.2-672.3	672.4-674.5	674.6-676.7	676.8-678.9	679.0-681.1	681.2-683.3	683.4-685.5	685.6-687.7	687.8-689.9	690.0-692.1	692.2-694.3	694.4-696.5	696.6-698.7	698.8-700.9	701.0-703.1	703.2-705.3	705.4-707.5	707.6-709.7	709.8-711.9	712.0-714.1	714.2-716.3	716.4-718.5	718.6-720.7	720.8-722.9	723.0-725.1	725.2-727.3	727.4-729.5	729.6-731.7	731.8-733.9	734.0-736.1	736.2-738.3	738.4-740.5	740.6-742.7	742.8-744.9	745.0-747.1	747.2-749.3	749.4-751.5	751.6-753.7	753.8-755.9	756.0-758.1	758.2-760.3	760.4-762.5	762.6-764.7	764.8-766.9	767.0-769.1	769.2-771.3	771.4-773.5	773.6-775.7	775.8-777.9	778.0-780.1	780.2-782.3	782.4-784.5	784.6-786.7	786.8-788.9	789.0-791.1	791.2-793.3	793.4-795.5	795.6-797.7	797.8-799.9	800.0-802.1	802.2-804.3	804.4-806.5	806.6-808.7	808.8-810.9	811.0-813.1	813.2-815.3	815.4-817.5	817.6-819.7	819.8-821.9	822.0-824.1	824.2-826.3	826.4-828.5	828.6-830.7	830.8-832.9	833.0-835.1	835.2-837.3	837.4-839.5	839.6-841.7	841.8-843.9	844.0-846.1	846.2-848.3	848.4-850.5	850.6-852.7	852.8-854.9	855.0-857.1	857.2-859.3	859.4-861.5	861.6-863.7	863.8-865.9	866.0-868.1	868.2-870.3	870.4-872.5	872.6-874.7	874.8-876.9	877.0-879.1	879.2-881.3	881.4-883.5	883.6-885.7	885.8-887.9	888.0-890.1	890.2-892.3	892.4-894.5	894.6-896.7	896.8-898.9	899.0-901.1	901.2-903.3	903.4-905.5	905.6-907.7	907.8-909.9	910.0-912.1	912.2-914.3	914.4-916.5	916.6-918.7	918.8-920.9	921.0-923.1	923.2-925.3	925.4-927.5	927.6-929.7	929.8-931.9	932.0-934.1	934.2-936.3	936.4-938.5	938.6-940.7	940.8-942.9	943.0-945.1	945.2-947.3	947.4-949.5	949.6-951.7	951.8-953.9	954.0-956.1	956.2-958.3	958.4-960.5	960.6-962.7	962.8-964.9	965.0-967.1	967.2-969.3	969.4-971.5	971.6-973.7	973.8-975.9	976.0-978.1	978.2-980.3	980.4-982.5	982.6-984.7	984.8-986.9	987.0-989.1	989.2-991.3	991.4-993.5	993.6-995.7	995.8-997.9	998.0-1000.1
360.0	NO	8.00	3.90	5.38	1.24	7.3	0.04	0.03	0.01	0.00	0.00	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01																																																																								

[illegible]

[illegible]

SUMMARY OF PASQUILL D				WIND OCCURRENCES BY SECTOR • SPEED CLASS (NO. OCCUR. PERCENT)										DATE OF REPORT	
				FOR 1975										5-10-76	
				MINO. SPEED CLASS											
SECTOR	ITEM	NO.	PCY	1.0-3.2	3.3-5.5	5.6-7.8	7.9-10.0	10.1-12.3	12.4-14.5	14.6-16.7	16.8-19.0	19.1-21.2	>21.2 MPH		
				1.0-3.2	3.3-5.5	5.6-7.8	7.9-10.0	10.1-12.3	12.4-14.5	14.6-16.7	16.8-19.0	19.1-21.2	>21.2 MPH		
360.0	NO	0.81	0.13	0.35	0.18	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00		
360.0	PCY	0.81	0.13	0.35	0.18	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00		
225.0	NO	0.71	0.04	0.31	0.16	0.11	0.03	0.00	0.00	0.00	0.00	0.00	0.00		
225.0	PCY	0.71	0.04	0.31	0.16	0.11	0.03	0.00	0.00	0.00	0.00	0.00	0.00		
45.0	NO	1.66	0.16	0.18	0.21	0.31	0.26	0.15	0.11	0.08	0.01	0.00	0.00		
45.0	PCY	1.66	0.16	0.18	0.21	0.31	0.26	0.15	0.11	0.08	0.01	0.00	0.00		
67.5	NO	1.09	0.05	0.20	0.24	0.33	0.28	0.21	0.09	0.07	0.03	0.01	0.00		
67.5	PCY	1.09	0.05	0.20	0.24	0.33	0.28	0.21	0.09	0.07	0.03	0.01	0.00		
90.0	NO	1.06	0.04	0.36	0.32	0.25	0.07	0.03	0.00	0.01	0.00	0.00	0.00		
90.0	PCY	1.06	0.04	0.36	0.32	0.25	0.07	0.03	0.00	0.01	0.00	0.00	0.00		
112.5	NO	0.44	0.05	0.20	0.17	0.09	0.00	0.00	0.00	0.01	0.00	0.00	0.00		
112.5	PCY	0.44	0.05	0.20	0.17	0.09	0.00	0.00	0.00	0.01	0.00	0.00	0.00		
135.0	NO	0.76	0.12	0.28	0.28	0.03	0.03	0.00	0.00	0.00	0.00	0.00	0.00		
135.0	PCY	0.76	0.12	0.28	0.28	0.03	0.03	0.00	0.00	0.00	0.00	0.00	0.00		
157.5	NO	0.53	0.12	0.16	0.28	0.04	0.05	0.00	0.00	0.00	0.00	0.00	0.00		
157.5	PCY	0.53	0.12	0.16	0.28	0.04	0.05	0.00	0.00	0.00	0.00	0.00	0.00		
180.0	NO	1.07	0.11	0.26	0.36	0.21	0.07	0.01	0.01	0.00	0.00	0.00	0.01		
180.0	PCY	1.07	0.11	0.26	0.36	0.21	0.07	0.01	0.01	0.00	0.00	0.00	0.01		
202.5	NO	0.96	0.12	0.31	0.25	0.19	0.13	0.04	0.11	0.03	0.01	0.00	0.00		
202.5	PCY	0.96	0.12	0.31	0.25	0.19	0.13	0.04	0.11	0.03	0.01	0.00	0.00		
225.0	NO	1.32	0.11	0.36	0.33	0.36	0.29	0.11	0.07	0.07	0.03	0.00	0.00		
225.0	PCY	1.32	0.11	0.36	0.33	0.36	0.29	0.11	0.07	0.07	0.03	0.00	0.00		
247.5	NO	0.72	0.11	0.18	0.17	0.16	0.08	0.05	0.03	0.04	0.00	0.00	0.00		
247.5	PCY	0.72	0.11	0.18	0.17	0.16	0.08	0.05	0.03	0.04	0.00	0.00	0.00		
270.0	NO	1.18	0.16	0.25	0.17	0.03	0.07	0.14	0.07	0.12	0.01	0.00	0.00		
270.0	PCY	1.18	0.16	0.25	0.17	0.03	0.07	0.14	0.07	0.12	0.01	0.00	0.00		
292.5	NO	0.73	0.12	0.16	0.05	0.00	0.00	0.04	0.11	0.08	0.04	0.00	0.00		
292.5	PCY	0.73	0.12	0.16	0.05	0.00	0.00	0.04	0.11	0.08	0.04	0.00	0.00		
315.0	NO	0.57	0.09	0.26	0.07	0.03	0.00	0.04	0.03	0.05	0.05	0.01	0.00		
315.0	PCY	0.57	0.09	0.26	0.07	0.03	0.00	0.04	0.03	0.05	0.05	0.01	0.00		
337.5	NO	0.67	0.16	0.32	0.12	0.00	0.01	0.00	0.03	0.00	0.00	0.00	0.00		
337.5	PCY	0.67	0.16	0.32	0.12	0.00	0.01	0.00	0.03	0.00	0.00	0.00	0.00		
CALM	NO	0.03													
CALM	PCY	0.03													
TOTAL	NO	15.90	1.86	4.38	3.86	2.33	1.03	0.70	0.60	0.45	0.26	0.19	0.19		
TOTAL	PCY	15.90	1.86	4.38	3.86	2.33	1.03	0.70	0.60	0.45	0.26	0.19	0.19		
AVERAGE WIND SPEED				7.59	TOTAL VALID OBSERVATIONS									7510	TOTAL OBSERVATIONS 8760

SUMMARY OF PASQUILL E																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
OCONEE HIGH LEVEL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
FOR 1975																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
WIND OCCURRENCES BY SECTOR • SPEED CLASS INO. OCCURR. PERCENT																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
DATE OF REPORT 5-18-76																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
WIND SPEED CLASS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
WIND	SECTOR	1.0-3.2	3.3-5.5	5.6-7.8	7.9-10.0	10.1-12.3	12.4-14.5	14.6-16.7	16.8-19.0	19.1-21.2	21.3-23.4	23.5-25.6	25.7-27.8	27.9-30.0	30.1-32.2	32.3-34.4	34.5-36.6	36.7-38.8	38.9-41.0	41.1-43.2	43.3-45.4	45.5-47.6	47.7-49.8	49.9-52.0	52.1-54.2	54.3-56.4	56.5-58.6	58.7-60.8	60.9-63.0	63.1-65.2	65.3-67.4	67.5-69.6	69.7-71.8	71.9-74.0	74.1-76.2	76.3-78.4	78.5-80.6	80.7-82.8	82.9-85.0	85.1-87.2	87.3-89.4	89.5-91.6	91.7-93.8	93.9-96.0	96.1-98.2	98.3-100.4	100.5-102.6	102.7-104.8	104.9-107.0	107.1-109.2	109.3-111.4	111.5-113.6	113.7-115.8	115.9-118.0	118.1-120.2	120.3-122.4	122.5-124.6	124.7-126.8	126.9-129.0	129.1-131.2	131.3-133.4	133.5-135.6	135.7-137.8	137.9-140.0	140.1-142.2	142.3-144.4	144.5-146.6	146.7-148.8	148.9-151.0	151.1-153.2	153.3-155.4	155.5-157.6	157.7-159.8	159.9-162.0	162.1-164.2	164.3-166.4	166.5-168.6	168.7-170.8	170.9-173.0	173.1-175.2	175.3-177.4	177.5-179.6	179.7-181.8	181.9-184.0	184.1-186.2	186.3-188.4	188.5-190.6	190.7-192.8	192.9-195.0	195.1-197.2	197.3-199.4	199.5-201.6	201.7-203.8	203.9-206.0	206.1-208.2	208.3-210.4	210.5-212.6	212.7-214.8	214.9-217.0	217.1-219.2	219.3-221.4	221.5-223.6	223.7-225.8	225.9-228.0	228.1-230.2	230.3-232.4	232.5-234.6	234.7-236.8	236.9-239.0	239.1-241.2	241.3-243.4	243.5-245.6	245.7-247.8	247.9-250.0	250.1-252.2	252.3-254.4	254.5-256.6	256.7-258.8	258.9-261.0	261.1-263.2	263.3-265.4	265.5-267.6	267.7-269.8	269.9-272.0	272.1-274.2	274.3-276.4	276.5-278.6	278.7-280.8	280.9-283.0	283.1-285.2	285.3-287.4	287.5-289.6	289.7-291.8	291.9-294.0	294.1-296.2	296.3-298.4	298.5-300.6	300.7-302.8	302.9-305.0	305.1-307.2	307.3-309.4	309.5-311.6	311.7-313.8	313.9-316.0	316.1-318.2	318.3-320.4	320.5-322.6	322.7-324.8	324.9-327.0	327.1-329.2	329.3-331.4	331.5-333.6	333.7-335.8	335.9-338.0	338.1-340.2	340.3-342.4	342.5-344.6	344.7-346.8	346.9-349.0	349.1-351.2	351.3-353.4	353.5-355.6	355.7-357.8	357.9-360.0	360.1-362.2	362.3-364.4	364.5-366.6	366.7-368.8	368.9-371.0	371.1-373.2	373.3-375.4	375.5-377.6	377.7-379.8	379.9-382.0	382.1-384.2	384.3-386.4	386.5-388.6	388.7-390.8	390.9-393.0	393.1-395.2	395.3-397.4	397.5-399.6	399.7-401.8	401.9-404.0	404.1-406.2	406.3-408.4	408.5-410.6	410.7-412.8	412.9-415.0	415.1-417.2	417.3-419.4	419.5-421.6	421.7-423.8	423.9-426.0	426.1-428.2	428.3-430.4	430.5-432.6	432.7-434.8	434.9-437.0	437.1-439.2	439.3-441.4	441.5-443.6	443.7-445.8	445.9-448.0	448.1-450.2	450.3-452.4	452.5-454.6	454.7-456.8	456.9-459.0	459.1-461.2	461.3-463.4	463.5-465.6	465.7-467.8	467.9-470.0	470.1-472.2	472.3-474.4	474.5-476.6	476.7-478.8	478.9-481.0	481.1-483.2	483.3-485.4	485.5-487.6	487.7-489.8	489.9-492.0	492.1-494.2	494.3-496.4	496.5-498.6	498.7-500.8	500.9-503.0	503.1-505.2	505.3-507.4	507.5-509.6	509.7-511.8	511.9-514.0	514.1-516.2	516.3-518.4	518.5-520.6	520.7-522.8	522.9-525.0	525.1-527.2	527.3-529.4	529.5-531.6	531.7-533.8	533.9-536.0	536.1-538.2	538.3-540.4	540.5-542.6	542.7-544.8	544.9-547.0	547.1-549.2	549.3-551.4	551.5-553.6	553.7-555.8	555.9-558.0	558.1-560.2	560.3-562.4	562.5-564.6	564.7-566.8	566.9-569.0	569.1-571.2	571.3-573.4	573.5-575.6	575.7-577.8	577.9-579.8	579.9-582.0	582.1-584.2	584.3-586.4	586.5-588.6	588.7-590.8	590.9-593.0	593.1-595.2	595.3-597.4	597.5-599.6	599.7-601.8	601.9-604.0	604.1-606.2	606.3-608.4	608.5-610.6	610.7-612.8	612.9-615.0	615.1-617.2	617.3-619.4	619.5-621.6	621.7-623.8	623.9-626.0	626.1-628.2	628.3-630.4	630.5-632.6	632.7-634.8	634.9-637.0	637.1-639.2	639.3-641.4	641.5-643.6	643.7-645.8	645.9-648.0	648.1-650.2	650.3-652.4	652.5-654.6	654.7-656.8	656.9-659.0	659.1-661.2	661.3-663.4	663.5-665.6	665.7-667.8	667.9-670.0	670.1-672.2	672.3-674.4	674.5-676.6	676.7-678.8	678.9-681.0	681.1-683.2	683.3-685.4	685.5-687.6	687.7-689.8	689.9-692.0	692.1-694.2	694.3-696.4	696.5-698.6	698.7-700.8	700.9-703.0	703.1-705.2	705.3-707.4	707.5-709.6	709.7-711.8	711.9-714.0	714.1-716.2	716.3-718.4	718.5-720.6	720.7-722.8	722.9-725.0	725.1-727.2	727.3-729.4	729.5-731.6	731.7-733.8	733.9-736.0	736.1-738.2	738.3-740.4	740.5-742.6	742.7-744.8	744.9-747.0	747.1-749.2	749.3-751.4	751.5-753.6	753.7-755.8	755.9-758.0	758.1-760.2	760.3-762.4	762.5-764.6	764.7-766.8	766.9-769.0	769.1-771.2	771.3-773.4	773.5-775.6	775.7-777.8	777.9-780.0	780.1-782.2	782.3-784.4	784.5-786.6	786.7-788.8	788.9-791.0	791.1-793.2	793.3-795.4	795.5-797.6	797.7-799.8	799.9-802.0	802.1-804.2	804.3-806.4	806.5-808.6	808.7-810.8	810.9-813.0	813.1-815.2	815.3-817.4	817.5-819.6	819.7-821.8	821.9-824.0	824.1-826.2	826.3-828.4	828.5-830.6	830.7-832.8	832.9-835.0	835.1-837.2	837.3-839.4	839.5-841.6	841.7-843.8	843.9-846.0	846.1-848.2	848.3-850.4	850.5-852.6	852.7-854.8	854.9-857.0	857.1-859.2	859.3-861.4	861.5-863.6	863.7-865.8	865.9-868.0	868.1-870.2	870.3-872.4	872.5-874.6	874.7-876.8	876.9-879.0	879.1-881.2	881.3-883.4	883.5-885.6	885.7-887.8	887.9-890.0	890.1-892.2	892.3-894.4	894.5-896.6	896.7-898.8	898.9-901.0	901.1-903.2	903.3-905.4	905.5-907.6	907.7-909.8	909.9-912.0	912.1-914.2	914.3-916.4	916.5-918.6	918.7-920.8	920.9-923.0	923.1-925.2	925.3-927.4	927.5-929.6	929.7-931.8	931.9-934.0	934.1-936.2	936.3-938.4	938.5-940.6	940.7-942.8	942.9-945.0	945.1-947.2	947.3-949.4	949.5-951.6	951.7-953.8	953.9-956.0	956.1-958.2	958.3-960.4	960.5-962.6	962.7-964.8	964.9-967.0	967.1-969.2	969.3-971.4	971.5-973.6	973.7-975.8	975.9-978.0	978.1-980.2	980.3-982.4	982.5-984.6	984.7-986.8	986.9-989.0	989.1-991.2	991.3-993.4	993.5-995.6	995.7-997.8	997.9-1000.0	1000.1-1002.2	1002.3-1004.4	1004.5-1006.6	1006.7-1008.8	1008.9-1011.0	1011.1-1013.2	1013.3-1015.4	1015.5-1017.6	1017.7-1019.8	1019.9-1022.0	1022.1-1024.2	1024.3-1026.4	1026.5-1028.6	1028.7-1030.8	1030.9-1033.0	1033.1-1035.2	1035.3-1037.4	1037.5-1039.6	1039.7-1041.8	1041.9-1044.0	1044.1-1046.2	1046.3-1048.4	1048.5-1050.6	1050.7-1052.8	1052.9-1055.0	1055.1-1057.2	1057.3-1059.4	1059.5-1061.6	1061.7-1063.8	1063.9-1066.0	1066.1-1068.2	1068.3-1070.4	1070.5-1072.6	1072.7-1074.8	1074.9-1077.0	1077.1-1079.2	1079.3-1081.4	1081.5-1083.6	1083.7-1085.8	1085.9-1088.0	1088.1-1090.2	1090.3-1092.4	1092.5-1094.6	1094.7-1096.8	1096.9-1099.0	1099.1-1101.2	1101.3-1103.4	1103.5-1105.6	1105.7-1107.8	1107.9-1110.0	1110.1-1112.2	1112.3-1114.4	1114.5-1116.6	1116.7-1118.8	1118.9-1121.0	1121.1-1123.2	1123.3-1125.4	1125.5-1127.6	1127.7-1129.8	1129.9-1132.0	1132.1-1134.2	1134.3-1136.4	1136.5-1138.6	1138.7-1140.8	1140.9-1143.0	1143.1-1145.2	1145.3-1147.4	1147.5-1149.6	1149.7-1151.8	1151.9-1154.0	1154.1-1156.2	1156.3-1158.4	1158.5-1160.6	1160.7-1162.8	1162.9-1165.0	1165.1-1167.2	1167.3-1169.4	1169.5-1171.6	1171.7-1173.8	1173.9-1176.0	1176.1-1178.2	1178.3-1180.4	1180.5-1182.6	1182.7-1184.8	1184.9-1187.0	1187.1-1189.2	1189.3-1191.4	1191.5-1193.6	1193.7-1195.8	1195.9-1198.0	1198.1-1200.2	1200.3-1202.4	1202.5-1204.6	1204.7-1206.8	1206.9-1209.0	1209.1-1211.2	1211.3-1213.4	1213.5-1215.6	1215.7-1217.8	1217.9-1220.0	1220.1-1222.2	1222.3-1224.4	1224.5-1226.6	1226.7-1228.8	1228.9-1231.0	1231.1-1233.2	1233.3-1235.4	1235.5-1237.6	1237.7-1239.8	1239.9-1242.0	1242.1-1244.2	1244.3-1246.4	1246.5-1248.6	1248.7-1250.8	1250.9-1253.0	1253.1-1255.2	1255.3-1257.4	1257.5-1259.6	1259.7-1261.8	1261.9-1264.0	1264.1-1266.2	1266.3-1268.4	1268.5-1270.6	1270.7-1272.8	1272.9-1275.0	1275.1-1277.2	1277.3-1279.4	1279.5-1281.6	1281.7-1283.8	1283.9-1286.0	1286.1-1288.2	1288.3-1290.4	1290.5-1292.6	1292.7-1294.8	1294.9-1297.0	1297.1-1299.2	1299.3-1301.4	1301.5-1303.6	1303.7-1305.8	1305.9-1308.0	1308.1-1310.2	1310.3-1312.4	1312.5-1314.6	1314.7-1316.8	1316.9-1319.0	1319.1-1321.2	1321.3-1323.4	1323.5-1325.6	1325.7-1327.8	1327.9-1330.0	1330.1-1332.2	1332.3-1334.4	1334.5-1336.6	1336.7-1338.8	1338.9-1341.0	1341.1-1343.2	1343.3-1345.4	1345.5-1347.6	1347.7-1349.8	1349.9-1352.0	1352.1-1354.2	1354.3-1356.4	1356.5-1358.6	1358.7-1360.8	1360.9-1363.0	1363.1-1365.2	1365.3-1367.4	1367.5-1369.6	1369.7-1371.8	1371.9-1374.0	1374.1-1376.2	1376.3-1378.4	1378.5-1380.6	1380.7-1382.8	1382.9-1385.0	1385.1-1387.2	1387.3-1389.4	1389.5-1391.6	1391.7-1393.8	1393.9-1396.0	1396.1-1398.2	1398.3-1400.4	1400.5-1402.6	1402.7-1404.8	1404.9-1407.0	1407.1-1409.2	1409.3-1411.4	1411.5-1413.6	1413.7-1415.8	1415.9-1418.0	1418.1-1420.2	1420.3-1422.4	1422.5-1424.6	1424.7-1426.8	1426.9-1429.0	1429.1-1431.2	1431.3-1433.4	1433.5-1435.6	1435.7-1437.8	1437.9-1440.0	1440.1-1442.2	1442.3-1444.4	1444.5-1446.6	1446.7-1448.8	1448.9-1451.0	1451.1-1453.2	1453.3-1455.4	1455.5-1457.6	1457.7-1459.8	1459.9-1462.0	1462.1-1464.2	1464.3-1466.4	1466.5-1468.6	1468.7-1470.8	1470.9-1473.0	1473.1-1475.2	1475.3-1477.4	1477.5-1479.6	1479.7-1481.8	1481.9-1484.0	14

SUMMARY OF PASQUILL F									
OCONEE HIGH LEVEL									
WIND OCCURRENCES BY SECTOR + SPEED CLASS (NO. OCCUR., PERCENT)									
FOR 1975									
DATE OF REPORT 5-18-76									
WIND SPEED CLASS									
WIND	SECTOR	10-12.9	13-14.9	15-16.9	17-18.9	19-20.9	21-22.9	23-24.9	25-26.9
ITEM	TOTAL	NO.	PERCENT	NO.	PERCENT	NO.	PERCENT	NO.	PERCENT
300.0	NO	314	0.00	1.00	0.00	0.00	0.00	0.00	0.00
300.0	PCT	4.18	1.32	1.10	0.32	0.05	0.01	0.00	0.00
225.0	NO	116	0.31	39	0.10	0.00	0.00	0.00	0.00
225.0	PCT	1.54	0.32	0.40	0.10	0.00	0.00	0.00	0.00
150.0	NO	191	0.23	53	0.13	0.14	0.07	0.01	0.00
150.0	PCT	2.54	0.53	0.56	0.13	0.07	0.01	0.00	0.00
125.0	NO	104	0.12	28	0.07	0.00	0.00	0.00	0.00
125.0	PCT	1.41	0.16	0.33	0.07	0.00	0.00	0.00	0.00
90.0	NO	175	0.13	38	0.08	0.05	0.01	0.00	0.00
90.0	PCT	1.08	0.13	0.26	0.08	0.01	0.00	0.00	0.00
112.5	NO	53	0.11	11	0.03	0.00	0.00	0.00	0.00
112.5	PCT	0.73	0.11	0.13	0.04	0.00	0.00	0.00	0.00
132.0	NO	52	0.11	10	0.02	0.00	0.00	0.00	0.00
132.0	PCT	0.72	0.11	0.10	0.02	0.00	0.00	0.00	0.00
157.5	NO	83	0.10	20	0.05	0.01	0.00	0.00	0.00
157.5	PCT	1.11	0.13	0.27	0.05	0.01	0.00	0.00	0.00
180.0	NO	185	0.13	41	0.10	0.03	0.00	0.00	0.00
180.0	PCT	1.15	0.13	0.21	0.10	0.03	0.00	0.00	0.00
202.5	NO	58	0.11	13	0.03	0.00	0.00	0.00	0.00
202.5	PCT	0.77	0.11	0.17	0.04	0.00	0.00	0.00	0.00
225.0	NO	62	0.12	14	0.03	0.00	0.00	0.00	0.00
225.0	PCT	0.62	0.12	0.18	0.03	0.00	0.00	0.00	0.00
247.5	NO	58	0.10	17	0.04	0.00	0.00	0.00	0.00
247.5	PCT	0.78	0.10	0.23	0.04	0.00	0.00	0.00	0.00
270.0	NO	68	0.12	16	0.04	0.00	0.00	0.00	0.00
270.0	PCT	0.61	0.12	0.21	0.04	0.00	0.00	0.00	0.00
292.5	NO	192	0.20	58	0.09	0.01	0.00	0.00	0.00
292.5	PCT	1.36	0.20	0.58	0.09	0.01	0.00	0.00	0.00
315.0	NO	114	0.13	29	0.04	0.00	0.00	0.00	0.00
315.0	PCT	1.14	0.13	0.26	0.04	0.00	0.00	0.00	0.00
337.5	NO	174	0.22	42	0.06	0.00	0.00	0.00	0.00
337.5	PCT	2.32	0.22	0.31	0.06	0.00	0.00	0.00	0.00
CALM	NO	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CALM	PCT	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOTAL	NO	22.84	4.34	3.76	2.59	1.14	0.72	0.31	0.05
TOTAL	PCT	22.84	4.34	3.76	2.59	1.14	0.72	0.31	0.05
AVERAGE WIND SPEED 6.01									
TOTAL VALID OBSERVATIONS 7510									
TOTAL OBSERVATIONS 8760									

[illegible]

SUMMARY OF PASQUILL A-C-D-E-F-G										WIND OCCURRENCES BY SECTOR • SPEED CLASS (NO. OCCURREN.PERCENT)										DATE OF REPORT 5-18-76									
OCONEE HIGH LEVEL										FOR 1975																			
WIND										WIND SPEED CLASS																			
SECTION ITEM										WIND																			
TOTAL										TOTAL																			
360.0										0-1.2										1.3-2.5									
NO										2.6-3.8										3.9-10.0									
PCT										10.1-12.3										12.4-14.6									
360.0										14.7-16.9										17.0-19.2									
NO										19.3-21.5										21.6-23.8									
PCT										23.9-26.1										26.2-28.4									
360.0										28.5-30.7										30.8-33.0									
NO										33.1-35.3										35.4-37.6									
PCT										37.7-39.9										40.0-42.2									
360.0										42.3-44.5										44.6-46.8									
NO										46.9-49.1										49.2-51.4									
PCT										51.5-53.7										53.8-56.0									
360.0										56.1-58.3										58.4-60.6									
NO										60.7-62.9										63.0-65.2									
PCT										65.3-67.5										67.6-69.8									
360.0										69.9-72.1										72.2-74.4									
NO										74.5-76.7										76.8-79.0									
PCT										79.1-81.3										81.4-83.6									
360.0										83.7-85.9										86.0-88.2									
NO										88.3-90.5										90.6-92.8									
PCT										92.9-95.1										95.2-97.4									
360.0										97.5-99.7										99.8-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO										100.1-100.0										100.1-100.0									
PCT										100.1-100.0										100.1-100.0									
360.0										100.1-100.0										100.1-100.0									
NO																													

Table 2-28. Composite Poorest Diffusion Conditions Observed for Each Hour of Day (Based on 30 Months of Data)

["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED."]

<i>Hour of Day</i>	<i>Pasquill Class</i>
<i>00</i>	<i>F</i>
<i>01</i>	<i>F</i>
<i>02</i>	<i>F</i>
<i>03</i>	<i>F</i>
<i>04</i>	<i>F</i>
<i>05</i>	<i>F</i>
<i>06</i>	<i>F</i>
<i>07</i>	<i>F</i>
<i>08</i>	<i>F</i>
<i>09</i>	<i>E</i>
<i>10</i>	<i>D</i>
<i>11</i>	<i>D</i>
<i>12</i>	<i>D</i>
<i>13</i>	<i>D</i>
<i>14</i>	<i>D</i>
<i>15</i>	<i>D</i>
<i>16</i>	<i>D</i>
<i>17</i>	<i>F</i>
<i>18</i>	<i>F</i>
<i>19</i>	<i>F</i>
<i>20</i>	<i>F</i>
<i>21</i>	<i>F</i>
<i>22</i>	<i>F</i>
<i>23</i>	<i>F</i>

Table 2-29. Dispersion Factors Used for Accident and Routine Operational Analyses X/Q

["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED."]

July 1973 Safety Evaluation Report for Unit 2 and Unit 3 - Superseded 1970 SER Values for Facility Exclusion Area Boundary (1609 m) ⁽³⁾				
	0-2 hrs			
Ground Releases	2.20E-4			
Deleted row per 2008 Update				
At Boundary of Low Population Zone (9650 m) ⁽³⁾				
	0-8 h	8-24 h	1 d - 4 d	4 d - 30 d
Ground Releases	2.35E-5	4.70E-6	1.50E-6	3.30E-7
Deleted row per 2008 Update				
December 1970 Safety Evaluation Report for Unit 1 At Exclusion Area Boundary (1609 m)				
	0-2 hrs	0-24 hrs	0-7 days	
Ground Releases	1.16E-4			
Elevated Releases	3.35E-5	9.73E-6	2.98E-6	
At Boundary of Low Population Zone (9650 m)				
	0-24 hrs.	0-30 days		
Ground Releases ⁽¹⁾	1.32E-5	7.2E-7		
Elevated Releases ⁽²⁾	3.90E-6	3.42E-7		
Long-Term (One Year) Exclusion Area Boundary				
Ground Releases	4.61E-6			
Elevated Releases	8.74E-7			
Note:				
1. At valley construction 10,464 m from site near Boundary of LPZ				
2. 9,658 m from site at Boundary of LPZ				
3. Reference 30				

Table 2-30. Determining Appropriate Dispersion Factors. [Table 2-29](#) to be Used During Various Release Conditions

["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED."]

<i>Release Condition</i>	<i>Appropriate Dispersion Factor</i>
1. <i>Fuel Handling Accident</i>	<i>0-2 hour ground release at exclusion area boundary</i>
2. <i>Steam Line Failure</i>	<i>0-2 hour ground release at exclusion area boundary for steam line releases</i> <i>0-2 hour elevated release at exclusion area boundary for unit vent releases</i> <i>0-8 hours, 8-24 hours, 1-4 days, and 4-30 days at boundary of low population zone</i>
3. <i>Rod Ejection Accident</i>	<i>0-2 hour ground release at exclusion area boundary for steam line releases</i> <i>0-2 hour elevated release at exclusion area boundary for unit vent releases</i> <i>0-8 hours, 8-24 hours, 1-4 days, and 4-30 days at boundary of low population zone</i>
4. <i>Loss-of-Coolant Accident (assume 50 percent ground release and 50 percent elevated release after 90 percent iodine removal by filtration)</i>	<i>0-2 hour ground release at exclusion area boundary for steam line releases</i> <i>0-2 hour elevated release at exclusion area boundary for unit vent releases</i> <i>0-8 hours, 8-24 hours, 1-4 days, and 4-30 days at boundary of low population zone</i>
5. <i>Maximum Hypothetical Accident (MHA)</i>	<i>0-2 hour ground release at exclusion area boundary for steam line releases</i> <i>0-2 hour elevated release at exclusion area boundary for unit vent releases</i> <i>0-8 hours, 8-24 hours, 1-4 days, and 4-30 days at boundary of low population zone</i>
6. <i>Engineered Safeguards Leakage</i>	<i>0-2 hour elevated release at exclusion area boundary</i>
7. <i>Lifetime Shim Bleed (continuous release)</i>	<i>Long-term elevated releases at exclusion area boundary</i>
8. <i>Start-up expansion (7-day release)</i>	<i>0-7 day elevated releases at exclusion area boundary</i>
9. <i>Reactor Building Purge</i>	<i>0-24 hour elevated release at exclusion area boundary</i>

<i>Release Condition</i>	<i>Appropriate Dispersion Factor</i>
10. <i>Steam Generator Tube Failure</i>	<i>0-2 hour ground release at exclusion area boundary for steam line releases</i> <i>0-2 hour elevated release at exclusion area boundary for unit vent releases</i> <i>0-8 hours, 8-24 hours, 1-4 days, and 4-30 days at boundary of low population zone</i>
11. <i>Steam Generator Tube Leakage</i>	<i>Long-term elevated releases at exclusion area boundary</i>
12. <i>Pressurizer and Letdown Storage Tank Venting</i>	<i>0-7 day elevated release at exclusion area boundary.</i>
13. <i>Waste Gas Tank Rupture</i>	<i>0-2 hour elevated release at exclusion area boundary.</i>

Table 2-31. Oconee Nuclear Station X/Q at Critical Receptors to 5 Miles⁽¹⁾ (Depleted by Dry Deposition). Radial Distance (mi.) to Receptor with Highest X/Q in Sector and X/Q (sec. m⁻³) based on 1975 meteorology.

["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED."]

<i>Compass Direction</i>	<i>Milk Cow</i>		<i>Milk Goat</i>		<i>Meat Animal</i>		<i>Residence</i>		<i>Veg. Garden</i>		<i>EAB⁽²⁾</i>	
	<i>mi.</i>	<i>sec. m⁻³</i>	<i>mi.</i>	<i>sec. m⁻³</i>	<i>mi.</i>	<i>sec. m⁻³</i>	<i>mi.</i>	<i>sec. m⁻³</i>	<i>mi.</i>	<i>sec. m⁻³</i>	<i>mi.</i>	<i>sec. m⁻³</i>
<i>N</i>		-		-		-		-		-	<i>1</i>	<i>7.8E-8</i>
<i>NNE</i>		-		-		-	<i>4</i>	<i>7.8E-8</i>	<i>4</i>	<i>7.8E-8</i>	<i>1</i>	<i>1.1E-7</i>
<i>NE</i>	<i>3.5</i>	<i>6.3E-8</i>	<i>3</i>	<i>6.2E-8</i>	<i>3</i>	<i>6.2E-8</i>	<i>2</i>	<i>6.7E-8</i>	<i>2</i>	<i>6.7E-8</i>	<i>1</i>	<i>7.0E-8</i>
<i>ENE</i>	<i>4</i>	<i>5.7E-8</i>			<i>1.25</i>	<i>6.5E-8</i>	<i>1.25</i>	<i>6.5E-8</i>	<i>1.25</i>	<i>6.5E-8</i>	<i>1</i>	<i>6.9E-8</i>
<i>E</i>	<i>3</i>	<i>5.3E-8</i>	<i>4.5</i>	<i>4.5E-8</i>	<i>2</i>	<i>6.1E-8</i>	<i>2</i>	<i>6.1E-8</i>	<i>2</i>	<i>6.1E-8</i>	<i>1</i>	<i>4.4E-8</i>
<i>ESE</i>	<i>4.5</i>	<i>4.5E-8</i>			<i>2.5</i>	<i>5.6E-8</i>	<i>2</i>	<i>6.1E-8</i>	<i>2</i>	<i>6.1E-8</i>	<i>1</i>	<i>2.9E-8</i>
<i>SE</i>	<i>3</i>	<i>5.5E-8</i>	<i>2.5</i>	<i>5.5E-8</i>	<i>2.5</i>	<i>5.5E-8</i>	<i>2.5</i>	<i>5.5E-8</i>	<i>2.5</i>	<i>5.5E-8</i>	<i>1</i>	<i>3.3E-8</i>
<i>SSE</i>					<i>2</i>	<i>3.1E-7</i>	<i>2</i>	<i>3.1E-7</i>	<i>2</i>	<i>3.1E-7</i>	<i>1</i>	<i>2.6E-7</i>
<i>S</i>					<i>2</i>	<i>2.5E-7</i>	<i>2</i>	<i>2.5E-7</i>	<i>2</i>	<i>2.5E-7</i>	<i>1</i>	<i>2.6E-7</i>
<i>SSW</i>	<i>1.5</i>	<i>3.3E-7</i>			<i>1.5</i>	<i>3.3E-7</i>	<i>1.5</i>	<i>3.3E-7</i>	<i>1.5</i>	<i>3.3E-7</i>	<i>1</i>	<i>3.1E-7</i>
<i>SW</i>					<i>1.75</i>	<i>7.5E-8</i>	<i>1.75</i>	<i>7.5E-8</i>	<i>1.75</i>	<i>7.5E-8</i>	<i>1</i>	<i>7.5E-8</i>
<i>WSW</i>					<i>2.5</i>	<i>5.0E-8</i>	<i>2.5</i>	<i>5.0E-8</i>	<i>2.5</i>	<i>5.0E-8</i>	<i>1</i>	<i>5.9E-8</i>
<i>W</i>	<i>4.5</i>	<i>3.3E-8</i>			<i>2.5</i>	<i>4.3E-8</i>	<i>2.5</i>	<i>4.3E-8</i>	<i>2.5</i>	<i>4.3E-8</i>	<i>1</i>	<i>3.1E-8</i>
<i>WNW</i>					<i>2.75</i>	<i>3.5E-8</i>	<i>2.75</i>	<i>3.5E-8</i>	<i>2.75</i>	<i>3.5E-8</i>	<i>1</i>	<i>2.4E-8</i>
<i>NW</i>					<i>4</i>	<i>2.8E-8</i>	<i>4</i>	<i>2.8E-8</i>	<i>4</i>	<i>2.8E-8</i>	<i>1</i>	<i>3.9E-8</i>
<i>NNW</i>	<i>2.5</i>	<i>7.7E-8</i>					<i>2.5</i>	<i>8.3E-8</i>	<i>2.5</i>	<i>8.3E-8</i>	<i>1</i>	<i>6.6E-8</i>

<i>Compass Direction</i>	<i>Milk Cow</i>		<i>Milk Goat</i>		<i>Meat Animal</i>		<i>Residence</i>		<i>Veg. Garden</i>		<i>EAB⁽²⁾</i>	
	<i>mi.</i>	<i>sec. m⁻³</i>	<i>mi.</i>	<i>sec. m⁻³</i>	<i>mi.</i>	<i>sec. m⁻³</i>	<i>mi.</i>	<i>sec. m⁻³</i>	<i>mi.</i>	<i>sec. m⁻³</i>	<i>mi.</i>	<i>sec. m⁻³</i>

Note:

1. The notation 2.1E-6 means 2.1×10^{-6}
2. Exclusion Area Boundary

Table 2-32. Oconee Nuclear Station D/Q at Critical Receptors to 5 Miles⁽¹⁾. Radial Distance (mi.) to Receptor with Highest D/Q in Sector and D/Q (m-2) based on 1975 meteorology

["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED."]

<i>Compass Direction</i>	<i>Milk Cow</i>		<i>Milk Goat</i>		<i>Meat Animal</i>		<i>Residence</i>		<i>Veg. Garden</i>		<i>EAB⁽²⁾</i>	
	<i>mi.</i>	<i>sec. m⁻²</i>	<i>mi.</i>	<i>sec. m⁻²</i>	<i>mi.</i>	<i>sec. m⁻²</i>	<i>mi.</i>	<i>sec. m⁻²</i>	<i>mi.</i>	<i>sec. m⁻²</i>	<i>mi.</i>	<i>sec. m⁻²</i>
<i>N</i>	-		-		-		-		-		<i>1</i>	<i>2.3E-9</i>
<i>NNE</i>	-		-		-		<i>4</i>	<i>4.2E-10</i>	<i>4</i>	<i>4.2E-10</i>	<i>1</i>	<i>3.7E-9</i>
<i>NE</i>	<i>3.5</i>	<i>4.0E-10</i>	<i>3</i>	<i>5.0E-10</i>	<i>3</i>	<i>5.0E-10</i>	<i>2</i>	<i>8.0E-10</i>	<i>2</i>	<i>8.0E-10</i>	<i>1</i>	<i>2.5E-9</i>
<i>ENE</i>	<i>4</i>	<i>1.8E-10</i>			<i>1.25</i>	<i>1.0E-9</i>	<i>1.25</i>	<i>1.0E-9</i>	<i>1.25</i>	<i>1.0E-9</i>	<i>1</i>	<i>1.8E-9</i>
<i>E</i>	<i>3</i>	<i>2.7E-10</i>	<i>4.5</i>	<i>1.5E-10</i>	<i>1.25</i>	<i>8.0E-10</i>	<i>1.25</i>	<i>8.0E-10</i>	<i>1.25</i>	<i>8.0E-10</i>	<i>1</i>	<i>1.3E-9</i>
<i>ESE</i>	<i>4.5</i>	<i>1.1E-10</i>			<i>1.5</i>	<i>5.0E-10</i>	<i>1.5</i>	<i>5.0E-10</i>	<i>1.5</i>	<i>5.0E-10</i>	<i>1</i>	<i>1.0E-9</i>
<i>SE</i>	<i>3</i>	<i>1.4E-10</i>	<i>2.5</i>	<i>1.8E-10</i>	<i>2.5</i>	<i>1.8E-10</i>	<i>2.5</i>	<i>1.8E-10</i>	<i>2.5</i>	<i>1.8E-10</i>	<i>1</i>	<i>6.0E-10</i>
<i>SSE</i>					<i>2</i>	<i>1.2E-9</i>	<i>2</i>	<i>1.2E-9</i>	<i>2</i>	<i>1.2E-9</i>	<i>1</i>	<i>2.5E-9</i>
<i>S</i>					<i>2</i>	<i>1.3E-9</i>	<i>2</i>	<i>1.3E-9</i>	<i>2</i>	<i>1.3E-9</i>	<i>1</i>	<i>3.0E-9</i>
<i>SSW</i>	<i>1.5</i>	<i>2.4E-9</i>			<i>1.5</i>	<i>2.4E-9</i>	<i>1.5</i>	<i>2.4E-9</i>	<i>1.5</i>	<i>2.4E-9</i>	<i>1</i>	<i>3.5E-9</i>
<i>SW</i>					<i>1.75</i>	<i>6.0E-10</i>	<i>1.75</i>	<i>6.0E-10</i>	<i>1.75</i>	<i>6.0E-10</i>	<i>1</i>	<i>1.1E-9</i>
<i>WSW</i>					<i>2.5</i>	<i>4.4E-10</i>	<i>2.5</i>	<i>4.4E-10</i>	<i>2.5</i>	<i>4.4E-10</i>	<i>1</i>	<i>1.4E-9</i>
<i>W</i>	<i>4.5</i>	<i>1.5E-10</i>			<i>2.5</i>	<i>3.8E-10</i>	<i>2.5</i>	<i>3.8E-10</i>	<i>2.5</i>	<i>3.8E-10</i>	<i>1</i>	<i>1.0E-9</i>
<i>WNW</i>					<i>2.75</i>	<i>2.0E-10</i>	<i>2.75</i>	<i>2.0E-10</i>	<i>2.75</i>	<i>2.0E-10</i>	<i>1</i>	<i>7.0E-10</i>
<i>NW</i>					<i>4</i>	<i>9.9E-11</i>	<i>4</i>	<i>9.9E-11</i>	<i>4</i>	<i>9.9E-11</i>	<i>1</i>	<i>7.0E-10</i>
<i>NNW</i>	<i>2.5</i>	<i>3.7E-10</i>					<i>2.5</i>	<i>3.7E-10</i>	<i>2.5</i>	<i>1.3E-9</i>	<i>1</i>	<i>1.6E-9</i>

Note:

1. The notation 2.1E-6 means 2.1×10^{-6}
2. Exclusion Area Boundary

Table 2-33. Oconee Nuclear Station X/Q at Critical Receptors to 5 Miles⁽¹⁾ (Non-Depleted). Radial Distance (mi.) to Receptor with Highest X/Q in Sector and X/Q (sec. m⁻³) based on 1975 meteorology.

["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED."]

<i>Compass Direction</i>	<i>Milk Cow</i>		<i>Milk Goat</i>		<i>Meat Animal</i>		<i>Residence</i>		<i>Veg. Garden</i>		<i>EAB⁽²⁾</i>	
	<i>mi.</i>	<i>sec. m⁻³</i>	<i>mi.</i>	<i>sec. m⁻³</i>	<i>mi.</i>	<i>sec. m⁻³</i>	<i>mi.</i>	<i>sec. m⁻³</i>	<i>mi.</i>	<i>sec. m⁻³</i>	<i>mi.</i>	<i>sec. m⁻³</i>
<i>N</i>		-		-		-		-		-	<i>1</i>	<i>9.0E-8</i>
<i>NNE</i>		-		-		-	<i>4</i>	<i>8.3E-8</i>	<i>4</i>	<i>8.3E-8</i>	<i>1</i>	<i>1.1E-7</i>
<i>NE</i>	<i>3.5</i>	<i>6.4E-8</i>	<i>3</i>	<i>6.3E-8</i>	<i>3</i>	<i>6.3E-8</i>	<i>2</i>	<i>6.7E-8</i>	<i>2</i>	<i>6.7E-8</i>	<i>1</i>	<i>7.0E-8</i>
<i>ENE</i>	<i>4</i>	<i>5.7E-8</i>			<i>1.25</i>	<i>6.6E-8</i>	<i>1.25</i>	<i>6.6E-8</i>	<i>1.25</i>	<i>6.6E-8</i>	<i>1</i>	<i>6.9E-8</i>
<i>E</i>	<i>3</i>	<i>5.3E-8</i>	<i>4.5</i>	<i>4.5E-8</i>	<i>2</i>	<i>6.1E-8</i>	<i>2</i>	<i>6.1E-8</i>	<i>2</i>	<i>6.1E-8</i>	<i>1</i>	<i>4.4E-8</i>
<i>ESE</i>	<i>4.5</i>	<i>4.7E-8</i>			<i>2.5</i>	<i>5.6E-8</i>	<i>2</i>	<i>6.2E-8</i>	<i>2</i>	<i>6.2E-8</i>	<i>1</i>	<i>3.5E-8</i>
<i>SE</i>	<i>3</i>	<i>5.5E-8</i>	<i>2.5</i>	<i>5.5E-8</i>	<i>2.5</i>	<i>5.5E-8</i>	<i>2.5</i>	<i>5.5E-8</i>	<i>2.5</i>	<i>5.5E-8</i>	<i>1</i>	<i>3.3E-8</i>
<i>SSE</i>					<i>2</i>	<i>3.2E-7</i>	<i>2</i>	<i>3.2E-7</i>	<i>2</i>	<i>3.2E-7</i>	<i>1</i>	<i>2.6E-7</i>
<i>S</i>					<i>2</i>	<i>2.5E-7</i>	<i>2</i>	<i>2.5E-7</i>	<i>2</i>	<i>2.5E-7</i>	<i>1</i>	<i>2.7E-7</i>
<i>SSW</i>	<i>1.5</i>	<i>3.4E-7</i>			<i>1.5</i>	<i>3.4E-7</i>	<i>1.5</i>	<i>3.4E-7</i>	<i>1.5</i>	<i>3.4E-7</i>	<i>1</i>	<i>3.4E-7</i>
<i>SW</i>					<i>1.75</i>	<i>7.5E-8</i>	<i>1.75</i>	<i>7.5E-8</i>	<i>1.75</i>	<i>7.5E-8</i>	<i>1</i>	<i>7.5E-8</i>
<i>WSW</i>					<i>2.5</i>	<i>5.0E-8</i>	<i>2.5</i>	<i>5.0E-8</i>	<i>2.5</i>	<i>5.0E-8</i>	<i>1</i>	<i>6.3E-8</i>
<i>W</i>	<i>4.5</i>	<i>3.6E-8</i>			<i>2.5</i>	<i>4.3E-8</i>	<i>2.5</i>	<i>4.3E-8</i>	<i>2.5</i>	<i>4.3E-8</i>	<i>1</i>	<i>3.8E-8</i>
<i>WNW</i>							<i>2.75</i>	<i>3.5E-8</i>	<i>2.75</i>	<i>3.5E-8</i>	<i>1</i>	<i>2.4E-8</i>
<i>NW</i>							<i>4</i>	<i>3.7E-8</i>	<i>4</i>	<i>3.7E-8</i>	<i>1</i>	<i>3.9E-8</i>
<i>NNW</i>	<i>2.5</i>	<i>8.3E-8</i>					<i>2.5</i>	<i>8.3E-8</i>	<i>2.5</i>	<i>8.3E-8</i>	<i>1</i>	<i>6.9E-8</i>

	<i>Milk Cow</i>		<i>Milk Goat</i>		<i>Meat Animal</i>		<i>Residence</i>		<i>Veg. Garden</i>		<i>EAB⁽²⁾</i>	
<i>Compass Direction</i>	<i>mi.</i>	<i>sec. m⁻³</i>	<i>mi.</i>	<i>sec. m⁻³</i>	<i>mi.</i>	<i>sec. m⁻³</i>	<i>mi.</i>	<i>sec. m⁻³</i>	<i>mi.</i>	<i>sec. m⁻³</i>	<i>mi.</i>	<i>sec. m⁻³</i>

Note:

1. The notation 2.1E-6 means 2.1×10^{-6}
2. Exclusion Area Boundary

Table 2-34. Relative Concentration, X/Q, Frequency Distribution Without Wind Speed Correction⁽³⁾

["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED."]

<i>Relative Concentration</i>	<i>Frequency (No. of Obs.)</i>	<i>Percentage</i>	<i>Cumulative Per Cent</i>
$\geq 4.0 \times 10^{-4}$	0	0.00	0.00
$3.0-3.99 \times 10^{-4}$	0	0.00	0.00
$2.0-2.99 \times 10^{-4}$	8	0.09	0.09
$1.0-1.99 \times 10^{-4}$	35	0.41	0.51
$9.0-9.99 \times 10^{-5}$	20	0.24	0.74
$8.0-8.99 \times 10^{-5}$	53	0.62	1.37
$7.0-7.9 \times 10^{-5}$	106	1.25	2.62
$6.0-6.99 \times 10^{-5}$	229	2.70	5.32
$5.0-5.99 \times 10^{-5}$	506	5.97	11.28
$4.0-4.99 \times 10^{-5}$	838	9.88	21.16
$3.0-3.99 \times 10^{-5}$	1484	17.50	38.66
$2.0-2.99 \times 10^{-5}$	2313	27.27	65.93
$1.0-1.99 \times 10^{-5}$	2307	27.20	93.13
$9.0-9.99 \times 10^{-6}$	167	1.97	95.10
$8.0-8.99 \times 10^{-6}$	134	1.58	96.68
$7.0-7.99 \times 10^{-6}$	87	1.03	97.70
$6.0-6.99 \times 10^{-6}$	88	1.04	98.74
$5.0-5.99 \times 10^{-6}$	53	0.62	99.36
$4.0-4.99 \times 10^{-6}$	27	0.32	99.68
$\leq 3.99 \times 10^{-6}$	27	0.32	100.00
<i>Totals</i>	8482	100.00	--- ---

Note:

1. *Percentage of Valid Observations: 96.82*
2. *Average Relative Concentration = 2.92960×10^{-5}*
3. *Meteorological Period: June 1, 1968 - May 31, 1969*

Table 2-35. Gas-Tracer Experimental Results From January 15 - March 11, 1970

["HISTORICAL INFORMATION NOT REQUIRED TO BE REVISED."]

Gas-Tracer Experimental Results

Test Date	Test Number	Time (hours)	Release Rate (micrograms per second)	U	Stability Category	Source to Receptor Distance (meters)	At Receptor			At One Mile			
							Center Line Concentration (micrograms per meter ³)	Sigma Y (meters)	Sigma Z (meters)	Sigma Y (meters)	Sigma Z (meters)	Pt. Sigma Y (meters)	Relative Concentration (seconds per meter ³)
Jan. 15, 1970	1a	2100	90x10 ³	5.36	F	176	9.40	30.6	14.70	270	74	3.34x10 ⁵	3.97x10 ⁻⁶
Jan. 15, 1970	1b	2200	90x10 ³	5.36	F	680	3.59	145	19.74	225	19	7.19x10 ⁴	1.38x10 ⁻⁵
Jan. 20, 1970	Plume Measurements	Indeterminable											
Jan. 31, 1970	Plume Measurements	Indeterminable											
Feb. 5, 1970	2	2100	91x10 ³	0.89	F	630	1.58	104	197	260	300	2.97x10 ⁵	3.36x10 ⁻⁶
Feb. 6, 1970	3	2040	85.8x10 ³	0.89	F	835	1.49	70	313	57	490	7.12x10 ⁴	1.40x10 ⁻⁵
Feb. 10, 1970	4a	2156	83.3x10 ³	1.34	E	190	9.02	30	57	260	200	3.04x10 ⁵	3.76x10 ⁻⁶
Feb. 10, 1970	4b	2210	91.6x10 ³	1.79	E	357	9.30	26	67	108	186	1.17x10 ⁵	8.85x10 ⁻⁶
Feb. 11, 1970	4c	2250	86.7x10 ³	1.79	E	611	3.68	67	67	210	177	2.03x10 ⁵	5.92x10 ⁻⁶
Feb. 11, 1970	Plume Measurements	Indeterminable											
Feb. 17, 1970	5a	2055	85.5x10 ³	1.56	E	530	7.94	55	66	152	100	7.66x10 ⁴	1.34x10 ⁻⁵
Feb. 17, 1970	5b	2115	88.5x10 ³	1.34	F	530	3.79	27	72	205	168	1.66x10 ⁵	6.02x10 ⁻⁶
Feb. 17, 1970	6a	2210	89.7x10 ³	3.13	E	393	8.79	74	14.9	260	30	9.71x10 ⁴	1.07x10 ⁻⁵
Feb. 19, 1970	6b	2250	88.0x10 ³	1.79	E	576	16.6	36	27.5	115	87	5.30x10 ⁴	1.88x10 ⁻⁵
Feb. 19, 1970	Plume Measurements	Indeterminable											
Mar. 2, 1970	7	2240	89.7x10 ³	0.89	F	451	1.94	65	641	130	920	3.55x10 ⁵	2.81x10 ⁻⁶
Mar. 3, 1970	8a	2018	85.0x10 ³	0.89	E-F	450	3.63	63	193	130	500	1.97x10 ⁵	5.10x10 ⁻⁶
Mar. 3, 1970	8b	2110	83.3x10 ³	0.89	E-F	450	6.21	38	176	125	300	1.04x10 ⁵	9.53x10 ⁻⁶
Mar. 3, 1970	8c	2200	86.6x10 ³	0.89	E-F	450	3.10	73	195	220	500	3.07x10 ⁵	3.25x10 ⁻⁶
Mar. 3, 1970	Plume Measurements	Indeterminable											
Mar. 10, 1970	9a	2045	91.4x10 ³	0.67	E-F	120	9.30	32	145	300	1050	6.63x10 ⁵	1.50x10 ⁻⁶
Mar. 10, 1970	9b	2205	91.4x10 ³	0.67	E-F	120	6.44	53	179	500	910	9.57x10 ⁵	1.04x10 ⁻⁶
Mar. 11, 1970	9c	2315	91.4x10 ³	0.67	E-F	120	3.70	63	167	450	3500	3.31x10 ⁶	5.01x10 ⁻⁷
Mar. 11, 1970	Plume Measurements	Indeterminable											

*Slightest test relative concentration at one mile = 1.08×10^{-5} seconds per meter³

Table 2-36. Relative Concentration, X/Q, Frequency Distribution With Wind Speed Correction^(3, 4)

["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED."]

<i>Relative Concentration</i>	<i>Frequency (No. of Obs.)</i>	<i>Percentage</i>	<i>Cumulative Per Cent</i>
$\geq 4.0 \times 10^{-4}$	0	0.00	0.00
$3.0-3.99 \times 10^{-4}$	0	0.00	0.00
$2.0-2.99 \times 10^{-4}$	0	0.00	0.00
$1.0-1.99 \times 10^{-4}$	18	0.21	0.21
$9.0-9.99 \times 10^{-5}$	6	0.07	0.28
$8.0-8.99 \times 10^{-5}$	6	0.07	0.35
$7.0-7.99 \times 10^{-5}$	15	0.18	0.53
$6.0-6.99 \times 10^{-5}$	40	0.47	1.00
$5.0-5.99 \times 10^{-5}$	137	1.62	2.62
$4.0-4.99 \times 10^{-5}$	391	4.61	7.23
$3.0-3.99 \times 10^{-5}$	957	11.28	18.51
$2.0-2.99 \times 10^{-5}$	2087	24.58	43.09
$1.0-1.99 \times 10^{-5}$	3407	40.17	83.26
$9.0-9.99 \times 10^{-6}$	313	3.69	86.95
$8.0-8.99 \times 10^{-6}$	298	3.51	90.46
$7.0-7.99 \times 10^{-6}$	260	3.07	93.53
$6.0-6.99 \times 10^{-6}$	218	2.57	96.10
$5.0-5.99 \times 10^{-6}$	136	1.60	97.70
$4.0-4.99 \times 10^{-6}$	113	1.33	99.03
$\leq 3.99 \times 10^{-6}$	82	0.97	100.00
<i>Totals</i>	8482	100.00	--- ---

Note:

1. *Percentage of Valid Observations: 96.82*
2. *Average Relative Concentration = 2.09257×10^{-5}*
3. *Period of Record: June 1, 1968 - May 31, 1969*
4. *Wind Speed Correction factor of 1.4 applied, based on calibration check on October 1, 1969*

Table 2-37. Comparative Wind Speed Data

["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED."]

<i>Date</i>	<i>Greenville-Spartanburg⁽¹⁾ (Average)</i>	<i>Oconee (Average)</i>	<i>Oconee to Greenville-Spartanburg (Ratio)</i>	<i>Oconee to Greenville-Spartanburg (Ratio x 1.4)</i>
<i>June, 1968</i>	<i>13.9 mph</i>	<i>7.6 mph</i>	<i>0.54</i>	<i>0.76</i>
<i>July, 1968</i>	<i>11.2 mph</i>	<i>6.3 mph</i>	<i>0.56</i>	<i>0.79</i>
<i>August, 1968</i>	<i>11.3 mph</i>	<i>6.8 mph</i>	<i>0.60</i>	<i>0.84</i>
<i>September, 1968</i>	<i>10.9 mph</i>	<i>5.6 mph</i>	<i>0.52</i>	<i>0.72</i>
<i>October, 1968</i>	<i>12.3 mph</i>	<i>8.1 mph</i>	<i>0.65</i>	<i>0.92</i>
<i>November, 1968</i>	<i>13.1 mph</i>	<i>7.4 mph</i>	<i>0.56</i>	<i>0.78</i>
<i>December, 1968</i>	<i>15.6 mph</i>	<i>9.3 mph</i>	<i>0.59</i>	<i>0.83</i>
<i>January, 1969</i>	<i>14.6 mph</i>	<i>8.1 mph</i>	<i>0.55</i>	<i>0.77</i>
<i>February, 1969</i>	<i>15.4 mph</i>	<i>11.0 mph</i>	<i>0.72</i>	<i>1.02</i>
<i>March, 1969</i>	<i>11.8 mph</i>	<i>7.7 mph</i>	<i>0.66</i>	<i>0.94</i>
<i>April, 1969</i>	<i>11.6 mph</i>	<i>7.8 mph</i>	<i>0.68</i>	<i>0.96</i>
<i>May, 1969</i>	<i>11.9 mph</i>	<i>6.8 mph</i>	<i>0.57</i>	<i>0.81</i>
<i>June, 1969</i>	<i>11.6 mph</i>	<i>6.5 mph</i>	<i>0.56</i>	<i>0.80</i>
<i>July, 1969</i>	<i>11.1 mph</i>	<i>5.5 mph</i>	<i>0.50</i>	<i>0.70</i>
<i>August, 1969</i>	<i>11.0 mph</i>	<i>8.2 mph</i>	<i>0.74</i>	<i>1.06</i>
<i>September, 1969</i>	<i>11.3 mph</i>	<i>7.3 mph</i>	<i>0.65</i>	<i>0.91</i>
⁽²⁾ <i>October, 1969</i>	<i>12.1 mph</i>	<i>11.2 mph</i>	<i>0.92</i>	<i>- ---</i>
<i>November, 1969</i>	<i>12.5 mph</i>	<i>12.3 mph</i>	<i>0.97</i>	<i>- ---</i>

<i>Date</i>	<i>Greenville-Spartanburg⁽¹⁾ (Average)</i>	<i>Oconee (Average)</i>	<i>Oconee to Greenville-Spartanburg (Ratio)</i>	<i>Oconee to Greenville-Spartanburg (Ratio x 1.4)</i>
<i>December, 1969</i>	<i>12.6 mph</i>	<i>10.5 mph</i>	<i>0.83</i>	<i>- ---</i>
<i>January, 1970</i>	<i>13.0 mph</i>	<i>14.1 mph</i>	<i>1.08</i>	<i>- ---</i>

Note:

- 1. Greenville-Spartanburg, S.C. Airport ESSA Station*
- 2. Calibration Check - October 1, 1969*

Table 2-38. Supplemental Data Oconee Meteorological Survey (Tower Data) For Period of June 1, 1968 Thru May 31, 1969. Frequency of Total Relative Concentration for All Observations

["HISTORICAL INFORMATION IN ITALICS NOT REQUIRED TO BE REVISED."]

<i>Relative Concentration</i>	<i>Frequency No. of Obs.</i>	<i>Percentage</i>	<i>Cumulative Per Cent</i>
$\geq 4.0 \times 10^{-4}$	20	0.24	0.24
$3.0 - 3.99 \times 10^{-4}$	4	0.05	0.28
$2.0 - 2.99 \times 10^{-4}$	1	0.01	0.29
$1.0 - 1.99 \times 10^{-4}$	52	0.61	0.91
$9.0 - 9.99 \times 10^{-5}$	20	0.24	1.14
$8.0 - 8.99 \times 10^{-5}$	71	0.84	1.98
$7.0 - 7.99 \times 10^{-5}$	86	1.01	2.99
$6.0 - 6.99 \times 10^{-5}$	194	2.28	5.27
$5.0 - 5.99 \times 10^{-5}$	407	4.79	10.06
$4.0 - 4.99 \times 10^{-5}$	783	9.22	19.28
$3.0 - 3.99 \times 10^{-5}$	1288	15.16	34.44
$2.0 - 2.99 \times 10^{-5}$	1961	23.08	57.52
$1.0 - 1.99 \times 10^{-5}$	2604	30.65	88.17
$9.0 - 9.99 \times 10^{-6}$	256	3.01	91.18
$8.0 - 8.99 \times 10^{-6}$	205	2.41	93.60
$7.0 - 7.99 \times 10^{-6}$	214	2.52	96.12
$6.0 - 6.99 \times 10^{-6}$	129	1.52	97.63
$5.0 - 5.99 \times 10^{-6}$	78	0.92	98.55
$4.0 - 4.99 \times 10^{-6}$	78	0.92	99.47
$\leq 3.99 \times 10^{-6}$	45	0.53	100.00
<i>TOTALS</i>	8496	100.00	--- ---

Note:

1. Percentage of Valid Observations - 96.98
2. Average Relative Concentration 3.11000×10^{-5}

Table 2-39. Supplemental Data - Joint Frequency Distribution

["HISTORICAL INFORMATION NOT REQUIRED TO BE REVISED."]

OCCONEE METEOROLOGICAL SURVEY (TOWER DATA)		FOR PERIOD OF JUNE 19, 1968 THRU JUNE 19, 1969												
		SUMMARY OF WIND OCCURRENCES BY SECTOR & SPEED CLASS (NO. OCCUR, PERCENT, STANDARD DEVIATION)												
Wind Sector	Item	1.0-3.2	3.3-5.5	5.6-7.8	7.9-10.0	10.1-12.3	12.4-14.5	14.6-16.7	16.8-19.0	19.1-21.2	>21.2 MPH			
		4.5-1.49	1.5-2.49	2.5-3.49	3.5-4.49	4.5-5.49	5.5-6.49	6.5-7.49	7.5-8.49	8.5-9.49	>9.5 N/S			
360.0	Sector	1472	698	247	140	16	3	3	0	0	0			
	Total	17.24	8.18	2.89	0.47	0.19	0.04	0.04	0.00	0.00	0.00			
-N-	No.	261	312	94	20	9	4	4	3	0	0			
	Sd	16.0	7.5	6.1	9.1	11.8	12.5	6.4	0.0	0.0	0.0			
22.5	Sector	708	312	94	20	9	4	4	3	0	0			
	Total	8.29	3.65	1.10	0.23	0.11	0.05	0.05	0.04	0.01	0.00			
-NNE-	No.	842	281	185	85	35	15	14	3	0	0			
	Sd	16.5	9.5	7.0	11.5	5.0	5.6	5.4	11.7	5.0	0.0			
45.0	Sector	842	329	217	100	0.41	0.18	0.16	0.04	0.00	0.00			
	Total	9.86	3.29	2.17	1.00	0.41	0.18	0.16	0.04	0.00	0.00			
-NE-	No.	179	10.1	6.8	6.1	6.4	5.6	6.2	6.4	0.0	0.0			
	Sd	17.9	10.1	6.8	6.1	6.4	5.6	6.2	6.4	0.0	0.0			
67.5	Sector	493	143	96	83	24	10	3	0	0	0			
	Total	5.77	1.68	1.12	0.97	0.28	0.12	0.04	0.00	0.00	0.00			
-ENE-	No.	508	177	195	74	8	6	1	0	0	0			
	Sd	5.77	1.68	1.12	0.97	0.28	0.12	0.04	0.00	0.00	0.00			
90.0	Sector	508	177	195	74	8	6	1	0	0	0			
	Total	5.95	2.28	0.87	0.55	0.09	0.07	0.01	0.00	0.00	0.00			
-E-	No.	318	131	141	33	4	1	0	0	0	0			
	Sd	3.72	1.53	1.65	0.39	0.05	0.01	0.00	0.00	0.00	0.00			
-ESE-	No.	318	131	141	33	4	1	0	0	0	0			
	Sd	3.72	1.53	1.65	0.39	0.05	0.01	0.00	0.00	0.00	0.00			
135.0	Sector	307	154	47	18	1	0	0	0	0	0			
	Total	3.60	1.80	0.55	0.21	0.01	0.00	0.00	0.00	0.00	0.00			
-SE-	No.	161	52	27	6	2	0	0	0	0	0			
	Sd	1.89	0.61	0.32	0.07	0.02	0.00	0.00	0.00	0.00	0.00			
157.5	Sector	173	100	15	7	5	0	0	0	0	0			
	Total	1.73	0.87	0.15	0.08	0.06	0.00	0.00	0.00	0.00	0.00			
180.0	Sector	203	117	44	26	2	0	0	0	0	0			
	Total	2.03	1.17	0.48	0.26	0.02	0.00	0.00	0.00	0.00	0.00			
-S-	No.	304	110	59	55	20	10	1	0	0	0			
	Sd	3.56	1.29	0.69	0.64	0.23	0.12	0.01	0.00	0.00	0.00			
202.5	Sector	631	218	126	89	41	27	1	0	0	0			
	Total	7.39	2.55	1.48	1.04	0.48	0.32	0.01	0.00	0.00	0.00			
-SSW-	No.	129	151	106	72	34	27	13	3	2	3			
	Sd	14.3	15.5	10.6	7.2	5.9	5.8	7.5	0.4	0.2	0.4			
225.0	Sector	434	112	98	36	34	27	13	3	2	3			
	Total	5.08	1.24	1.15	0.42	0.40	0.32	0.15	0.04	0.02	0.04			
-SW-	No.	524	125	91	52	50	39	21	12	0	3			
	Sd	6.14	1.46	1.07	0.61	0.59	0.46	0.25	0.14	0.00	0.04			
247.5	Sector	515	199	64	33	17	3	3	0	1	0			
	Total	6.03	2.33	0.64	0.39	0.20	0.04	0.04	0.00	0.01	0.00			
-WSW-	No.	364	117	46	39	25	9	7	5	1	1			
	Sd	4.26	1.34	0.54	0.46	0.29	0.11	0.08	0.06	0.01	0.01			
270.0	Sector	515	199	64	33	17	3	3	0	1	0			
	Total	6.03	2.33	0.64	0.39	0.20	0.04	0.04	0.00	0.01	0.00			
-W-	No.	268	303	92	14	4	3	0	0	0	0			
	Sd	3.14	3.55	1.08	0.16	0.05	0.04	0.00	0.00	0.00	0.00			
292.5	Sector	99	7.0	6.2	8.7	11.3	13.3	0.0	0.0	0.0	0.0			
	Total	1.16	0.70	0.62	0.87	1.13	1.33	0.0	0.0	0.0	0.0			
-WNW-	No.	116	125	91	52	50	39	21	12	0	3			
	Sd	1.16	1.25	0.91	0.52	0.50	0.39	0.21	0.12	0.0	0.04			
315.0	Sector	8537	3279	1385	632	295	157	71	26	5	7			
	Total	100.0	30.23	16.22	7.40	3.46	1.84	0.83	0.30	0.06	0.08			

FOR PERIOD JUNE 19, 1968 THRU JUNE 19, 1969

OCONEE METEOROLOGICAL SURVEY (TOWER DATA)

SUMMARY OF PASQUILL F WIND OCCURRENCES BY SECTOR & SPEED CLASS (NO. OCCUR, PERCENT, STANDARD DEVIATION)

Wind Sector	Item	Sector Total	1.0-3.2 0.45-1.49	3.3-5.5 1.5-2.49	5.6-7.8 2.5-3.49	7.9-10.0 3.5-4.49	10.1-12.3 4.5-5.49	12.4-14.5 5.5-6.49	14.6-16.7 6.5-7.49	16.8-19.0 7.5-8.49	19.1-21.2 8.5-9.49	>21.2 MPH >9.5 M/S
-N-	No.	499	131	260	95	12	1	0	0	0	0	0
	Pct	5.76%	1.51%	3.00%	1.10%	0.14%	0.01%	0.00%	0.00%	0.00%	0.00%	0.00%
-NNE-	No.	166	68	66	29	3	0	0	0	0	0	0
	Pct	1.92%	0.77%	0.76%	0.33%	0.03%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
-NE-	No.	135	61	57	13	3	0	0	1	0	0	0
	Pct	1.56%	0.70%	0.66%	0.15%	0.03%	0.00%	0.00%	0.01%	0.00%	0.00%	0.00%
-ENE-	No.	57	36	20	0	1	0	0	0	0	0	0
	Pct	0.66%	0.42%	0.23%	0.00%	0.01%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
-E-	No.	116	55	55	4	1	0	0	0	0	0	0
	Pct	1.34%	0.63%	0.64%	0.05%	0.01%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
-ESE-	No.	65	30	32	3	0	0	0	0	0	0	0
	Pct	0.75%	0.35%	0.37%	0.03%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
-SE-	No.	41	18	19	2	2	0	0	0	0	0	0
	Pct	0.47%	0.21%	0.22%	0.02%	0.02%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
-SSE-	No.	23	10	11	2	0	0	0	0	0	0	0
	Pct	0.27%	0.12%	0.13%	0.02%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
-S-	No.	19	6	10	2	1	0	0	0	0	0	0
	Pct	0.18%	0.07%	0.12%	0.02%	0.01%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
-SSW-	No.	39	16	18	4	0	0	0	0	0	0	0
	Pct	0.45%	0.18%	0.21%	0.05%	0.00%	0.00%	0.01%	0.00%	0.00%	0.00%	0.00%
-SW-	No.	95	29	40	15	10	1	0	0	0	0	0
	Pct	1.10%	0.33%	0.46%	0.17%	0.12%	0.01%	0.00%	0.00%	0.00%	0.00%	0.00%
-WSW-	No.	75	31	23	17	3	0	1	0	0	0	0
	Pct	0.87%	0.36%	0.27%	0.20%	0.03%	0.00%	0.01%	0.00%	0.00%	0.00%	0.00%
-W-	No.	102	43	28	23	5	2	0	0	1	0	0
	Pct	1.18%	0.50%	0.32%	0.27%	0.06%	0.02%	0.00%	0.00%	0.01%	0.00%	0.00%
-WNW-	No.	101	40	42	10	8	1	0	0	0	0	0
	Pct	1.17%	0.46%	0.48%	0.12%	0.09%	0.01%	0.00%	0.00%	0.00%	0.00%	0.00%
-NW-	No.	222	87	105	21	9	0	0	0	0	0	0
	Pct	2.56%	1.00%	1.21%	0.24%	0.10%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
-NNW-	No.	352	110	188	52	2	0	0	0	0	0	0
	Pct	4.06%	1.27%	2.17%	0.60%	0.02%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
Calm	No.	27	---	---	---	---	---	---	---	---	---	---
	Pct	0.31%	---	---	---	---	---	---	---	---	---	---
Total	No.	2134	771	974	292	60	6	2	1	1	0	0
	Pct	24.64%	8.90%	11.25%	3.37%	0.69%	0.07%	0.02%	0.01%	0.01%	0.00%	0.00%

Total Valid Observations: 8661

OCONEE METEOROLOGICAL SURVEY (TOWER DATA)

FOR PERIOD JUNE 19, 1968 THRU JUNE 19, 1969

SUMMARY OF PASQUILL E WIND OCCURRENCES BY SECTOR & SPEED CLASS (NO. OCCUR, PERCENT, STANDARD DEVIATION)

Wind Sector	Item	Sector	1.0-3.2	3.3-5.5	5.6-7.8	7.9-10.0	10.1-12.3	12.4-14.5	14.6-16.7	16.8-19.0	19.1-21.2	>21.2 MPH
		Total	1.0-3.2	3.3-5.5	5.6-7.8	7.9-10.0	10.1-12.3	12.4-14.5	14.6-16.7	16.8-19.0	19.1-21.2	>21.2 MPH
-N-	No.	458	118	247	77	12	4	0	0	0	0	0
	Pct	5.29%	1.36%	2.85%	0.89%	0.14%	0.05%	0.00%	0.00%	0.00%	0.00%	0.00%
-NNE-	No.	166	52	85	23	3	2	1	0	0	0	0
	Pct	1.92%	0.68%	0.98%	0.27%	0.03%	0.02%	0.01%	0.00%	0.00%	0.00%	0.00%
-NE-	No.	138	40	61	26	10	1	0	0	0	0	0
	Pct	1.59%	0.46%	0.70%	0.30%	0.12%	0.01%	0.00%	0.00%	0.00%	0.00%	0.00%
-ENE-	No.	55	18	23	9	4	1	0	0	0	0	0
	Pct	0.64%	0.21%	0.27%	0.10%	0.05%	0.01%	0.00%	0.00%	0.00%	0.00%	0.00%
-E-	No.	56	25	23	4	4	0	0	0	0	0	0
	Pct	0.65%	0.29%	0.27%	0.05%	0.05%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
-ESE-	No.	42	18	20	1	2	0	1	0	0	0	0
	Pct	0.49%	0.21%	0.23%	0.01%	0.02%	0.00%	0.01%	0.00%	0.00%	0.00%	0.00%
-SE-	No.	41	4	29	5	3	0	0	0	0	0	0
	Pct	0.47%	0.05%	0.34%	0.06%	0.03%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
-SSE-	No.	33	10	13	9	0	1	0	0	0	0	0
	Pct	0.38%	0.12%	0.15%	0.10%	0.00%	0.01%	0.00%	0.00%	0.00%	0.00%	0.00%
-S-	No.	32	9	14	3	2	4	0	0	0	0	0
	Pct	0.37%	0.10%	0.16%	0.03%	0.02%	0.05%	0.00%	0.00%	0.00%	0.00%	0.00%
-SSW-	No.	51	6	20	7	13	4	1	0	0	0	0
	Pct	0.59%	0.07%	0.23%	0.08%	0.15%	0.05%	0.01%	0.00%	0.00%	0.00%	0.00%
-SW-	No.	130	22	46	34	22	6	0	0	0	0	0
	Pct	1.50%	0.25%	0.53%	0.39%	0.25%	0.07%	0.00%	0.00%	0.00%	0.00%	0.00%
-WSW-	No.	103	18	27	28	16	11	3	0	0	0	0
	Pct	1.19%	0.21%	0.31%	0.32%	0.18%	0.13%	0.03%	0.00%	0.00%	0.00%	0.00%
-W-	No.	136	25	27	30	22	17	10	4	1	0	0
	Pct	1.57%	0.29%	0.31%	0.35%	0.25%	0.20%	0.12%	0.05%	0.01%	0.00%	0.00%
-WNW-	No.	82	24	28	10	14	6	1	0	0	0	0
	Pct	0.95%	0.28%	0.32%	0.12%	0.16%	0.05%	0.01%	0.01%	0.00%	0.00%	0.00%
-NW-	No.	89	36	31	8	6	8	0	0	0	0	0
	Pct	1.03%	0.42%	0.36%	0.09%	0.07%	0.09%	0.00%	0.00%	0.00%	0.00%	0.00%
-NNW-	No.	127	54	54	15	3	1	0	0	0	0	0
	Pct	1.47%	0.62%	0.62%	0.17%	0.03%	0.01%	0.00%	0.00%	0.00%	0.00%	0.00%
Calm	No.	14	---	---	---	---	---	---	---	---	---	---
	Pct	0.16%	---	---	---	---	---	---	---	---	---	---
Total	No.	1753	479	748	289	136	64	17	5	1	0	0
	Pct	20.25%	5.53%	8.64%	3.34%	1.57%	0.74%	0.20%	0.06%	0.01%	0.00%	0.00%

Total Valid Observations: 8656

FOR PERIOD JUNE 19, 1968 THRU JUNE 19, 1969

OCONEE METEOROLOGICAL SURVEY (TOWER DATA)

SUMMARY OF PASQUILL D WIND OCCURRENCES BY SECTOR & SPEED CLASS (NO. OCCUR, PERCENT, STANDARD DEVIATION)

Wind Sector	Item	1.0-3.2 1.45-1.49	3.3-5.5 1.5-2.49	5.6-7.8 2.5-3.49	7.9-10.0 3.5-4.49	10.1-12.3 4.5-5.49	12.4-14.5 5.5-6.49	14.6-16.7 6.5-7.49	16.8-19.0 7.5-8.49	19.2-21.2 8.5-9.49	>21.2 MPH >9.5 M/S
-N-	No.	505	211	188	73	18	10	3	2	0	0
	Pct	5.86%	2.49%	2.18%	0.85%	0.21%	0.12%	0.03%	0.02%	0.00%	0.00%
-NNE-	No.	371	138	161	40	14	7	3	4	3	1
	Pct	4.30%	1.60%	1.87%	0.46%	0.16%	0.08%	0.03%	0.03%	0.01%	0.00%
-NE-	No.	566	121	163	145	72	34	15	13	3	0
	Pct	6.57%	1.40%	1.89%	1.68%	0.84%	0.39%	0.17%	0.15%	0.03%	0.00%
-ENE-	No.	374	76	100	85	77	23	10	3	0	0
	Pct	4.34%	0.88%	1.16%	0.99%	0.89%	0.27%	0.12%	0.03%	0.00%	0.00%
-E-	No.	336	97	117	66	41	8	6	1	0	0
	Pct	3.90%	1.13%	1.36%	0.77%	0.48%	0.09%	0.07%	0.01%	0.00%	0.00%
-ESE-	No.	213	84	90	29	6	4	0	0	0	0
	Pct	2.45%	0.97%	1.04%	0.34%	0.07%	0.05%	0.00%	0.00%	0.00%	0.00%
-SE-	No.	224	65	105	40	13	1	0	0	0	0
	Pct	2.60%	0.75%	1.22%	0.46%	0.15%	0.01%	0.00%	0.00%	0.00%	0.00%
-SSE-	No.	104	32	50	15	6	1	0	0	0	0
	Pct	1.21%	0.37%	0.58%	0.17%	0.07%	0.01%	0.00%	0.00%	0.00%	0.00%
-S-	No.	122	28	79	10	4	1	0	0	0	0
	Pct	1.42%	0.32%	0.92%	0.12%	0.05%	0.01%	0.00%	0.00%	0.00%	0.00%
-SSW-	No.	214	27	72	48	42	16	8	1	0	0
	Pct	2.48%	0.31%	0.84%	0.56%	0.49%	0.19%	0.09%	0.01%	0.00%	0.00%
-SW-	No.	406	79	131	77	57	34	27	1	0	0
	Pct	4.71%	0.92%	1.52%	0.89%	0.66%	0.39%	0.31%	0.01%	0.00%	0.00%
-WSW-	No.	254	71	54	50	17	27	20	7	3	3
	Pct	2.95%	0.82%	0.63%	0.58%	0.20%	0.31%	0.23%	0.08%	0.03%	0.03%
-W-	No.	287	63	70	38	25	31	24	17	11	3
	Pct	3.33%	0.73%	0.81%	0.44%	0.29%	0.36%	0.34%	0.20%	0.13%	0.03%
-WNW-	No.	180	52	44	26	17	20	6	6	5	1
	Pct	2.09%	0.60%	0.51%	0.30%	0.20%	0.23%	0.09%	0.07%	0.06%	0.01%
-NW-	No.	203	81	62	26	18	9	3	3	1	0
	Pct	2.36%	0.94%	0.72%	0.30%	0.21%	0.10%	0.03%	0.03%	0.01%	0.00%
-NNW-	No.	200	102	58	25	9	3	3	0	0	0
	Pct	2.31%	1.18%	0.67%	0.29%	0.10%	0.03%	0.03%	0.00%	0.00%	0.00%
Calim	No.	52	---	---	---	---	---	---	---	---	---
	Pct	0.60%	---	---	---	---	---	---	---	---	---
Total	No.	4611	1327	1544	793	436	229	135	58	25	7
	Pct	53.50%	15.40%	17.91%	9.20%	5.06%	2.66%	1.57%	0.67%	0.29%	0.08%

Total Valid Observations: 8619

Note: Class D includes stability categories (A+B+C+D)

Table 2-40. Deleted per 2008 Update

Table 2-41. Deleted per 2008 Update

Table 2-42. Deleted per 2008 Update

Table 2-43. Deleted per 2008 Update

Table 2-44. Supplemental Data - SF₆ Detector Readings - Test Date: January 28, 1970

Point Number	Time (24 hr. clock)	Recorder Reading (%)
1	2111	56
2	2117	0
9A	2121	0
9B	2124	0
9C	2126	0
8	2131	0
1A	2134	0
1B	2136	0
1C	2138	0
1	2141	0
10A	2145	67
10B	2148	100
10C	2150	0
2A	2153	0
2B	2155	0
2C	2157	0
3	2159	2
3B	2202	0
3C	2205	0
3D	2207	0
3E	2210	0
3F	2213	0
4	2215	0
3	2221	0
2B	2223	0
2	2227	100
10A	2227	100
10C	2230	100
10D	2233	100
10E	2235	100
1D	2238	100

Table 2-45. Deleted per 2008 Update

Table 2-46. Deleted per 2008 Update

Table 2-47. Deleted per 2008 Update

Table 2-48. Deleted per 2008 Update

Table 2-49. Deleted per 2008 Update

Table 2-50. Deleted per 2008 Update

Table 2-51. Deleted per 2008 Update

Table 2-52. Deleted per 2008 Update

Table 2-53. Deleted per 2008 Update

Table 2-54. Deleted per 2008 Update

Table 2-55. Deleted per 2008 Update

Table 2-56. Deleted per 2008 Update

Table 2-57. Deleted per 2008 Update

Table 2-58. Deleted per 2008 Update

Table 2-59. Deleted per 2008 Update

Table 2-60. Deleted per 2008 Update

Table 2-61. Deleted per 2008 Update

Table 2-62. Deleted per 2008 Update

Table 2-63. Deleted per 2008 Update

Table 2-64. Deleted per 2008 Update

Table 2-65. Deleted per 2008 Update

Table 2-66. Deleted per 2008 Update

Table 2-67. Deleted per 2008 Update

Table 2-68. Deleted per 2008 Update

Table 2-69. Deleted per 2008 Update

Table 2-70. Deleted per 2008 Update

Table 2-71. Deleted per 2008 Update

Table 2-72. Deleted per 2008 Update

Table 2-73. Deleted per 2008 Update

Table 2-74. Deleted per 2008 Update

Table 2-75. Deleted per 2008 Update

Table 2-76. Deleted per 2008 Update

Table 2-77. Deleted per 2008 Update

Table 2-78. Deleted per 2008 Update

Table 2-79. Deleted per 2008 Update

Table 2-80. Deleted per 2008 Update

Table 2-81. Deleted per 2008 Update

Table 2-82. Deleted per 2008 Update

Table 2-83. Deleted per 2008 Update

Table 2-84 Deleted per 2008 Update

Table 2-85. Deleted per 2008 Update

Table 2-86. Deleted per 2008 Update

Table 2-87. Deleted per 2008 Update

Table 2-88. Deleted per 2008 Update

Table 2-89. Deleted per 2008 Update

Table 2-90. Deleted per 2008 Update

Table 2-91. Deleted per 2008 Update

Table 2-92. Deleted per 2008 Update

Table 2-93. Soil Permeability Test Results

WELL NO.	h (ft)	r (ft)	$\frac{h}{r}$	T_u (ft)	Q (ft ³ /min)	T (°C)	WT Condition	k (ft./min)
NA-4W2	3.83	2.50	1.53 ⁽¹⁾	27.0	0.0175	23.5	Low	3.9 x 10 ⁻⁵
NA-11AW2	14.0	0.833	16.8	31.0	0.133	20.5	High	3.3 x 10 ⁻⁴
NA-13W1	6.17	0.833	7.42 ⁽²⁾	27.0	0.0275	20.0	Low	2.0 x 10 ⁻⁴
NA-15W1	14.0	0.833	16.8	30.3	0.240	20.5	High	6.1 x 10 ⁻⁴ ⁽³⁾
NA-15W2	12.25	0.833	14.7	30.5	0.190	21.0	High	5.1 x 10 ⁻⁴

Note:

1. $\frac{h}{r} \ll 10$, not acceptable
2. $\frac{h}{r} < 10$, possibly acceptable
3. For manual incremental test, $k = 7.4 \times 10^{-4}$ ft / min

Table 2-94. Significant Earthquakes in the Southeast United States (Intensity V or Greater)

Year	Date	Intensity (Modified Mercalli)	Epicentral Location			Perceptible Area (Square Miles)
			Locality	N.Lat.	W.Long.	
1843	January 4	VIII	Western Tennessee	35.2	90.0	400,000
1857	December 19	Not Listed	Charleston, S.C.	32.8	79.8	Not Listed
1872	June 17	V	Milledgeville, Ga.	33.1	83.3	Not Listed
1874	February 10 April 17	V	McDowell County, N.C.	35.7	82.1	Local
1875	November 1	VI	Northern Georgia	33.8	82.5	25,000
1875	December 22	VII	Arvon, Virginia	37.6	78.5	50,000
1877	November 16	V	Western N.C. and Eastern Tennessee	35.5	84.0	5,000
1879	December 12	V	Charlotte, N.C.	35.2	80.8	Not Listed
1884	January 18	V	Wilmington, N.C.	34.3	78.0	Local
1885	August 6	IV-V	North Carolina	36.2	81.6	Local
1886	February 4	V	Alabama	32.8	88.0	1,600
1886	August 31	IX-X	Charleston, S.C.	32.9	80.0	2,000,000
1886	October 22	VI	Charleston, S.C.	32.9	80.0	30,000
	October 22	VII	Charleston, S.C.	32.9	80.0	30,000
1886	November 5	VI	Charleston, S.C.	32.9	80.0	30,000
1889	July 19	VI	Memphis, Tenn.	35.2	90.0	Local
1897	April 30	IV-V	Tennessee and Ill.	Not Listed	Not Listed	Not Listed
1897	December 18	V	Ashland, Virginia	37.7	77.5	7,500

Year	Date	Intensity (Modified Mercalli)	Epicentral Location			Perceptible Area (Square Miles)
			Locality	N.Lat.	W.Long.	
1900	October 31	V	Jacksonville Fla.	30.4	81.7	Local
1902	October 18	V	Southeastern Tenn. and Northwestern Ga.	35.0	85.3	1,500
1903	January 23	VI	Georgia and S.C.	32.1	81.1	10,000
1904	March 4	V	Eastern Tenn.	35.7	83.5	5,000
1905	January 27-8	VII	Alabama	34	86	250,000
1907	April 19	V	South Carolina	32.9	80.0	10,000
1911	April 20	V	North Carolina- South Carolina Border	35.2	82.7	600
1912	June 12	VII	Summerville, S.C.	32.9	80.0	35,000
1912	June 20	V	Savannah, Georgia	32	81	Not Listed
1913	January 1	VII-VIII	Union County, S.C.	34.7	81.7	43,000
1913	March 28	VII	Eastern Tennessee	36.2	83.7	2,700
1913	April 17	V	Eastern Tennessee	35.3	84.2	3,500
1914	January 23	V	Eastern Tennessee	35.6	84.5	Local
1914	March 5	VI	Georgia	33.5	83.5	50,000
1914	September 22	V	South Carolina	33.0	80.3	30,000
1915	October 29	V	North Carolina	35.8	82.7	1,200
1916	February 21	VI	Western N.C.	35.5	82.5	200,000
1916	August 26	V	Western N.C.	36	81	3,800

Year	Date	Intensity (Modified Mercalli)	Epicentral Location			Perceptible Area (Square Miles)
			Locality	N.Lat.	W.Long.	
1916	October 18	VII	Alabama	33.5	86.2	100,000
1917	June 29	V	Alabama	32.7	87.5	Local
1918	June 21	V	Tennessee	36.1	84.1	3,000
1918	October 15	V	Western Tennessee	35.2	89.2	20,000
1920	December 24	V	Eastern Tennessee	36	85	Local
1924	October 20	V	Pickens County, S.C.	35.0	82.6	56,000
1926	July 8	VI	Southern Mitchell County, N.C.	35.9	82.1	Local
1927	June 16	V	Alabama	34.7	86.0	2,500
1928	November 2	VI	Western N.C.	36.0	82.6	40,000
1931	May 5	V-VI	Northern Alabama	33.7	86.6	6,500
1933	December 19	IV-V	Summerville, S.C.	33.0	80.2	Local
1935	January 1	V	North Carolina- Georgia Border	35.1	83.6	7,000
1939	May 4	V	Anniston, Ala.	33.7	85.8	Not Listed
1941	November 16	V-VI	Covington, Tenn.	35.5	89.7	Local
1945	June 13	V	Cleveland, Tenn.	35	84.5	Not Listed
1945	July 26	VI	Murray Lake, S.C.	34.3	81.4	25,000
1952	November 19	V	Charleston, S.C.	32.8	80.0	Not Listed
1952	July 16	VI	Dyersburg, Tenn.	36.2	89.6	Not Listed
1954	January 22	V	Athens and Etowah, Tennessee	35.3	84.4	Not Listed
1954	April 26	V	Memphis, Tenn.	35.2	90.1	Not Listed
1955	January 25	VI	Tenn-Arkansas- Missouri Border	35.6	90.3	30,000

Year	Date	Intensity (Modified Mercalli)	Epicentral Location			Perceptible Area (Square Miles)
			Locality	N.Lat.	W.Long.	
1955	March 29	VI	Finley, Tenn.	36.0	89.5	Not Listed
1955	September 5	V	Finley, Tenn.	36.0	89.5	Not Listed
1955	September 28	V	Virginia-N.C. Border	Not Listed	Not Listed	1,700
1955	December 13	V	Dyer County, Tenn.	36	89.5	Not Listed
1956	September 7	VI	Eastern Tennessee	35.5	84.0	8,300
1956	January 28	VI	Tennessee-Arkansas Border	35.6	89.6	Not Listed
1957	April 23	VI	Northern Alabama	34.5	86.7	11,500
1957	May 13	VI	Western N.C.	35.7	82	8,100
1957	June 23	V	Eastern Central Tennessee	36.5	84.5	Not Listed
1957	July 2	VI	Western N.C.	35.5	83.5	Not Listed
1957	November 24	VI	North Carolina- Tennessee Border	35	83.5	4,100
1958	March 5	V	Wilmington, N.C.	34.2	77.7	Not Listed
1958	April 8	V	Obion County, Tenn.	36.2	89.1	400
1958	October 20	V	Anderson, S.C.	34.5	82.7	Local
1959	August 3	VI	South Carolina	33	79.5	25,000
1959	August 12	VI	Alabama-Tennessee Border	35	87	2,800
1959	October 26	VI	Northeastern S.C.	34.5	80.2	4,800
1959	December 21	V	Finley, Tenn.	36	89.5	400
1960	January 28	V	Dyer County, Tenn.	36	89.5	Local
1960	March 12	V	Near Coast, S.C.	33	79	3,500

Year	Date	Intensity (Modified Mercalli)	Epicentral Location			Perceptible Area (Square Miles)
			Locality	N.Lat.	W.Long.	
1960	April 15	V	Eastern Tenn.	35.7	84	1,300
1960	April 21	V	Lake County, Tenn.	36.3	89.5	Local
1960	July 23	V	Charleston, S.C.	33	80	Local
1971	July 13	IV-VI	Seneca, S.C.	34 -35	82 -83	Local
1979	August 25	VI	Lake Jocassee, S.C.	35	83	5,800
1979	September 12	V	southwestern North Carolina	35.6	83.9	Not Listed
1980	July 27	VII	NE Kentucky, near Sharpsburg, KY	38.2	83.9	258,000
1980	December 2	VI	northwest Tennessee	36.2	89.4	800
1981	April 9	V	western North Carolina	35.5	82.1	Not Listed
1981	May 5	VI	near Hendersonville, NC	35.3	82.4	4,000
1981	August 7	VI	western Tennessee	36.0	89.1	4,000
1982	September 24	V	eastern Tennessee	35.7	84.3	Not Listed
1982	October 31	V	western Georgia	32.7	84.9	Not Listed
1983	March 25	V	western North Carolina	35.3	82.5	Not Listed
1983	November 6	V	near Charleston, SC	32.9	80.2	Not Listed
1984	February 14	VI	eastern Tennessee	36.1	83.7	Local
1984	August 17	V	central Virginia	37.9	78.3	Not Listed
1984	October 9	VI	near Ringgold, GA	34.8	85.2	3,100
1986	July 11	VI	northwest GA, near Chattanooga, TN	34.9	85.0	5,000
1986	December 10	V	central Virginia	37.6	77.5	25

Year	Date	Intensity (Modified Mercalli)	Epicentral Location			Perceptible Area (Square Miles)
			Locality	N.Lat.	W.Long.	
1987	March 27	VI	near Greenback, TN	35.6	84.2	9,000
1987	July 11	V	eastern Tennessee	36.1	83.8	Not Listed
1988	January 23	V	near Charleston, SC	32.9	80.2	Not Listed
1988	September 7	VI	NE Kentucky, near Sharpsburg, KY	38.1	83.9	40,000
1989	August 20	VI	near Littleville, AL	34.7	87.7	2,300
1990	November 13	V	near Charleston, SC	32.9	80.0	Not Listed

Table 2-95. Velocity Measurements

Boring	Depth of Core	Rock Description	Velocity (ft/sec)	Specific Gravity
NA-9	8.5'	Weathered Granite Gneiss	5,270	2.44
NA-4	31.0'	Granite Gneiss	11,900	2.85
NA-4	66.0'	Biotite Hornblende Gneiss	10,000	2.65
NA-9	90.0'	Granite Gneiss	10,100	2.68

Table 2-96. Core Measurements

Boring	Depth of Core	Description of Rock	Average Young's Modulus (E) (psi)	Average Poisson's Ratio (σ)	Ultimate Crushing Strength (psi)
NA-4	14.0'	Weathered Granite Gneiss	1.5×10^6	(0.50) ⁽¹⁾ (0.28)	5,000
NA-9	26.5'	Weathered Granite Gneiss	1.8×10^6	0.15	6,610
NA-9	41.0'	Slightly Weathered Granite Gneiss	2.4×10^6	0.20	7,540
NA-4	47.5'	Granite Gneiss	4.8×10^6	0.18	15,520
NA-9	55.0'	Biotite Hornblende Gneiss	4.1×10^6	0.11	⁽³⁾
NA-9	59.5'	Granite Gneiss	5.1×10^6	0.20 ⁽²⁾	16,480
NA-9	71.5'	Biotite Hornblende Gneiss	(3.2×10^6) ⁽¹⁾ (11.4×10^6)	0.21	8,270
NA-9	98.0'	Granite Gneiss	5.9×10^6	0.20	12,320

Note:

1. Values are too far apart to average.
2. Single value, other strain gauge set did not work.
3. End failure on weak area of core, value approximately 11,000.