

## NRR-DMPSPeM Resource

---

**From:** Kim, James  
**Sent:** Friday, July 27, 2018 10:23 AM  
**To:** Duke, Paul R.  
**Cc:** Thomas, Brian J.  
**Subject:** Acceptance Review: Salem 1 & 2 Extend Refueling Water Storage Tank AOT (EPID: L-2018-LLA-0184)

By letter dated June 29, 2018 (Agencywide Documents Access and Management System (ADAMS) Accession No. ML ML18183A025), Public Service Enterprise Group Nuclear, LCC (PSEG, the licensee) submitted a license amendment request (LAR) for Salem Nuclear Generating Station Units 1 and 2. The proposed amendment would delete duplicative Technical Specifications (TSs) requirements to the refueling water storage tank (RWST) in TS 3.1.2.6, "Borated Water Sources - Operating", and revises TS 3.5.5, "Refueling Water Storage Tank"; to ensure compliance with assumptions used in the design basis accident and containment response analyses and to make Salem TS requirements for the RWST consistent with NUREG 1431, Revision 4, "Standard Technical Specifications – Westinghouse Plants."

The NRC staff has reviewed your application and concluded that it does provide technical information in sufficient detail to enable the NRC staff to complete its detailed technical review and make an independent assessment regarding the acceptability of the proposed amendment in terms of regulatory requirements and the protection of public health and safety and the environment. Given the lesser scope and depth of the acceptance review as compared to the detailed technical review, there may be instances in which issues that impact the NRC staff's ability to complete the detailed technical review are identified despite completion of an adequate acceptance review. If additional information is needed, you will be advised by separate correspondence.

The NRC staff has estimated that this licensing request will take approximately 230 hours to complete. The NRC staff expect to complete this review in approximately 12 months, which is July 2019. If there are emergent complexities or challenges in our review that would cause changes to the initial forecasted completion date or significant changes in the forecasted hours, the reasons for the changes, along with the new estimates, will be communicated during the routine interactions with the assigned project manager.

These estimates are based on the NRC staff's initial review of the application and they could change, due to several factors including requests for additional information, unanticipated addition of scope to the review, and review by NRC advisory committees or hearing-related activities. Additional delay may occur if the submittal is provided to the NRC in advance or in parallel with industry program initiatives or pilot applications.

If you have any question, please contact me, James Kim, at [James.Kim@nrc.gov](mailto:James.Kim@nrc.gov) or 301-415-4125.

James Kim, Project Manager  
Branch 1, Division of Operating Reactor Licensing  
Office of Nuclear Reactor Regulation  
U.S. Nuclear Regulatory Commission

**Hearing Identifier:** NRR\_DMPS  
**Email Number:** 497

**Mail Envelope Properties** (James.Kim@nrc.gov20180727102200)

**Subject:** Acceptance Review: Salem 1 & 2 Extend Refueling Water Storage Tank AOT  
(EPID: L-2018-LLA-0184)  
**Sent Date:** 7/27/2018 10:22:48 AM  
**Received Date:** 7/27/2018 10:22:00 AM  
**From:** Kim, James

**Created By:** James.Kim@nrc.gov

**Recipients:**  
"Thomas, Brian J." <Brian.Thomas@pseg.com>  
Tracking Status: None  
"Duke, Paul R." <Paul.Duke@pseg.com>  
Tracking Status: None

**Post Office:**

Files	Size	Date & Time
MESSAGE	2789	7/27/2018 10:22:00 AM

**Options**  
**Priority:** Standard  
**Return Notification:** No  
**Reply Requested:** No  
**Sensitivity:** Normal  
**Expiration Date:**  
**Recipients Received:**