

NRE DISTRIBUTION FOR PART 50 DOCKET MATERIAL

TO: J.G. Keppler

FROM: Indiana & Michigan Power Co.
Bridgman, Michigan
R.W. JurgensenFILE NUMBER
INCIDENT REPORTDATE OF DOCUMENT
6-2-76DATE RECEIVED
6-10-76☒ LETTER
☐ ORIGINAL
☒ COPY
☐ NOTORIZED
☒ UNCLASSIFIED

PROP

INPUT FORM

NUMBER OF COPIES RECEIVED
30

DESCRIPTION

Ltr. trans the following.....

ENCLOSURE

Licensee Event Report (R.O. # 76-23) on 5-2-76
Concerning Various Valves (Isolation) failed to
meet acceptable leak rate specifications.....
Licensee Event Report (R.O. # 76-24) on 5-6-76
Concerning Lower Inlet Door 1-R opening Torque
being in excess of Tech. Sepc.....

(30 Carbon Signed Cys. RECEIVED)

ACKNOWLEDGED

DO NOT REMOVE

PLANT NAME: Cook # 1

NOTE: IF PERSONNEL EXPOSURE IS INVOLVED,
SEND DIRECTLY TO KREGER/J. COLLINS

SAFETY

FOR ACTION/INFORMATION

ENVIRO

SAB 6-10-76

BRANCH CHIEF: Kniel
W/3 CYS FOR ACTION
LIC.-ASST: Lee
W/ CYS
ACRS 16 CYS ~~RECEIVED~~ SENT TO LA

INTERNAL DISTRIBUTION

~~REG-FILE~~
NRC PDR
I & E (2)
MIPC (3)
SCHROEDER/IPPOLITO
HOUSTON
NOVAK/CHECK
GRIMES/SCHWENCER
CASE
~~XXXXXXXXXX~~
HANAUER
TEDESCO/MACCARY
EISENHUT
BAER
SHAO
VOLLMER/BUNCH
KREGER/J. COLLINS

1 Each

EXTERNAL DISTRIBUTION

LPDR: St. Joseph, MI.
TIC
NSIC

CONTROL NUMBER

5879

The diagram illustrates a two-stage sampling process. At the top, a large circle labeled 'N' represents the entire population. Inside this circle, a smaller circle labeled 'n' represents a sample selected from the population. Within the 'n' circle, a small circle labeled 'm' represents a subsample selected from the sample. Arrows indicate the flow from the population to the sample, and then from the sample to the subsample.

... ..

9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000 1001 1002 1003 1004 1005 1006 1007 1008 1009 1010 1011 1012 1013 1014 1015 1016 1017 1018 1019 1020 1021 1022 1023 1024 1025 1026 1027 1028 1029 1030 1031 1032 1033 1034 1035 1036 1037 1038 1039 1040 1041 1042 1043 10

20

$\frac{1}{2}$

Y I A N H N M

Regulatory


File Cr



INDIANA & MICHIGAN POWER COMPANY

DONALD C. COOK NUCLEAR PLANT
P.O. Box 458, Bridgman, Michigan 49806

June 2, 1976



Mr. J.G. Keppler, Regional Director
Office of Inspection and Enforcement
United States Nuclear Regulatory Commission
Region III
799 Roosevelt Road
Glen Ellyn, IL 60137

Operating License DPR-58
Docket No. 50-315

Dear Mr. Keppler:

Pursuant to the requirements of Appendix A Technical Specifications and the United States Nuclear Regulatory Commission Regulatory Guide 1.16, Revision 4, Section 2.b, the following reports are submitted:

RO-50-315/76-23
RO-50-315/76-24

Sincerely,


R.W. Jorgensen
Plant Manager

/bab

cc: R.S. Hunter
J.E. Dolan
G.E. Lien
R. Kilburn
R.J. Vollen BPI
R.C. Callen MPSC
K.R. Baker RO:III
P.W. Steketee, Esq.
R. Walsh, Esq.
G. Charnoff, Esq.
G. Olson
J.M. Hennigan
PHSRC
R.S. Keith
Dir., IE (30 copies)
Dir., MIPC (3 copies)

5879

LICENSEE EVENT REPORT

CONTROL BLOCK:

--	--	--	--	--	--

1 6

[PLEASE PRINT ALL REQUIRED INFORMATION]

LICENSEE NAME				LICENSE NUMBER										LICENSE TYPE					EVENT TYPE					
01	M	I	D	C	C	1	0	0	-	0	0	0	0	0	-	0	0	4	1	1	1	1	0	3
7	8	9				14	15										25	26				30	31	32

CATEGORY		REPORT TYPE	REPORT SOURCE	DOCKET NUMBER					EVENT DATE				REPORT DATE												
01	CONT			L	L	0	5	0	-	0	3	1	5	0	5	0	2	7	6	0	6	0	1	7	6
7	8	57	58	59	60	61							68	69					74	75					80

EVENT DESCRIPTION

02	WHILE IN MODE 5, DURING SURVEILLANCE TESTING OF CONTAINMENT ISOLATION VALVES, VARIOUS	80
03	VALVES (SEE SUPPLEMENT) FAILED TO MEET ACCEPTABLE TYPE B LEAK RATE SPECIFICATIONS AS	80
04	REQUIRED BY TECHNICAL SPECIFICATIONS PARAGRAPH 3.6.1.2.b.	80
05		80
05	(R0-50-315/76-23)	80
	PRIME	80

7 8 9 SYSTEM CODE CAUSE CODE COMPONENT CODE PRIME COMPONENT SUPPLIER COMPONENT MANUFACTURER VIOLATION
 07 S D E V A L V E X 0 X 9 9 9 N
 7 8 9 10 11 12 13 14 15 16 17 43 44 45 46 47 48

CAUSE DESCRIPTION

08	EXCESSIVE LEAKAGE DUE TO DEPOSIT BUILDUP ON VALVE SEATS AND WEAR BY VALVE OPERATIONS.	80
09	ALL VALVES WITH EXCESSIVE LEAK RATES WERE REPAIRED AND RETESTED; TOTAL LEAKAGE WAS	80
10	WITHIN SPECIFICATION.	80

11		FACILITY STATUS		000			% POWER		NA		OTHER STATUS		B		METHOD OF DISCOVERY		SURVEILLANCE TESTING														DISCOVERY DESCRIPTION												
7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
12		FORM OF ACTIVITY RELEASED		Z			CONTENT OF RELEASE		NA		AMOUNT OF ACTIVITY		NA		LOCATION OF RELEASE																												
7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50

PERSONNEL EXPOSURES

NUMBER				TYPE	DESCRIPTION
13	0	0	0	7	NA

PERSONNEL INJURIES

NUMBER				DESCRIPTION
14	0	0	0	NA

PROBABLE CONSEQUENCES

15 NA 789 60

LOSS OR DAMAGE TO FACILITY

TYPE			DESCRIPTION
1	6	Z	NZ

PUBLICITY

17	NA
7 8 9	80

ADDITIONAL FACTORS

12 | HA

7 6 9 NA 80

NAME. JACK RISCHLING

PHONE: (616) 465-5901 (368)

CFO 881-667

SUPPLEMENT TO REPORTABLE OCCURRENCE RO-50-315/76- 23

SUPPLEMENT TO EVENT DESCRIPTION

THE FOLLOWING VALVES WERE FOUND TO HAVE EXCESSIVE LEAKAGE:

DCR-621	WCR-905
ECR-15	NSW-415-3
GCR-314	NSW-415-4
NCR-105	WCR-922
NCR-106	WCR-921
NSW-244-2	NSW-417-3
NSW-244-3	VCR-106
NSW-244-4	VCR-206
WCR-958	SI-189
NSW-417-4	N-102
NSW-415-1	SM-1
NSW-415-2	

LICENSEE EVENT REPORT

CONTROL BLOCK:

--	--	--	--	--	--

1 6

(PLEASE PRINT ALL REQUIRED INFORMATION)

LICENSEE NAME														LICENSE NUMBER										LICENSE TYPE					EVENT TYPE	
01	M	I	D	C	C	1	0	0	-	0	0	0	0	0	-	0	0	4	1	1	1	1	0	3						
7	8	9				14	15									25	26					30	31	32						
01		CONT		CATEGORY		REPORT TYPE	REPORT SOURCE	DOCKET NUMBER					EVENT DATE					REPORT DATE												
01						L	L	0	5	0	-	0	3	1	5	0	5	0	6	7	6	0	6	0	1	7	6			
7	8				57, 58	59	60	61							68	69						74	75					80		

EVENT DESCRIPTION

02 WHILE IN MCDE 5, DURING ICE CONDENSER INLET DOOR OPENING TORQUE SURVEILLANCE TESTING, 80
7 8 9
03 LOWER INLET DOOR 1-R OPENING TORQUE WAS FOUND IN EXCESS OF TECHNICAL SPECIFICATION 80
7 8 9
04 PARAGRAPH 4.6.5.3.1 b3 LIMIT OF 195 INCH POUNDS. LOWER INLET DOOR 3-L INITIAL 80
7 8 9
05 OPENING TORQUE WAS FOUND TO BE IN EXCESS OF TECHNICAL SPECIFICATION PARAGRAPH 4.6.5.3.1 80
7 8 9
06 b1 LIMIT OF 675 INCH POUNDS. DOOR 1-R SPRING TENSION (SEE SUPPLEMENT) (RO-50-315/76-24 80
7 8 9
PRIME 80

7 8 9 10 11 12 17 43 44 47 48

SYSTEM CODE CAUSE CODE COMPONENT CODE COMPONENT SUPPLIER COMPONENT MANUFACTURER VIOLATION

07 S B F X X X X X X N W 1 2 0 N

CAUSE DESCRIPTION

09	DOOR 1-R LIMIT WAS EXCEEDED DUE TO SPRING TENSION DRIFT. DOOR 3-L INITIAL OPENING	80
09	TORQUE EXCEEDED LIMITS BECAUSE OF AN ICE BUILDUP FROM CONDENSATION ON THE LOWER SILL.	80
10		80

FACILITY STATUS		% POWER			OTHER STATUS		METHOD OF DISCOVERY		DISCOVERY DESCRIPTION	
11	G	0	0	0	NA	B	SURVEILLANCE TESTING			
7	8	9	10	11	12	13	14	15	16	17

FORM OF ACTIVITY RELEASED CONTENT OF RELEASE AMOUNT OF ACTIVITY LOCATION OF RELEASE

1 2 Z NA NA

7 8 9 10 11 44 45 80

PERSONNEL EXPOSURES

NUMBER				TYPE	DESCRIPTION
13	0	0	0	Z	NA

PERSONNEL INJURIES

NUMBER				DESCRIPTION
14	0	0	0	NA

PROBABLE CONSEQUENCES

15 KA

LOSS OR DAMAGE TO FACILITY

TYPE			DESCRIPTION
15	Z		NA

PUBLICITY

17	NA	
7	8	9

ADDITIONAL FACTORS

18	NA
----	----

19	NA
----	----

NAME: J. RISCHLING

PHONE: (616) 465-5901 (368)

CPO 881-067

SUPPLEMENT TO REPORTABLE OCCURRENCE RO-50-315/76-24

SUPPLEMENT TO EVENT DESCRIPTION

WAS ADJUSTED TO PROVIDE A 189 INCH POUND OPENING TORQUE. DOOR 3-L BOTTOM
SILL WAS CLEANED AND INITIAL OPENING TORQUE WAS REMEASURED AT 287 INCH
POUNDS.