

NRC DISTRIBUTION FOR PART 50 DOCKET MATERIAL
(TEMPORARY FORM)

CONTROL NO: 12053

FILE: INCIDENT REPORT FILE

| | | | | | | | | |
|---|-----------------|-----------|-------------------------|------------------------|-------------|------------------------|-----|-------|
| FROM: Indiana & Michigan Power Co. Bridgman, Michigan R.W.Jurgensen | | | DATE OF DOC 10-10-75 | DATE REC'D 10-22-75 | LTR xxxx | TWX | RPT | OTHER |
| TO: Mr. J.G. Keppler | | | ORIG 1-signed | CC | OTHER | SENT AEC PDR xxxx | | |
| | | | | | | SENT LOCAL PDR xxxx | | |
| CLASS | UNCLASS xxxx | PROP INFO | INPUT | NO CYS REC'D 1 | | DOCKET NO: 50-315 | | |

DESCRIPTION:

Ltr requesting removal of abnormal occurrence #75-21 from the records for the Donald C. Cook Plantadvising that it was reported incorrectly

ENCLOSURES:

ACKNOWLEDGED

DO NOT REMOVE

PLANT NAME: Cook #1

FOR ACTION/INFORMATION 10-24-75 JGB

| | | | |
|-------------------------|----------------------------|-----------------------------|------------------------|
| BUTLER (L) W/ Copies | SCHWENCER (L) W/ Copies | ZIEMANN (L) W/ Copies | REGAN (E) W/ Copies |
| CLARK (L) W/ Copies | STOLZ (L) W/ Copies | DICKER (E) W/ Copies | LEAR (L) W/ Copies |
| PARR (L) W/ Copies | VASSALLO (L) W/ Copies | KNIGHTON (E) W/ Copies | SPELS W/ Copies |
| KINTEL (L) W/ Copies | PURPLE (L) W/ Copies | YOUNGBLOOD (E) W/ Copies | |

INTERNAL DISTRIBUTION

| | | | | |
|---|--|--|--|--|
| REG FILE NRC PDR OGC, ROOM P-506A GOSSICK/STAFF CASE GIAMBUSSO BOYD MOORE (L) DEYOUNG (L) SKOVHOLT (L) GOLLER (L) (Ltr) P. COLLINS DENISE REG OPR FILE & REGION (2) MIPC/PE (3) STEELE | TECH REVIEW SCHROEDER MACCARY KNIGHT PAWLICKI SHAO **STELLO **HOUSTON **NOVAK ROSS IPPOLITO TEDESCO J. COLLINS LAINAS BENAROYA VOLLMER | DENTON **GRIMES GAMMILL KASTNER BALLARD SPANGLER ENVIRO MULLER DICKER KNIGHTON YOUNGBLOOD REGAN PROJECT LDR HARLESS | LIC ASST R. DIGGS (L) H. GEARIN (L) E. GOULBOURNE (L) P. KREUTZER (E) J. LEE (L) M. RUSHBROOK (L) S. REED (E) M. SERVICE (L) S. SHEPPARD (L) M. SLATER (E) H. SMITH (L) S. TEETS (L) G. WILLIAMS (E) V. WILSON (L) R. INGRAM (L) M. DUNCAN (E) | A/T IND. BRAITMAN SALTZMAN MELTZ PLANS MCDONALD CHAPMAN DUBE (Ltr) E. COUPE PETERSON HARTFIELD (2) KLECKER EISENHUT WIGGINTON F. WILLIAMS HANAUER |
|---|--|--|--|--|

EXTERNAL DISTRIBUTION

| | | |
|--------------------------------|--------------------------------|---|
| 1 - LOCAL PDR St. Joseph, Mich | 1 - NATIONAL LABS | 1 - PDR-SAN/LA/NY |
| 1 - TIC (ABERNATHY) (1)(2)(10) | 1 - W. PENNINGTON, Rm E-201 GT | 1 - BROOKHAVEN NAT LAB |
| 1 - NSIC (BUCHANAN) | 1 - CONSULTANTS | 1 - G. ULRIKSON, ORNL |
| 1 - ASLB | NEWMARK/BLUME/AGBABIAN | 1 - AGMED (RUTH GUSSMAN) Rm B-127 GT |
| 1 - Newton Anderson | | 1 - J. D. RUNKLES, Rm E-201 GT |
| 5 - ACRS SENT TO LIC ASST | | |
| ** SEND ONLY TEN DAY REPORTS | | |

[Handwritten signature]

AO-4




INDIANA & MICHIGAN POWER COMPANY

DONALD C. COOK NUCLEAR PLANT
P.O. Box 458, Bridgman, Michigan 49106

Regulatory

File CY.

October 10, 1975



Mr. J.G. Keppler, Regional Director
Office of Inspection and Enforcement
United States Nuclear Regulatory Commission
Region III
799 Roosevelt Road
Glen Ellyn, IL 60137

Operating License DPR-58
Docket No. 50-315

Dear Mr. Keppler:

We have reviewed the requirements of Appendix A Technical Specifications Sections 3.1.2.2 and 4.1.2.2 and are of the opinion that the event reported on June 30, 1975, in Abnormal Occurrence Report AO 50-315/75-21 for the Donald C. Cook Nuclear Plant, was incorrectly reported as an Abnormal Occurrence.


The emergency boration valve (QMO-410) was operational to the 3/4 open position which permits full flow for this valve design. A flow test verified that the minimum flow requirement of 70 gpm could be met with the valve in the 3/4 open position. The valve indicator correctly indicated the 3/4 open position. The incident was reported because the valve itself was not fully open even though the boration flow rate met the requirements. However, Appendix A Technical Specification 4.1.2.2(b) only requires exercising all testable remotely operated valves in the flow path. This requirement was satisfied by opening the valves to the 3/4 open position.

We, therefore, request the Nuclear Regulatory Commission to remove Abnormal Occurrence Report No. AO 50-315/75-21 from the records for the Donald C. Cook Nuclear Plant.

Sincerely,

R.W. Jurgensen
Plant Manager

/bab



cc: R.S. Hunter
J.E. Dolan
G.E. Lien

OCT 16 1975

12053

R. Kilburn
R.J. Vollen BPI
R.C. Callen MPSC
K.R. Baker RO: III
P.W. Steketee, Esq.
R. Walsh, Esq.
G. Charnoff, Esq.
G. Olson
PNSRC
R.S. Keith
Director, IE (30 copies)
Director, MIPC (3 copies)

