

50-315/316

FILE NUMBER

NRC DISTRIBUTION FOR PART 50 DOCKET MATERIAL

TO: Mr. Edson G. Case		FROM: Indiana & Michigan Power Co. Bridgman, Michigan 49106 Robert E. Armstrong		DATE OF DOCUMENT 07-13-77
<input checked="" type="checkbox"/> LETTER <input checked="" type="checkbox"/> ORIGINAL <input type="checkbox"/> COPY		<input type="checkbox"/> NOTORIZED <input checked="" type="checkbox"/> UNCLASSIFIED		DATE RECEIVED 07-18-77
PROP		INPUT FORM		NUMBER OF COPIES RECEIVED 1 signed 39 cc

DESCRIPTION

ENCLOSURE

DO NOT REMOVE

1 page

ACKNOWLEDGED

Consists of proposed changes to the Donald C. Cook Licensed Operator Requalification Program including; 1) Formal Classroom Lectures, 2) On-The-Job Training, 3) An Annual Evaluation and 4) Training Documentaion....

9 pages

PLANT NAME: COOK UNITS 1 & 2

jcm 07-18-77

40 CYS ENCL Rec'd

SAFETY		FOR ACTION/INFORMATION		ENVIRONMENTAL	
ASSIGNED AD:		ASSIGNED AD:		V. MOORE (LTR)	
BRANCH CHIEF:		BRANCH CHIEF:			
PROJECT MANAGER:		PROJECT MANAGER:			
LICENSING ASSISTANT:		LICENSING ASSISTANT:			
P. COLLINS		(5) Diggs			
J. Lee				B. HARLESS	

INTERNAL DISTRIBUTION			
REG FILES	SYSTEMS SAFETY	PLANT SYSTEMS	SITE SAFETY &
NRG-PDR	HEINEMAN	TEDESCO	ENVIRON ANALYSIS
T & E (2)	SCHROEDER	BENAROYA	DENTON & MULLER
OELD		LAINAS	CRUTCHFIELD
GOSSICK & STAFF	ENGINEERING	IPPOLITO	
HANAUER	KNIGHT	F. ROSA	ENVIRO TECH.
MTPC	BOSNAK		ERNST
CASE	SIHWELL	OPERATING REACTORS	BALLARD
BOYD	PAWLICKI	STELLO	YOUNGBLOOD
		EISENHUT	
PROJECT MANAGEMENT	REACTOR SAFETY	SHAO	SITE TECH.
SKOVHOLT	ROSS	BAER	
P. COLLINS	NOVAK	BUTLER	GAMMILL (2)
HOUSTON	ROSZTOCZY	GRIMES	
MELTZ	CHECK		SITE ANALYSIS
HEITEMES		MLYACZAK	VOLLMER
SK	AT&I		BUNCH
	SALTZMAN		J. COLLINS
	RUTBERG		KREGER

EXTERNAL DISTRIBUTION		CONTROL NUMBER
LDR: St. Joseph	Mich	771990140
TIC	NSIC	
NAT LAB		
REG IV (J. HANCHETT)		
16 CYS ACRS SENT CATEGORY	B	



INDIANA & MICHIGAN POWER COMPANY

DONALD C. COOK NUCLEAR PLANT

P.O. Box 458, Bridgman, Michigan 49106

JUL 13 1977

July 13, 1977


TD #810

Donald C. Cook Nuclear Plant

Docket No. 50-315 DPR No. 58

Docket No. 50-316

Mr. Edson G. Case, Acting Director
Office of Nuclear Reactor Regulation
U.S. Nuclear Regulatory Commission
Washington D.C. 20555



Dear Mr. Case:

Regulatory

FILE 57

Enclosed please find 40 copies of proposed changes to the D.C. Cook Licensed Operator Requalification Program. It is at this time, having completed all the requirements of the presently approved two year program, that we would like to alter this training to make it more flexible and better able to fit the changing needs of our licensed operators during the second two year requalification cycle.

If approved by the Commission, this program would be submitted as a change to Section 12 of the D.C. Cook Final Safeguard Report.

Sincerely,

Robert E. Armstrong
Robert E. Armstrong
Training Coordinator

Approval

D.V. Shaller

D.V. Shaller
Plant Manager

/bes

Enclosures

cc: R.S. Hunter - AEP, New York
J.E. Dolan - AEP, New York
G.E. Lien - AEP, New York
R.J. Vollen - AEP, New York (2)
K.R. Baker - NRC
M. Fletcher - NRC

M. Mlynczak - NRC
NRC Region III
Ronald C. Callen
Richard Walsh
Peter Steketee

771990140

RECEIVED DOCUMENT
PROCESSING UNIT

1977 JUL 18 AM 9 11

INDIANA & MICHIGAN POWER COMPANY
DONALD C. COOK NUCLEAR PLANT
LICENSED OPERATOR REQUALIFICATION PROGRAM

Licensed Operator Requalification Program

A licensed operator requalification program designed to maintain a continuing high degree of knowledge and proficiency as required by 10CFR50 and 10CFR55, Appendix A shall be established for the Donald C. Cook Nuclear Plant Units 1 and 2. It shall apply to all NRC licensed operators and senior licensed operators, including operator and senior operators who perform such duties on an infrequent basis. A site appointed Training Coordinator has been assigned to administer this program.

The Training Coordinator is responsible for implementing the Licensed Operator Requalification Training Program. Licensed training personnel are exempt from those provisions of the requalification program for which they have primary responsibility for administering. For example, an individual who prepares, administers and grades a written examination need not take the examination. This exemption provision applies to a maximum of two individuals.

The licensed operator requalification program shall be conducted on a two year cycle. The two year requalification cycle is divided into



1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

requalification year one and requalification year two. Subsequent cycles will be designated year 3 and 4 etc. Each requalification year runs from Memorial Day to Memorial Day.

The requalification program shall consist of:

1. Formal classroom lectures
2. On-the-job training
3. An annual evaluation
4. Training documentation

1. Classroom Lectures

Formal classroom lectures shall be conducted each requalification year on a school-year schedule running from Labor Day to Memorial Day.

Lectures shall be conducted in the following areas with emphasis on weak and historical problem areas:

- a. Theory and Principles of Operation
- b. General and Specific Plant Operating Characteristics
- c. Plant Instrumentation and Control Systems
- d. Plant Protection Systems
- e. Engineered Safety Systems
- f. Normal, Abnormal & Emergency Operating Procedures
- g. Radiation Control and Safety
- h. Technical Specifications
- i. Applicable portions of Title 10, Chapter I, Code of Federal Regulations

The use of training aids such as videotapes or films may be used in



lieu of an instructor. However, no more than 50% of the lecture series shall be solely videotape or film.

The annual lecture series will be of an estimated length of 40 hours but, in no case, less than 30 hours. Lectures shall be evenly spaced throughout the period, taking infrequent operations such as refueling operations into account. Licensed operators may be exempted from attendance in a particular subject area if they have attained a grade of 80% in the related areas of the previous years annual written examination.

Written quizzes will be administered after each lecture topic for the evaluation of individual knowledge level and progress. A minimum grade of 80% is acceptable. A grade of less than 80% will require additional training in the identified areas of weakness.

2. On-The-Job Training

On-the-job training shall consist of:

- a. Performance of Reactivity Manipulations
- b. On-shift abnormal and emergency procedure review
- c. Keeping abreast of all facility and procedure changes

A. Reactivity Manipulations

Each licensed operator shall, during each two-year requalification training cycle, perform a minimum of 10 reactivity control manipulations which demonstrate his skill and/or familiarity with reactivity control systems. Each licensed senior operator shall either manipulate the



THE UNIVERSITY OF CHICAGO PRESS

CHICAGO, ILL.

controls or direct the activities of others during 10 reactivity control manipulations on either Unit 1 or Unit 2. Credit for a reactivity change shall be limited to the one operator performing the task and one senior operator engaged in directing the operations.

These may consist of a mix, but not necessarily all of the following or similar operations, with a maximum of three (3) of the same type manipulation being credited toward the 10 required:

PWR

1. Startup to point of adding heat.
2. Orderly shutdown.
3. Manual control of S/G's during startup or shutdown.
4. Operation of Turbine Governor Control in manual during startup.
5. Boration during power operation.
6. Dilution.
7. Operation of manipulator crane during refueling over the core.
8. Any significant ($> 10\%$) power changes in manual rod control.
9. Manual rod control prior to and during generator synchronization.

If operators are unable to perform the required number of reactivity manipulations during the normal performance of their duties, Cook management will consider the use of an NRC approved simulator reproducing the operating characteristics of the Cook Station to meet the reactivity manipulation requirement.



537-44-1-1

B. Abnormal and Emergency Procedure Review

Abnormal and emergency procedures shall be reviewed by all licensed operators on a regularly scheduled basis as assigned by the Training Coordinator. The procedure review shall normally be accomplished each shift cycle on the 4 to midnight shift by conducting on-shift group discussions or by on-shift self-study. Other areas of interest may be included in the periodic review assignment. All abnormal and emergency plant operating procedures shall be reviewed at least annually.

C. Facility Design Change, Procedure Change and
Facility License Change Review

All licensed operators shall review on a continuous basis all changes in facility design, facility procedures and the facility license. The determination of the depth of review of any changes shall be made by the Training Coordinator or cognizant department head. Reviews shall be conducted by one of the following methods:

1. Formal training lecture, to be scheduled and conducted during requalification lectures.
2. Individual review, to be read by the individual during his normal work hours. Questions to be directed to the Training Department.
3. Shift group discussion, to be conducted on shift by the Shift Operating Engineer.

3. Annual Evaluation

All licensed operators shall be evaluated annually prior to Memorial Day by participation in an oral and a written examination.

1. The first of the two main parts of the book is devoted to the study of the history of the English language from its origin to the present day. The second part is devoted to the study of the English language in its present state.

Annual Oral Examinations

All licensed operators shall receive an oral examination from someone of the plant management staff other than the individual's shift members or immediate supervisor annually prior to Memorial Day. The oral examination shall be designed to:

1. Evaluate each operator's understanding of the operation of systems and components and knowledge of operating procedures.
2. Evaluate each operator's competency and knowledge of action to be taken during actual or simulated abnormal and emergency conditions.

An operator failing to achieve a satisfactory evaluation on the annual operating examinations shall be placed into an accelerated training program developed to correct the identified weakness. The scope and duration of each accelerated training program shall be based on management evaluation in each instance it is required. Following completion of the accelerated training program, the operator shall be required to take and pass a second oral evaluation.

Annual Written Examination

All operators shall receive a written examination comparable to the NRC examinations annually prior to Memorial Day to determine the effectiveness of the overall requalification program and to define those areas where additional emphasis is required. A grade of 80% or greater in a particular area will exempt the individual from attendance at lectures in this area during the upcoming requalification year. An overall grade average of less than 70% shall require the individual to be placed on an accelerated training program prepared to correct the identified weaknesses. The

scope and duration of the accelerated training program shall be based upon management evaluation in each instance it is required. During participation in this accelerated training program, the operator shall not be placed in a position where he is performing licensed duties. Following completion of the accelerated training program, the operator shall be required to take and pass a second written examination in those areas in which he was deficient.

4. Training Program Documentation

Copies of the following requalification records shall be maintained for two years following the date of recorded event or requalification program completion:

- a. Licensed Operator Requalification Summary
- b. Topic quizzes, answers given by licensee and quiz answer key
- c. On-the-job training records
- d. Change review records
- e. Annual Written Examination, answers given by licensee and answer key
- f. Annual oral examination reports
- g. Accelerated training programs (if assigned)

A permanent record shall be maintained for each operator containing verification of each program completion and the overall grade scores for the two year program. This permanent record file shall be maintained for the life of the facility and conforms with the requirements of 10CFR55 Appendix A.



THE UNIVERSITY OF CHICAGO PRESS

SENIOR OPERATOR LICENSE LIMITED TO FUEL HANDLING

A licensed operator requalification program designed to maintain a continuing high degree of knowledge and proficiency as required by 10CFR50 and 10CFR55, Appendix A, shall be established for the Donald C. Cook Nuclear Plant. It shall apply to plant personnel that are licensed Senior Reactor Operators Limited To Fuel Handling (licensed fuel handlers) that are required to routinely supervise fuel handling operations, as well as those who perform such duties on an infrequent basis. A site appointed Training Coordinator has been assigned to administer this program.

The Senior Operator Licensee Limited To Fuel Handling requalification program shall be conducted on a two-year cycle, commencing at the time of initial plant licensing.

The requalification program shall consist of:

1. Formal classroom lectures
2. On-the-job training
3. An annual evaluation
4. Training documentation

1. Classroom Lectures

Senior Operators Limited To Fuel Handling (SROL) shall be responsible for all the requirements of those in paragraph 1 of the Licensed Operator Requalification Program as it relates to fuel handling as follows:

- a. Reactor and Fuel Characteristics
- b. Equipment and Instrumentation, Description and Design
- c. Procedures and Limitations



- d. Emergency Systems and Safety Devices
- e. Health Physics and Radiation Protection
- f. Technical Specifications

The annual lecture series for an SROL will be of an estimated length of 20 hours but, in no case, less than 16 hours.

2. On-The-Job Training

Senior Operators Limited To Fuel Handling (SROL) shall be responsible for all requirements of those in paragraph 2 of the Licensed Operator Re-qualification Program with the following exceptions:

- a. All the requirements of 2A.
- b. That portion of 2B dealing with on-shift discussions. These discussions will be held during day shift and shall be conducted by the Fuel Handling Foreman.

3. Annual Evaluation

Senior Operators Limited To Fuel Handling (SROL) shall be responsible for all requirements of those in paragraph 3 of the Licensed Operator Re-qualification Program with the following exception, the scope of the oral and written examination shall be commensurate with the lectures, and within the five categories enumerated in paragraph 1a.

4. Training Documentation

Senior Operators Limited To Fuel Handling (SROL) shall be responsible for all requirements of those in paragraph 4 of the Licensed Operator Re-qualification Program.

1. The first part of the document is a list of names and addresses of the members of the committee. The names are listed in alphabetical order, and the addresses are given in full. The list is as follows:

2. The second part of the document is a list of the names and addresses of the members of the committee. The names are listed in alphabetical order, and the addresses are given in full. The list is as follows: