

Holtec-CISFEISCEm Resource

From: Protecting NM From All Things Nuclear <protectnewmexico@gmail.com>
Sent: Tuesday, July 31, 2018 2:17 AM
To: Holtec-CISFEIS Resource
Subject: [External_Sender] Docket ID NRC-2018-0052 _ NISG _ PDF 33 of 72
Attachments: NRC-2018-0052_NISG-33.pdf; ATT00001.htm

Nuclear Regulatory Commissioners,

The Nuclear Issues Study Group (NISG) has mailed 3 boxes with a total of 5,112 Public Scoping Comments re: Docket ID NRC-2018-0052. We are emailing the corresponding digital copies (as PDFs 1-72) of the same, hand-signed individual Public Scoping Comments OPPOSING HOLTEC'S PROPOSED CISF AND RELATED TRANSPORT OF HLRW.

Box 1 contains PDFs 1-20.
Box 2 contains PDFs 21-41.
Box 3 contains PDFs 42-72.

This email corresponds to Box 2: PDF 33.

Leona Morgan, Co-Coordinator
Nuclear Issues Study Group
protectnewmexico@gmail.com
+1 505 879 8547

Federal Register Notice: 83FR13802
Comment Number: 3249

Mail Envelope Properties (C4CC548D-4B20-41F6-BD40-06A464E5E634)

Subject: [External_Sender] Docket ID NRC-2018-0052 _ NISG _ PDF 33 of 72
Sent Date: 7/31/2018 2:16:31 AM
Received Date: 7/31/2018 2:17:03 AM
From: Protecting NM From All Things Nuclear

Created By: protectnewmexico@gmail.com

Recipients:

Post Office: gmail.com

Files	Size	Date & Time
MESSAGE	634	7/31/2018 2:17:03 AM
NRC-2018-0052_NISG-33.pdf	2376337	
ATT00001.htm	496	

Options
Priority: Standard
Return Notification: No
Reply Requested: No
Sensitivity: Normal
Expiration Date:
Recipients Received:

May Ma
Office of Administration
Mail Stop: TWFN-7- A60M
U.S. Nuclear Regulatory Commission
Washington, DC 20555- 0001

RE: Docket ID NRC-2018-0052; Holtec International's HI-STORE Spent Fuel Waste Facility

Nuclear Regulatory Commission:

I am extremely concerned about the Consolidated Interim Storage (CIS) facility proposed by Holtec International to store up to 100,000 metric tons of high-level radioactive waste in southeast New Mexico. I respectfully submit the following comments regarding the proposal itself and the scope of the Environmental Review and analysis for the Environmental Impact Statement (EIS).

I am submitting these comments because I do not consent to New Mexico becoming a national dumping ground for "spent fuel" from every nuclear reactor in the country. I do not consent to transporting up to 10,000 canisters of highly radioactive waste through communities nationwide. I do not consent to the risk of contamination of our lands, aquifers, air, or the health of our people, plants, wildlife, and livestock. I do not consent to endangering present and future generations.

I formally request additional Public Scoping Meetings for other communities throughout the United States (U.S.) that will be impacted by the transport of these waste canisters.

This Holtec Proposal Is Contrary To Current Law

- Current law only allows the U.S. Department of Energy to take title to commercial spent fuel "following commencement of operation of a repository" or at a DOE-owned and operated monitored retrievable storage facility. The Holtec site meets neither requirement, as it is a private facility.

Holtec Must Remove Copyrights And All Redactions in the Environmental Report (ER)

- NRC must require Holtec to produce an ER that has no such copyright restrictions and has no redactions. It is impossible to make recommendations on the scope of analyses of these redacted areas of the ER for the EIS.

The Impacts Of Permanent Storage Must Be Analyzed

- The ER is incomplete because it does not analyze the impacts of the spent fuel being left at the Holtec site indefinitely. The EIS needs to include an analysis of the impacts of permanent storage should the CIS facility become a de facto permanent waste site.

More Alternatives Must Be Analyzed

- The high-level radioactive waste is too dangerous to move and can remain on site for many more years. It should not be moved until all alternatives are analyzed, including keeping the waste where it is in some form of Hardened On Site Storage (HOSS) on the reactor sites or at suitable locations as close to the reactors as possible to minimize transport risks.
- The alternative of consolidated storage at an existing licensed Independent Spent Fuel Storage Facility (ISFSI) must also be analyzed.

All Transportation Routes and Risks Must Be Analyzed

- The EIS must include all possible transportation routes and study the potential impacts from accidents, terrorism incidents, and how new rail lines or roads for waste shipments will impact public health, environment, water sources, flora, fauna (especially any endangered species), and occupational safety along these routes.

The Consequences To An Accident-Exposed Individual Must Be Analyzed

- Terms like “collective dose risk” and “person-rem” are used to ignore the potential impacts to a single individual.
- All possible human exposures from routine and accidental radioactive releases during transport and at the site must be clearly defined in plain language, for individuals near waste on occasion and workers who are transporting or working at the CIS site long-term.

Cracked And Leaking Canisters Must Be Addressed

- The ER does not analyze exactly how radioactive waste from a cracked and leaking canister would be handled, since there is no wet pool or hot cell at the site. The EIS must include how cracked and leaking canisters will be handled onsite and during transport and analyze possible environmental impacts if leaks or spills occur from cracked canisters.

More Cumulative Impacts Must Be Analyzed

- The ER mentions the Waste Isolation Pilot Plant (WIPP) but does not analyze the impacts of a radiologic release from WIPP on the proposed CIS site.
- The impacts from WIPP and possible impacts from and to the local oil and gas industries need to be analyzed and included in the EIS.

Seismic Impacts On Stored Casks Must Be Stated

- Although the ER gives a statement on recent seismic activity in the area, there is no analysis of what fracking-induced earthquakes will have on the buried casks. These impacts need to be analyzed and included in the EIS.

Future Electrical Transmission Lines and Plumbing Infrastructure Must Be Analyzed

- Impacts from new electrical lines and plumbing must be included in EIS.

Economic Impacts Must Be Analyzed For The Different Phases of the Project

- The economic impacts must be studied and clearly state any positive or negative impacts from this site: initially, after construction is complete, and throughout the whole 120 years.
- How many jobs will be created? How many are only temporary and how many are permanent? How many will go to local residents?

A Thorough Environmental Justice (EJ) Analysis Must Be Included in the EIS


- Impacts to EJ communities near the site and along transport routes must be studied, including but not limited to economic and health impacts that are specific to lower income and people of color communities. For indigenous populations located near the site or along transport routes, this EJ analysis must include impacts to culturally important natural resources, such as: sacred places, traditional food sources, and traditional medical plants.

Sincerely,

Signature

Name (Print)

City & State


Date 7-14-2018
Rebecca Nelson
ABQ NM

May Ma
Office of Administration
Mail Stop: TWFN-7- A60M
U.S. Nuclear Regulatory Commission
Washington, DC 20555- 0001

RE: Docket ID NRC-2018-0052; Holtec International's HI-STORE Spent Fuel Waste Facility

Nuclear Regulatory Commission:

I am extremely concerned about the Consolidated Interim Storage (CIS) facility proposed by Holtec International to store up to 100,000 metric tons of high-level radioactive waste in southeast New Mexico. I respectfully submit the following comments regarding the proposal itself and the scope of the Environmental Review and analysis for the Environmental Impact Statement (EIS).

I am submitting these comments because I do not consent to New Mexico becoming a national dumping ground for "spent fuel" from every nuclear reactor in the country. I do not consent to transporting up to 10,000 canisters of highly radioactive waste through communities nationwide. I do not consent to the risk of contamination of our lands, aquifers, air, or the health of our people, plants, wildlife, and livestock. I do not consent to endangering present and future generations.

I formally request additional Public Scoping Meetings for other communities throughout the United States (U.S.) that will be impacted by the transport of these waste canisters.

This Holtec Proposal Is Contrary To Current Law

- Current law only allows the U.S. Department of Energy to take title to commercial spent fuel "following commencement of operation of a repository" or at a DOE-owned and operated monitored retrievable storage facility. The Holtec site meets neither requirement, as it is a private facility.

Holtec Must Remove Copyrights And All Redactions in the Environmental Report (ER)

- NRC must require Holtec to produce an ER that has no such copyright restrictions and has no redactions. It is impossible to make recommendations on the scope of analyses of these redacted areas of the ER for the EIS.

The Impacts Of Permanent Storage Must Be Analyzed

- The ER is incomplete because it does not analyze the impacts of the spent fuel being left at the Holtec site indefinitely. The EIS needs to include an analysis of the impacts of permanent storage should the CIS facility become a de facto permanent waste site.

More Alternatives Must Be Analyzed

- The high-level radioactive waste is too dangerous to move and can remain on site for many more years. It should not be moved until all alternatives are analyzed, including keeping the waste where it is in some form of Hardened On Site Storage (HOSS) on the reactor sites or at suitable locations as close to the reactors as possible to minimize transport risks.
- The alternative of consolidated storage at an existing licensed Independent Spent Fuel Storage Facility (ISFSI) must also be analyzed.

All Transportation Routes and Risks Must Be Analyzed

- The EIS must include all possible transportation routes and study the potential impacts from accidents, terrorism incidents, and how new rail lines or roads for waste shipments will impact public health, environment, water sources, flora, fauna (especially any endangered species), and occupational safety along these routes.

The Consequences To An Accident-Exposed Individual Must Be Analyzed

- Terms like “collective dose risk” and “person-rem” are used to ignore the potential impacts to a single individual.
- All possible human exposures from routine and accidental radioactive releases during transport and at the site must be clearly defined in plain language, for individuals near waste on occasion and workers who are transporting or working at the CIS site long-term.

Cracked And Leaking Canisters Must Be Addressed

- The ER does not analyze exactly how radioactive waste from a cracked and leaking canister would be handled, since there is no wet pool or hot cell at the site. The EIS must include how cracked and leaking canisters will be handled onsite and during transport and analyze possible environmental impacts if leaks or spills occur from cracked canisters.

More Cumulative Impacts Must Be Analyzed

- The ER mentions the Waste Isolation Pilot Plant (WIPP) but does not analyze the impacts of a radiologic release from WIPP on the proposed CIS site.
- The impacts from WIPP and possible impacts from and to the local oil and gas industries need to be analyzed and included in the EIS.

Seismic Impacts On Stored Casks Must Be Stated

- Although the ER gives a statement on recent seismic activity in the area, there is no analysis of what fracking-induced earthquakes will have on the buried casks. These impacts need to be analyzed and included in the EIS.

Future Electrical Transmission Lines and Plumbing Infrastructure Must Be Analyzed

- Impacts from new electrical lines and plumbing must be included in EIS.

Economic Impacts Must Be Analyzed For The Different Phases of the Project

- The economic impacts must be studied and clearly state any positive or negative impacts from this site: initially, after construction is complete, and throughout the whole 120 years.
- How many jobs will be created? How many are only temporary and how many are permanent? How many will go to local residents?

A Thorough Environmental Justice (EJ) Analysis Must Be Included in the EIS


- Impacts to EJ communities near the site and along transport routes must be studied, including but not limited to economic and health impacts that are specific to lower income and people of color communities. For indigenous populations located near the site or along transport routes, this EJ analysis must include impacts to culturally important natural resources, such as: sacred places, traditional food sources, and traditional medical plants.

Sincerely,

Signature

Name (Print)

City & State


Date 7/14/18
Hollie F. Gonzales
Albuquerque, NM

May Ma
Office of Administration
Mail Stop: TWFN-7- A60M
U.S. Nuclear Regulatory Commission
Washington, DC 20555- 0001

RE: Docket ID NRC-2018-0052; Holtec International's HI-STORE Spent Fuel Waste Facility

Nuclear Regulatory Commission:

I am extremely concerned about the Consolidated Interim Storage (CIS) facility proposed by Holtec International to store up to 100,000 metric tons of high-level radioactive waste in southeast New Mexico. I respectfully submit the following comments regarding the proposal itself and the scope of the Environmental Review and analysis for the Environmental Impact Statement (EIS).

I am submitting these comments because I do not consent to New Mexico becoming a national dumping ground for "spent fuel" from every nuclear reactor in the country. I do not consent to transporting up to 10,000 canisters of highly radioactive waste through communities nationwide. I do not consent to the risk of contamination of our lands, aquifers, air, or the health of our people, plants, wildlife, and livestock. I do not consent to endangering present and future generations.

I formally request additional Public Scoping Meetings for other communities throughout the United States (U.S.) that will be impacted by the transport of these waste canisters.

This Holtec Proposal Is Contrary To Current Law

- Current law only allows the U.S. Department of Energy to take title to commercial spent fuel "following commencement of operation of a repository" or at a DOE-owned and operated monitored retrievable storage facility. The Holtec site meets neither requirement, as it is a private facility.

Holtec Must Remove Copyrights And All Redactions in the Environmental Report (ER)

- NRC must require Holtec to produce an ER that has no such copyright restrictions and has no redactions. It is impossible to make recommendations on the scope of analyses of these redacted areas of the ER for the EIS.

The Impacts Of Permanent Storage Must Be Analyzed

- The ER is incomplete because it does not analyze the impacts of the spent fuel being left at the Holtec site indefinitely. The EIS needs to include an analysis of the impacts of permanent storage should the CIS facility become a de facto permanent waste site.

More Alternatives Must Be Analyzed

- The high-level radioactive waste is too dangerous to move and can remain on site for many more years. It should not be moved until all alternatives are analyzed, including keeping the waste where it is in some form of Hardened On Site Storage (HOSS) on the reactor sites or at suitable locations as close to the reactors as possible to minimize transport risks.
- The alternative of consolidated storage at an existing licensed Independent Spent Fuel Storage Facility (ISFSI) must also be analyzed.

All Transportation Routes and Risks Must Be Analyzed

- The EIS must include all possible transportation routes and study the potential impacts from accidents, terrorism incidents, and how new rail lines or roads for waste shipments will impact public health, environment, water sources, flora, fauna (especially any endangered species), and occupational safety along these routes.

The Consequences To An Accident-Exposed Individual Must Be Analyzed

- Terms like “collective dose risk” and “person-rem” are used to ignore the potential impacts to a single individual.
- All possible human exposures from routine and accidental radioactive releases during transport and at the site must be clearly defined in plain language, for individuals near waste on occasion and workers who are transporting or working at the CIS site long-term.

Cracked And Leaking Canisters Must Be Addressed

- The ER does not analyze exactly how radioactive waste from a cracked and leaking canister would be handled, since there is no wet pool or hot cell at the site. The EIS must include how cracked and leaking canisters will be handled onsite and during transport and analyze possible environmental impacts if leaks or spills occur from cracked canisters.

More Cumulative Impacts Must Be Analyzed

- The ER mentions the Waste Isolation Pilot Plant (WIPP) but does not analyze the impacts of a radiologic release from WIPP on the proposed CIS site.
- The impacts from WIPP and possible impacts from and to the local oil and gas industries need to be analyzed and included in the EIS.

Seismic Impacts On Stored Casks Must Be Stated

- Although the ER gives a statement on recent seismic activity in the area, there is no analysis of what fracking-induced earthquakes will have on the buried casks. These impacts need to be analyzed and included in the EIS.

Future Electrical Transmission Lines and Plumbing Infrastructure Must Be Analyzed

- Impacts from new electrical lines and plumbing must be included in EIS.

Economic Impacts Must Be Analyzed For The Different Phases of the Project

- The economic impacts must be studied and clearly state any positive or negative impacts from this site: initially, after construction is complete, and throughout the whole 120 years.
- How many jobs will be created? How many are only temporary and how many are permanent? How many will go to local residents?

A Thorough Environmental Justice (EJ) Analysis Must Be Included in the EIS


- Impacts to EJ communities near the site and along transport routes must be studied, including but not limited to economic and health impacts that are specific to lower income and people of color communities. For indigenous populations located near the site or along transport routes, this EJ analysis must include impacts to culturally important natural resources, such as: sacred places, traditional food sources, and traditional medical plants.

Sincerely,

Signature

Name (Print)

City & State


SHAUN GONZALEZ

Date July 14, 2019

Albuquerque NM

May Ma
Office of Administration
Mail Stop: TWFN-7- A60M
U.S. Nuclear Regulatory Commission
Washington, DC 20555- 0001

RE: Docket ID NRC-2018-0052; Holtec International's HI-STORE Spent Fuel Waste Facility

Nuclear Regulatory Commission:

I am extremely concerned about the Consolidated Interim Storage (CIS) facility proposed by Holtec International to store up to 100,000 metric tons of high-level radioactive waste in southeast New Mexico. I respectfully submit the following comments regarding the proposal itself and the scope of the Environmental Review and analysis for the Environmental Impact Statement (EIS).

I am submitting these comments because I do not consent to New Mexico becoming a national dumping ground for "spent fuel" from every nuclear reactor in the country. I do not consent to transporting up to 10,000 canisters of highly radioactive waste through communities nationwide. I do not consent to the risk of contamination of our lands, aquifers, air, or the health of our people, plants, wildlife, and livestock. I do not consent to endangering present and future generations.

I formally request additional Public Scoping Meetings for other communities throughout the United States (U.S.) that will be impacted by the transport of these waste canisters.

This Holtec Proposal Is Contrary To Current Law

- Current law only allows the U.S. Department of Energy to take title to commercial spent fuel "following commencement of operation of a repository" or at a DOE-owned and operated monitored retrievable storage facility. The Holtec site meets neither requirement, as it is a private facility.

Holtec Must Remove Copyrights And All Redactions in the Environmental Report (ER)

- NRC must require Holtec to produce an ER that has no such copyright restrictions and has no redactions. It is impossible to make recommendations on the scope of analyses of these redacted areas of the ER for the EIS.

The Impacts Of Permanent Storage Must Be Analyzed

- The ER is incomplete because it does not analyze the impacts of the spent fuel being left at the Holtec site indefinitely. The EIS needs to include an analysis of the impacts of permanent storage should the CIS facility become a de facto permanent waste site.

More Alternatives Must Be Analyzed

- The high-level radioactive waste is too dangerous to move and can remain on site for many more years. It should not be moved until all alternatives are analyzed, including keeping the waste where it is in some form of Hardened On Site Storage (HOSS) on the reactor sites or at suitable locations as close to the reactors as possible to minimize transport risks.
- The alternative of consolidated storage at an existing licensed Independent Spent Fuel Storage Facility (ISFSI) must also be analyzed.

All Transportation Routes and Risks Must Be Analyzed

- The EIS must include all possible transportation routes and study the potential impacts from accidents, terrorism incidents, and how new rail lines or roads for waste shipments will impact public health, environment, water sources, flora, fauna (especially any endangered species), and occupational safety along these routes.

The Consequences To An Accident-Exposed Individual Must Be Analyzed

- Terms like “collective dose risk” and “person-rem” are used to ignore the potential impacts to a single individual.
- All possible human exposures from routine and accidental radioactive releases during transport and at the site must be clearly defined in plain language, for individuals near waste on occasion and workers who are transporting or working at the CIS site long-term.

Cracked And Leaking Canisters Must Be Addressed

- The ER does not analyze exactly how radioactive waste from a cracked and leaking canister would be handled, since there is no wet pool or hot cell at the site. The EIS must include how cracked and leaking canisters will be handled onsite and during transport and analyze possible environmental impacts if leaks or spills occur from cracked canisters.

More Cumulative Impacts Must Be Analyzed

- The ER mentions the Waste Isolation Pilot Plant (WIPP) but does not analyze the impacts of a radiologic release from WIPP on the proposed CIS site.
- The impacts from WIPP and possible impacts from and to the local oil and gas industries need to be analyzed and included in the EIS.

Seismic Impacts On Stored Casks Must Be Stated

- Although the ER gives a statement on recent seismic activity in the area, there is no analysis of what fracking-induced earthquakes will have on the buried casks. These impacts need to be analyzed and included in the EIS.

Future Electrical Transmission Lines and Plumbing Infrastructure Must Be Analyzed

- Impacts from new electrical lines and plumbing must be included in EIS.

Economic Impacts Must Be Analyzed For The Different Phases of the Project

- The economic impacts must be studied and clearly state any positive or negative impacts from this site: initially, after construction is complete, and throughout the whole 120 years.
- How many jobs will be created? How many are only temporary and how many are permanent? How many will go to local residents?

A Thorough Environmental Justice (EJ) Analysis Must Be Included in the EIS

- Impacts to EJ communities near the site and along transport routes must be studied, including but not limited to economic and health impacts that are specific to lower income and people of color communities. For indigenous populations located near the site or along transport routes, this EJ analysis must include impacts to culturally important natural resources, such as: sacred places, traditional food sources, and traditional medical plants.

Sincerely,

Signature

John Souza

Date

7/14/18

Name (Print)

JOHN SOUZA

City & State

Albuquerque NM 87104

May Ma
Office of Administration
Mail Stop: TWFN-7- A60M
U.S. Nuclear Regulatory Commission
Washington, DC 20555- 0001

RE: Docket ID NRC-2018-0052; Holtec International's HI-STORE Spent Fuel Waste Facility

Nuclear Regulatory Commission:

I am extremely concerned about the Consolidated Interim Storage (CIS) facility proposed by Holtec International to store up to 100,000 metric tons of high-level radioactive waste in southeast New Mexico. I respectfully submit the following comments regarding the proposal itself and the scope of the Environmental Review and analysis for the Environmental Impact Statement (EIS).

I am submitting these comments because I do not consent to New Mexico becoming a national dumping ground for "spent fuel" from every nuclear reactor in the country. I do not consent to transporting up to 10,000 canisters of highly radioactive waste through communities nationwide. I do not consent to the risk of contamination of our lands, aquifers, air, or the health of our people, plants, wildlife, and livestock. I do not consent to endangering present and future generations.

I formally request additional Public Scoping Meetings for other communities throughout the United States (U.S.) that will be impacted by the transport of these waste canisters.

This Holtec Proposal Is Contrary To Current Law

- Current law only allows the U.S. Department of Energy to take title to commercial spent fuel "following commencement of operation of a repository" or at a DOE-owned and operated monitored retrievable storage facility. The Holtec site meets neither requirement, as it is a private facility.

Holtec Must Remove Copyrights And All Redactions in the Environmental Report (ER)

- NRC must require Holtec to produce an ER that has no such copyright restrictions and has no redactions. It is impossible to make recommendations on the scope of analyses of these redacted areas of the ER for the EIS.

The Impacts Of Permanent Storage Must Be Analyzed

- The ER is incomplete because it does not analyze the impacts of the spent fuel being left at the Holtec site indefinitely. The EIS needs to include an analysis of the impacts of permanent storage should the CIS facility become a de facto permanent waste site.

More Alternatives Must Be Analyzed

- The high-level radioactive waste is too dangerous to move and can remain on site for many more years. It should not be moved until all alternatives are analyzed, including keeping the waste where it is in some form of Hardened On Site Storage (HOSS) on the reactor sites or at suitable locations as close to the reactors as possible to minimize transport risks.
- The alternative of consolidated storage at an existing licensed Independent Spent Fuel Storage Facility (ISFSI) must also be analyzed.

All Transportation Routes and Risks Must Be Analyzed

- The EIS must include all possible transportation routes and study the potential impacts from accidents, terrorism incidents, and how new rail lines or roads for waste shipments will impact public health, environment, water sources, flora, fauna (especially any endangered species), and occupational safety along these routes.

The Consequences To An Accident-Exposed Individual Must Be Analyzed

- Terms like “collective dose risk” and “person-rem” are used to ignore the potential impacts to a single individual.
- All possible human exposures from routine and accidental radioactive releases during transport and at the site must be clearly defined in plain language, for individuals near waste on occasion and workers who are transporting or working at the CIS site long-term.

Cracked And Leaking Canisters Must Be Addressed

- The ER does not analyze exactly how radioactive waste from a cracked and leaking canister would be handled, since there is no wet pool or hot cell at the site. The EIS must include how cracked and leaking canisters will be handled onsite and during transport and analyze possible environmental impacts if leaks or spills occur from cracked canisters.

More Cumulative Impacts Must Be Analyzed

- The ER mentions the Waste Isolation Pilot Plant (WIPP) but does not analyze the impacts of a radiologic release from WIPP on the proposed CIS site.
- The impacts from WIPP and possible impacts from and to the local oil and gas industries need to be analyzed and included in the EIS.

Seismic Impacts On Stored Casks Must Be Stated

- Although the ER gives a statement on recent seismic activity in the area, there is no analysis of what fracking-induced earthquakes will have on the buried casks. These impacts need to be analyzed and included in the EIS.

Future Electrical Transmission Lines and Plumbing Infrastructure Must Be Analyzed

- Impacts from new electrical lines and plumbing must be included in EIS.

Economic Impacts Must Be Analyzed For The Different Phases of the Project

- The economic impacts must be studied and clearly state any positive or negative impacts from this site: initially, after construction is complete, and throughout the whole 120 years.
- How many jobs will be created? How many are only temporary and how many are permanent? How many will go to local residents?

A Thorough Environmental Justice (EJ) Analysis Must Be Included in the EIS

- Impacts to EJ communities near the site and along transport routes must be studied, including but not limited to economic and health impacts that are specific to lower income and people of color communities. For indigenous populations located near the site or along transport routes, this EJ analysis must include impacts to culturally important natural resources, such as: sacred places, traditional food sources, and traditional medical plants.

Sincerely,

Signature



Date

7-14-18

Name (Print)

MICHELE NELSON

City & State

ABQ NM

May Ma
Office of Administration
Mail Stop: TWFN-7- A60M
U.S. Nuclear Regulatory Commission
Washington, DC 20555- 0001

RE: Docket ID NRC-2018-0052; Holtec International's HI-STORE Spent Fuel Waste Facility

Nuclear Regulatory Commission:

I am extremely concerned about the Consolidated Interim Storage (CIS) facility proposed by Holtec International to store up to 100,000 metric tons of high-level radioactive waste in southeast New Mexico. I respectfully submit the following comments regarding the proposal itself and the scope of the Environmental Review and analysis for the Environmental Impact Statement (EIS).

I am submitting these comments because I do not consent to New Mexico becoming a national dumping ground for "spent fuel" from every nuclear reactor in the country. I do not consent to transporting up to 10,000 canisters of highly radioactive waste through communities nationwide. I do not consent to the risk of contamination of our lands, aquifers, air, or the health of our people, plants, wildlife, and livestock. I do not consent to endangering present and future generations.

I formally request additional Public Scoping Meetings for other communities throughout the United States (U.S.) that will be impacted by the transport of these waste canisters.

This Holtec Proposal Is Contrary To Current Law

- Current law only allows the U.S. Department of Energy to take title to commercial spent fuel "following commencement of operation of a repository" or at a DOE-owned and operated monitored retrievable storage facility. The Holtec site meets neither requirement, as it is a private facility.

Holtec Must Remove Copyrights And All Redactions in the Environmental Report (ER)

- NRC must require Holtec to produce an ER that has no such copyright restrictions and has no redactions. It is impossible to make recommendations on the scope of analyses of these redacted areas of the ER for the EIS.

The Impacts Of Permanent Storage Must Be Analyzed

- The ER is incomplete because it does not analyze the impacts of the spent fuel being left at the Holtec site indefinitely. The EIS needs to include an analysis of the impacts of permanent storage should the CIS facility become a de facto permanent waste site.

More Alternatives Must Be Analyzed

- The high-level radioactive waste is too dangerous to move and can remain on site for many more years. It should not be moved until all alternatives are analyzed, including keeping the waste where it is in some form of Hardened On Site Storage (HOSS) on the reactor sites or at suitable locations as close to the reactors as possible to minimize transport risks.
- The alternative of consolidated storage at an existing licensed Independent Spent Fuel Storage Facility (ISFSI) must also be analyzed.

All Transportation Routes and Risks Must Be Analyzed

- The EIS must include all possible transportation routes and study the potential impacts from accidents, terrorism incidents, and how new rail lines or roads for waste shipments will impact public health, environment, water sources, flora, fauna (especially any endangered species), and occupational safety along these routes.

The Consequences To An Accident-Exposed Individual Must Be Analyzed

- Terms like “collective dose risk” and “person-rem” are used to ignore the potential impacts to a single individual.
- All possible human exposures from routine and accidental radioactive releases during transport and at the site must be clearly defined in plain language, for individuals near waste on occasion and workers who are transporting or working at the CIS site long-term.

Cracked And Leaking Canisters Must Be Addressed

- The ER does not analyze exactly how radioactive waste from a cracked and leaking canister would be handled, since there is no wet pool or hot cell at the site. The EIS must include how cracked and leaking canisters will be handled onsite and during transport and analyze possible environmental impacts if leaks or spills occur from cracked canisters.

More Cumulative Impacts Must Be Analyzed

- The ER mentions the Waste Isolation Pilot Plant (WIPP) but does not analyze the impacts of a radiologic release from WIPP on the proposed CIS site.
- The impacts from WIPP and possible impacts from and to the local oil and gas industries need to be analyzed and included in the EIS.

Seismic Impacts On Stored Casks Must Be Stated

- Although the ER gives a statement on recent seismic activity in the area, there is no analysis of what fracking-induced earthquakes will have on the buried casks. These impacts need to be analyzed and included in the EIS.

Future Electrical Transmission Lines and Plumbing Infrastructure Must Be Analyzed

- Impacts from new electrical lines and plumbing must be included in EIS.

Economic Impacts Must Be Analyzed For The Different Phases of the Project

- The economic impacts must be studied and clearly state any positive or negative impacts from this site: initially, after construction is complete, and throughout the whole 120 years.
- How many jobs will be created? How many are only temporary and how many are permanent? How many will go to local residents?

A Thorough Environmental Justice (EJ) Analysis Must Be Included in the EIS

- Impacts to EJ communities near the site and along transport routes must be studied, including but not limited to economic and health impacts that are specific to lower income and people of color communities. For indigenous populations located near the site or along transport routes, this EJ analysis must include impacts to culturally important natural resources, such as: sacred places, traditional food sources, and traditional medical plants.

Sincerely,

Signature



Date

7/14/18

Name (Print)

Dina Rios

City & State

ABQ, NM

May Ma
Office of Administration
Mail Stop: TWFN-7- A60M
U.S. Nuclear Regulatory Commission
Washington, DC 20555- 0001

RE: Docket ID NRC-2018-0052; Holtec International's HI-STORE Spent Fuel Waste Facility

Nuclear Regulatory Commission:

I am extremely concerned about the Consolidated Interim Storage (CIS) facility proposed by Holtec International to store up to 100,000 metric tons of high-level radioactive waste in southeast New Mexico. I respectfully submit the following comments regarding the proposal itself and the scope of the Environmental Review and analysis for the Environmental Impact Statement (EIS).

I am submitting these comments because I do not consent to New Mexico becoming a national dumping ground for "spent fuel" from every nuclear reactor in the country. I do not consent to transporting up to 10,000 canisters of highly radioactive waste through communities nationwide. I do not consent to the risk of contamination of our lands, aquifers, air, or the health of our people, plants, wildlife, and livestock. I do not consent to endangering present and future generations.

I formally request additional Public Scoping Meetings for other communities throughout the United States (U.S.) that will be impacted by the transport of these waste canisters.

This Holtec Proposal Is Contrary To Current Law

- Current law only allows the U.S. Department of Energy to take title to commercial spent fuel "following commencement of operation of a repository" or at a DOE-owned and operated monitored retrievable storage facility. The Holtec site meets neither requirement, as it is a private facility.

Holtec Must Remove Copyrights And All Redactions in the Environmental Report (ER)

- NRC must require Holtec to produce an ER that has no such copyright restrictions and has no redactions. It is impossible to make recommendations on the scope of analyses of these redacted areas of the ER for the EIS.

The Impacts Of Permanent Storage Must Be Analyzed

- The ER is incomplete because it does not analyze the impacts of the spent fuel being left at the Holtec site indefinitely. The EIS needs to include an analysis of the impacts of permanent storage should the CIS facility become a de facto permanent waste site.

More Alternatives Must Be Analyzed

- The high-level radioactive waste is too dangerous to move and can remain on site for many more years. It should not be moved until all alternatives are analyzed, including keeping the waste where it is in some form of Hardened On Site Storage (HOSS) on the reactor sites or at suitable locations as close to the reactors as possible to minimize transport risks.
- The alternative of consolidated storage at an existing licensed Independent Spent Fuel Storage Facility (ISFSI) must also be analyzed.

All Transportation Routes and Risks Must Be Analyzed

- The EIS must include all possible transportation routes and study the potential impacts from accidents, terrorism incidents, and how new rail lines or roads for waste shipments will impact public health, environment, water sources, flora, fauna (especially any endangered species), and occupational safety along these routes.

The Consequences To An Accident-Exposed Individual Must Be Analyzed

- Terms like “collective dose risk” and “person-rem” are used to ignore the potential impacts to a single individual.
- All possible human exposures from routine and accidental radioactive releases during transport and at the site must be clearly defined in plain language, for individuals near waste on occasion and workers who are transporting or working at the CIS site long-term.

Cracked And Leaking Canisters Must Be Addressed

- The ER does not analyze exactly how radioactive waste from a cracked and leaking canister would be handled, since there is no wet pool or hot cell at the site. The EIS must include how cracked and leaking canisters will be handled onsite and during transport and analyze possible environmental impacts if leaks or spills occur from cracked canisters.

More Cumulative Impacts Must Be Analyzed

- The ER mentions the Waste Isolation Pilot Plant (WIPP) but does not analyze the impacts of a radiologic release from WIPP on the proposed CIS site.
- The impacts from WIPP and possible impacts from and to the local oil and gas industries need to be analyzed and included in the EIS.

Seismic Impacts On Stored Casks Must Be Stated

- Although the ER gives a statement on recent seismic activity in the area, there is no analysis of what fracking-induced earthquakes will have on the buried casks. These impacts need to be analyzed and included in the EIS.

Future Electrical Transmission Lines and Plumbing Infrastructure Must Be Analyzed

- Impacts from new electrical lines and plumbing must be included in EIS.

Economic Impacts Must Be Analyzed For The Different Phases of the Project

- The economic impacts must be studied and clearly state any positive or negative impacts from this site: initially, after construction is complete, and throughout the whole 120 years.
- How many jobs will be created? How many are only temporary and how many are permanent? How many will go to local residents?

A Thorough Environmental Justice (EJ) Analysis Must Be Included in the EIS

- Impacts to EJ communities near the site and along transport routes must be studied, including but not limited to economic and health impacts that are specific to lower income and people of color communities. For indigenous populations located near the site or along transport routes, this EJ analysis must include impacts to culturally important natural resources, such as: sacred places, traditional food sources, and traditional medical plants.

Sincerely,

Signature Ed Solomon Date 7/14/18

Name (Print) Ed Solomon

City & State ABQ NM

May Ma
Office of Administration
Mail Stop: TWFN-7- A60M
U.S. Nuclear Regulatory Commission
Washington, DC 20555- 0001

RE: Docket ID NRC-2018-0052; Holtec International's HI-STORE Spent Fuel Waste Facility

Nuclear Regulatory Commission:

I am extremely concerned about the Consolidated Interim Storage (CIS) facility proposed by Holtec International to store up to 100,000 metric tons of high-level radioactive waste in southeast New Mexico. I respectfully submit the following comments regarding the proposal itself and the scope of the Environmental Review and analysis for the Environmental Impact Statement (EIS).

I am submitting these comments because I do not consent to New Mexico becoming a national dumping ground for "spent fuel" from every nuclear reactor in the country. I do not consent to transporting up to 10,000 canisters of highly radioactive waste through communities nationwide. I do not consent to the risk of contamination of our lands, aquifers, air, or the health of our people, plants, wildlife, and livestock. I do not consent to endangering present and future generations.

I formally request additional Public Scoping Meetings for other communities throughout the United States (U.S.) that will be impacted by the transport of these waste canisters.

This Holtec Proposal Is Contrary To Current Law

- Current law only allows the U.S. Department of Energy to take title to commercial spent fuel "following commencement of operation of a repository" or at a DOE-owned and operated monitored retrievable storage facility. The Holtec site meets neither requirement, as it is a private facility.

Holtec Must Remove Copyrights And All Redactions in the Environmental Report (ER)

- NRC must require Holtec to produce an ER that has no such copyright restrictions and has no redactions. It is impossible to make recommendations on the scope of analyses of these redacted areas of the ER for the EIS.

The Impacts Of Permanent Storage Must Be Analyzed

- The ER is incomplete because it does not analyze the impacts of the spent fuel being left at the Holtec site indefinitely. The EIS needs to include an analysis of the impacts of permanent storage should the CIS facility become a de facto permanent waste site.

More Alternatives Must Be Analyzed

- The high-level radioactive waste is too dangerous to move and can remain on site for many more years. It should not be moved until all alternatives are analyzed, including keeping the waste where it is in some form of Hardened On Site Storage (HOSS) on the reactor sites or at suitable locations as close to the reactors as possible to minimize transport risks.
- The alternative of consolidated storage at an existing licensed Independent Spent Fuel Storage Facility (ISFSI) must also be analyzed.

All Transportation Routes and Risks Must Be Analyzed

- The EIS must include all possible transportation routes and study the potential impacts from accidents, terrorism incidents, and how new rail lines or roads for waste shipments will impact public health, environment, water sources, flora, fauna (especially any endangered species), and occupational safety along these routes.

The Consequences To An Accident-Exposed Individual Must Be Analyzed

- Terms like “collective dose risk” and “person-rem” are used to ignore the potential impacts to a single individual.
- All possible human exposures from routine and accidental radioactive releases during transport and at the site must be clearly defined in plain language, for individuals near waste on occasion and workers who are transporting or working at the CIS site long-term.

Cracked And Leaking Canisters Must Be Addressed

- The ER does not analyze exactly how radioactive waste from a cracked and leaking canister would be handled, since there is no wet pool or hot cell at the site. The EIS must include how cracked and leaking canisters will be handled onsite and during transport and analyze possible environmental impacts if leaks or spills occur from cracked canisters.

More Cumulative Impacts Must Be Analyzed

- The ER mentions the Waste Isolation Pilot Plant (WIPP) but does not analyze the impacts of a radiologic release from WIPP on the proposed CIS site.
- The impacts from WIPP and possible impacts from and to the local oil and gas industries need to be analyzed and included in the EIS.

Seismic Impacts On Stored Casks Must Be Stated

- Although the ER gives a statement on recent seismic activity in the area, there is no analysis of what fracking-induced earthquakes will have on the buried casks. These impacts need to be analyzed and included in the EIS.

Future Electrical Transmission Lines and Plumbing Infrastructure Must Be Analyzed

- Impacts from new electrical lines and plumbing must be included in EIS.

Economic Impacts Must Be Analyzed For The Different Phases of the Project

- The economic impacts must be studied and clearly state any positive or negative impacts from this site: initially, after construction is complete, and throughout the whole 120 years.
- How many jobs will be created? How many are only temporary and how many are permanent? How many will go to local residents?

A Thorough Environmental Justice (EJ) Analysis Must Be Included in the EIS

- Impacts to EJ communities near the site and along transport routes must be studied, including but not limited to economic and health impacts that are specific to lower income and people of color communities. For indigenous populations located near the site or along transport routes, this EJ analysis must include impacts to culturally important natural resources, such as: sacred places, traditional food sources, and traditional medical plants.

Sincerely,

Signature

Karen Solomon

Date

7/14/18

Name (Print)

Karen Solomon

City & State

ABQ, NM

May Ma
Office of Administration
Mail Stop: TWFN-7- A60M
U.S. Nuclear Regulatory Commission
Washington, DC 20555- 0001

RE: Docket ID NRC-2018-0052; Holtec International's HI-STORE Spent Fuel Waste Facility

Nuclear Regulatory Commission:

I am extremely concerned about the Consolidated Interim Storage (CIS) facility proposed by Holtec International to store up to 100,000 metric tons of high-level radioactive waste in southeast New Mexico. I respectfully submit the following comments regarding the proposal itself and the scope of the Environmental Review and analysis for the Environmental Impact Statement (EIS).

I am submitting these comments because I do not consent to New Mexico becoming a national dumping ground for "spent fuel" from every nuclear reactor in the country. I do not consent to transporting up to 10,000 canisters of highly radioactive waste through communities nationwide. I do not consent to the risk of contamination of our lands, aquifers, air, or the health of our people, plants, wildlife, and livestock. I do not consent to endangering present and future generations.

I formally request additional Public Scoping Meetings for other communities throughout the United States (U.S.) that will be impacted by the transport of these waste canisters.

This Holtec Proposal Is Contrary To Current Law

- Current law only allows the U.S. Department of Energy to take title to commercial spent fuel "following commencement of operation of a repository" or at a DOE-owned and operated monitored retrievable storage facility. The Holtec site meets neither requirement, as it is a private facility.

Holtec Must Remove Copyrights And All Redactions in the Environmental Report (ER)

- NRC must require Holtec to produce an ER that has no such copyright restrictions and has no redactions. It is impossible to make recommendations on the scope of analyses of these redacted areas of the ER for the EIS.

The Impacts Of Permanent Storage Must Be Analyzed

- The ER is incomplete because it does not analyze the impacts of the spent fuel being left at the Holtec site indefinitely. The EIS needs to include an analysis of the impacts of permanent storage should the CIS facility become a de facto permanent waste site.

More Alternatives Must Be Analyzed

- The high-level radioactive waste is too dangerous to move and can remain on site for many more years. It should not be moved until all alternatives are analyzed, including keeping the waste where it is in some form of Hardened On Site Storage (HOSS) on the reactor sites or at suitable locations as close to the reactors as possible to minimize transport risks.
- The alternative of consolidated storage at an existing licensed Independent Spent Fuel Storage Facility (ISFSI) must also be analyzed.

All Transportation Routes and Risks Must Be Analyzed

- The EIS must include all possible transportation routes and study the potential impacts from accidents, terrorism incidents, and how new rail lines or roads for waste shipments will impact public health, environment, water sources, flora, fauna (especially any endangered species), and occupational safety along these routes.

The Consequences To An Accident-Exposed Individual Must Be Analyzed

- Terms like “collective dose risk” and “person-rem” are used to ignore the potential impacts to a single individual.
- All possible human exposures from routine and accidental radioactive releases during transport and at the site must be clearly defined in plain language, for individuals near waste on occasion and workers who are transporting or working at the CIS site long-term.

Cracked And Leaking Canisters Must Be Addressed

- The ER does not analyze exactly how radioactive waste from a cracked and leaking canister would be handled, since there is no wet pool or hot cell at the site. The EIS must include how cracked and leaking canisters will be handled onsite and during transport and analyze possible environmental impacts if leaks or spills occur from cracked canisters.

More Cumulative Impacts Must Be Analyzed

- The ER mentions the Waste Isolation Pilot Plant (WIPP) but does not analyze the impacts of a radiologic release from WIPP on the proposed CIS site.
- The impacts from WIPP and possible impacts from and to the local oil and gas industries need to be analyzed and included in the EIS.

Seismic Impacts On Stored Casks Must Be Stated

- Although the ER gives a statement on recent seismic activity in the area, there is no analysis of what fracking-induced earthquakes will have on the buried casks. These impacts need to be analyzed and included in the EIS.

Future Electrical Transmission Lines and Plumbing Infrastructure Must Be Analyzed

- Impacts from new electrical lines and plumbing must be included in EIS.

Economic Impacts Must Be Analyzed For The Different Phases of the Project


- The economic impacts must be studied and clearly state any positive or negative impacts from this site: initially, after construction is complete, and throughout the whole 120 years.
- How many jobs will be created? How many are only temporary and how many are permanent? How many will go to local residents?

A Thorough Environmental Justice (EJ) Analysis Must Be Included in the EIS

- Impacts to EJ communities near the site and along transport routes must be studied, including but not limited to economic and health impacts that are specific to lower income and people of color communities. For indigenous populations located near the site or along transport routes, this EJ analysis must include impacts to culturally important natural resources, such as: sacred places, traditional food sources, and traditional medical plants.

Sincerely,

Signature



Date

7/14/18

Name (Print)

Nicole H. Snalley

City & State

Albuquerque, NM

The Consequences To An Accident-Exposed Individual Must Be Analyzed

- Terms like “collective dose risk” and “person-rem” are used to ignore the potential impacts to a single individual.
- All possible human exposures from routine and accidental radioactive releases during transport and at the site must be clearly defined in plain language, for individuals near waste on occasion and workers who are transporting or working at the CIS site long-term.

Cracked And Leaking Canisters Must Be Addressed

- The ER does not analyze exactly how radioactive waste from a cracked and leaking canister would be handled, since there is no wet pool or hot cell at the site. The EIS must include how cracked and leaking canisters will be handled onsite and during transport and analyze possible environmental impacts if leaks or spills occur from cracked canisters.

More Cumulative Impacts Must Be Analyzed

- The ER mentions the Waste Isolation Pilot Plant (WIPP) but does not analyze the impacts of a radiologic release from WIPP on the proposed CIS site.
- The impacts from WIPP and possible impacts from and to the local oil and gas industries need to be analyzed and included in the EIS.

Seismic Impacts On Stored Casks Must Be Stated

- Although the ER gives a statement on recent seismic activity in the area, there is no analysis of what fracking-induced earthquakes will have on the buried casks. These impacts need to be analyzed and included in the EIS.

Future Electrical Transmission Lines and Plumbing Infrastructure Must Be Analyzed

- Impacts from new electrical lines and plumbing must be included in EIS.

Economic Impacts Must Be Analyzed For The Different Phases of the Project

- The economic impacts must be studied and clearly state any positive or negative impacts from this site: initially, after construction is complete, and throughout the whole 120 years.
- How many jobs will be created? How many are only temporary and how many are permanent? How many will go to local residents?

A Thorough Environmental Justice (EJ) Analysis Must Be Included in the EIS

- Impacts to EJ communities near the site and along transport routes must be studied, including but not limited to economic and health impacts that are specific to lower income and people of color communities. For indigenous populations located near the site or along transport routes, this EJ analysis must include impacts to culturally important natural resources, such as: sacred places, traditional food sources, and traditional medical plants.

Sincerely,

Signature

Name (Print)

City & State

Mary Anne Reilly Date 7/14/18
Mary Anne Reilly
ABQ, NM

May Ma
Office of Administration
Mail Stop: TWFN-7- A60M
U.S. Nuclear Regulatory Commission
Washington, DC 20555- 0001

RE: Docket ID NRC-2018-0052; Holtec International's HI-STORE Spent Fuel Waste Facility

Nuclear Regulatory Commission:

I am extremely concerned about the Consolidated Interim Storage (CIS) facility proposed by Holtec International to store up to 100,000 metric tons of high-level radioactive waste in southeast New Mexico. I respectfully submit the following comments regarding the proposal itself and the scope of the Environmental Review and analysis for the Environmental Impact Statement (EIS).

I am submitting these comments because I do not consent to New Mexico becoming a national dumping ground for "spent fuel" from every nuclear reactor in the country. I do not consent to transporting up to 10,000 canisters of highly radioactive waste through communities nationwide. I do not consent to the risk of contamination of our lands, aquifers, air, or the health of our people, plants, wildlife, and livestock. I do not consent to endangering present and future generations.

I formally request additional Public Scoping Meetings for other communities throughout the United States (U.S.) that will be impacted by the transport of these waste canisters.

This Holtec Proposal Is Contrary To Current Law

- Current law only allows the U.S. Department of Energy to take title to commercial spent fuel "following commencement of operation of a repository" or at a DOE-owned and operated monitored retrievable storage facility. The Holtec site meets neither requirement, as it is a private facility.

Holtec Must Remove Copyrights And All Redactions in the Environmental Report (ER)

- NRC must require Holtec to produce an ER that has no such copyright restrictions and has no redactions. It is impossible to make recommendations on the scope of analyses of these redacted areas of the ER for the EIS.

The Impacts Of Permanent Storage Must Be Analyzed

- The ER is incomplete because it does not analyze the impacts of the spent fuel being left at the Holtec site indefinitely. The EIS needs to include an analysis of the impacts of permanent storage should the CIS facility become a de facto permanent waste site.

More Alternatives Must Be Analyzed

- The high-level radioactive waste is too dangerous to move and can remain on site for many more years. It should not be moved until all alternatives are analyzed, including keeping the waste where it is in some form of Hardened On Site Storage (HOSS) on the reactor sites or at suitable locations as close to the reactors as possible to minimize transport risks.
- The alternative of consolidated storage at an existing licensed Independent Spent Fuel Storage Facility (ISFSI) must also be analyzed.

All Transportation Routes and Risks Must Be Analyzed

- The EIS must include all possible transportation routes and study the potential impacts from accidents, terrorism incidents, and how new rail lines or roads for waste shipments will impact public health, environment, water sources, flora, fauna (especially any endangered species), and occupational safety along these routes.

The Consequences To An Accident-Exposed Individual Must Be Analyzed

- Terms like “collective dose risk” and “person-rem” are used to ignore the potential impacts to a single individual.
- All possible human exposures from routine and accidental radioactive releases during transport and at the site must be clearly defined in plain language, for individuals near waste on occasion and workers who are transporting or working at the CIS site long-term.

Cracked And Leaking Canisters Must Be Addressed

- The ER does not analyze exactly how radioactive waste from a cracked and leaking canister would be handled, since there is no wet pool or hot cell at the site. The EIS must include how cracked and leaking canisters will be handled onsite and during transport and analyze possible environmental impacts if leaks or spills occur from cracked canisters.

More Cumulative Impacts Must Be Analyzed

- The ER mentions the Waste Isolation Pilot Plant (WIPP) but does not analyze the impacts of a radiologic release from WIPP on the proposed CIS site.
- The impacts from WIPP and possible impacts from and to the local oil and gas industries need to be analyzed and included in the EIS.

Seismic Impacts On Stored Casks Must Be Stated

- Although the ER gives a statement on recent seismic activity in the area, there is no analysis of what fracking-induced earthquakes will have on the buried casks. These impacts need to be analyzed and included in the EIS.

Future Electrical Transmission Lines and Plumbing Infrastructure Must Be Analyzed

- Impacts from new electrical lines and plumbing must be included in EIS.


Economic Impacts Must Be Analyzed For The Different Phases of the Project

- The economic impacts must be studied and clearly state any positive or negative impacts from this site: initially, after construction is complete, and throughout the whole 120 years.
- How many jobs will be created? How many are only temporary and how many are permanent? How many will go to local residents?

A Thorough Environmental Justice (EJ) Analysis Must Be Included in the EIS

- Impacts to EJ communities near the site and along transport routes must be studied, including but not limited to economic and health impacts that are specific to lower income and people of color communities. For indigenous populations located near the site or along transport routes, this EJ analysis must include impacts to culturally important natural resources, such as: sacred places, traditional food sources, and traditional medical plants.

Sincerely,

Signature  Date 7/14/2018

Name (Print) CLAUDINE J. GARCIA

City & State ALBUQ. NM 87120

May Ma
Office of Administration
Mail Stop: TWFN-7- A60M
U.S. Nuclear Regulatory Commission
Washington, DC 20555- 0001

RE: Docket ID NRC-2018-0052; Holtec International's HI-STORE Spent Fuel Waste Facility

Nuclear Regulatory Commission:

I am extremely concerned about the Consolidated Interim Storage (CIS) facility proposed by Holtec International to store up to 100,000 metric tons of high-level radioactive waste in southeast New Mexico. I respectfully submit the following comments regarding the proposal itself and the scope of the Environmental Review and analysis for the Environmental Impact Statement (EIS).

I am submitting these comments because I do not consent to New Mexico becoming a national dumping ground for "spent fuel" from every nuclear reactor in the country. I do not consent to transporting up to 10,000 canisters of highly radioactive waste through communities nationwide. I do not consent to the risk of contamination of our lands, aquifers, air, or the health of our people, plants, wildlife, and livestock. I do not consent to endangering present and future generations.

I formally request additional Public Scoping Meetings for other communities throughout the United States (U.S.) that will be impacted by the transport of these waste canisters.

This Holtec Proposal Is Contrary To Current Law

- Current law only allows the U.S. Department of Energy to take title to commercial spent fuel "following commencement of operation of a repository" or at a DOE-owned and operated monitored retrievable storage facility. The Holtec site meets neither requirement, as it is a private facility.

Holtec Must Remove Copyrights And All Redactions in the Environmental Report (ER)

- NRC must require Holtec to produce an ER that has no such copyright restrictions and has no redactions. It is impossible to make recommendations on the scope of analyses of these redacted areas of the ER for the EIS.

The Impacts Of Permanent Storage Must Be Analyzed

- The ER is incomplete because it does not analyze the impacts of the spent fuel being left at the Holtec site indefinitely. The EIS needs to include an analysis of the impacts of permanent storage should the CIS facility become a de facto permanent waste site.

More Alternatives Must Be Analyzed

- The high-level radioactive waste is too dangerous to move and can remain on site for many more years. It should not be moved until all alternatives are analyzed, including keeping the waste where it is in some form of Hardened On Site Storage (HOSS) on the reactor sites or at suitable locations as close to the reactors as possible to minimize transport risks.
- The alternative of consolidated storage at an existing licensed Independent Spent Fuel Storage Facility (ISFSI) must also be analyzed.

All Transportation Routes and Risks Must Be Analyzed

- The EIS must include all possible transportation routes and study the potential impacts from accidents, terrorism incidents, and how new rail lines or roads for waste shipments will impact public health, environment, water sources, flora, fauna (especially any endangered species), and occupational safety along these routes.

The Consequences To An Accident-Exposed Individual Must Be Analyzed

- Terms like “collective dose risk” and “person-rem” are used to ignore the potential impacts to a single individual.
- All possible human exposures from routine and accidental radioactive releases during transport and at the site must be clearly defined in plain language, for individuals near waste on occasion and workers who are transporting or working at the CIS site long-term.

Cracked And Leaking Canisters Must Be Addressed

- The ER does not analyze exactly how radioactive waste from a cracked and leaking canister would be handled, since there is no wet pool or hot cell at the site. The EIS must include how cracked and leaking canisters will be handled onsite and during transport and analyze possible environmental impacts if leaks or spills occur from cracked canisters.

More Cumulative Impacts Must Be Analyzed

- The ER mentions the Waste Isolation Pilot Plant (WIPP) but does not analyze the impacts of a radiologic release from WIPP on the proposed CIS site.
- The impacts from WIPP and possible impacts from and to the local oil and gas industries need to be analyzed and included in the EIS.

Seismic Impacts On Stored Casks Must Be Stated

- Although the ER gives a statement on recent seismic activity in the area, there is no analysis of what fracking-induced earthquakes will have on the buried casks. These impacts need to be analyzed and included in the EIS.

Future Electrical Transmission Lines and Plumbing Infrastructure Must Be Analyzed

- Impacts from new electrical lines and plumbing must be included in EIS.

Economic Impacts Must Be Analyzed For The Different Phases of the Project

- The economic impacts must be studied and clearly state any positive or negative impacts from this site: initially, after construction is complete, and throughout the whole 120 years.
- How many jobs will be created? How many are only temporary and how many are permanent? How many will go to local residents?

A Thorough Environmental Justice (EJ) Analysis Must Be Included in the EIS

- Impacts to EJ communities near the site and along transport routes must be studied, including but not limited to economic and health impacts that are specific to lower income and people of color communities. For indigenous populations located near the site or along transport routes, this EJ analysis must include impacts to culturally important natural resources, such as: sacred places, traditional food sources, and traditional medical plants.

Sincerely,

Signature  Date _____

Name (Print) Melodie M. Love-Wagner

City & State Sandia Park, NM

May Ma
Office of Administration
Mail Stop: TWFN-7- A60M
U.S. Nuclear Regulatory Commission
Washington, DC 20555- 0001

RE: Docket ID NRC-2018-0052; Holtec International's HI-STORE Spent Fuel Waste Facility

Nuclear Regulatory Commission:

I am extremely concerned about the Consolidated Interim Storage (CIS) facility proposed by Holtec International to store up to 100,000 metric tons of high-level radioactive waste in southeast New Mexico. I respectfully submit the following comments regarding the proposal itself and the scope of the Environmental Review and analysis for the Environmental Impact Statement (EIS).

I am submitting these comments because I do not consent to New Mexico becoming a national dumping ground for "spent fuel" from every nuclear reactor in the country. I do not consent to transporting up to 10,000 canisters of highly radioactive waste through communities nationwide. I do not consent to the risk of contamination of our lands, aquifers, air, or the health of our people, plants, wildlife, and livestock. I do not consent to endangering present and future generations.

I formally request additional Public Scoping Meetings for other communities throughout the United States (U.S.) that will be impacted by the transport of these waste canisters.

This Holtec Proposal Is Contrary To Current Law

- Current law only allows the U.S. Department of Energy to take title to commercial spent fuel "following commencement of operation of a repository" or at a DOE-owned and operated monitored retrievable storage facility. The Holtec site meets neither requirement, as it is a private facility.

Holtec Must Remove Copyrights And All Redactions in the Environmental Report (ER)

- NRC must require Holtec to produce an ER that has no such copyright restrictions and has no redactions. It is impossible to make recommendations on the scope of analyses of these redacted areas of the ER for the EIS.

The Impacts Of Permanent Storage Must Be Analyzed

- The ER is incomplete because it does not analyze the impacts of the spent fuel being left at the Holtec site indefinitely. The EIS needs to include an analysis of the impacts of permanent storage should the CIS facility become a de facto permanent waste site.

More Alternatives Must Be Analyzed

- The high-level radioactive waste is too dangerous to move and can remain on site for many more years. It should not be moved until all alternatives are analyzed, including keeping the waste where it is in some form of Hardened On Site Storage (HOSS) on the reactor sites or at suitable locations as close to the reactors as possible to minimize transport risks.
- The alternative of consolidated storage at an existing licensed Independent Spent Fuel Storage Facility (ISFSI) must also be analyzed.

All Transportation Routes and Risks Must Be Analyzed

- The EIS must include all possible transportation routes and study the potential impacts from accidents, terrorism incidents, and how new rail lines or roads for waste shipments will impact public health, environment, water sources, flora, fauna (especially any endangered species), and occupational safety along these routes.

The Consequences To An Accident-Exposed Individual Must Be Analyzed

- Terms like “collective dose risk” and “person-rem” are used to ignore the potential impacts to a single individual.
- All possible human exposures from routine and accidental radioactive releases during transport and at the site must be clearly defined in plain language, for individuals near waste on occasion and workers who are transporting or working at the CIS site long-term.

Cracked And Leaking Canisters Must Be Addressed

- The ER does not analyze exactly how radioactive waste from a cracked and leaking canister would be handled, since there is no wet pool or hot cell at the site. The EIS must include how cracked and leaking canisters will be handled onsite and during transport and analyze possible environmental impacts if leaks or spills occur from cracked canisters.

More Cumulative Impacts Must Be Analyzed

- The ER mentions the Waste Isolation Pilot Plant (WIPP) but does not analyze the impacts of a radiologic release from WIPP on the proposed CIS site.
- The impacts from WIPP and possible impacts from and to the local oil and gas industries need to be analyzed and included in the EIS.

Seismic Impacts On Stored Casks Must Be Stated

- Although the ER gives a statement on recent seismic activity in the area, there is no analysis of what fracking-induced earthquakes will have on the buried casks. These impacts need to be analyzed and included in the EIS.

Future Electrical Transmission Lines and Plumbing Infrastructure Must Be Analyzed

- Impacts from new electrical lines and plumbing must be included in EIS.

Economic Impacts Must Be Analyzed For The Different Phases of the Project

- The economic impacts must be studied and clearly state any positive or negative impacts from this site: initially, after construction is complete, and throughout the whole 120 years.
- How many jobs will be created? How many are only temporary and how many are permanent? How many will go to local residents?

A Thorough Environmental Justice (EJ) Analysis Must Be Included in the EIS

- Impacts to EJ communities near the site and along transport routes must be studied, including but not limited to economic and health impacts that are specific to lower income and people of color communities. For indigenous populations located near the site or along transport routes, this EJ analysis must include impacts to culturally important natural resources, such as: sacred places, traditional food sources, and traditional medical plants.

Sincerely,

Signature

Name (Print)

City & State



Karl J. Acosta

Albuquerque, NM 87113

Date

7-17-18

May Ma
Office of Administration
Mail Stop: TWFN-7- A60M
U.S. Nuclear Regulatory Commission
Washington, DC 20555- 0001

RE: Docket ID NRC-2018-0052; Holtec International's HI-STORE Spent Fuel Waste Facility

Nuclear Regulatory Commission:

I am extremely concerned about the Consolidated Interim Storage (CIS) facility proposed by Holtec International to store up to 100,000 metric tons of high-level radioactive waste in southeast New Mexico. I respectfully submit the following comments regarding the proposal itself and the scope of the Environmental Review and analysis for the Environmental Impact Statement (EIS).

I am submitting these comments because I do not consent to New Mexico becoming a national dumping ground for "spent fuel" from every nuclear reactor in the country. I do not consent to transporting up to 10,000 canisters of highly radioactive waste through communities nationwide. I do not consent to the risk of contamination of our lands, aquifers, air, or the health of our people, plants, wildlife, and livestock. I do not consent to endangering present and future generations.

I formally request additional Public Scoping Meetings for other communities throughout the United States (U.S.) that will be impacted by the transport of these waste canisters.

This Holtec Proposal Is Contrary To Current Law

- Current law only allows the U.S. Department of Energy to take title to commercial spent fuel "following commencement of operation of a repository" or at a DOE-owned and operated monitored retrievable storage facility. The Holtec site meets neither requirement, as it is a private facility.

Holtec Must Remove Copyrights And All Redactions in the Environmental Report (ER)

- NRC must require Holtec to produce an ER that has no such copyright restrictions and has no redactions. It is impossible to make recommendations on the scope of analyses of these redacted areas of the ER for the EIS.

The Impacts Of Permanent Storage Must Be Analyzed

- The ER is incomplete because it does not analyze the impacts of the spent fuel being left at the Holtec site indefinitely. The EIS needs to include an analysis of the impacts of permanent storage should the CIS facility become a de facto permanent waste site.

More Alternatives Must Be Analyzed

- The high-level radioactive waste is too dangerous to move and can remain on site for many more years. It should not be moved until all alternatives are analyzed, including keeping the waste where it is in some form of Hardened On Site Storage (HOSS) on the reactor sites or at suitable locations as close to the reactors as possible to minimize transport risks.
- The alternative of consolidated storage at an existing licensed Independent Spent Fuel Storage Facility (ISFSI) must also be analyzed.

All Transportation Routes and Risks Must Be Analyzed

- The EIS must include all possible transportation routes and study the potential impacts from accidents, terrorism incidents, and how new rail lines or roads for waste shipments will impact public health, environment, water sources, flora, fauna (especially any endangered species), and occupational safety along these routes.

The Consequences To An Accident-Exposed Individual Must Be Analyzed

- Terms like "collective dose risk" and "person-rem" are used to ignore the potential impacts to a single individual.
- All possible human exposures from routine and accidental radioactive releases during transport and at the site must be clearly defined in plain language, for individuals near waste on occasion and workers who are transporting or working at the CIS site long-term.

Cracked And Leaking Canisters Must Be Addressed

- The ER does not analyze exactly how radioactive waste from a cracked and leaking canister would be handled, since there is no wet pool or hot cell at the site. The EIS must include how cracked and leaking canisters will be handled onsite and during transport and analyze possible environmental impacts if leaks or spills occur from cracked canisters.

More Cumulative Impacts Must Be Analyzed

- The ER mentions the Waste Isolation Pilot Plant (WIPP) but does not analyze the impacts of a radiologic release from WIPP on the proposed CIS site.
- The impacts from WIPP and possible impacts from and to the local oil and gas industries need to be analyzed and included in the EIS.

Seismic Impacts On Stored Casks Must Be Stated

- Although the ER gives a statement on recent seismic activity in the area, there is no analysis of what fracking-induced earthquakes will have on the buried casks. These impacts need to be analyzed and included in the EIS.

Future Electrical Transmission Lines and Plumbing Infrastructure Must Be Analyzed

- Impacts from new electrical lines and plumbing must be included in EIS.

Economic Impacts Must Be Analyzed For The Different Phases of the Project

- The economic impacts must be studied and clearly state any positive or negative impacts from this site: initially, after construction is complete, and throughout the whole 120 years.
- How many jobs will be created? How many are only temporary and how many are permanent? How many will go to local residents?

A Thorough Environmental Justice (EJ) Analysis Must Be Included in the EIS

- Impacts to EJ communities near the site and along transport routes must be studied, including but not limited to economic and health impacts that are specific to lower income and people of color communities. For indigenous populations located near the site or along transport routes, this EJ analysis must include impacts to culturally important natural resources, such as: sacred places, traditional food sources, and traditional medical plants.



Sincerely,

Signature

Date

Name (Print)

City & State



Timothy D. McCullough
319 Serenity Hills Pl. SE 87123

May Ma
Office of Administration
Mail Stop: TWFN-7- A60M
U.S. Nuclear Regulatory Commission
Washington, DC 20555- 0001

RE: Docket ID NRC-2018-0052; Holtec International's HI-STORE Spent Fuel Waste Facility

Nuclear Regulatory Commission:

I am extremely concerned about the Consolidated Interim Storage (CIS) facility proposed by Holtec International to store up to 100,000 metric tons of high-level radioactive waste in southeast New Mexico. I respectfully submit the following comments regarding the proposal itself and the scope of the Environmental Review and analysis for the Environmental Impact Statement (EIS).

I am submitting these comments because I do not consent to New Mexico becoming a national dumping ground for "spent fuel" from every nuclear reactor in the country. I do not consent to transporting up to 10,000 canisters of highly radioactive waste through communities nationwide. I do not consent to the risk of contamination of our lands, aquifers, air, or the health of our people, plants, wildlife, and livestock. I do not consent to endangering present and future generations.

I formally request additional Public Scoping Meetings for other communities throughout the United States (U.S.) that will be impacted by the transport of these waste canisters.

This Holtec Proposal Is Contrary To Current Law

- Current law only allows the U.S. Department of Energy to take title to commercial spent fuel "following commencement of operation of a repository" or at a DOE-owned and operated monitored retrievable storage facility. The Holtec site meets neither requirement, as it is a private facility.

Holtec Must Remove Copyrights And All Redactions in the Environmental Report (ER)

- NRC must require Holtec to produce an ER that has no such copyright restrictions and has no redactions. It is impossible to make recommendations on the scope of analyses of these redacted areas of the ER for the EIS.

The Impacts Of Permanent Storage Must Be Analyzed

- The ER is incomplete because it does not analyze the impacts of the spent fuel being left at the Holtec site indefinitely. The EIS needs to include an analysis of the impacts of permanent storage should the CIS facility become a de facto permanent waste site.

More Alternatives Must Be Analyzed

- The high-level radioactive waste is too dangerous to move and can remain on site for many more years. It should not be moved until all alternatives are analyzed, including keeping the waste where it is in some form of Hardened On Site Storage (HOSS) on the reactor sites or at suitable locations as close to the reactors as possible to minimize transport risks.
- The alternative of consolidated storage at an existing licensed Independent Spent Fuel Storage Facility (ISFSI) must also be analyzed.

All Transportation Routes and Risks Must Be Analyzed

- The EIS must include all possible transportation routes and study the potential impacts from accidents, terrorism incidents, and how new rail lines or roads for waste shipments will impact public health, environment, water sources, flora, fauna (especially any endangered species), and occupational safety along these routes.

The Consequences To An Accident-Exposed Individual Must Be Analyzed

- Terms like “collective dose risk” and “person-rem” are used to ignore the potential impacts to a single individual.
- All possible human exposures from routine and accidental radioactive releases during transport and at the site must be clearly defined in plain language, for individuals near waste on occasion and workers who are transporting or working at the CIS site long-term.

Cracked And Leaking Canisters Must Be Addressed

- The ER does not analyze exactly how radioactive waste from a cracked and leaking canister would be handled, since there is no wet pool or hot cell at the site. The EIS must include how cracked and leaking canisters will be handled onsite and during transport and analyze possible environmental impacts if leaks or spills occur from cracked canisters.

More Cumulative Impacts Must Be Analyzed

- The ER mentions the Waste Isolation Pilot Plant (WIPP) but does not analyze the impacts of a radiologic release from WIPP on the proposed CIS site.
- The impacts from WIPP and possible impacts from and to the local oil and gas industries need to be analyzed and included in the EIS.

Seismic Impacts On Stored Casks Must Be Stated

- Although the ER gives a statement on recent seismic activity in the area, there is no analysis of what fracking-induced earthquakes will have on the buried casks. These impacts need to be analyzed and included in the EIS.

Future Electrical Transmission Lines and Plumbing Infrastructure Must Be Analyzed

- Impacts from new electrical lines and plumbing must be included in EIS.

Economic Impacts Must Be Analyzed For The Different Phases of the Project

- The economic impacts must be studied and clearly state any positive or negative impacts from this site: initially, after construction is complete, and throughout the whole 120 years.
- How many jobs will be created? How many are only temporary and how many are permanent? How many will go to local residents?

A Thorough Environmental Justice (EJ) Analysis Must Be Included in the EIS

- Impacts to EJ communities near the site and along transport routes must be studied, including but not limited to economic and health impacts that are specific to lower income and people of color communities. For indigenous populations located near the site or along transport routes, this EJ analysis must include impacts to culturally important natural resources, such as: sacred places, traditional food sources, and traditional medical plants.

Sincerely,

Signature Kathleen D. Valor Date 7-14-18

Name (Print) KATHLEEN D. VALOR

City & State ALBUQ, NM

May Ma
Office of Administration
Mail Stop: TWFN-7- A60M
U.S. Nuclear Regulatory Commission
Washington, DC 20555- 0001

RE: Docket ID NRC-2018-0052; Holtec International's HI-STORE Spent Fuel Waste Facility

Nuclear Regulatory Commission:

I am extremely concerned about the Consolidated Interim Storage (CIS) facility proposed by Holtec International to store up to 100,000 metric tons of high-level radioactive waste in southeast New Mexico. I respectfully submit the following comments regarding the proposal itself and the scope of the Environmental Review and analysis for the Environmental Impact Statement (EIS).

I am submitting these comments because I do not consent to New Mexico becoming a national dumping ground for "spent fuel" from every nuclear reactor in the country. I do not consent to transporting up to 10,000 canisters of highly radioactive waste through communities nationwide. I do not consent to the risk of contamination of our lands, aquifers, air, or the health of our people, plants, wildlife, and livestock. I do not consent to endangering present and future generations.

I formally request additional Public Scoping Meetings for other communities throughout the United States (U.S.) that will be impacted by the transport of these waste canisters.

This Holtec Proposal Is Contrary To Current Law

- Current law only allows the U.S. Department of Energy to take title to commercial spent fuel "following commencement of operation of a repository" or at a DOE-owned and operated monitored retrievable storage facility. The Holtec site meets neither requirement, as it is a private facility.

Holtec Must Remove Copyrights And All Redactions in the Environmental Report (ER)

- NRC must require Holtec to produce an ER that has no such copyright restrictions and has no redactions. It is impossible to make recommendations on the scope of analyses of these redacted areas of the ER for the EIS.

The Impacts Of Permanent Storage Must Be Analyzed

- The ER is incomplete because it does not analyze the impacts of the spent fuel being left at the Holtec site indefinitely. The EIS needs to include an analysis of the impacts of permanent storage should the CIS facility become a de facto permanent waste site.

More Alternatives Must Be Analyzed

- The high-level radioactive waste is too dangerous to move and can remain on site for many more years. It should not be moved until all alternatives are analyzed, including keeping the waste where it is in some form of Hardened On Site Storage (HOSS) on the reactor sites or at suitable locations as close to the reactors as possible to minimize transport risks.
- The alternative of consolidated storage at an existing licensed Independent Spent Fuel Storage Facility (ISFSI) must also be analyzed.

All Transportation Routes and Risks Must Be Analyzed

- The EIS must include all possible transportation routes and study the potential impacts from accidents, terrorism incidents, and how new rail lines or roads for waste shipments will impact public health, environment, water sources, flora, fauna (especially any endangered species), and occupational safety along these routes.

The Consequences To An Accident-Exposed Individual Must Be Analyzed

- Terms like “collective dose risk” and “person-rem” are used to ignore the potential impacts to a single individual.
- All possible human exposures from routine and accidental radioactive releases during transport and at the site must be clearly defined in plain language, for individuals near waste on occasion and workers who are transporting or working at the CIS site long-term.

Cracked And Leaking Canisters Must Be Addressed

- The ER does not analyze exactly how radioactive waste from a cracked and leaking canister would be handled, since there is no wet pool or hot cell at the site. The EIS must include how cracked and leaking canisters will be handled onsite and during transport and analyze possible environmental impacts if leaks or spills occur from cracked canisters.

More Cumulative Impacts Must Be Analyzed

- The ER mentions the Waste Isolation Pilot Plant (WIPP) but does not analyze the impacts of a radiologic release from WIPP on the proposed CIS site.
- The impacts from WIPP and possible impacts from and to the local oil and gas industries need to be analyzed and included in the EIS.

Seismic Impacts On Stored Casks Must Be Stated

- Although the ER gives a statement on recent seismic activity in the area, there is no analysis of what fracking-induced earthquakes will have on the buried casks. These impacts need to be analyzed and included in the EIS.

Future Electrical Transmission Lines and Plumbing Infrastructure Must Be Analyzed

- Impacts from new electrical lines and plumbing must be included in EIS.

Economic Impacts Must Be Analyzed For The Different Phases of the Project

- The economic impacts must be studied and clearly state any positive or negative impacts from this site: initially, after construction is complete, and throughout the whole 120 years.
- How many jobs will be created? How many are only temporary and how many are permanent? How many will go to local residents?

A Thorough Environmental Justice (EJ) Analysis Must Be Included in the EIS

- Impacts to EJ communities near the site and along transport routes must be studied, including but not limited to economic and health impacts that are specific to lower income and people of color communities. For indigenous populations located near the site or along transport routes, this EJ analysis must include impacts to culturally important natural resources, such as: sacred places, traditional food sources, and traditional medical plants.

Sincerely,

Signature Laura Ferrary Date 7-14-18

Name (Print) LAURA FERRARY

City & State Albany NM

May Ma
Office of Administration
Mail Stop: TWFN-7- A60M
U.S. Nuclear Regulatory Commission
Washington, DC 20555- 0001

RE: Docket ID NRC-2018-0052; Holtec International's HI-STORE Spent Fuel Waste Facility

Nuclear Regulatory Commission:

I am extremely concerned about the Consolidated Interim Storage (CIS) facility proposed by Holtec International to store up to 100,000 metric tons of high-level radioactive waste in southeast New Mexico. I respectfully submit the following comments regarding the proposal itself and the scope of the Environmental Review and analysis for the Environmental Impact Statement (EIS).

I am submitting these comments because I do not consent to New Mexico becoming a national dumping ground for "spent fuel" from every nuclear reactor in the country. I do not consent to transporting up to 10,000 canisters of highly radioactive waste through communities nationwide. I do not consent to the risk of contamination of our lands, aquifers, air, or the health of our people, plants, wildlife, and livestock. I do not consent to endangering present and future generations.

I formally request additional Public Scoping Meetings for other communities throughout the United States (U.S.) that will be impacted by the transport of these waste canisters.

This Holtec Proposal Is Contrary To Current Law

- Current law only allows the U.S. Department of Energy to take title to commercial spent fuel "following commencement of operation of a repository" or at a DOE-owned and operated monitored retrievable storage facility. The Holtec site meets neither requirement, as it is a private facility.

Holtec Must Remove Copyrights And All Redactions in the Environmental Report (ER)

- NRC must require Holtec to produce an ER that has no such copyright restrictions and has no redactions. It is impossible to make recommendations on the scope of analyses of these redacted areas of the ER for the EIS.

The Impacts Of Permanent Storage Must Be Analyzed

- The ER is incomplete because it does not analyze the impacts of the spent fuel being left at the Holtec site indefinitely. The EIS needs to include an analysis of the impacts of permanent storage should the CIS facility become a de facto permanent waste site.

More Alternatives Must Be Analyzed

- The high-level radioactive waste is too dangerous to move and can remain on site for many more years. It should not be moved until all alternatives are analyzed, including keeping the waste where it is in some form of Hardened On Site Storage (HOSS) on the reactor sites or at suitable locations as close to the reactors as possible to minimize transport risks.
- The alternative of consolidated storage at an existing licensed Independent Spent Fuel Storage Facility (ISFSI) must also be analyzed.

All Transportation Routes and Risks Must Be Analyzed

- The EIS must include all possible transportation routes and study the potential impacts from accidents, terrorism incidents, and how new rail lines or roads for waste shipments will impact public health, environment, water sources, flora, fauna (especially any endangered species), and occupational safety along these routes.

The Consequences To An Accident-Exposed Individual Must Be Analyzed

- Terms like “collective dose risk” and “person-rem” are used to ignore the potential impacts to a single individual.
- All possible human exposures from routine and accidental radioactive releases during transport and at the site must be clearly defined in plain language, for individuals near waste on occasion and workers who are transporting or working at the CIS site long-term.

Cracked And Leaking Canisters Must Be Addressed

- The ER does not analyze exactly how radioactive waste from a cracked and leaking canister would be handled, since there is no wet pool or hot cell at the site. The EIS must include how cracked and leaking canisters will be handled onsite and during transport and analyze possible environmental impacts if leaks or spills occur from cracked canisters.

More Cumulative Impacts Must Be Analyzed

- The ER mentions the Waste Isolation Pilot Plant (WIPP) but does not analyze the impacts of a radiologic release from WIPP on the proposed CIS site.
- The impacts from WIPP and possible impacts from and to the local oil and gas industries need to be analyzed and included in the EIS.

Seismic Impacts On Stored Casks Must Be Stated

- Although the ER gives a statement on recent seismic activity in the area, there is no analysis of what fracking-induced earthquakes will have on the buried casks. These impacts need to be analyzed and included in the EIS.

Future Electrical Transmission Lines and Plumbing Infrastructure Must Be Analyzed

- Impacts from new electrical lines and plumbing must be included in EIS.

Economic Impacts Must Be Analyzed For The Different Phases of the Project

- The economic impacts must be studied and clearly state any positive or negative impacts from this site: initially, after construction is complete, and throughout the whole 120 years.
- How many jobs will be created? How many are only temporary and how many are permanent? How many will go to local residents?

A Thorough Environmental Justice (EJ) Analysis Must Be Included in the EIS

- Impacts to EJ communities near the site and along transport routes must be studied, including but not limited to economic and health impacts that are specific to lower income and people of color communities. For indigenous populations located near the site or along transport routes, this EJ analysis must include impacts to culturally important natural resources, such as: sacred places, traditional food sources, and traditional medical plants.

Sincerely,

Signature



Date

7/14/18

Name (Print)

Heather Black

City & State

Albuquerque, NM

May Ma
Office of Administration
Mail Stop: TWFN-7- A60M
U.S. Nuclear Regulatory Commission
Washington, DC 20555- 0001

RE: Docket ID NRC-2018-0052; Holtec International's HI-STORE Spent Fuel Waste Facility

Nuclear Regulatory Commission:

I am extremely concerned about the Consolidated Interim Storage (CIS) facility proposed by Holtec International to store up to 100,000 metric tons of high-level radioactive waste in southeast New Mexico. I respectfully submit the following comments regarding the proposal itself and the scope of the Environmental Review and analysis for the Environmental Impact Statement (EIS).

I am submitting these comments because I do not consent to New Mexico becoming a national dumping ground for "spent fuel" from every nuclear reactor in the country. I do not consent to transporting up to 10,000 canisters of highly radioactive waste through communities nationwide. I do not consent to the risk of contamination of our lands, aquifers, air, or the health of our people, plants, wildlife, and livestock. I do not consent to endangering present and future generations.

I formally request additional Public Scoping Meetings for other communities throughout the United States (U.S.) that will be impacted by the transport of these waste canisters.

This Holtec Proposal Is Contrary To Current Law

- Current law only allows the U.S. Department of Energy to take title to commercial spent fuel "following commencement of operation of a repository" or at a DOE-owned and operated monitored retrievable storage facility. The Holtec site meets neither requirement, as it is a private facility.

Holtec Must Remove Copyrights And All Redactions in the Environmental Report (ER)

- NRC must require Holtec to produce an ER that has no such copyright restrictions and has no redactions. It is impossible to make recommendations on the scope of analyses of these redacted areas of the ER for the EIS.

The Impacts Of Permanent Storage Must Be Analyzed

- The ER is incomplete because it does not analyze the impacts of the spent fuel being left at the Holtec site indefinitely. The EIS needs to include an analysis of the impacts of permanent storage should the CIS facility become a de facto permanent waste site.

More Alternatives Must Be Analyzed

- The high-level radioactive waste is too dangerous to move and can remain on site for many more years. It should not be moved until all alternatives are analyzed, including keeping the waste where it is in some form of Hardened On Site Storage (HOSS) on the reactor sites or at suitable locations as close to the reactors as possible to minimize transport risks.
- The alternative of consolidated storage at an existing licensed Independent Spent Fuel Storage Facility (ISFSI) must also be analyzed.

All Transportation Routes and Risks Must Be Analyzed

- The EIS must include all possible transportation routes and study the potential impacts from accidents, terrorism incidents, and how new rail lines or roads for waste shipments will impact public health, environment, water sources, flora, fauna (especially any endangered species), and occupational safety along these routes.

The Consequences To An Accident-Exposed Individual Must Be Analyzed

- Terms like “collective dose risk” and “person-rem” are used to ignore the potential impacts to a single individual.
- All possible human exposures from routine and accidental radioactive releases during transport and at the site must be clearly defined in plain language, for individuals near waste on occasion and workers who are transporting or working at the CIS site long-term.

Cracked And Leaking Canisters Must Be Addressed

- The ER does not analyze exactly how radioactive waste from a cracked and leaking canister would be handled, since there is no wet pool or hot cell at the site. The EIS must include how cracked and leaking canisters will be handled onsite and during transport and analyze possible environmental impacts if leaks or spills occur from cracked canisters.

More Cumulative Impacts Must Be Analyzed

- The ER mentions the Waste Isolation Pilot Plant (WIPP) but does not analyze the impacts of a radiologic release from WIPP on the proposed CIS site.
- The impacts from WIPP and possible impacts from and to the local oil and gas industries need to be analyzed and included in the EIS.

Seismic Impacts On Stored Casks Must Be Stated

- Although the ER gives a statement on recent seismic activity in the area, there is no analysis of what fracking-induced earthquakes will have on the buried casks. These impacts need to be analyzed and included in the EIS.

Future Electrical Transmission Lines and Plumbing Infrastructure Must Be Analyzed

- Impacts from new electrical lines and plumbing must be included in EIS.

Economic Impacts Must Be Analyzed For The Different Phases of the Project

- The economic impacts must be studied and clearly state any positive or negative impacts from this site: initially, after construction is complete, and throughout the whole 120 years.
- How many jobs will be created? How many are only temporary and how many are permanent? How many will go to local residents?

A Thorough Environmental Justice (EJ) Analysis Must Be Included in the EIS


- Impacts to EJ communities near the site and along transport routes must be studied, including but not limited to economic and health impacts that are specific to lower income and people of color communities. For indigenous populations located near the site or along transport routes, this EJ analysis must include impacts to culturally important natural resources, such as: sacred places, traditional food sources, and traditional medical plants.

Sincerely,

Signature

Name (Print)

City & State



Desiree Black

Albq. NM.

Date

7/14/18

May Ma
Office of Administration
Mail Stop: TWFN-7- A60M
U.S. Nuclear Regulatory Commission
Washington, DC 20555- 0001

RE: Docket ID NRC-2018-0052; Holtec International's HI-STORE Spent Fuel Waste Facility

Nuclear Regulatory Commission:

I am extremely concerned about the Consolidated Interim Storage (CIS) facility proposed by Holtec International to store up to 100,000 metric tons of high-level radioactive waste in southeast New Mexico. I respectfully submit the following comments regarding the proposal itself and the scope of the Environmental Review and analysis for the Environmental Impact Statement (EIS).

I am submitting these comments because I do not consent to New Mexico becoming a national dumping ground for "spent fuel" from every nuclear reactor in the country. I do not consent to transporting up to 10,000 canisters of highly radioactive waste through communities nationwide. I do not consent to the risk of contamination of our lands, aquifers, air, or the health of our people, plants, wildlife, and livestock. I do not consent to endangering present and future generations.

I formally request additional Public Scoping Meetings for other communities throughout the United States (U.S.) that will be impacted by the transport of these waste canisters.

This Holtec Proposal Is Contrary To Current Law

- Current law only allows the U.S. Department of Energy to take title to commercial spent fuel "following commencement of operation of a repository" or at a DOE-owned and operated monitored retrievable storage facility. The Holtec site meets neither requirement, as it is a private facility.

Holtec Must Remove Copyrights And All Redactions in the Environmental Report (ER)

- NRC must require Holtec to produce an ER that has no such copyright restrictions and has no redactions. It is impossible to make recommendations on the scope of analyses of these redacted areas of the ER for the EIS.

The Impacts Of Permanent Storage Must Be Analyzed

- The ER is incomplete because it does not analyze the impacts of the spent fuel being left at the Holtec site indefinitely. The EIS needs to include an analysis of the impacts of permanent storage should the CIS facility become a de facto permanent waste site.

More Alternatives Must Be Analyzed

- The high-level radioactive waste is too dangerous to move and can remain on site for many more years. It should not be moved until all alternatives are analyzed, including keeping the waste where it is in some form of Hardened On Site Storage (HOSS) on the reactor sites or at suitable locations as close to the reactors as possible to minimize transport risks.
- The alternative of consolidated storage at an existing licensed Independent Spent Fuel Storage Facility (ISFSI) must also be analyzed.

All Transportation Routes and Risks Must Be Analyzed

- The EIS must include all possible transportation routes and study the potential impacts from accidents, terrorism incidents, and how new rail lines or roads for waste shipments will impact public health, environment, water sources, flora, fauna (especially any endangered species), and occupational safety along these routes.

The Consequences To An Accident-Exposed Individual Must Be Analyzed

- Terms like “collective dose risk” and “person-rem” are used to ignore the potential impacts to a single individual.
- All possible human exposures from routine and accidental radioactive releases during transport and at the site must be clearly defined in plain language, for individuals near waste on occasion and workers who are transporting or working at the CIS site long-term.

Cracked And Leaking Canisters Must Be Addressed

- The ER does not analyze exactly how radioactive waste from a cracked and leaking canister would be handled, since there is no wet pool or hot cell at the site. The EIS must include how cracked and leaking canisters will be handled onsite and during transport and analyze possible environmental impacts if leaks or spills occur from cracked canisters.

More Cumulative Impacts Must Be Analyzed

- The ER mentions the Waste Isolation Pilot Plant (WIPP) but does not analyze the impacts of a radiologic release from WIPP on the proposed CIS site.
- The impacts from WIPP and possible impacts from and to the local oil and gas industries need to be analyzed and included in the EIS.

Seismic Impacts On Stored Casks Must Be Stated

- Although the ER gives a statement on recent seismic activity in the area, there is no analysis of what fracking-induced earthquakes will have on the buried casks. These impacts need to be analyzed and included in the EIS.

Future Electrical Transmission Lines and Plumbing Infrastructure Must Be Analyzed

- Impacts from new electrical lines and plumbing must be included in EIS.

Economic Impacts Must Be Analyzed For The Different Phases of the Project

- The economic impacts must be studied and clearly state any positive or negative impacts from this site: initially, after construction is complete, and throughout the whole 120 years.
- How many jobs will be created? How many are only temporary and how many are permanent? How many will go to local residents?

A Thorough Environmental Justice (EJ) Analysis Must Be Included in the EIS

- Impacts to EJ communities near the site and along transport routes must be studied, including but not limited to economic and health impacts that are specific to lower income and people of color communities. For indigenous populations located near the site or along transport routes, this EJ analysis must include impacts to culturally important natural resources, such as: sacred places, traditional food sources, and traditional medical plants.


Sincerely,

Signature

Date

Name (Print)

City & State


Kelly Seibert

7/14/18

Albuquerque, NM

May Ma
Office of Administration
Mail Stop: TWFN-7- A60M
U.S. Nuclear Regulatory Commission
Washington, DC 20555- 0001

RE: Docket ID NRC-2018-0052; Holtec International's HI-STORE Spent Fuel Waste Facility

Nuclear Regulatory Commission:

I am extremely concerned about the Consolidated Interim Storage (CIS) facility proposed by Holtec International to store up to 100,000 metric tons of high-level radioactive waste in southeast New Mexico. I respectfully submit the following comments regarding the proposal itself and the scope of the Environmental Review and analysis for the Environmental Impact Statement (EIS).

I am submitting these comments because I do not consent to New Mexico becoming a national dumping ground for "spent fuel" from every nuclear reactor in the country. I do not consent to transporting up to 10,000 canisters of highly radioactive waste through communities nationwide. I do not consent to the risk of contamination of our lands, aquifers, air, or the health of our people, plants, wildlife, and livestock. I do not consent to endangering present and future generations.

I formally request additional Public Scoping Meetings for other communities throughout the United States (U.S.) that will be impacted by the transport of these waste canisters.

This Holtec Proposal Is Contrary To Current Law

- Current law only allows the U.S. Department of Energy to take title to commercial spent fuel "following commencement of operation of a repository" or at a DOE-owned and operated monitored retrievable storage facility. The Holtec site meets neither requirement, as it is a private facility.

Holtec Must Remove Copyrights And All Redactions in the Environmental Report (ER)

- NRC must require Holtec to produce an ER that has no such copyright restrictions and has no redactions. It is impossible to make recommendations on the scope of analyses of these redacted areas of the ER for the EIS.

The Impacts Of Permanent Storage Must Be Analyzed

- The ER is incomplete because it does not analyze the impacts of the spent fuel being left at the Holtec site indefinitely. The EIS needs to include an analysis of the impacts of permanent storage should the CIS facility become a de facto permanent waste site.

More Alternatives Must Be Analyzed

- The high-level radioactive waste is too dangerous to move and can remain on site for many more years. It should not be moved until all alternatives are analyzed, including keeping the waste where it is in some form of Hardened On Site Storage (HOSS) on the reactor sites or at suitable locations as close to the reactors as possible to minimize transport risks.
- The alternative of consolidated storage at an existing licensed Independent Spent Fuel Storage Facility (ISFSI) must also be analyzed.

All Transportation Routes and Risks Must Be Analyzed

- The EIS must include all possible transportation routes and study the potential impacts from accidents, terrorism incidents, and how new rail lines or roads for waste shipments will impact public health, environment, water sources, flora, fauna (especially any endangered species), and occupational safety along these routes.

The Consequences To An Accident-Exposed Individual Must Be Analyzed

- Terms like “collective dose risk” and “person-rem” are used to ignore the potential impacts to a single individual.
- All possible human exposures from routine and accidental radioactive releases during transport and at the site must be clearly defined in plain language, for individuals near waste on occasion and workers who are transporting or working at the CIS site long-term.

Cracked And Leaking Canisters Must Be Addressed

- The ER does not analyze exactly how radioactive waste from a cracked and leaking canister would be handled, since there is no wet pool or hot cell at the site. The EIS must include how cracked and leaking canisters will be handled onsite and during transport and analyze possible environmental impacts if leaks or spills occur from cracked canisters.

More Cumulative Impacts Must Be Analyzed

- The ER mentions the Waste Isolation Pilot Plant (WIPP) but does not analyze the impacts of a radiologic release from WIPP on the proposed CIS site.
- The impacts from WIPP and possible impacts from and to the local oil and gas industries need to be analyzed and included in the EIS.

Seismic Impacts On Stored Casks Must Be Stated

- Although the ER gives a statement on recent seismic activity in the area, there is no analysis of what fracking-induced earthquakes will have on the buried casks. These impacts need to be analyzed and included in the EIS.

Future Electrical Transmission Lines and Plumbing Infrastructure Must Be Analyzed

- Impacts from new electrical lines and plumbing must be included in EIS.

Economic Impacts Must Be Analyzed For The Different Phases of the Project

- The economic impacts must be studied and clearly state any positive or negative impacts from this site: initially, after construction is complete, and throughout the whole 120 years.
- How many jobs will be created? How many are only temporary and how many are permanent? How many will go to local residents?

A Thorough Environmental Justice (EJ) Analysis Must Be Included in the EIS

- Impacts to EJ communities near the site and along transport routes must be studied, including but not limited to economic and health impacts that are specific to lower income and people of color communities. For indigenous populations located near the site or along transport routes, this EJ analysis must include impacts to culturally important natural resources, such as: sacred places, traditional food sources, and traditional medical plants.

Sincerely,

Signature

Marissa Chavez

Date

7/14/18

Name (Print)

Marissa Chavez

City & State

Albuquerque, NM

May Ma
Office of Administration
Mail Stop: TWFN-7- A60M
U.S. Nuclear Regulatory Commission
Washington, DC 20555- 0001

RE: Docket ID NRC-2018-0052; Holtec International's HI-STORE Spent Fuel Waste Facility

Nuclear Regulatory Commission:

I am extremely concerned about the Consolidated Interim Storage (CIS) facility proposed by Holtec International to store up to 100,000 metric tons of high-level radioactive waste in southeast New Mexico. I respectfully submit the following comments regarding the proposal itself and the scope of the Environmental Review and analysis for the Environmental Impact Statement (EIS).

I am submitting these comments because I do not consent to New Mexico becoming a national dumping ground for "spent fuel" from every nuclear reactor in the country. I do not consent to transporting up to 10,000 canisters of highly radioactive waste through communities nationwide. I do not consent to the risk of contamination of our lands, aquifers, air, or the health of our people, plants, wildlife, and livestock. I do not consent to endangering present and future generations.

I formally request additional Public Scoping Meetings for other communities throughout the United States (U.S.) that will be impacted by the transport of these waste canisters.

This Holtec Proposal Is Contrary To Current Law

- Current law only allows the U.S. Department of Energy to take title to commercial spent fuel "following commencement of operation of a repository" or at a DOE-owned and operated monitored retrievable storage facility. The Holtec site meets neither requirement, as it is a private facility.

Holtec Must Remove Copyrights And All Redactions in the Environmental Report (ER)

- NRC must require Holtec to produce an ER that has no such copyright restrictions and has no redactions. It is impossible to make recommendations on the scope of analyses of these redacted areas of the ER for the EIS.

The Impacts Of Permanent Storage Must Be Analyzed

- The ER is incomplete because it does not analyze the impacts of the spent fuel being left at the Holtec site indefinitely. The EIS needs to include an analysis of the impacts of permanent storage should the CIS facility become a de facto permanent waste site.

More Alternatives Must Be Analyzed

- The high-level radioactive waste is too dangerous to move and can remain on site for many more years. It should not be moved until all alternatives are analyzed, including keeping the waste where it is in some form of Hardened On Site Storage (HOSS) on the reactor sites or at suitable locations as close to the reactors as possible to minimize transport risks.
- The alternative of consolidated storage at an existing licensed Independent Spent Fuel Storage Facility (ISFSI) must also be analyzed.

All Transportation Routes and Risks Must Be Analyzed

- The EIS must include all possible transportation routes and study the potential impacts from accidents, terrorism incidents, and how new rail lines or roads for waste shipments will impact public health, environment, water sources, flora, fauna (especially any endangered species), and occupational safety along these routes.

The Consequences To An Accident-Exposed Individual Must Be Analyzed

- Terms like “collective dose risk” and “person-rem” are used to ignore the potential impacts to a single individual.
- All possible human exposures from routine and accidental radioactive releases during transport and at the site must be clearly defined in plain language, for individuals near waste on occasion and workers who are transporting or working at the CIS site long-term.

Cracked And Leaking Canisters Must Be Addressed

- The ER does not analyze exactly how radioactive waste from a cracked and leaking canister would be handled, since there is no wet pool or hot cell at the site. The EIS must include how cracked and leaking canisters will be handled onsite and during transport and analyze possible environmental impacts if leaks or spills occur from cracked canisters.

More Cumulative Impacts Must Be Analyzed

- The ER mentions the Waste Isolation Pilot Plant (WIPP) but does not analyze the impacts of a radiologic release from WIPP on the proposed CIS site.
- The impacts from WIPP and possible impacts from and to the local oil and gas industries need to be analyzed and included in the EIS.

Seismic Impacts On Stored Casks Must Be Stated

- Although the ER gives a statement on recent seismic activity in the area, there is no analysis of what fracking-induced earthquakes will have on the buried casks. These impacts need to be analyzed and included in the EIS.

Future Electrical Transmission Lines and Plumbing Infrastructure Must Be Analyzed

- Impacts from new electrical lines and plumbing must be included in EIS.

Economic Impacts Must Be Analyzed For The Different Phases of the Project

- The economic impacts must be studied and clearly state any positive or negative impacts from this site: initially, after construction is complete, and throughout the whole 120 years.
- How many jobs will be created? How many are only temporary and how many are permanent? How many will go to local residents?

A Thorough Environmental Justice (EJ) Analysis Must Be Included in the EIS

- Impacts to EJ communities near the site and along transport routes must be studied, including but not limited to economic and health impacts that are specific to lower income and people of color communities. For indigenous populations located near the site or along transport routes, this EJ analysis must include impacts to culturally important natural resources, such as: sacred places, traditional food sources, and traditional medical plants.

Sincerely,

Signature

Renee L Waters

Date

7-14-2018

Name (Print)

Renee WATERS

City & State

Albuquerque NM

May Ma
Office of Administration
Mail Stop: TWFN-7- A60M
U.S. Nuclear Regulatory Commission
Washington, DC 20555- 0001

RE: Docket ID NRC-2018-0052; Holtec International's HI-STORE Spent Fuel Waste Facility

Nuclear Regulatory Commission:

I am extremely concerned about the Consolidated Interim Storage (CIS) facility proposed by Holtec International to store up to 100,000 metric tons of high-level radioactive waste in southeast New Mexico. I respectfully submit the following comments regarding the proposal itself and the scope of the Environmental Review and analysis for the Environmental Impact Statement (EIS).

I am submitting these comments because I do not consent to New Mexico becoming a national dumping ground for "spent fuel" from every nuclear reactor in the country. I do not consent to transporting up to 10,000 canisters of highly radioactive waste through communities nationwide. I do not consent to the risk of contamination of our lands, aquifers, air, or the health of our people, plants, wildlife, and livestock. I do not consent to endangering present and future generations.

I formally request additional Public Scoping Meetings for other communities throughout the United States (U.S.) that will be impacted by the transport of these waste canisters.

This Holtec Proposal Is Contrary To Current Law

- Current law only allows the U.S. Department of Energy to take title to commercial spent fuel "following commencement of operation of a repository" or at a DOE-owned and operated monitored retrievable storage facility. The Holtec site meets neither requirement, as it is a private facility.

Holtec Must Remove Copyrights And All Redactions in the Environmental Report (ER)

- NRC must require Holtec to produce an ER that has no such copyright restrictions and has no redactions. It is impossible to make recommendations on the scope of analyses of these redacted areas of the ER for the EIS.

The Impacts Of Permanent Storage Must Be Analyzed

- The ER is incomplete because it does not analyze the impacts of the spent fuel being left at the Holtec site indefinitely. The EIS needs to include an analysis of the impacts of permanent storage should the CIS facility become a de facto permanent waste site.

More Alternatives Must Be Analyzed

- The high-level radioactive waste is too dangerous to move and can remain on site for many more years. It should not be moved until all alternatives are analyzed, including keeping the waste where it is in some form of Hardened On Site Storage (HOSS) on the reactor sites or at suitable locations as close to the reactors as possible to minimize transport risks.
- The alternative of consolidated storage at an existing licensed Independent Spent Fuel Storage Facility (ISFSI) must also be analyzed.

All Transportation Routes and Risks Must Be Analyzed

- The EIS must include all possible transportation routes and study the potential impacts from accidents, terrorism incidents, and how new rail lines or roads for waste shipments will impact public health, environment, water sources, flora, fauna (especially any endangered species), and occupational safety along these routes.

The Consequences To An Accident-Exposed Individual Must Be Analyzed

- Terms like “collective dose risk” and “person-rem” are used to ignore the potential impacts to a single individual.
- All possible human exposures from routine and accidental radioactive releases during transport and at the site must be clearly defined in plain language, for individuals near waste on occasion and workers who are transporting or working at the CIS site long-term.

Cracked And Leaking Canisters Must Be Addressed

- The ER does not analyze exactly how radioactive waste from a cracked and leaking canister would be handled, since there is no wet pool or hot cell at the site. The EIS must include how cracked and leaking canisters will be handled onsite and during transport and analyze possible environmental impacts if leaks or spills occur from cracked canisters.

More Cumulative Impacts Must Be Analyzed

- The ER mentions the Waste Isolation Pilot Plant (WIPP) but does not analyze the impacts of a radiologic release from WIPP on the proposed CIS site.
- The impacts from WIPP and possible impacts from and to the local oil and gas industries need to be analyzed and included in the EIS.

Seismic Impacts On Stored Casks Must Be Stated

- Although the ER gives a statement on recent seismic activity in the area, there is no analysis of what fracking-induced earthquakes will have on the buried casks. These impacts need to be analyzed and included in the EIS.

Future Electrical Transmission Lines and Plumbing Infrastructure Must Be Analyzed

- Impacts from new electrical lines and plumbing must be included in EIS.

Economic Impacts Must Be Analyzed For The Different Phases of the Project

- The economic impacts must be studied and clearly state any positive or negative impacts from this site: initially, after construction is complete, and throughout the whole 120 years.
- How many jobs will be created? How many are only temporary and how many are permanent? How many will go to local residents?

A Thorough Environmental Justice (EJ) Analysis Must Be Included in the EIS

- Impacts to EJ communities near the site and along transport routes must be studied, including but not limited to economic and health impacts that are specific to lower income and people of color communities. For indigenous populations located near the site or along transport routes, this EJ analysis must include impacts to culturally important natural resources, such as: sacred places, traditional food sources, and traditional medical plants.


Sincerely,

Signature

Name (Print)

City & State

Date


Wyndra Salazar Lucas
Albuquerque, NM

7/14/18

May Ma
Office of Administration
Mail Stop: TWFN-7- A60M
U.S. Nuclear Regulatory Commission
Washington, DC 20555- 0001

RE: Docket ID NRC-2018-0052; Holtec International's HI-STORE Spent Fuel Waste Facility

Nuclear Regulatory Commission:

I am extremely concerned about the Consolidated Interim Storage (CIS) facility proposed by Holtec International to store up to 100,000 metric tons of high-level radioactive waste in southeast New Mexico. I respectfully submit the following comments regarding the proposal itself and the scope of the Environmental Review and analysis for the Environmental Impact Statement (EIS).

I am submitting these comments because I do not consent to New Mexico becoming a national dumping ground for "spent fuel" from every nuclear reactor in the country. I do not consent to transporting up to 10,000 canisters of highly radioactive waste through communities nationwide. I do not consent to the risk of contamination of our lands, aquifers, air, or the health of our people, plants, wildlife, and livestock. I do not consent to endangering present and future generations.

I formally request additional Public Scoping Meetings for other communities throughout the United States (U.S.) that will be impacted by the transport of these waste canisters.

This Holtec Proposal Is Contrary To Current Law

- Current law only allows the U.S. Department of Energy to take title to commercial spent fuel "following commencement of operation of a repository" or at a DOE-owned and operated monitored retrievable storage facility. The Holtec site meets neither requirement, as it is a private facility.

Holtec Must Remove Copyrights And All Redactions in the Environmental Report (ER)

- NRC must require Holtec to produce an ER that has no such copyright restrictions and has no redactions. It is impossible to make recommendations on the scope of analyses of these redacted areas of the ER for the EIS.

The Impacts Of Permanent Storage Must Be Analyzed

- The ER is incomplete because it does not analyze the impacts of the spent fuel being left at the Holtec site indefinitely. The EIS needs to include an analysis of the impacts of permanent storage should the CIS facility become a de facto permanent waste site.

More Alternatives Must Be Analyzed

- The high-level radioactive waste is too dangerous to move and can remain on site for many more years. It should not be moved until all alternatives are analyzed, including keeping the waste where it is in some form of Hardened On Site Storage (HOSS) on the reactor sites or at suitable locations as close to the reactors as possible to minimize transport risks.
- The alternative of consolidated storage at an existing licensed Independent Spent Fuel Storage Facility (ISFSI) must also be analyzed.

All Transportation Routes and Risks Must Be Analyzed

- The EIS must include all possible transportation routes and study the potential impacts from accidents, terrorism incidents, and how new rail lines or roads for waste shipments will impact public health, environment, water sources, flora, fauna (especially any endangered species), and occupational safety along these routes.

The Consequences To An Accident-Exposed Individual Must Be Analyzed

- Terms like “collective dose risk” and “person-rem” are used to ignore the potential impacts to a single individual.
- All possible human exposures from routine and accidental radioactive releases during transport and at the site must be clearly defined in plain language, for individuals near waste on occasion and workers who are transporting or working at the CIS site long-term.

Cracked And Leaking Canisters Must Be Addressed

- The ER does not analyze exactly how radioactive waste from a cracked and leaking canister would be handled, since there is no wet pool or hot cell at the site. The EIS must include how cracked and leaking canisters will be handled onsite and during transport and analyze possible environmental impacts if leaks or spills occur from cracked canisters.

More Cumulative Impacts Must Be Analyzed

- The ER mentions the Waste Isolation Pilot Plant (WIPP) but does not analyze the impacts of a radiologic release from WIPP on the proposed CIS site.
- The impacts from WIPP and possible impacts from and to the local oil and gas industries need to be analyzed and included in the EIS.

Seismic Impacts On Stored Casks Must Be Stated

- Although the ER gives a statement on recent seismic activity in the area, there is no analysis of what fracking-induced earthquakes will have on the buried casks. These impacts need to be analyzed and included in the EIS.

Future Electrical Transmission Lines and Plumbing Infrastructure Must Be Analyzed

- Impacts from new electrical lines and plumbing must be included in EIS.

Economic Impacts Must Be Analyzed For The Different Phases of the Project

- The economic impacts must be studied and clearly state any positive or negative impacts from this site: initially, after construction is complete, and throughout the whole 120 years.
- How many jobs will be created? How many are only temporary and how many are permanent? How many will go to local residents?

A Thorough Environmental Justice (EJ) Analysis Must Be Included in the EIS

- Impacts to EJ communities near the site and along transport routes must be studied, including but not limited to economic and health impacts that are specific to lower income and people of color communities. For indigenous populations located near the site or along transport routes, this EJ analysis must include impacts to culturally important natural resources, such as: sacred places, traditional food sources, and traditional medical plants.

Sincerely,

Signature Marsha Director Date 7/14/18

Name (Print) Marsha Director

City & State Albuquerque, NM 87111

May Ma
Office of Administration
Mail Stop: TWFN-7- A60M
U.S. Nuclear Regulatory Commission
Washington, DC 20555- 0001

RE: Docket ID NRC-2018-0052; Holtec International's HI-STORE Spent Fuel Waste Facility

Nuclear Regulatory Commission:

I am extremely concerned about the Consolidated Interim Storage (CIS) facility proposed by Holtec International to store up to 100,000 metric tons of high-level radioactive waste in southeast New Mexico. I respectfully submit the following comments regarding the proposal itself and the scope of the Environmental Review and analysis for the Environmental Impact Statement (EIS).

I am submitting these comments because I do not consent to New Mexico becoming a national dumping ground for "spent fuel" from every nuclear reactor in the country. I do not consent to transporting up to 10,000 canisters of highly radioactive waste through communities nationwide. I do not consent to the risk of contamination of our lands, aquifers, air, or the health of our people, plants, wildlife, and livestock. I do not consent to endangering present and future generations.

I formally request additional Public Scoping Meetings for other communities throughout the United States (U.S.) that will be impacted by the transport of these waste canisters.

This Holtec Proposal Is Contrary To Current Law

- Current law only allows the U.S. Department of Energy to take title to commercial spent fuel "following commencement of operation of a repository" or at a DOE-owned and operated monitored retrievable storage facility. The Holtec site meets neither requirement, as it is a private facility.

Holtec Must Remove Copyrights And All Redactions in the Environmental Report (ER)

- NRC must require Holtec to produce an ER that has no such copyright restrictions and has no redactions. It is impossible to make recommendations on the scope of analyses of these redacted areas of the ER for the EIS.

The Impacts Of Permanent Storage Must Be Analyzed

- The ER is incomplete because it does not analyze the impacts of the spent fuel being left at the Holtec site indefinitely. The EIS needs to include an analysis of the impacts of permanent storage should the CIS facility become a de facto permanent waste site.

More Alternatives Must Be Analyzed

- The high-level radioactive waste is too dangerous to move and can remain on site for many more years. It should not be moved until all alternatives are analyzed, including keeping the waste where it is in some form of Hardened On Site Storage (HOSS) on the reactor sites or at suitable locations as close to the reactors as possible to minimize transport risks.
- The alternative of consolidated storage at an existing licensed Independent Spent Fuel Storage Facility (ISFSI) must also be analyzed.

All Transportation Routes and Risks Must Be Analyzed

- The EIS must include all possible transportation routes and study the potential impacts from accidents, terrorism incidents, and how new rail lines or roads for waste shipments will impact public health, environment, water sources, flora, fauna (especially any endangered species), and occupational safety along these routes.

The Consequences To An Accident-Exposed Individual Must Be Analyzed

- Terms like “collective dose risk” and “person-rem” are used to ignore the potential impacts to a single individual.
- All possible human exposures from routine and accidental radioactive releases during transport and at the site must be clearly defined in plain language, for individuals near waste on occasion and workers who are transporting or working at the CIS site long-term.

Cracked And Leaking Canisters Must Be Addressed

- The ER does not analyze exactly how radioactive waste from a cracked and leaking canister would be handled, since there is no wet pool or hot cell at the site. The EIS must include how cracked and leaking canisters will be handled onsite and during transport and analyze possible environmental impacts if leaks or spills occur from cracked canisters.

More Cumulative Impacts Must Be Analyzed

- The ER mentions the Waste Isolation Pilot Plant (WIPP) but does not analyze the impacts of a radiologic release from WIPP on the proposed CIS site.
- The impacts from WIPP and possible impacts from and to the local oil and gas industries need to be analyzed and included in the EIS.

Seismic Impacts On Stored Casks Must Be Stated

- Although the ER gives a statement on recent seismic activity in the area, there is no analysis of what fracking-induced earthquakes will have on the buried casks. These impacts need to be analyzed and included in the EIS.

Future Electrical Transmission Lines and Plumbing Infrastructure Must Be Analyzed

- Impacts from new electrical lines and plumbing must be included in EIS.

Economic Impacts Must Be Analyzed For The Different Phases of the Project

- The economic impacts must be studied and clearly state any positive or negative impacts from this site: initially, after construction is complete, and throughout the whole 120 years.
- How many jobs will be created? How many are only temporary and how many are permanent? How many will go to local residents?

A Thorough Environmental Justice (EJ) Analysis Must Be Included in the EIS

- Impacts to EJ communities near the site and along transport routes must be studied, including but not limited to economic and health impacts that are specific to lower income and people of color communities. For indigenous populations located near the site or along transport routes, this EJ analysis must include impacts to culturally important natural resources, such as: sacred places, traditional food sources, and traditional medical plants.

Sincerely,

Signature



Date

7/14/18

Name (Print)

Freddy López

City & State

Albuquerque, New Mexico

May Ma
Office of Administration
Mail Stop: TWFN-7- A60M
U.S. Nuclear Regulatory Commission
Washington, DC 20555- 0001

RE: Docket ID NRC-2018-0052; Holtec International's HI-STORE Spent Fuel Waste Facility

Nuclear Regulatory Commission:

I am extremely concerned about the Consolidated Interim Storage (CIS) facility proposed by Holtec International to store up to 100,000 metric tons of high-level radioactive waste in southeast New Mexico. I respectfully submit the following comments regarding the proposal itself and the scope of the Environmental Review and analysis for the Environmental Impact Statement (EIS).

I am submitting these comments because I do not consent to New Mexico becoming a national dumping ground for "spent fuel" from every nuclear reactor in the country. I do not consent to transporting up to 10,000 canisters of highly radioactive waste through communities nationwide. I do not consent to the risk of contamination of our lands, aquifers, air, or the health of our people, plants, wildlife, and livestock. I do not consent to endangering present and future generations.

I formally request additional Public Scoping Meetings for other communities throughout the United States (U.S.) that will be impacted by the transport of these waste canisters.

This Holtec Proposal Is Contrary To Current Law

- Current law only allows the U.S. Department of Energy to take title to commercial spent fuel "following commencement of operation of a repository" or at a DOE-owned and operated monitored retrievable storage facility. The Holtec site meets neither requirement, as it is a private facility.

Holtec Must Remove Copyrights And All Redactions in the Environmental Report (ER)

- NRC must require Holtec to produce an ER that has no such copyright restrictions and has no redactions. It is impossible to make recommendations on the scope of analyses of these redacted areas of the ER for the EIS.

The Impacts Of Permanent Storage Must Be Analyzed

- The ER is incomplete because it does not analyze the impacts of the spent fuel being left at the Holtec site indefinitely. The EIS needs to include an analysis of the impacts of permanent storage should the CIS facility become a de facto permanent waste site.

More Alternatives Must Be Analyzed

- The high-level radioactive waste is too dangerous to move and can remain on site for many more years. It should not be moved until all alternatives are analyzed, including keeping the waste where it is in some form of Hardened On Site Storage (HOSS) on the reactor sites or at suitable locations as close to the reactors as possible to minimize transport risks.
- The alternative of consolidated storage at an existing licensed Independent Spent Fuel Storage Facility (ISFSI) must also be analyzed.

All Transportation Routes and Risks Must Be Analyzed

- The EIS must include all possible transportation routes and study the potential impacts from accidents, terrorism incidents, and how new rail lines or roads for waste shipments will impact public health, environment, water sources, flora, fauna (especially any endangered species), and occupational safety along these routes.

The Consequences To An Accident-Exposed Individual Must Be Analyzed

- Terms like “collective dose risk” and “person-rem” are used to ignore the potential impacts to a single individual.
- All possible human exposures from routine and accidental radioactive releases during transport and at the site must be clearly defined in plain language, for individuals near waste on occasion and workers who are transporting or working at the CIS site long-term.

Cracked And Leaking Canisters Must Be Addressed

- The ER does not analyze exactly how radioactive waste from a cracked and leaking canister would be handled, since there is no wet pool or hot cell at the site. The EIS must include how cracked and leaking canisters will be handled onsite and during transport and analyze possible environmental impacts if leaks or spills occur from cracked canisters.

More Cumulative Impacts Must Be Analyzed

- The ER mentions the Waste Isolation Pilot Plant (WIPP) but does not analyze the impacts of a radiologic release from WIPP on the proposed CIS site.
- The impacts from WIPP and possible impacts from and to the local oil and gas industries need to be analyzed and included in the EIS.

Seismic Impacts On Stored Casks Must Be Stated

- Although the ER gives a statement on recent seismic activity in the area, there is no analysis of what fracking-induced earthquakes will have on the buried casks. These impacts need to be analyzed and included in the EIS.

Future Electrical Transmission Lines and Plumbing Infrastructure Must Be Analyzed

- Impacts from new electrical lines and plumbing must be included in EIS.

Economic Impacts Must Be Analyzed For The Different Phases of the Project

- The economic impacts must be studied and clearly state any positive or negative impacts from this site: initially, after construction is complete, and throughout the whole 120 years.
- How many jobs will be created? How many are only temporary and how many are permanent? How many will go to local residents?

A Thorough Environmental Justice (EJ) Analysis Must Be Included in the EIS

- Impacts to EJ communities near the site and along transport routes must be studied, including but not limited to economic and health impacts that are specific to lower income and people of color communities. For indigenous populations located near the site or along transport routes, this EJ analysis must include impacts to culturally important natural resources, such as: sacred places, traditional food sources, and traditional medical plants.

Sincerely,

Signature J. Hostetter Date 07/14/2018
Name (Print) Jessica Hostetter
City & State Albuquerque, NM

May Ma
Office of Administration
Mail Stop: TWFN-7- A60M
U.S. Nuclear Regulatory Commission
Washington, DC 20555- 0001

RE: Docket ID NRC-2018-0052; Holtec International's HI-STORE Spent Fuel Waste Facility

Nuclear Regulatory Commission:

I am extremely concerned about the Consolidated Interim Storage (CIS) facility proposed by Holtec International to store up to 100,000 metric tons of high-level radioactive waste in southeast New Mexico. I respectfully submit the following comments regarding the proposal itself and the scope of the Environmental Review and analysis for the Environmental Impact Statement (EIS).

I am submitting these comments because I do not consent to New Mexico becoming a national dumping ground for "spent fuel" from every nuclear reactor in the country. I do not consent to transporting up to 10,000 canisters of highly radioactive waste through communities nationwide. I do not consent to the risk of contamination of our lands, aquifers, air, or the health of our people, plants, wildlife, and livestock. I do not consent to endangering present and future generations.

I formally request additional Public Scoping Meetings for other communities throughout the United States (U.S.) that will be impacted by the transport of these waste canisters.

This Holtec Proposal Is Contrary To Current Law

- Current law only allows the U.S. Department of Energy to take title to commercial spent fuel "following commencement of operation of a repository" or at a DOE-owned and operated monitored retrievable storage facility. The Holtec site meets neither requirement, as it is a private facility.

Holtec Must Remove Copyrights And All Redactions in the Environmental Report (ER)

- NRC must require Holtec to produce an ER that has no such copyright restrictions and has no redactions. It is impossible to make recommendations on the scope of analyses of these redacted areas of the ER for the EIS.

The Impacts Of Permanent Storage Must Be Analyzed

- The ER is incomplete because it does not analyze the impacts of the spent fuel being left at the Holtec site indefinitely. The EIS needs to include an analysis of the impacts of permanent storage should the CIS facility become a de facto permanent waste site.

More Alternatives Must Be Analyzed

- The high-level radioactive waste is too dangerous to move and can remain on site for many more years. It should not be moved until all alternatives are analyzed, including keeping the waste where it is in some form of Hardened On Site Storage (HOSS) on the reactor sites or at suitable locations as close to the reactors as possible to minimize transport risks.
- The alternative of consolidated storage at an existing licensed Independent Spent Fuel Storage Facility (ISFSI) must also be analyzed.

All Transportation Routes and Risks Must Be Analyzed

- The EIS must include all possible transportation routes and study the potential impacts from accidents, terrorism incidents, and how new rail lines or roads for waste shipments will impact public health, environment, water sources, flora, fauna (especially any endangered species), and occupational safety along these routes.

The Consequences To An Accident-Exposed Individual Must Be Analyzed

- Terms like “collective dose risk” and “person-rem” are used to ignore the potential impacts to a single individual.
- All possible human exposures from routine and accidental radioactive releases during transport and at the site must be clearly defined in plain language, for individuals near waste on occasion and workers who are transporting or working at the CIS site long-term.

Cracked And Leaking Canisters Must Be Addressed

- The ER does not analyze exactly how radioactive waste from a cracked and leaking canister would be handled, since there is no wet pool or hot cell at the site. The EIS must include how cracked and leaking canisters will be handled onsite and during transport and analyze possible environmental impacts if leaks or spills occur from cracked canisters.

More Cumulative Impacts Must Be Analyzed

- The ER mentions the Waste Isolation Pilot Plant (WIPP) but does not analyze the impacts of a radiologic release from WIPP on the proposed CIS site.
- The impacts from WIPP and possible impacts from and to the local oil and gas industries need to be analyzed and included in the EIS.

Seismic Impacts On Stored Casks Must Be Stated

- Although the ER gives a statement on recent seismic activity in the area, there is no analysis of what fracking-induced earthquakes will have on the buried casks. These impacts need to be analyzed and included in the EIS.

Future Electrical Transmission Lines and Plumbing Infrastructure Must Be Analyzed

- Impacts from new electrical lines and plumbing must be included in EIS.

Economic Impacts Must Be Analyzed For The Different Phases of the Project


- The economic impacts must be studied and clearly state any positive or negative impacts from this site: initially, after construction is complete, and throughout the whole 120 years.
- How many jobs will be created? How many are only temporary and how many are permanent? How many will go to local residents?

A Thorough Environmental Justice (EJ) Analysis Must Be Included in the EIS

- Impacts to EJ communities near the site and along transport routes must be studied, including but not limited to economic and health impacts that are specific to lower income and people of color communities. For indigenous populations located near the site or along transport routes, this EJ analysis must include impacts to culturally important natural resources, such as: sacred places, traditional food sources, and traditional medical plants.

Sincerely,

Signature



Date

7/14/18

Name (Print)

MARY MAYS

City & State

Albuquerque, NM

May Ma
Office of Administration
Mail Stop: TWFN-7- A60M
U.S. Nuclear Regulatory Commission
Washington, DC 20555- 0001

RE: Docket ID NRC-2018-0052; Holtec International's HI-STORE Spent Fuel Waste Facility

Nuclear Regulatory Commission:

I am extremely concerned about the Consolidated Interim Storage (CIS) facility proposed by Holtec International to store up to 100,000 metric tons of high-level radioactive waste in southeast New Mexico. I respectfully submit the following comments regarding the proposal itself and the scope of the Environmental Review and analysis for the Environmental Impact Statement (EIS).

I am submitting these comments because I do not consent to New Mexico becoming a national dumping ground for "spent fuel" from every nuclear reactor in the country. I do not consent to transporting up to 10,000 canisters of highly radioactive waste through communities nationwide. I do not consent to the risk of contamination of our lands, aquifers, air, or the health of our people, plants, wildlife, and livestock. I do not consent to endangering present and future generations.

I formally request additional Public Scoping Meetings for other communities throughout the United States (U.S.) that will be impacted by the transport of these waste canisters.

This Holtec Proposal Is Contrary To Current Law

- Current law only allows the U.S. Department of Energy to take title to commercial spent fuel "following commencement of operation of a repository" or at a DOE-owned and operated monitored retrievable storage facility. The Holtec site meets neither requirement, as it is a private facility.

Holtec Must Remove Copyrights And All Redactions in the Environmental Report (ER)

- NRC must require Holtec to produce an ER that has no such copyright restrictions and has no redactions. It is impossible to make recommendations on the scope of analyses of these redacted areas of the ER for the EIS.

The Impacts Of Permanent Storage Must Be Analyzed

- The ER is incomplete because it does not analyze the impacts of the spent fuel being left at the Holtec site indefinitely. The EIS needs to include an analysis of the impacts of permanent storage should the CIS facility become a de facto permanent waste site.

More Alternatives Must Be Analyzed

- The high-level radioactive waste is too dangerous to move and can remain on site for many more years. It should not be moved until all alternatives are analyzed, including keeping the waste where it is in some form of Hardened On Site Storage (HOSS) on the reactor sites or at suitable locations as close to the reactors as possible to minimize transport risks.
- The alternative of consolidated storage at an existing licensed Independent Spent Fuel Storage Facility (ISFSI) must also be analyzed.

All Transportation Routes and Risks Must Be Analyzed

- The EIS must include all possible transportation routes and study the potential impacts from accidents, terrorism incidents, and how new rail lines or roads for waste shipments will impact public health, environment, water sources, flora, fauna (especially any endangered species), and occupational safety along these routes.

The Consequences To An Accident-Exposed Individual Must Be Analyzed

- Terms like “collective dose risk” and “person-rem” are used to ignore the potential impacts to a single individual.
- All possible human exposures from routine and accidental radioactive releases during transport and at the site must be clearly defined in plain language, for individuals near waste on occasion and workers who are transporting or working at the CIS site long-term.

Cracked And Leaking Canisters Must Be Addressed

- The ER does not analyze exactly how radioactive waste from a cracked and leaking canister would be handled, since there is no wet pool or hot cell at the site. The EIS must include how cracked and leaking canisters will be handled onsite and during transport and analyze possible environmental impacts if leaks or spills occur from cracked canisters.

More Cumulative Impacts Must Be Analyzed

- The ER mentions the Waste Isolation Pilot Plant (WIPP) but does not analyze the impacts of a radiologic release from WIPP on the proposed CIS site.
- The impacts from WIPP and possible impacts from and to the local oil and gas industries need to be analyzed and included in the EIS.

Seismic Impacts On Stored Casks Must Be Stated

- Although the ER gives a statement on recent seismic activity in the area, there is no analysis of what fracking-induced earthquakes will have on the buried casks. These impacts need to be analyzed and included in the EIS.

Future Electrical Transmission Lines and Plumbing Infrastructure Must Be Analyzed

- Impacts from new electrical lines and plumbing must be included in EIS.

Economic Impacts Must Be Analyzed For The Different Phases of the Project

- The economic impacts must be studied and clearly state any positive or negative impacts from this site: initially, after construction is complete, and throughout the whole 120 years.
- How many jobs will be created? How many are only temporary and how many are permanent? How many will go to local residents?

A Thorough Environmental Justice (EJ) Analysis Must Be Included in the EIS


- Impacts to EJ communities near the site and along transport routes must be studied, including but not limited to economic and health impacts that are specific to lower income and people of color communities. For indigenous populations located near the site or along transport routes, this EJ analysis must include impacts to culturally important natural resources, such as: sacred places, traditional food sources, and traditional medical plants.

Sincerely,

Signature

Name (Print)

City & State

 Date 7.14.2018
DAVID K. RITCHIEY
ALBUQUERQUE, NM 87108

May Ma
Office of Administration
Mail Stop: TWFN-7- A60M
U.S. Nuclear Regulatory Commission
Washington, DC 20555- 0001

RE: Docket ID NRC-2018-0052; Holtec International's HI-STORE Spent Fuel Waste Facility

Nuclear Regulatory Commission:

I am extremely concerned about the Consolidated Interim Storage (CIS) facility proposed by Holtec International to store up to 100,000 metric tons of high-level radioactive waste in southeast New Mexico. I respectfully submit the following comments regarding the proposal itself and the scope of the Environmental Review and analysis for the Environmental Impact Statement (EIS).

I am submitting these comments because I do not consent to New Mexico becoming a national dumping ground for "spent fuel" from every nuclear reactor in the country. I do not consent to transporting up to 10,000 canisters of highly radioactive waste through communities nationwide. I do not consent to the risk of contamination of our lands, aquifers, air, or the health of our people, plants, wildlife, and livestock. I do not consent to endangering present and future generations.

I formally request additional Public Scoping Meetings for other communities throughout the United States (U.S.) that will be impacted by the transport of these waste canisters.

This Holtec Proposal Is Contrary To Current Law

- Current law only allows the U.S. Department of Energy to take title to commercial spent fuel "following commencement of operation of a repository" or at a DOE-owned and operated monitored retrievable storage facility. The Holtec site meets neither requirement, as it is a private facility.

Holtec Must Remove Copyrights And All Redactions in the Environmental Report (ER)

- NRC must require Holtec to produce an ER that has no such copyright restrictions and has no redactions. It is impossible to make recommendations on the scope of analyses of these redacted areas of the ER for the EIS.

The Impacts Of Permanent Storage Must Be Analyzed

- The ER is incomplete because it does not analyze the impacts of the spent fuel being left at the Holtec site indefinitely. The EIS needs to include an analysis of the impacts of permanent storage should the CIS facility become a de facto permanent waste site.

More Alternatives Must Be Analyzed

- The high-level radioactive waste is too dangerous to move and can remain on site for many more years. It should not be moved until all alternatives are analyzed, including keeping the waste where it is in some form of Hardened On Site Storage (HOSS) on the reactor sites or at suitable locations as close to the reactors as possible to minimize transport risks.
- The alternative of consolidated storage at an existing licensed Independent Spent Fuel Storage Facility (ISFSI) must also be analyzed.

All Transportation Routes and Risks Must Be Analyzed

- The EIS must include all possible transportation routes and study the potential impacts from accidents, terrorism incidents, and how new rail lines or roads for waste shipments will impact public health, environment, water sources, flora, fauna (especially any endangered species), and occupational safety along these routes.

The Consequences To An Accident-Exposed Individual Must Be Analyzed

- Terms like “collective dose risk” and “person-rem” are used to ignore the potential impacts to a single individual.
- All possible human exposures from routine and accidental radioactive releases during transport and at the site must be clearly defined in plain language, for individuals near waste on occasion and workers who are transporting or working at the CIS site long-term.

Cracked And Leaking Canisters Must Be Addressed

- The ER does not analyze exactly how radioactive waste from a cracked and leaking canister would be handled, since there is no wet pool or hot cell at the site. The EIS must include how cracked and leaking canisters will be handled onsite and during transport and analyze possible environmental impacts if leaks or spills occur from cracked canisters.

More Cumulative Impacts Must Be Analyzed

- The ER mentions the Waste Isolation Pilot Plant (WIPP) but does not analyze the impacts of a radiologic release from WIPP on the proposed CIS site.
- The impacts from WIPP and possible impacts from and to the local oil and gas industries need to be analyzed and included in the EIS.

Seismic Impacts On Stored Casks Must Be Stated

- Although the ER gives a statement on recent seismic activity in the area, there is no analysis of what fracking-induced earthquakes will have on the buried casks. These impacts need to be analyzed and included in the EIS.

Future Electrical Transmission Lines and Plumbing Infrastructure Must Be Analyzed

- Impacts from new electrical lines and plumbing must be included in EIS.

Economic Impacts Must Be Analyzed For The Different Phases of the Project

- The economic impacts must be studied and clearly state any positive or negative impacts from this site: initially, after construction is complete, and throughout the whole 120 years.
- How many jobs will be created? How many are only temporary and how many are permanent? How many will go to local residents?

A Thorough Environmental Justice (EJ) Analysis Must Be Included in the EIS

- Impacts to EJ communities near the site and along transport routes must be studied, including but not limited to economic and health impacts that are specific to lower income and people of color communities. For indigenous populations located near the site or along transport routes, this EJ analysis must include impacts to culturally important natural resources, such as: sacred places, traditional food sources, and traditional medical plants.

Sincerely,

Signature  Date July 14

Name (Print) Larry Gore

City & State Albany, NM

May Ma
Office of Administration
Mail Stop: TWFN-7- A60M
U.S. Nuclear Regulatory Commission
Washington, DC 20555- 0001

RE: Docket ID NRC-2018-0052; Holtec International's HI-STORE Spent Fuel Waste Facility

Nuclear Regulatory Commission:

I am extremely concerned about the Consolidated Interim Storage (CIS) facility proposed by Holtec International to store up to 100,000 metric tons of high-level radioactive waste in southeast New Mexico. I respectfully submit the following comments regarding the proposal itself and the scope of the Environmental Review and analysis for the Environmental Impact Statement (EIS).

I am submitting these comments because I do not consent to New Mexico becoming a national dumping ground for "spent fuel" from every nuclear reactor in the country. I do not consent to transporting up to 10,000 canisters of highly radioactive waste through communities nationwide. I do not consent to the risk of contamination of our lands, aquifers, air, or the health of our people, plants, wildlife, and livestock. I do not consent to endangering present and future generations.

I formally request additional Public Scoping Meetings for other communities throughout the United States (U.S.) that will be impacted by the transport of these waste canisters.

This Holtec Proposal Is Contrary To Current Law

- Current law only allows the U.S. Department of Energy to take title to commercial spent fuel "following commencement of operation of a repository" or at a DOE-owned and operated monitored retrievable storage facility. The Holtec site meets neither requirement, as it is a private facility.

Holtec Must Remove Copyrights And All Redactions in the Environmental Report (ER)

- NRC must require Holtec to produce an ER that has no such copyright restrictions and has no redactions. It is impossible to make recommendations on the scope of analyses of these redacted areas of the ER for the EIS.

The Impacts Of Permanent Storage Must Be Analyzed

- The ER is incomplete because it does not analyze the impacts of the spent fuel being left at the Holtec site indefinitely. The EIS needs to include an analysis of the impacts of permanent storage should the CIS facility become a de facto permanent waste site.

More Alternatives Must Be Analyzed

- The high-level radioactive waste is too dangerous to move and can remain on site for many more years. It should not be moved until all alternatives are analyzed, including keeping the waste where it is in some form of Hardened On Site Storage (HOSS) on the reactor sites or at suitable locations as close to the reactors as possible to minimize transport risks.
- The alternative of consolidated storage at an existing licensed Independent Spent Fuel Storage Facility (ISFSI) must also be analyzed.

All Transportation Routes and Risks Must Be Analyzed

- The EIS must include all possible transportation routes and study the potential impacts from accidents, terrorism incidents, and how new rail lines or roads for waste shipments will impact public health, environment, water sources, flora, fauna (especially any endangered species), and occupational safety along these routes.

The Consequences To An Accident-Exposed Individual Must Be Analyzed

- Terms like “collective dose risk” and “person-rem” are used to ignore the potential impacts to a single individual.
- All possible human exposures from routine and accidental radioactive releases during transport and at the site must be clearly defined in plain language, for individuals near waste on occasion and workers who are transporting or working at the CIS site long-term.

Cracked And Leaking Canisters Must Be Addressed

- The ER does not analyze exactly how radioactive waste from a cracked and leaking canister would be handled, since there is no wet pool or hot cell at the site. The EIS must include how cracked and leaking canisters will be handled onsite and during transport and analyze possible environmental impacts if leaks or spills occur from cracked canisters.

More Cumulative Impacts Must Be Analyzed

- The ER mentions the Waste Isolation Pilot Plant (WIPP) but does not analyze the impacts of a radiologic release from WIPP on the proposed CIS site.
- The impacts from WIPP and possible impacts from and to the local oil and gas industries need to be analyzed and included in the EIS.

Seismic Impacts On Stored Casks Must Be Stated

- Although the ER gives a statement on recent seismic activity in the area, there is no analysis of what fracking-induced earthquakes will have on the buried casks. These impacts need to be analyzed and included in the EIS.

Future Electrical Transmission Lines and Plumbing Infrastructure Must Be Analyzed

- Impacts from new electrical lines and plumbing must be included in EIS.

Economic Impacts Must Be Analyzed For The Different Phases of the Project

- The economic impacts must be studied and clearly state any positive or negative impacts from this site: initially, after construction is complete, and throughout the whole 120 years.
- How many jobs will be created? How many are only temporary and how many are permanent? How many will go to local residents?

A Thorough Environmental Justice (EJ) Analysis Must Be Included in the EIS

- Impacts to EJ communities near the site and along transport routes must be studied, including but not limited to economic and health impacts that are specific to lower income and people of color communities. For indigenous populations located near the site or along transport routes, this EJ analysis must include impacts to culturally important natural resources, such as: sacred places, traditional food sources, and traditional medical plants.

Sincerely,

Signature



Date

7/14/18

Name (Print)

AMBER WAUGH-REED

City & State

ABQ, NM

May Ma
Office of Administration
Mail Stop: TWFN-7- A60M
U.S. Nuclear Regulatory Commission
Washington, DC 20555- 0001

RE: Docket ID NRC-2018-0052; Holtec International's HI-STORE Spent Fuel Waste Facility

Nuclear Regulatory Commission:

I am extremely concerned about the Consolidated Interim Storage (CIS) facility proposed by Holtec International to store up to 100,000 metric tons of high-level radioactive waste in southeast New Mexico. I respectfully submit the following comments regarding the proposal itself and the scope of the Environmental Review and analysis for the Environmental Impact Statement (EIS).

I am submitting these comments because I do not consent to New Mexico becoming a national dumping ground for "spent fuel" from every nuclear reactor in the country. I do not consent to transporting up to 10,000 canisters of highly radioactive waste through communities nationwide. I do not consent to the risk of contamination of our lands, aquifers, air, or the health of our people, plants, wildlife, and livestock. I do not consent to endangering present and future generations.

I formally request additional Public Scoping Meetings for other communities throughout the United States (U.S.) that will be impacted by the transport of these waste canisters.

This Holtec Proposal Is Contrary To Current Law

- Current law only allows the U.S. Department of Energy to take title to commercial spent fuel "following commencement of operation of a repository" or at a DOE-owned and operated monitored retrievable storage facility. The Holtec site meets neither requirement, as it is a private facility.

Holtec Must Remove Copyrights And All Redactions in the Environmental Report (ER)

- NRC must require Holtec to produce an ER that has no such copyright restrictions and has no redactions. It is impossible to make recommendations on the scope of analyses of these redacted areas of the ER for the EIS.

The Impacts Of Permanent Storage Must Be Analyzed

- The ER is incomplete because it does not analyze the impacts of the spent fuel being left at the Holtec site indefinitely. The EIS needs to include an analysis of the impacts of permanent storage should the CIS facility become a de facto permanent waste site.

More Alternatives Must Be Analyzed

- The high-level radioactive waste is too dangerous to move and can remain on site for many more years. It should not be moved until all alternatives are analyzed, including keeping the waste where it is in some form of Hardened On Site Storage (HOSS) on the reactor sites or at suitable locations as close to the reactors as possible to minimize transport risks.
- The alternative of consolidated storage at an existing licensed Independent Spent Fuel Storage Facility (ISFSI) must also be analyzed.

All Transportation Routes and Risks Must Be Analyzed

- The EIS must include all possible transportation routes and study the potential impacts from accidents, terrorism incidents, and how new rail lines or roads for waste shipments will impact public health, environment, water sources, flora, fauna (especially any endangered species), and occupational safety along these routes.

The Consequences To An Accident-Exposed Individual Must Be Analyzed

- Terms like “collective dose risk” and “person-rem” are used to ignore the potential impacts to a single individual.
- All possible human exposures from routine and accidental radioactive releases during transport and at the site must be clearly defined in plain language, for individuals near waste on occasion and workers who are transporting or working at the CIS site long-term.

Cracked And Leaking Canisters Must Be Addressed

- The ER does not analyze exactly how radioactive waste from a cracked and leaking canister would be handled, since there is no wet pool or hot cell at the site. The EIS must include how cracked and leaking canisters will be handled onsite and during transport and analyze possible environmental impacts if leaks or spills occur from cracked canisters.

More Cumulative Impacts Must Be Analyzed

- The ER mentions the Waste Isolation Pilot Plant (WIPP) but does not analyze the impacts of a radiologic release from WIPP on the proposed CIS site.
- The impacts from WIPP and possible impacts from and to the local oil and gas industries need to be analyzed and included in the EIS.

Seismic Impacts On Stored Casks Must Be Stated

- Although the ER gives a statement on recent seismic activity in the area, there is no analysis of what fracking-induced earthquakes will have on the buried casks. These impacts need to be analyzed and included in the EIS.

Future Electrical Transmission Lines and Plumbing Infrastructure Must Be Analyzed

- Impacts from new electrical lines and plumbing must be included in EIS.


Economic Impacts Must Be Analyzed For The Different Phases of the Project

- The economic impacts must be studied and clearly state any positive or negative impacts from this site: initially, after construction is complete, and throughout the whole 120 years.
- How many jobs will be created? How many are only temporary and how many are permanent? How many will go to local residents?

A Thorough Environmental Justice (EJ) Analysis Must Be Included in the EIS

- Impacts to EJ communities near the site and along transport routes must be studied, including but not limited to economic and health impacts that are specific to lower income and people of color communities. For indigenous populations located near the site or along transport routes, this EJ analysis must include impacts to culturally important natural resources, such as: sacred places, traditional food sources, and traditional medical plants.

Sincerely,

Signature  Date 7/14/18

Name (Print) Darlene Benedict

City & State Alb NM 87111

May Ma
Office of Administration
Mail Stop: TWFN-7- A60M
U.S. Nuclear Regulatory Commission
Washington, DC 20555- 0001

RE: Docket ID NRC-2018-0052; Holtec International's HI-STORE Spent Fuel Waste Facility

Nuclear Regulatory Commission:

I am extremely concerned about the Consolidated Interim Storage (CIS) facility proposed by Holtec International to store up to 100,000 metric tons of high-level radioactive waste in southeast New Mexico. I respectfully submit the following comments regarding the proposal itself and the scope of the Environmental Review and analysis for the Environmental Impact Statement (EIS).

I am submitting these comments because I do not consent to New Mexico becoming a national dumping ground for "spent fuel" from every nuclear reactor in the country. I do not consent to transporting up to 10,000 canisters of highly radioactive waste through communities nationwide. I do not consent to the risk of contamination of our lands, aquifers, air, or the health of our people, plants, wildlife, and livestock. I do not consent to endangering present and future generations.

I formally request additional Public Scoping Meetings for other communities throughout the United States (U.S.) that will be impacted by the transport of these waste canisters.

This Holtec Proposal Is Contrary To Current Law

- Current law only allows the U.S. Department of Energy to take title to commercial spent fuel "following commencement of operation of a repository" or at a DOE-owned and operated monitored retrievable storage facility. The Holtec site meets neither requirement, as it is a private facility.

Holtec Must Remove Copyrights And All Redactions in the Environmental Report (ER)

- NRC must require Holtec to produce an ER that has no such copyright restrictions and has no redactions. It is impossible to make recommendations on the scope of analyses of these redacted areas of the ER for the EIS.

The Impacts Of Permanent Storage Must Be Analyzed

- The ER is incomplete because it does not analyze the impacts of the spent fuel being left at the Holtec site indefinitely. The EIS needs to include an analysis of the impacts of permanent storage should the CIS facility become a de facto permanent waste site.

More Alternatives Must Be Analyzed

- The high-level radioactive waste is too dangerous to move and can remain on site for many more years. It should not be moved until all alternatives are analyzed, including keeping the waste where it is in some form of Hardened On Site Storage (HOSS) on the reactor sites or at suitable locations as close to the reactors as possible to minimize transport risks.
- The alternative of consolidated storage at an existing licensed Independent Spent Fuel Storage Facility (ISFSI) must also be analyzed.

All Transportation Routes and Risks Must Be Analyzed

- The EIS must include all possible transportation routes and study the potential impacts from accidents, terrorism incidents, and how new rail lines or roads for waste shipments will impact public health, environment, water sources, flora, fauna (especially any endangered species), and occupational safety along these routes.

The Consequences To An Accident-Exposed Individual Must Be Analyzed

- Terms like “collective dose risk” and “person-rem” are used to ignore the potential impacts to a single individual.
- All possible human exposures from routine and accidental radioactive releases during transport and at the site must be clearly defined in plain language, for individuals near waste on occasion and workers who are transporting or working at the CIS site long-term.

Cracked And Leaking Canisters Must Be Addressed

- The ER does not analyze exactly how radioactive waste from a cracked and leaking canister would be handled, since there is no wet pool or hot cell at the site. The EIS must include how cracked and leaking canisters will be handled onsite and during transport and analyze possible environmental impacts if leaks or spills occur from cracked canisters.

More Cumulative Impacts Must Be Analyzed

- The ER mentions the Waste Isolation Pilot Plant (WIPP) but does not analyze the impacts of a radiologic release from WIPP on the proposed CIS site.
- The impacts from WIPP and possible impacts from and to the local oil and gas industries need to be analyzed and included in the EIS.

Seismic Impacts On Stored Casks Must Be Stated

- Although the ER gives a statement on recent seismic activity in the area, there is no analysis of what fracking-induced earthquakes will have on the buried casks. These impacts need to be analyzed and included in the EIS.

Future Electrical Transmission Lines and Plumbing Infrastructure Must Be Analyzed

- Impacts from new electrical lines and plumbing must be included in EIS.

Economic Impacts Must Be Analyzed For The Different Phases of the Project

- The economic impacts must be studied and clearly state any positive or negative impacts from this site: initially, after construction is complete, and throughout the whole 120 years.
- How many jobs will be created? How many are only temporary and how many are permanent? How many will go to local residents?

A Thorough Environmental Justice (EJ) Analysis Must Be Included in the EIS

- Impacts to EJ communities near the site and along transport routes must be studied, including but not limited to economic and health impacts that are specific to lower income and people of color communities. For indigenous populations located near the site or along transport routes, this EJ analysis must include impacts to culturally important natural resources, such as: sacred places, traditional food sources, and traditional medical plants.

Sincerely,

Signature Jerry Lynn Johnson Date 7/14/2018
Name (Print) Jerry Lynn Johnson
City & State Albany, NM

May Ma
Office of Administration
Mail Stop: TWFN-7- A60M
U.S. Nuclear Regulatory Commission
Washington, DC 20555- 0001

RE: Docket ID NRC-2018-0052; Holtec International's HI-STORE Spent Fuel Waste Facility

Nuclear Regulatory Commission:

I am extremely concerned about the Consolidated Interim Storage (CIS) facility proposed by Holtec International to store up to 100,000 metric tons of high-level radioactive waste in southeast New Mexico. I respectfully submit the following comments regarding the proposal itself and the scope of the Environmental Review and analysis for the Environmental Impact Statement (EIS).

I am submitting these comments because I do not consent to New Mexico becoming a national dumping ground for "spent fuel" from every nuclear reactor in the country. I do not consent to transporting up to 10,000 canisters of highly radioactive waste through communities nationwide. I do not consent to the risk of contamination of our lands, aquifers, air, or the health of our people, plants, wildlife, and livestock. I do not consent to endangering present and future generations.

I formally request additional Public Scoping Meetings for other communities throughout the United States (U.S.) that will be impacted by the transport of these waste canisters.

This Holtec Proposal Is Contrary To Current Law

- Current law only allows the U.S. Department of Energy to take title to commercial spent fuel "following commencement of operation of a repository" or at a DOE-owned and operated monitored retrievable storage facility. The Holtec site meets neither requirement, as it is a private facility.

Holtec Must Remove Copyrights And All Redactions in the Environmental Report (ER)

- NRC must require Holtec to produce an ER that has no such copyright restrictions and has no redactions. It is impossible to make recommendations on the scope of analyses of these redacted areas of the ER for the EIS.

The Impacts Of Permanent Storage Must Be Analyzed

- The ER is incomplete because it does not analyze the impacts of the spent fuel being left at the Holtec site indefinitely. The EIS needs to include an analysis of the impacts of permanent storage should the CIS facility become a de facto permanent waste site.

More Alternatives Must Be Analyzed

- The high-level radioactive waste is too dangerous to move and can remain on site for many more years. It should not be moved until all alternatives are analyzed, including keeping the waste where it is in some form of Hardened On Site Storage (HOSS) on the reactor sites or at suitable locations as close to the reactors as possible to minimize transport risks.
- The alternative of consolidated storage at an existing licensed Independent Spent Fuel Storage Facility (ISFSI) must also be analyzed.

All Transportation Routes and Risks Must Be Analyzed

- The EIS must include all possible transportation routes and study the potential impacts from accidents, terrorism incidents, and how new rail lines or roads for waste shipments will impact public health, environment, water sources, flora, fauna (especially any endangered species), and occupational safety along these routes.

The Consequences To An Accident-Exposed Individual Must Be Analyzed

- Terms like “collective dose risk” and “person-rem” are used to ignore the potential impacts to a single individual.
- All possible human exposures from routine and accidental radioactive releases during transport and at the site must be clearly defined in plain language, for individuals near waste on occasion and workers who are transporting or working at the CIS site long-term.

Cracked And Leaking Canisters Must Be Addressed

- The ER does not analyze exactly how radioactive waste from a cracked and leaking canister would be handled, since there is no wet pool or hot cell at the site. The EIS must include how cracked and leaking canisters will be handled onsite and during transport and analyze possible environmental impacts if leaks or spills occur from cracked canisters.

More Cumulative Impacts Must Be Analyzed

- The ER mentions the Waste Isolation Pilot Plant (WIPP) but does not analyze the impacts of a radiologic release from WIPP on the proposed CIS site.
- The impacts from WIPP and possible impacts from and to the local oil and gas industries need to be analyzed and included in the EIS.

Seismic Impacts On Stored Casks Must Be Stated

- Although the ER gives a statement on recent seismic activity in the area, there is no analysis of what fracking-induced earthquakes will have on the buried casks. These impacts need to be analyzed and included in the EIS.

Future Electrical Transmission Lines and Plumbing Infrastructure Must Be Analyzed

- Impacts from new electrical lines and plumbing must be included in EIS.

Economic Impacts Must Be Analyzed For The Different Phases of the Project

- The economic impacts must be studied and clearly state any positive or negative impacts from this site: initially, after construction is complete, and throughout the whole 120 years.
- How many jobs will be created? How many are only temporary and how many are permanent? How many will go to local residents?

A Thorough Environmental Justice (EJ) Analysis Must Be Included in the EIS


- Impacts to EJ communities near the site and along transport routes must be studied, including but not limited to economic and health impacts that are specific to lower income and people of color communities. For indigenous populations located near the site or along transport routes, this EJ analysis must include impacts to culturally important natural resources, such as: sacred places, traditional food sources, and traditional medical plants.

Sincerely,

Signature

Name (Print)

City & State



PATRICIA A ALLREAD

ALBUQUERQUE, NM 87120

Date

14 July 2018

May Ma
Office of Administration
Mail Stop: TWFN-7- A60M
U.S. Nuclear Regulatory Commission
Washington, DC 20555- 0001

RE: Docket ID NRC-2018-0052; Holtec International's HI-STORE Spent Fuel Waste Facility

Nuclear Regulatory Commission:

I am extremely concerned about the Consolidated Interim Storage (CIS) facility proposed by Holtec International to store up to 100,000 metric tons of high-level radioactive waste in southeast New Mexico. I respectfully submit the following comments regarding the proposal itself and the scope of the Environmental Review and analysis for the Environmental Impact Statement (EIS).

I am submitting these comments because I do not consent to New Mexico becoming a national dumping ground for "spent fuel" from every nuclear reactor in the country. I do not consent to transporting up to 10,000 canisters of highly radioactive waste through communities nationwide. I do not consent to the risk of contamination of our lands, aquifers, air, or the health of our people, plants, wildlife, and livestock. I do not consent to endangering present and future generations.

I formally request additional Public Scoping Meetings for other communities throughout the United States (U.S.) that will be impacted by the transport of these waste canisters.

This Holtec Proposal Is Contrary To Current Law

- Current law only allows the U.S. Department of Energy to take title to commercial spent fuel "following commencement of operation of a repository" or at a DOE-owned and operated monitored retrievable storage facility. The Holtec site meets neither requirement, as it is a private facility.

Holtec Must Remove Copyrights And All Redactions in the Environmental Report (ER)

- NRC must require Holtec to produce an ER that has no such copyright restrictions and has no redactions. It is impossible to make recommendations on the scope of analyses of these redacted areas of the ER for the EIS.

The Impacts Of Permanent Storage Must Be Analyzed

- The ER is incomplete because it does not analyze the impacts of the spent fuel being left at the Holtec site indefinitely. The EIS needs to include an analysis of the impacts of permanent storage should the CIS facility become a de facto permanent waste site.

More Alternatives Must Be Analyzed

- The high-level radioactive waste is too dangerous to move and can remain on site for many more years. It should not be moved until all alternatives are analyzed, including keeping the waste where it is in some form of Hardened On Site Storage (HOSS) on the reactor sites or at suitable locations as close to the reactors as possible to minimize transport risks.
- The alternative of consolidated storage at an existing licensed Independent Spent Fuel Storage Facility (ISFSI) must also be analyzed.

All Transportation Routes and Risks Must Be Analyzed

- The EIS must include all possible transportation routes and study the potential impacts from accidents, terrorism incidents, and how new rail lines or roads for waste shipments will impact public health, environment, water sources, flora, fauna (especially any endangered species), and occupational safety along these routes.

The Consequences To An Accident-Exposed Individual Must Be Analyzed

- Terms like “collective dose risk” and “person-rem” are used to ignore the potential impacts to a single individual.
- All possible human exposures from routine and accidental radioactive releases during transport and at the site must be clearly defined in plain language, for individuals near waste on occasion and workers who are transporting or working at the CIS site long-term.

Cracked And Leaking Canisters Must Be Addressed

- The ER does not analyze exactly how radioactive waste from a cracked and leaking canister would be handled, since there is no wet pool or hot cell at the site. The EIS must include how cracked and leaking canisters will be handled onsite and during transport and analyze possible environmental impacts if leaks or spills occur from cracked canisters.

More Cumulative Impacts Must Be Analyzed

- The ER mentions the Waste Isolation Pilot Plant (WIPP) but does not analyze the impacts of a radiologic release from WIPP on the proposed CIS site.
- The impacts from WIPP and possible impacts from and to the local oil and gas industries need to be analyzed and included in the EIS.

Seismic Impacts On Stored Casks Must Be Stated

- Although the ER gives a statement on recent seismic activity in the area, there is no analysis of what fracking-induced earthquakes will have on the buried casks. These impacts need to be analyzed and included in the EIS.

Future Electrical Transmission Lines and Plumbing Infrastructure Must Be Analyzed

- Impacts from new electrical lines and plumbing must be included in EIS.

Economic Impacts Must Be Analyzed For The Different Phases of the Project

- The economic impacts must be studied and clearly state any positive or negative impacts from this site: initially, after construction is complete, and throughout the whole 120 years.
- How many jobs will be created? How many are only temporary and how many are permanent? How many will go to local residents?

A Thorough Environmental Justice (EJ) Analysis Must Be Included in the EIS

- Impacts to EJ communities near the site and along transport routes must be studied, including but not limited to economic and health impacts that are specific to lower income and people of color communities. For indigenous populations located near the site or along transport routes, this EJ analysis must include impacts to culturally important natural resources, such as: sacred places, traditional food sources, and traditional medical plants.

Sincerely,

Signature



Date

7/14/2018

Name (Print)

Irena Ehrenfeldt

City & State

Albuquerque NM

May Ma
Office of Administration
Mail Stop: TWFN-7- A60M
U.S. Nuclear Regulatory Commission
Washington, DC 20555- 0001

RE: Docket ID NRC-2018-0052; Holtec International's HI-STORE Spent Fuel Waste Facility

Nuclear Regulatory Commission:

I am extremely concerned about the Consolidated Interim Storage (CIS) facility proposed by Holtec International to store up to 100,000 metric tons of high-level radioactive waste in southeast New Mexico. I respectfully submit the following comments regarding the proposal itself and the scope of the Environmental Review and analysis for the Environmental Impact Statement (EIS).

I am submitting these comments because I do not consent to New Mexico becoming a national dumping ground for "spent fuel" from every nuclear reactor in the country. I do not consent to transporting up to 10,000 canisters of highly radioactive waste through communities nationwide. I do not consent to the risk of contamination of our lands, aquifers, air, or the health of our people, plants, wildlife, and livestock. I do not consent to endangering present and future generations.

I formally request additional Public Scoping Meetings for other communities throughout the United States (U.S.) that will be impacted by the transport of these waste canisters.

This Holtec Proposal Is Contrary To Current Law

- Current law only allows the U.S. Department of Energy to take title to commercial spent fuel "following commencement of operation of a repository" or at a DOE-owned and operated monitored retrievable storage facility. The Holtec site meets neither requirement, as it is a private facility.

Holtec Must Remove Copyrights And All Redactions in the Environmental Report (ER)

- NRC must require Holtec to produce an ER that has no such copyright restrictions and has no redactions. It is impossible to make recommendations on the scope of analyses of these redacted areas of the ER for the EIS.

The Impacts Of Permanent Storage Must Be Analyzed

- The ER is incomplete because it does not analyze the impacts of the spent fuel being left at the Holtec site indefinitely. The EIS needs to include an analysis of the impacts of permanent storage should the CIS facility become a de facto permanent waste site.

More Alternatives Must Be Analyzed

- The high-level radioactive waste is too dangerous to move and can remain on site for many more years. It should not be moved until all alternatives are analyzed, including keeping the waste where it is in some form of Hardened On Site Storage (HOSS) on the reactor sites or at suitable locations as close to the reactors as possible to minimize transport risks.
- The alternative of consolidated storage at an existing licensed Independent Spent Fuel Storage Facility (ISFSI) must also be analyzed.

All Transportation Routes and Risks Must Be Analyzed

- The EIS must include all possible transportation routes and study the potential impacts from accidents, terrorism incidents, and how new rail lines or roads for waste shipments will impact public health, environment, water sources, flora, fauna (especially any endangered species), and occupational safety along these routes.

The Consequences To An Accident-Exposed Individual Must Be Analyzed

- Terms like “collective dose risk” and “person-rem” are used to ignore the potential impacts to a single individual.
- All possible human exposures from routine and accidental radioactive releases during transport and at the site must be clearly defined in plain language, for individuals near waste on occasion and workers who are transporting or working at the CIS site long-term.

Cracked And Leaking Canisters Must Be Addressed

- The ER does not analyze exactly how radioactive waste from a cracked and leaking canister would be handled, since there is no wet pool or hot cell at the site. The EIS must include how cracked and leaking canisters will be handled onsite and during transport and analyze possible environmental impacts if leaks or spills occur from cracked canisters.

More Cumulative Impacts Must Be Analyzed

- The ER mentions the Waste Isolation Pilot Plant (WIPP) but does not analyze the impacts of a radiologic release from WIPP on the proposed CIS site.
- The impacts from WIPP and possible impacts from and to the local oil and gas industries need to be analyzed and included in the EIS.

Seismic Impacts On Stored Casks Must Be Stated

- Although the ER gives a statement on recent seismic activity in the area, there is no analysis of what fracking-induced earthquakes will have on the buried casks. These impacts need to be analyzed and included in the EIS.

Future Electrical Transmission Lines and Plumbing Infrastructure Must Be Analyzed

- Impacts from new electrical lines and plumbing must be included in EIS.

Economic Impacts Must Be Analyzed For The Different Phases of the Project

- The economic impacts must be studied and clearly state any positive or negative impacts from this site: initially, after construction is complete, and throughout the whole 120 years.
- How many jobs will be created? How many are only temporary and how many are permanent? How many will go to local residents?

A Thorough Environmental Justice (EJ) Analysis Must Be Included in the EIS


- Impacts to EJ communities near the site and along transport routes must be studied, including but not limited to economic and health impacts that are specific to lower income and people of color communities. For indigenous populations located near the site or along transport routes, this EJ analysis must include impacts to culturally important natural resources, such as: sacred places, traditional food sources, and traditional medical plants.

Sincerely,

Signature

Name (Print)

City & State



Date

7-14-2018

Judith A. Pfeifer

Topeka, KS

May Ma
Office of Administration
Mail Stop: TWFN-7- A60M
U.S. Nuclear Regulatory Commission
Washington, DC 20555- 0001

RE: Docket ID NRC-2018-0052; Holtec International's HI-STORE Spent Fuel Waste Facility

Nuclear Regulatory Commission:

I am extremely concerned about the Consolidated Interim Storage (CIS) facility proposed by Holtec International to store up to 100,000 metric tons of high-level radioactive waste in southeast New Mexico. I respectfully submit the following comments regarding the proposal itself and the scope of the Environmental Review and analysis for the Environmental Impact Statement (EIS).

I am submitting these comments because I do not consent to New Mexico becoming a national dumping ground for "spent fuel" from every nuclear reactor in the country. I do not consent to transporting up to 10,000 canisters of highly radioactive waste through communities nationwide. I do not consent to the risk of contamination of our lands, aquifers, air, or the health of our people, plants, wildlife, and livestock. I do not consent to endangering present and future generations.

I formally request additional Public Scoping Meetings for other communities throughout the United States (U.S.) that will be impacted by the transport of these waste canisters.

This Holtec Proposal Is Contrary To Current Law

- Current law only allows the U.S. Department of Energy to take title to commercial spent fuel "following commencement of operation of a repository" or at a DOE-owned and operated monitored retrievable storage facility. The Holtec site meets neither requirement, as it is a private facility.

Holtec Must Remove Copyrights And All Redactions in the Environmental Report (ER)

- NRC must require Holtec to produce an ER that has no such copyright restrictions and has no redactions. It is impossible to make recommendations on the scope of analyses of these redacted areas of the ER for the EIS.

The Impacts Of Permanent Storage Must Be Analyzed

- The ER is incomplete because it does not analyze the impacts of the spent fuel being left at the Holtec site indefinitely. The EIS needs to include an analysis of the impacts of permanent storage should the CIS facility become a de facto permanent waste site.

More Alternatives Must Be Analyzed

- The high-level radioactive waste is too dangerous to move and can remain on site for many more years. It should not be moved until all alternatives are analyzed, including keeping the waste where it is in some form of Hardened On Site Storage (HOSS) on the reactor sites or at suitable locations as close to the reactors as possible to minimize transport risks.
- The alternative of consolidated storage at an existing licensed Independent Spent Fuel Storage Facility (ISFSI) must also be analyzed.

All Transportation Routes and Risks Must Be Analyzed

- The EIS must include all possible transportation routes and study the potential impacts from accidents, terrorism incidents, and how new rail lines or roads for waste shipments will impact public health, environment, water sources, flora, fauna (especially any endangered species), and occupational safety along these routes.

The Consequences To An Accident-Exposed Individual Must Be Analyzed

- Terms like “collective dose risk” and “person-rem” are used to ignore the potential impacts to a single individual.
- All possible human exposures from routine and accidental radioactive releases during transport and at the site must be clearly defined in plain language, for individuals near waste on occasion and workers who are transporting or working at the CIS site long-term.

Cracked And Leaking Canisters Must Be Addressed

- The ER does not analyze exactly how radioactive waste from a cracked and leaking canister would be handled, since there is no wet pool or hot cell at the site. The EIS must include how cracked and leaking canisters will be handled onsite and during transport and analyze possible environmental impacts if leaks or spills occur from cracked canisters.

More Cumulative Impacts Must Be Analyzed

- The ER mentions the Waste Isolation Pilot Plant (WIPP) but does not analyze the impacts of a radiologic release from WIPP on the proposed CIS site.
- The impacts from WIPP and possible impacts from and to the local oil and gas industries need to be analyzed and included in the EIS.

Seismic Impacts On Stored Casks Must Be Stated

- Although the ER gives a statement on recent seismic activity in the area, there is no analysis of what fracking-induced earthquakes will have on the buried casks. These impacts need to be analyzed and included in the EIS.

Future Electrical Transmission Lines and Plumbing Infrastructure Must Be Analyzed

- Impacts from new electrical lines and plumbing must be included in EIS.

Economic Impacts Must Be Analyzed For The Different Phases of the Project

- The economic impacts must be studied and clearly state any positive or negative impacts from this site: initially, after construction is complete, and throughout the whole 120 years.
- How many jobs will be created? How many are only temporary and how many are permanent? How many will go to local residents?

A Thorough Environmental Justice (EJ) Analysis Must Be Included in the EIS

- Impacts to EJ communities near the site and along transport routes must be studied, including but not limited to economic and health impacts that are specific to lower income and people of color communities. For indigenous populations located near the site or along transport routes, this EJ analysis must include impacts to culturally important natural resources, such as: sacred places, traditional food sources, and traditional medical plants.

Sincerely,

Signature Toby Woodall Date 7/14/18

Name (Print) Toby Woodall

City & State Alb. NM

May Ma
Office of Administration
Mail Stop: TWFN-7- A60M
U.S. Nuclear Regulatory Commission
Washington, DC 20555- 0001

RE: Docket ID NRC-2018-0052; Holtec International's HI-STORE Spent Fuel Waste Facility

Nuclear Regulatory Commission:

I am extremely concerned about the Consolidated Interim Storage (CIS) facility proposed by Holtec International to store up to 100,000 metric tons of high-level radioactive waste in southeast New Mexico. I respectfully submit the following comments regarding the proposal itself and the scope of the Environmental Review and analysis for the Environmental Impact Statement (EIS).

I am submitting these comments because I do not consent to New Mexico becoming a national dumping ground for "spent fuel" from every nuclear reactor in the country. I do not consent to transporting up to 10,000 canisters of highly radioactive waste through communities nationwide. I do not consent to the risk of contamination of our lands, aquifers, air, or the health of our people, plants, wildlife, and livestock. I do not consent to endangering present and future generations.

I formally request additional Public Scoping Meetings for other communities throughout the United States (U.S.) that will be impacted by the transport of these waste canisters.

This Holtec Proposal Is Contrary To Current Law

- Current law only allows the U.S. Department of Energy to take title to commercial spent fuel "following commencement of operation of a repository" or at a DOE-owned and operated monitored retrievable storage facility. The Holtec site meets neither requirement, as it is a private facility.

Holtec Must Remove Copyrights And All Redactions in the Environmental Report (ER)

- NRC must require Holtec to produce an ER that has no such copyright restrictions and has no redactions. It is impossible to make recommendations on the scope of analyses of these redacted areas of the ER for the EIS.

The Impacts Of Permanent Storage Must Be Analyzed

- The ER is incomplete because it does not analyze the impacts of the spent fuel being left at the Holtec site indefinitely. The EIS needs to include an analysis of the impacts of permanent storage should the CIS facility become a de facto permanent waste site.

More Alternatives Must Be Analyzed

- The high-level radioactive waste is too dangerous to move and can remain on site for many more years. It should not be moved until all alternatives are analyzed, including keeping the waste where it is in some form of Hardened On Site Storage (HOSS) on the reactor sites or at suitable locations as close to the reactors as possible to minimize transport risks.
- The alternative of consolidated storage at an existing licensed Independent Spent Fuel Storage Facility (ISFSI) must also be analyzed.

All Transportation Routes and Risks Must Be Analyzed

- The EIS must include all possible transportation routes and study the potential impacts from accidents, terrorism incidents, and how new rail lines or roads for waste shipments will impact public health, environment, water sources, flora, fauna (especially any endangered species), and occupational safety along these routes.

The Consequences To An Accident-Exposed Individual Must Be Analyzed

- Terms like “collective dose risk” and “person-rem” are used to ignore the potential impacts to a single individual.
- All possible human exposures from routine and accidental radioactive releases during transport and at the site must be clearly defined in plain language, for individuals near waste on occasion and workers who are transporting or working at the CIS site long-term.

Cracked And Leaking Canisters Must Be Addressed

- The ER does not analyze exactly how radioactive waste from a cracked and leaking canister would be handled, since there is no wet pool or hot cell at the site. The EIS must include how cracked and leaking canisters will be handled onsite and during transport and analyze possible environmental impacts if leaks or spills occur from cracked canisters.

More Cumulative Impacts Must Be Analyzed

- The ER mentions the Waste Isolation Pilot Plant (WIPP) but does not analyze the impacts of a radiologic release from WIPP on the proposed CIS site.
- The impacts from WIPP and possible impacts from and to the local oil and gas industries need to be analyzed and included in the EIS.

Seismic Impacts On Stored Casks Must Be Stated

- Although the ER gives a statement on recent seismic activity in the area, there is no analysis of what fracking-induced earthquakes will have on the buried casks. These impacts need to be analyzed and included in the EIS.

Future Electrical Transmission Lines and Plumbing Infrastructure Must Be Analyzed

- Impacts from new electrical lines and plumbing must be included in EIS.

Economic Impacts Must Be Analyzed For The Different Phases of the Project

- The economic impacts must be studied and clearly state any positive or negative impacts from this site: initially, after construction is complete, and throughout the whole 120 years.
- How many jobs will be created? How many are only temporary and how many are permanent? How many will go to local residents?

A Thorough Environmental Justice (EJ) Analysis Must Be Included in the EIS

- Impacts to EJ communities near the site and along transport routes must be studied, including but not limited to economic and health impacts that are specific to lower income and people of color communities. For indigenous populations located near the site or along transport routes, this EJ analysis must include impacts to culturally important natural resources, such as: sacred places, traditional food sources, and traditional medical plants.

Sincerely,

Signature  Date 7-14-2018

Name (Print) VICTORIA WARGH- REED

City & State Albuquerque, NM

May Ma
Office of Administration
Mail Stop: TWFN-7- A60M
U.S. Nuclear Regulatory Commission
Washington, DC 20555- 0001

RE: Docket ID NRC-2018-0052; Holtec International's HI-STORE Spent Fuel Waste Facility

Nuclear Regulatory Commission:

I am extremely concerned about the Consolidated Interim Storage (CIS) facility proposed by Holtec International to store up to 100,000 metric tons of high-level radioactive waste in southeast New Mexico. I respectfully submit the following comments regarding the proposal itself and the scope of the Environmental Review and analysis for the Environmental Impact Statement (EIS).

I am submitting these comments because I do not consent to New Mexico becoming a national dumping ground for "spent fuel" from every nuclear reactor in the country. I do not consent to transporting up to 10,000 canisters of highly radioactive waste through communities nationwide. I do not consent to the risk of contamination of our lands, aquifers, air, or the health of our people, plants, wildlife, and livestock. I do not consent to endangering present and future generations.

I formally request additional Public Scoping Meetings for other communities throughout the United States (U.S.) that will be impacted by the transport of these waste canisters.

This Holtec Proposal Is Contrary To Current Law

- Current law only allows the U.S. Department of Energy to take title to commercial spent fuel "following commencement of operation of a repository" or at a DOE-owned and operated monitored retrievable storage facility. The Holtec site meets neither requirement, as it is a private facility.

Holtec Must Remove Copyrights And All Redactions in the Environmental Report (ER)

- NRC must require Holtec to produce an ER that has no such copyright restrictions and has no redactions. It is impossible to make recommendations on the scope of analyses of these redacted areas of the ER for the EIS.

The Impacts Of Permanent Storage Must Be Analyzed

- The ER is incomplete because it does not analyze the impacts of the spent fuel being left at the Holtec site indefinitely. The EIS needs to include an analysis of the impacts of permanent storage should the CIS facility become a de facto permanent waste site.

More Alternatives Must Be Analyzed

- The high-level radioactive waste is too dangerous to move and can remain on site for many more years. It should not be moved until all alternatives are analyzed, including keeping the waste where it is in some form of Hardened On Site Storage (HOSS) on the reactor sites or at suitable locations as close to the reactors as possible to minimize transport risks.
- The alternative of consolidated storage at an existing licensed Independent Spent Fuel Storage Facility (ISFSI) must also be analyzed.

All Transportation Routes and Risks Must Be Analyzed

- The EIS must include all possible transportation routes and study the potential impacts from accidents, terrorism incidents, and how new rail lines or roads for waste shipments will impact public health, environment, water sources, flora, fauna (especially any endangered species), and occupational safety along these routes.

The Consequences To An Accident-Exposed Individual Must Be Analyzed

- Terms like “collective dose risk” and “person-rem” are used to ignore the potential impacts to a single individual.
- All possible human exposures from routine and accidental radioactive releases during transport and at the site must be clearly defined in plain language, for individuals near waste on occasion and workers who are transporting or working at the CIS site long-term.

Cracked And Leaking Canisters Must Be Addressed

- The ER does not analyze exactly how radioactive waste from a cracked and leaking canister would be handled, since there is no wet pool or hot cell at the site. The EIS must include how cracked and leaking canisters will be handled onsite and during transport and analyze possible environmental impacts if leaks or spills occur from cracked canisters.

More Cumulative Impacts Must Be Analyzed

- The ER mentions the Waste Isolation Pilot Plant (WIPP) but does not analyze the impacts of a radiologic release from WIPP on the proposed CIS site.
- The impacts from WIPP and possible impacts from and to the local oil and gas industries need to be analyzed and included in the EIS.

Seismic Impacts On Stored Casks Must Be Stated

- Although the ER gives a statement on recent seismic activity in the area, there is no analysis of what fracking-induced earthquakes will have on the buried casks. These impacts need to be analyzed and included in the EIS.

Future Electrical Transmission Lines and Plumbing Infrastructure Must Be Analyzed

- Impacts from new electrical lines and plumbing must be included in EIS.

Economic Impacts Must Be Analyzed For The Different Phases of the Project


- The economic impacts must be studied and clearly state any positive or negative impacts from this site: initially, after construction is complete, and throughout the whole 120 years.
- How many jobs will be created? How many are only temporary and how many are permanent? How many will go to local residents?

A Thorough Environmental Justice (EJ) Analysis Must Be Included in the EIS

- Impacts to EJ communities near the site and along transport routes must be studied, including but not limited to economic and health impacts that are specific to lower income and people of color communities. For indigenous populations located near the site or along transport routes, this EJ analysis must include impacts to culturally important natural resources, such as: sacred places, traditional food sources, and traditional medical plants.

Sincerely,

Signature



Date

7/14/18

Name (Print)

City & State

Albuquerque, New Mexico

