


[\(https://www.cancer.gov/\)](https://www.cancer.gov/)

[\(https://www.cdc.gov\)](https://www.cdc.gov/)

# STATE CANCER PROFILES

[⚡ \(http://statecancerprofiles.cancer.gov/index.html\)](http://statecancerprofiles.cancer.gov/index.html) > [Mortality \(http://statecancerprofiles.cancer.gov/data-topics/mortality.html\)](http://statecancerprofiles.cancer.gov/data-topics/mortality.html) > Table

## Death Rates Table

Death Rate Report for Indiana by County					
Lung & Bronchus, 2010-2014					
All Races (includes Hispanic), Both Sexes, All Ages					
Sorted by Name					
County	Met Healthy People Objective of 45.5?	Age-Adjusted Death Rate <sup>±</sup> deaths per 100,000 (95% Confidence Interval)	Average Annual Count	Recent Trend	Recent 5-Year Trend <sup>±</sup> in Death Rates (95% Confidence Interval)
Indiana	No	55.1 (54.3, 55.9)	4,005	falling ↓	-1.8 (-2.1, -1.4)
<a href="#">United States</a>	Yes	44.7 (44.6, 44.8)	156,865	falling ↓	-2.4 (-2.6, -2.3)
Adams County	Yes	32.7 (25.1, 42.1)	13	stable →	-0.5 (-2.5, 1.6)
Allen County	Yes	44.0 (40.9, 47.2)	162	falling ↓	-1.6 (-2.0, -1.1)
Bartholomew County	No	58.3 (51.4, 65.8)	53	stable →	0.1 (-0.9, 1.0)
Benton County	No	79.8 (57.7, 108.2)	9	rising ↑	2.2 (0.6, 3.8)
Blackford County	No	56.6 (42.2, 75.1)	10	stable →	-1.0 (-2.6, 0.6)
Boone County	No	52.7 (44.5, 61.9)	30	stable →	-1.0 (-2.0, 0.1)
Brown County	No	51.6 (38.5, 68.5)	11	stable →	-0.8 (-2.5, 0.9)
Carroll County	No	51.8 (40.2, 66.0)	14	stable →	0.7 (-1.3, 2.7)
Cass County	No	65.6 (55.6, 77.0)	31	stable →	-0.4 (-1.4, 0.6)
Clark County	No	65.1 (58.7, 71.9)	80	falling ↓	-1.0 (-1.6, -0.4)
Clay County	No	58.2 (47.3, 71.1)	20	stable →	-1.3 (-2.9, 0.3)
Clinton County	No	57.3 (47.1, 69.2)	23	stable →	0.0 (-1.5, 1.5)
Crawford County	No	77.5 (57.8, 102.3)	11	stable →	0.9 (-1.1, 2.9)
Daviess County	No	52.8 (42.7, 64.6)	19	stable →	-0.8 (-2.1, 0.5)

DeKalb County	No	58.7 (49.4, 69.4)	29	stable →	-0.1 (-1.4, 1.2)
Dearborn County	No	63.9 (55.0, 74.0)	38	stable →	-0.9 (-1.8, 0.0)
Decatur County	No	51.4 (40.7, 64.1)	16	stable →	0.4 (-1.3, 2.1)
Delaware County	No	56.6 (51.1, 62.7)	78	stable →	-0.4 (-1.2, 0.4)
Dubois County	Yes	41.2 (33.6, 50.1)	21	stable →	-0.9 (-2.2, 0.4)
Elkhart County	No	47.0 (42.8, 51.4)	97	stable →	-0.5 (-1.2, 0.2)
Fayette County	No	69.8 (57.5, 84.1)	23	stable →	0.8 (-0.3, 1.9)
Floyd County	No	54.0 (47.2, 61.7)	46	falling ↓	-1.6 (-2.6, -0.7)
Fountain County	No	60.2 (46.9, 76.5)	14	stable →	-0.8 (-2.0, 0.3)
Franklin County	No	55.2 (43.5, 69.2)	16	stable →	0.0 (-1.7, 1.8)
Fulton County	No	67.7 (54.5, 83.4)	19	stable →	0.6 (-0.9, 2.0)
Gibson County	No	46.5 (37.7, 56.8)	20	falling ↓	-1.6 (-3.0, -0.2)
Grant County	No	62.2 (55.2, 70.0)	58	stable →	-0.1 (-0.7, 0.6)
Greene County	No	66.9 (56.4, 79.0)	29	stable →	1.1 (-0.2, 2.4)
Hamilton County	Yes	34.6 (31.2, 38.3)	79	falling ↓	-2.6 (-3.2, -1.9)
Hancock County	No	57.9 (50.5, 66.2)	45	stable →	0.0 (-0.9, 1.0)
Harrison County	No	70.0 (59.4, 82.0)	32	stable →	0.4 (-0.7, 1.6)
Hendricks County	No	49.8 (44.6, 55.4)	71	falling ↓	-1.9 (-2.5, -1.3)
Henry County	No	59.7 (51.5, 68.9)	39	stable →	-0.3 (-1.3, 0.7)
Howard County	No	52.8 (46.8, 59.5)	58	falling ↓	-1.3 (-2.1, -0.4)
Huntington County	No	49.2 (40.5, 59.3)	23	stable →	-1.0 (-2.3, 0.2)
Jackson County	No	69.1 (59.4, 80.2)	36	stable →	1.1 (-0.1, 2.3)
Jasper County	No	66.4 (55.4, 79.1)	26	stable →	0.3 (-0.9, 1.6)
Jay County	No	52.9 (41.2, 67.1)	14	stable →	1.0 (-0.3, 2.3)
Jefferson County	No	65.5 (54.6, 78.1)	26	stable →	0.7 (-0.6, 2.0)
Jennings County	No	67.0 (54.7, 81.4)	22	stable →	-0.6 (-1.9, 0.7)
Johnson County	No	51.3 (46.3, 56.8)	78	falling ↓	-1.5 (-2.3, -0.6)

Knox County	No	56.8 (47.6, 67.3)	28	stable →	-0.7 (-1.7, 0.3)
Kosciusko County	No	52.9 (46.3, 60.3)	47	stable →	-0.2 (-1.0, 0.7)
LaGrange County	Yes	40.7 (31.9, 51.3)	15	stable →	-0.9 (-2.5, 0.6)
LaPorte County	No	57.9 (52.2, 64.1)	78	falling ↓	-0.7 (-1.3, -0.1)
Lake County	No	51.1 (48.5, 53.9)	289	falling ↓	-4.4 (-7.4, -1.4)
Lawrence County	No	68.0 (59.1, 78.1)	43	stable →	0.3 (-0.8, 1.3)
Madison County	No	69.3 (63.7, 75.3)	115	stable →	-0.3 (-0.9, 0.2)
Marion County	No	62.5 (60.1, 65.0)	539	falling ↓	-2.1 (-3.2, -1.0)
Marshall County	No	50.5 (42.6, 59.6)	29	falling ↓	-1.1 (-2.1, -0.1)
Martin County	No	59.7 (42.7, 82.0)	8	stable →	0.1 (-1.3, 1.5)
Miami County	No	60.4 (50.4, 71.9)	26	stable →	0.3 (-1.0, 1.5)
Monroe County	No	48.3 (42.9, 54.1)	60	stable →	-0.7 (-1.6, 0.2)
Montgomery County	No	52.1 (43.3, 62.3)	25	stable →	0.1 (-0.8, 1.0)
Morgan County	No	63.2 (55.5, 71.7)	51	falling ↓	-0.9 (-1.7, -0.2)
Newton County	No	70.1 (54.2, 89.7)	14	stable →	0.4 (-1.2, 2.0)
Noble County	No	53.3 (44.6, 63.3)	28	stable →	-0.2 (-1.8, 1.5)
Ohio County	No	82.1 (56.5, 116.8)	7	stable →	0.1 (-2.7, 2.9)
Orange County	No	62.5 (49.4, 78.3)	16	stable →	0.7 (-0.9, 2.4)
Owen County	No	60.3 (47.6, 75.6)	16	stable →	0.1 (-1.7, 1.9)
Parke County	No	63.6 (49.5, 80.7)	14	stable →	0.0 (-1.3, 1.4)
Perry County	No	69.6 (55.4, 86.5)	17	stable →	1.3 (-0.1, 2.8)
Pike County	No	54.9 (40.7, 73.1)	10	stable →	0.0 (-1.6, 1.7)
Porter County	No	51.3 (46.6, 56.2)	94	falling ↓	-0.9 (-1.5, -0.3)
Posey County	No	45.6 (35.6, 57.6)	15	stable →	-0.9 (-2.1, 0.3)
Pulaski County	No	58.4 (43.8, 76.9)	11	stable →	0.8 (-1.0, 2.5)
Putnam County	No	71.9 (61.1, 84.2)	32	stable →	0.2 (-0.8, 1.2)
Randolph County	No	59.7 (48.7, 72.6)	21	stable →	0.2 (-1.0, 1.4)

Ripley County	No	59.6 (48.8, 72.2)	22	stable →	-0.0 (-1.4, 1.3)
Rush County	No	62.5 (48.7, 79.5)	14	stable →	-0.1 (-1.5, 1.3)
Scott County	No	79.8 (65.5, 96.3)	23	stable →	-0.8 (-2.2, 0.6)
Shelby County	No	53.6 (45.1, 63.4)	29	stable →	-1.1 (-2.4, 0.2)
Spencer County	No	45.9 (35.3, 59.1)	13	stable →	-1.3 (-2.9, 0.3)
St. Joseph County	No	51.4 (47.8, 55.2)	156	falling ↓	-0.6 (-1.1, -0.2)
Starke County	No	78.5 (64.9, 94.3)	24	stable →	0.6 (-0.4, 1.6)
Steuben County	No	53.8 (44.4, 64.7)	24	stable →	-1.0 (-2.4, 0.4)
Sullivan County	No	68.5 (54.9, 84.6)	18	stable →	-0.6 (-1.9, 0.7)
Switzerland County	No	74.7 (54.9, 99.9)	10	stable →	-1.0 (-3.1, 1.2)
Tippecanoe County	Yes	45.2 (40.3, 50.4)	66	falling ↓	-1.8 (-2.5, -1.0)
Tipton County	Yes	43.9 (32.3, 58.8)	10	falling ↓	-1.5 (-2.8, -0.2)
Union County	No	47.2 (29.2, 72.9)	4	stable →	0.6 (-2.7, 4.0)
Vanderburgh County	No	54.0 (49.7, 58.7)	117	falling ↓	-1.3 (-1.9, -0.7)
Vermillion County	No	74.2 (58.9, 92.7)	17	stable →	-0.5 (-1.6, 0.7)
Vigo County	No	62.0 (55.7, 68.8)	74	stable →	-0.5 (-1.3, 0.2)
Wabash County	No	46.6 (38.1, 56.7)	21	stable →	-1.1 (-2.5, 0.3)
Warren County	No	50.1 (33.8, 72.8)	6	stable →	-2.0 (-4.1, 0.1)
Warrick County	Yes	45.3 (38.5, 53.1)	33	falling ↓	-1.7 (-3.1, -0.2)
Washington County	No	69.0 (56.9, 83.2)	23	stable →	-0.3 (-1.4, 0.8)
Wayne County	No	63.5 (56.3, 71.5)	58	stable →	0.2 (-0.6, 1.0)
Wells County	Yes	41.1 (32.2, 51.9)	15	falling ↓	-2.4 (-4.0, -0.8)
White County	No	55.5 (44.7, 68.2)	19	stable →	-15.7 (-29.5, 0.7)
Whitley County	No	51.0 (41.6, 62.0)	21	stable →	-0.5 (-1.5, 0.5)

**Notes:**

Created by statecancerprofiles.cancer.gov on 06/20/2017 4:00 pm.

[State Cancer Registries \(http://statecancerprofiles.cancer.govhttps://nccd.cdc.gov/dcpc\\_Programs/index.aspx#/3\)](http://statecancerprofiles.cancer.govhttps://nccd.cdc.gov/dcpc_Programs/index.aspx#/3) may provide more current or more local data.

## Trend

**Rising** when 95% confidence interval of average annual percent change is above 0.

**Stable** when 95% confidence interval of average annual percent change includes 0.

**Falling** when 95% confidence interval of average annual percent change is below 0.

† Death rates (cases per 100,000 population per year) are age-adjusted to the [2000 US standard population](http://www.seer.cancer.gov/stdpopulations/stdpop.19ages.html) (19 age groups: <1, 1-4, 5-9, ... , 80-84, 85+). Rates calculated using SEER\*Stat. Population counts for denominators are based on Census populations as modified by NCI. The [1969-2015 US Population Data](http://statecancerprofiles.cancer.govhttps://seer.cancer.gov/popdata/) File is used for mortality data.

‡ The Average Annual Percent Change (AAPC) is based on the APCs calculated by [\(http://statecancerprofiles.cancer.govhttps://surveillance.cancer.gov/joinpoint/\)](http://statecancerprofiles.cancer.govhttps://surveillance.cancer.gov/joinpoint/). Due to data availability issues, the time period used in the calculation of the joinpoint regression model may [differ](http://statecancerprofiles.cancer.gov/historicaltrend/differences.html) for selected counties.

[Healthy People 2020](http://statecancerprofiles.cancer.govhttps://www.healthypeople.gov/) Objectives provided by the [Centers for Disease Control and Prevention](http://statecancerprofiles.cancer.govhttps://www.cdc.gov/).

Please note that the data comes from different sources. Due to [different years](http://statecancerprofiles.cancer.gov/historicaltrend/differences.html) of data availability, most of the trends are AAPCs based on APCs but some are APCs calculated in [SEER\\*Stat](http://statecancerprofiles.cancer.govhttps://seer.cancer.gov/seerstat/). Please refer to the source for each graph for additional information.

[Interpret Rankings](http://statecancerprofiles.cancer.gov/interpretrankings.html) provides insight into interpreting cancer incidence statistics. When the population size for a denominator is small, the rates may be unstable. A rate is unstable when a small change in the numerator (e.g., only one or two additional cases) has a dramatic effect on the calculated rate.

Data for United States does not include Puerto Rico.

[Return to Top](#)

[U.S. Department of Health and Human Services](https://www.hhs.gov/) | [National Institutes of Health](https://www.nih.gov/) | [National Cancer Institute](https://www.cancer.gov/) | [USA.gov](https://www.usa.gov/)

NIH... Turning Discovery Into Health®