

**SEMI-ANNUAL
GROUND-WATER MONITORING
FOR LUCKY Mc MINE**

PREPARED FOR:

**AREVA
LUCKY Mc MINE**

BY:

HYDRO-ENGINEERING, L.L.C.

MARCH, 2018

Brandon Weaver
BRANDON WEAVER

George L. Hoffman
GEORGE L. HOFFMAN, P.E.
HYDROLOGIST
8/29/2018

TABLE OF CONTENTS

	<u>Page Number</u>
1.0 INTRODUCTION AND SUMMARY OF RESULTS.....	1
2.0 PIEZOMETRIC DATA	2
3.0 WATER-QUALITY DATA	2

FIGURES

	<u>Page Number</u>
1 LOCATIONS OF MONITORING WELLS AND PIEZOMETRIC CONTOURS AT LUCKY Mc IN OCTOBER 2017, FT-MSL.....	4
2 WATER-LEVEL ELEVATION VERSUS TIME FOR WELLS T1-6, T1-12, AL-1, AL-6 AND AL-7	5
3 CHLORIDE CONCENTRATIONS IN OCTOBER 2017 AT LUCKY Mc, IN mg/l	6
4 CHLORIDE CONCENTRATIONS VERSUS TIME FOR WELLS T1-6, T1-12, AL-1, AL-6 AND AL-7	7
5 TOTAL DISSOLVED SOLIDS CONCENTRATIONS IN OCTOBER 2017 AT LUCKY Mc, IN mg/l.....	8
6 TDS CONCENTRATIONS VERSUS TIME FOR WELLS T1-6, T1-12, AL-1, AL-6 AND AL-7.....	9
7 SULFATE CONCENTRATIONS IN OCTOBER 2017 AT LUCKY Mc, IN mg/l	10
8 SULFATE CONCENTRATIONS VERSUS TIME FOR WELLS T1-6, T1-12, AL-1, AL-6 AND AL-7.....	11
9 URANIUM CONCENTRATIONS IN OCTOBER 2017 AT LUCKY Mc, IN mg/l	12
10 URANIUM CONCENTRATIONS VERSUS TIME FOR WELLS T1-6, T1-12, AL-1, AL-6 AND AL-7	13
11 SELENIUM CONCENTRATIONS IN OCTOBER 2017 AT LUCKY Mc, IN mg/l	14

**TABLE OF CONTENTS
(continued)**

FIGURES

	<u>Page Number</u>
12 SELENIUM CONCENTRATIONS VERSUS TIME FOR WELLS T1-6, T1-12, AL-1, AL-6 AND AL-7	15
13 RADIUM-226 + RADIUM-228 ACTIVITY IN OCTOBER 2017 FOR LUCKY Mc, IN pCi/l	16
14 RADIUM-226 + RADIUM-228 ACTIVITY VERSUS TIME FOR WELLS T1-6, T1-12, AL-1, AL-6 AND AL-7	17

TABLES

	<u>Page Number</u>
1 WATER-LEVEL AND WATER-QUALITY DATA.....	18

1.0 Introduction and Summary of Results

This semi-annual report presents the results of ground-water monitoring for the second half of 2017 for the Lucky Mc tailings area. This report covers the requirement of NRC License SUA-672, License Condition 60B.

The following table lists the site standards that are in effect at Lucky Mc tailings POC well T1-12. The tabulation also lists the measured October 2017 concentrations for POC well T1-12. All of the present concentrations in POC well T1-12 are significantly below the site standards.

GROUND-WATER PROTECTION STANDARDS FOR POINT-OF-COMPLIANCE WELL T1-12 AND OCTOBER 2017 POC CONCENTRATION									
POC STANDARD & CONCENTRATION	CONSTITUENT								
	Arsenic	Beryllium	Cadmium	Chromium	Nickel	RA- 226+Ra- 228	Selenium	Thorium- 230	Uranium
SITE STANDARD	0.05	0.07	0.02	0.05	0.85	7.5	1.1	13.2	1.7
T1-12, OCTOBER 2017	<0.001	<0.001	<0.001	<0.01	0.24	5.3	0.129	0.7	0.366

NOTE: All concentrations in mg/l except for radium and thorium in pCi/l.

Figure 1.3-2 in the Lucky Mc ACL report shows the base of the Lucky Mc aquifer which shows that a narrow outlet exists on the east side of the No. 1 and No. 2 Tailings connecting them to the Wind River Channel. The No. 1 and the No. 2 Tailings should not be presently contributing any seepage to the Wind River Channel and the Fraser Draw alluvium because the water levels in these tailings are below the base of the aquifer at the outlets. Figures 1.3-4 (see channel close to the B side of the cross section) and 1.3-5 (see the ridge near well OBS-2) in the Lucky Mc ACL report show that the outlets to the No. 2 and No. 1 Tailings were dry or essentially dry in 2000. Therefore these tailings should not be contributing any additional source to the Lucky Mc aquifer with time. Stable concentrations in POC well T1-12 support this conclusion.

Modeling of key parameters, uranium, selenium and radium-226 + 228 are presented in the Lucky Mc ACL report. The following table presents a comparison between the model predictions and the 2017 observed concentrations for POC well T1-12 and wells AL-1 and AL-6. These comparisons show that the present concentrations agree fairly well with the model predictions for 2017. Concentrations at the POC well are not expected to ever exceed the site standards based on the present levels and the model predictions.

COMPARISON OF MODEL PREDICTION AND 2017 CONCENTRATIONS									
CONSTITUENT	URANIUM			SELENIUM			RA-226 + RA-228		
WELL	T1-12	AL-1	AL-6	T1-12	AL-1	AL-6	T1-12	AL-1	AL-6
MODEL PREDICTIONS	0.6	1.1	1.1	0.2	0.4	0.3	7	1	1
2017 CONCENTRATIONS	0.366	2.38	0.546	0.129	0.443	0.067	5.3	3.7	3.4

NOTE: All concentrations in mg/l except for radium in pCi/l.

2.0 Piezometric Data

The water-level data collected during the second half of 2017 are presented in Table 1 along with the 2014 through 2017 water-level data. Figure 1 presents the piezometric surface of the Lucky Mc aquifer from the POC well through the Fraser Draw alluvium, while Figure 2 presents plots of the water-level elevations versus time for wells AL-6, T1-6, T1-12, AL-1 and AL-7. The corresponding water-level elevation or constituent concentration is posted adjacent to the well location on the plan view figures of the area (such as Figure 1). Water-level elevations through the second half of 2017 were fairly steady.

3.0 Water-Quality Data

License Condition 60B requires monitoring of water from the POC and POE wells and other selected wells for the constituents presented in Table 1. An analysis of the selenium, uranium, combined radium-226 plus radium-228, sulfate, chloride and TDS concentrations is required. A second sample was collected in the fourth quarter of 2017 to confirm the higher uranium concentrations in well AL-1 in the last half of 2017.

Figure 3 presents the October 2017 chloride concentrations for the Lucky Mc aquifer. The chloride concentrations are highest in the Fraser Draw alluvial well AL-1 and Wind River Channel at POC well T1-12 and decrease significantly to levels similar to background levels at well AL-7. The chloride concentration in well AL-1 is higher showing the concentration gradient from the east to the west across the Frasier Draw alluvium. Chloride concentration in well AL-1 gradually increased in the last three quarters in 2017 after being steady for four years. Figure 4 presents the plots of chloride concentration versus time for the five monitored wells. Chloride concentrations in POC well T1-12 overall have been fairly steady in 2014 through 2017 while a very gradual decrease was observed in POE well AL-6 and well AL-7 during the last couple of years. The decrease in the chloride and sulfate concentrations in June 2015 in well T1-12 is not supported by measurement before and after this value and therefore is considered an outlier. A larger increase was observed in the last half of 2010 and 2011 in well AL-1. These chloride changes are thought to be natural fluctuations in this alluvial aquifer.

Figure 5 presents the TDS concentrations for October 2017 water samples from the Lucky Mc aquifer. The TDS concentrations are greater than 5000 mg/l at POC well T1-12 and in Fraser Draw alluvial well AL-1, and are less than 4000 mg/l in the western portion of the Fraser Draw alluvium at wells AL-6 and AL-7. Figure 6 presents the plots of TDS concentrations versus time and illustrates that the 2017 TDS concentrations are similar to the average value for the previous few years for well T1-12 except for a slightly smaller value in the fourth quarter of 2017. An increase in concentrations in 2011 and 2012 was observed in well AL-1 but concentrations had declined to fairly steady levels since 2014 until the gradual increase that has been observed for the last three quarters. A gradual increase in TDS had been observed in well AL-7 and AL-6 in recent years and then becoming fairly steady prior to a gradual decline the last two years. This change is likely due to the concentration gradient naturally shifting.

The measured sulfate concentrations for the Lucky Mc aquifer during October of 2017 are presented in Figure 7 and show that the sulfate concentrations are highest in the Fraser Draw alluvial well AL-1 and Wind River Channel at POC well T1-12 and decrease in the eastern half of Frasier Draw. The sulfate concentration versus time plots are shown in Figure 8. The increase in sulfate in the 2nd half of 2010 and 2011 in well AL-1 shows the effect of the shift in concentrations to the east. An overall decline in sulfate concentrations was observed in well


AL-1 in 2012 through the 2014 and then were variable until a gradual rise was observed in the second half of 2017. These sulfate concentrations are thought to be natural for this shallow aquifer which is underlain by the Cody Shale.

Uranium concentrations for the Lucky Mc aquifer during October of 2017 are presented in Figure 9, and this figure shows the highest observed uranium concentrations at well AL-1. Figure 10 shows that the uranium concentration in the POE well AL-6 had overall gradually increased but gradually declined in 2014 through 2017. A larger increase had been observed in well AL-1 in 2010 and 2011 with an overall decline in uranium concentrations and then became fairly steady through the first half of 2017. Uranium concentrations gradually increased in the second half of 2017 with the second sample in the fourth quarter confirming these higher values. The uranium concentrations have been relatively steady in POC well T1-12 for the last several years.

Figure 11 presents the selenium concentrations for October 2017 for the Lucky Mc aquifer. Selenium concentrations were greatest at well AL-1 with a gradual increase in the last half of 2017. Concentrations in POC well T1-12 have overall gradually declined for the last several years to a value similar to those observed in upgradient well T1-6 and POE well AL-6 (see Figure 12). The selenium concentrations in well AL-1 increased from 2007 through 2014 to a level higher than the value in well T1-12 which could be due to alluvial water shifting to the east in this area. Values had been fairly steady for the last two years in well AL-1 until the gradual increase in the second half of 2017. All of these selenium concentrations are likely natural with recent concentrations defining variations that may occur.

Figure 13 presents the radium-226 plus radium-228 activity for October 2017 in the Lucky Mc aquifer in pCi/l. The activity at POC well T1-12 has remained below the radium-226 plus radium-228 site standard of 7.5 pCi/l until the first quarter of 2015 when it was 13.0 pCi/l. A similar jump in Ra226 + Ra228 concentrations was observed in all of the wells at the Lucky Mc Mine and appears to be a laboratory error. Measured radium activities generally exhibit more variability than other constituents, and little significance is given to occasional outliers. Figure 14 shows plots of the radium-226 plus radium-228 activity versus time for the monitored wells. These plots show significant variability in measured activity, especially since the fourth quarter of 2014, which is thought to be due to variability in the laboratory analysis. Previous recent values for well AL-6 had been near 6 pCi/l while the October 2017 value is 3.4 pCi/l. The higher radium levels are not supported by increases in other parameters and should not be given any significance at this time. The radium-226 plus radium-228 activity in upgradient well T1-6 was recently also higher while the fourth quarter of 2017 value was less than 5 pCi/l. The radium values measured from the Lucky Mc wells define the expected laboratory variability and are considered natural levels for this aquifer.

Concentrations of the remainder of the constituents at the site not significant at POC well T1-12.








FIGURE 2. WATER-LEVEL ELEVATION VERSUS TIME FOR WELLS T1-6, T1-12, AL-1, AL-6 AND AL-7.








FIGURE 4. CHLORIDE CONCENTRATIONS VERSUS TIME FOR WELLS T1-6, T1-12, AL-1, AL-6 AND AL-7.








FIGURE 6. TDS CONCENTRATIONS VERSUS TIME FOR WELLS T1-6, T1-12, AL-1, AL-6 AND AL-7.







FIGURE 8. SULFATE CONCENTRATIONS VERSUS TIME FOR WELLS T1-6, T1-12, AL-1, AL-6 AND AL-7.






FIGURE 10. URANIUM CONCENTRATIONS VERSUS TIME FOR WELLS T1-6, T1-12, AL-1, AL-6 AND AL-7.








FIGURE 12. SELENIUM CONCENTRATIONS VERSUS TIME FOR WELLS T1-6, T1-12, AL-1, AL-6 AND AL-7.







FIGURE 14. RADIUM-226 + RADIUM-228 ACTIVITY VERSUS TIME FOR WELLS T1-6, T1-12, AL-1, AL-6 AND AL-7.

TABLE 1. WATER-LEVEL AND WATER-QUALITY DATA.

Lucky MC Mine - Pathfinder Mines Corp.

Sample Point Name	Date	WL (feet)	WL_ELEV (ft-msl)	pH(f) (std. units)	Cond(f) (µmhos)	TDS (mg/l)	SO4 (mg/l)	Cl (mg/l)	NO3+NO2 (mg/l)	Unat (mg/l)
AL-1	3/26/2014	26.91	6237.69	7.2	6210	5280	2760	255.0	94.0	1.320
	6/6/2014	—	—	6.9	6020	4900	2500	215.0	103.0	1.440
	9/5/2014	27.50	6237.10	7.4	2950	5270	2810	256.0	126.0	1.500
	10/17/2014	27.54	6237.06	6.9	5310	5000	2450	233.0	114.0	1.340
	3/24/2015	27.38	6237.22	7.5	5520	5120	2570	257.0	98.0	1.210
	6/16/2015	27.17	6237.43	7.3	6600	5030	2700	253.0	98.0	1.370
	8/11/2015	27.61	6236.99	7.4	6460	5070	2560	216.0	105.0	1.240
	10/16/2015	27.96	6236.64	6.7	3340	4940	2680	223.0	84.0	1.330
	1/22/2016	28.00	6236.60	7.1	5830	4760	2440	200.0	73.0	1.200
	6/28/2016	27.54	6237.06	7.6	5420	5190	2430	240.0	88.0	1.360
	8/26/2016	28.10	6236.50	7.5	6570	5360	3030	263.0	92.0	1.400
	10/21/2016	28.12	6236.48	7.5	5830	4900	2660	230.0	84.0	1.260
	1/20/2017	28.00	6236.60	7.5	6290	5030	2690	253.0	92.0	1.190
	5/25/2017	27.30	6237.30	7.8	6700	5650	2890	301.0	95.5	1.360
	8/18/2017	27.70	6236.90	7.8	7750	6420	3250	316.0	119.0	2.320
	10/20/2017	27.77	6236.83	7.8	7940	6660	3180	306.0	122.0	2.380
	12/15/2017	27.60	6237.00	7.2	7850	6890	3590	353.0	114.0	2.540
AL-6	3/26/2014	22.45	6214.35	7.3	4720	4090	2110	153.0	84.0	0.778
	6/6/2014	—	—	7.1	4880	4170	2150	155.0	81.0	0.868
	9/5/2014	22.68	6214.12	7.7	4550	4160	2220	168.0	86.0	0.764
	10/17/2014	22.61	6214.19	6.8	4660	4240	2230	166.0	77.0	0.757
	3/24/2015	22.58	6214.22	7.4	4600	4220	2320	177.0	72.0	0.697
	6/16/2015	22.43	6214.37	7.4	5510	4200	2330	170.0	70.0	0.726
	8/11/2015	22.77	6214.03	7.4	5420	4210	2200	156.0	81.0	0.692
	10/16/2015	22.82	6213.98	7.4	5470	4130	2280	163.0	65.0	0.705
	1/22/2016	22.85	6213.95	7.1	4760	4110	2100	145.0	66.0	0.736
	6/28/2016	22.74	6214.06	7.6	4450	4090	1960	149.0	64.0	0.708
	8/26/2016	23.05	6213.75	7.5	4880	4000	2250	156.0	58.0	0.666
	10/21/2016	23.00	6213.80	7.7	4590	3870	2140	141.0	61.0	0.638
	1/20/2017	23.00	6213.80	7.6	4750	3920	2160	139.0	58.0	0.638
	5/25/2017	22.60	6214.20	7.5	3980	3860	2220	144.0	49.2	0.690
	8/18/2017	22.35	6214.45	7.5	3190	3880	2330	154.0	2.4	0.767
	10/20/2017	22.90	6213.90	7.9	4550	3800	1920	119.0	46.2	0.546
AL-7	3/26/2014	26.52	6225.48	7.5	4320	3780	2040	124.0	56.0	0.544
	6/6/2014	—	—	7.3	4170	3420	1950	107.0	28.0	0.503
	9/5/2014	26.81	6225.19	7.5	3860	3370	1970	111.0	23.0	0.477
	10/17/2014	26.88	6225.12	6.8	4060	3610	2080	120.0	30.0	0.542
	3/24/2015	26.76	6225.24	7.2	3970	3390	1950	112.0	14.0	0.457
	6/16/2015	26.58	6225.42	7.3	4720	3390	2070	114.0	16.1	0.507
	8/11/2015	26.91	6225.09	7.3	4540	3430	2000	102.0	20.0	0.450
	10/16/2015	27.15	6224.85	7.1	4820	3470	2180	118.0	18.0	0.569
	1/22/2016	27.23	6224.77	7.1	4220	3410	1960	99.0	14.0	0.447
	6/28/2016	27.07	6224.93	7.6	3640	3260	1680	89.0	6.3	0.495
	8/26/2016	27.35	6224.65	7.3	4120	3190	2000	95.0	10.0	0.479

TABLE 1. WATER-LEVEL AND WATER-QUALITY DATA. (cont'd)

Lucky MC Mine - Pathfinder Mines Corp.

Sample Point Name	Date	WL (feet)	WL_ELEV (ft-msl)	pH(f) (std. units)	Cond(f) (µmhos)	TDS (mg/l)	SO4 (mg/l)	Cl (mg/l)	NO3+NO2 (mg/l)	Unat (mg/l)
AL-7	10/21/2016	27.45	6224.55	7.5	4080	3210	1900	86.0	13.0	0.527
	1/20/2017	27.35	6224.65	7.6	3950	3230	1950	85.0	7.9	0.478
	5/25/2017	26.90	6225.10	7.6	3980	3130	1850	85.0	4.1	0.490
	8/18/2017	27.20	6224.80	8.0	3770	3100	1790	83.0	7.3	0.589
	10/20/2017	27.27	6224.73	7.8	3410	3120	1680	69.0	9.9	0.688
T1-6	3/26/2014	29.18	6399.04	7.6	3460	2570	1530	47.0	0.7	0.048
	5/29/2014	28.69	6399.53	7.8	3340	2580	1570	49.0	0.7	0.067
	6/6/2014	—	—	6.6	3520	2600	1540	45.0	0.8	0.047
	9/5/2014	30.00	6398.22	7.2	3420	2600	1560	47.0	0.8	0.043
	10/17/2014	29.89	6398.33	6.9	3590	2640	1500	47.0	0.9	0.059
	10/29/2014	29.01	6399.21	7.2	3320	2620	1570	50.0	1.1	0.078
	3/24/2015	29.50	6398.72	7.5	3300	2680	1600	51.0	0.8	0.045
	6/16/2015	29.66	6398.56	8.0	3970	2660	1660	52.0	0.9	0.048
	6/24/2015	28.86	6399.36	7.4	3160	2650	1590	51.0	1.0	0.051
	8/11/2015	29.95	6398.27	7.2	3840	2620	1590	48.0	1.0	0.043
	10/16/2015	29.82	6398.40	7.4	3890	2680	1740	54.0	1.1	0.049
	11/17/2015	28.64	6399.58	7.8	3130	2590	1640	51.0	1.3	0.102
	1/22/2016	29.37	6398.85	6.7	3050	2740	1650	54.0	1.8	0.053
	5/23/2016	28.40	6399.82	7.4	2960	2730	1520	53.0	0.4	0.070
	6/28/2016	29.60	6398.62	7.5	3240	2740	1470	51.0	1.8	0.051
	8/26/2016	29.66	6398.56	7.7	3640	2740	1710	57.0	2.1	0.047
	10/21/2016	29.44	6398.78	7.9	3700	2880	1800	60.0	3.1	0.074
	1/20/2017	28.80	6399.42	7.2	3940	2980	1860	64.0	4.1	0.048
	5/25/2017	28.90	6399.32	7.7	3670	3010	1840	71.0	3.7	0.049
	8/18/2017	29.22	6399.00	8.2	3630	2750	1560	56.0	2.9	0.043
	10/20/2017	28.78	6399.44	7.3	3700	2790	1600	52.0	3.4	0.048
T1-12	3/26/2014	19.78	6321.02	6.7	7690	6550	2570	212.0	262.0	0.384
	6/6/2014	—	—	6.6	7760	6880	2610	211.0	268.0	0.402
	9/5/2014	20.23	6320.57	6.7	3390	6230	2640	218.0	209.0	0.345
	10/17/2014	20.30	6320.50	6.5	7560	6640	2760	231.0	246.0	0.358
	3/24/2015	20.58	6320.22	6.7	6450	6170	2560	219.0	199.0	0.345
	6/16/2015	20.85	6319.95	6.5	8510	6490	1380	143.0	185.0	0.379
	8/11/2015	20.00	6320.80	6.5	8970	6240	2570	218.0	223.0	0.333
	10/16/2015	20.45	6320.35	8.0	3340	6180	2690	225.0	173.0	0.348
	1/22/2016	20.95	6319.85	6.9	7230	6260	2470	196.0	187.0	0.396
	6/28/2016	19.90	6320.90	6.9	6490	6180	2250	205.0	177.0	0.170
	8/26/2016	20.31	6320.49	6.8	7580	6320	2730	226.0	224.0	0.325
	10/21/2016	20.64	6320.16	6.8	7400	6220	2610	215.0	215.0	0.325
	1/20/2017	20.60	6320.20	6.8	7260	6260	2540	208.0	196.0	0.372
	5/25/2017	19.00	6321.80	7.0	7200	5980	2750	220.0	181.0	0.359
	8/18/2017	19.90	6320.90	6.9	7900	6460	2600	222.0	251.0	0.398
	10/20/2017	19.87	6320.93	7.0	6810	5600	2270	194.0	155.0	0.366

TABLE 1. WATER-LEVEL AND WATER-QUALITY DATA. (cont'd)

Lucky MC Mine - Pathfinder Mines Corp.

Sample Point Name	Date	Th230 (pCi/l)	Th230(e) (pCi/l)	Ra226 (pCi/l)	Ra226(e) (pCi/l)	Ra228 (pCi/l)	Ra228(e) (pCi/l)	Ra226+Ra228 (pCi/l)
AL-1	3/26/2014	0.060	± 0.1	0.7	± 0.2	0.5	± 0.8	1.2
	6/6/2014	0.200	± 0.1	0.4	± 0.1	0.6	± 0.8	1.0
	9/5/2014	-0.030	± 0.4	0.5	± 0.2	0.9	± 0.9	1.4
	10/17/2014	0.100	± 0.1	0.5	± 0.2	1.5	± 0.9	2.0
	3/24/2015	0.100	± 0.1	3.5	± 0.7	2.3	± 0.8	5.8
	6/16/2015	0.090	± 0.1	3.8	± 0.8	4.2	± 1.1	8.0
	8/11/2015	0.300	± 0.2	0.8	± 0.2	0.4	± 0.6	1.2
	10/16/2015	0.200	± 0.1	1.8	± 0.4	1.4	± 0.7	3.2
	1/22/2016	0.004	± 0.1	1.2	± 0.3	0.7	± 0.6	1.9
	6/28/2016	-0.030	± 0.1	1.0	± 0.3	5.3	± 1.5	6.3
	8/26/2016	1.600	± 0.3	0.5	± 0.2	1.1	± 0.7	1.6
	10/21/2016	0.030	± 0.1	0.4	± 0.1	3.9	± 1.1	4.3
	1/20/2017	0.400	± 0.3	0.3	± 0.2	0.7	± 0.8	1.0
	5/25/2017	0.200	± 0.2	0.5	± 0.2	0.3	± 0.9	0.8
	8/18/2017	0.070	± 0.2	0.4	± 0.1	0.8	± 0.9	1.2
	10/20/2017	-0.010	± 0.1	0.6	± 0.2	3.1	± 1.3	3.7
	12/15/2017	0.100	± 0.2	1.6	± 0.4	1.7	± 0.8	3.3
AL-6	3/26/2014	0.030	± 0.1	3.0	± 0.3	1.3	± 0.8	4.3
	6/6/2014	0.100	± 0.1	3.5	± 0.3	1.1	± 0.7	4.6
	9/5/2014	0.080	± 0.4	2.5	± 0.3	1.7	± 0.9	4.2
	10/17/2014	0.100	± 0.1	3.0	± 0.3	4.1	± 0.9	7.1
	3/24/2015	0.040	± 0.1	6.0	± 1.2	2.8	± 0.8	8.8
	6/16/2015	3.200	± 0.6	3.6	± 0.8	0.8	± 0.7	4.4
	8/11/2015	0.100	± 0.2	5.5	± 1.1	1.0	± 0.6	6.5
	10/16/2015	0.100	± 0.1	2.4	± 0.5	2.4	± 0.8	4.8
	1/22/2016	0.090	± 0.1	4.2	± 0.9	2.1	± 0.7	6.3
	6/28/2016	0.070	± 0.1	2.4	± 0.5	2.0	± 1.3	4.4
	8/26/2016	0.300	± 0.2	2.4	± 0.5	2.2	± 0.9	4.6
	10/21/2016	0.100	± 0.1	0.0	± 0.1	2.2	± 1.0	2.2
	1/20/2017	0.500	± 0.3	1.7	± 0.4	0.9	± 0.8	2.6
	5/25/2017	0.300	± 0.2	2.2	± 0.5	-0.2	± 0.9	2.0
	8/18/2017	0.300	± 0.2	5.0	± 1.0	0.6	± 0.8	5.6
	10/20/2017	0.080	± 0.1	0.7	± 0.3	2.7	± 1.5	3.4
AL-7	3/26/2014	0.040	± 0.1	0.9	± 0.2	2.3	± 1.0	3.2
	6/6/2014	0.100	± 0.1	0.9	± 0.2	0.8	± 0.7	1.7
	9/5/2014	0.010	± 0.1	0.8	± 0.2	1.8	± 1.0	2.6
	10/17/2014	0.100	± 0.1	0.5	± 0.2	1.4	± 0.9	1.9
	3/24/2015	0.100	± 0.1	1.4	± 0.4	2.2	± 0.8	3.6
	6/16/2015	0.100	± 0.1	6.6	± 1.3	0.5	± 0.8	7.1
	8/11/2015	0.090	± 0.1	1.6	± 0.4	1.0	± 0.6	2.6
	10/16/2015	0.100	± 0.2	0.8	± 0.2	3.3	± 0.9	4.1
	1/22/2016	0.100	± 0.1	0.6	± 0.2	0.0	± 0.6	0.6
	6/28/2016	0.050	± 0.1	0.3	± 0.1	4.4	± 1.6	4.7
	8/26/2016	0.100	± 0.1	0.9	± 0.2	1.1	± 0.7	2.0

TABLE 1. WATER-LEVEL AND WATER-QUALITY DATA. (cont'd)

Lucky MC Mine - Pathfinder Mines Corp.

Sample Point Name	Date	Th230 (pCi/l)	Th230(e) (pCi/l)	Ra226 (pCi/l)	Ra226(e) (pCi/l)	Ra228 (pCi/l)	Ra228(e) (pCi/l)	Ra226+Ra228 (pCi/l)
AL-7	10/21/2016	0.070	± 0.2	0.7	± 0.2	4.8	± 1.2	5.5
	1/20/2017	0.030	± 0.1	0.5	± 0.2	1.2	± 0.8	1.7
	5/25/2017	0.060	± 0.1	0.5	± 0.2	-1.0	± 0.8	-0.5
	8/18/2017	0.040	± 0.1	0.3	± 0.2	3.2	± 1.0	3.5
	10/20/2017	0.040	± 0.1	0.6	± 0.2	1.8	± 1.0	2.4
T1-6	3/26/2014	-0.020	± 0.1	1.5	± 0.2	0.2	± 0.7	1.7
	5/29/2014	—	—	2.8	± 0.3	2.4	± 0.7	5.2
	6/6/2014	0.100	± 0.1	1.9	± 0.3	0.5	± 0.8	2.4
	9/5/2014	0.040	± 0.2	1.7	± 0.3	2.0	± 0.9	3.7
	10/17/2014	-0.010	± 0.1	1.4	± 0.2	1.5	± 0.8	2.9
	10/29/2014	—	—	7.3	± 0.5	1.7	± 0.8	9.0
	3/24/2015	0.009	± 0.1	5.4	± 1.1	3.0	± 0.9	8.4
	6/16/2015	0.070	± 0.1	6.3	± 1.3	1.0	± 0.8	7.3
	6/24/2015	—	—	7.6	± 1.5	2.2	± 0.7	9.8
	8/11/2015	0.100	± 0.1	2.4	± 0.5	0.6	± 0.6	3.0
	10/16/2015	0.060	± 0.1	1.5	± 0.4	1.9	± 0.7	3.4
	11/17/2015	—	—	11.0	± 0.2	4.6	± 0.9	—
	1/22/2016	0.070	± 0.1	2.2	± 0.5	2.1	± 0.8	4.3
	5/23/2016	—	—	4.8	± 1.0	1.1	± 0.7	5.9
	6/28/2016	0.004	± 0.1	3.9	± 0.8	3.5	± 1.4	7.4
	8/26/2016	0.200	± 0.2	2.1	± 0.5	1.2	± 0.7	3.3
	10/21/2016	0.006	± 0.1	1.4	± 0.3	2.0	± 0.9	3.4
	1/20/2017	0.100	± 0.2	2.1	± 0.5	2.5	± 0.8	4.6
	5/25/2017	0.020	± 0.1	1.4	± 0.4	0.5	± 0.9	1.9
	8/18/2017	0.070	± 0.1	0.8	± 0.2	6.6	± 1.5	7.4
	10/20/2017	0.100	± 0.1	1.3	± 0.4	1.0	± 1.2	2.3
T1-12	3/26/2014	0.006	± 0.1	1.9	± 0.3	1.5	± 1.1	3.4
	6/6/2014	0.100	± 0.1	1.8	± 0.4	1.9	± 1.7	3.7
	9/5/2014	0.090	± 0.4	2.5	± 0.7	2.0	± 2.9	4.5
	10/17/2014	0.070	± 0.1	1.4	± 0.2	2.3	± 0.8	3.7
	3/24/2015	-0.030	± 0.3	9.6	± 2.0	3.4	± 1.2	13.0
	6/16/2015	0.400	± 0.8	4.9	± 1.0	0.8	± 0.7	5.7
	8/11/2015	0.090	± 0.7	2.6	± 0.6	1.5	± 0.6	4.1
	10/16/2015	0.500	± 0.6	1.7	± 0.4	5.1	± 1.4	6.8
	1/22/2016	0.400	± 0.7	2.3	± 0.5	1.3	± 0.8	3.6
	6/28/2016	0.100	± 0.6	1.8	± 0.4	3.2	± 1.4	5.0
	8/26/2016	-0.060	± 0.5	2.1	± 0.5	3.4	± 1.2	5.5
	10/21/2016	0.100	± 0.6	1.9	± 0.4	3.1	± 1.1	5.0
	1/20/2017	0.300	± 0.6	1.7	± 0.5	2.2	± 1.2	3.9
	5/25/2017	0.200	± 0.4	1.8	± 0.4	0.4	± 1.1	2.2
	8/18/2017	0.070	± 0.6	1.2	± 0.3	1.0	± 0.8	2.2
	10/20/2017	0.700	± 0.9	2.1	± 0.6	3.2	± 1.4	5.3

TABLE 1. WATER-LEVEL AND WATER-QUALITY DATA. (cont'd)

Lucky MC Mine - Pathfinder Mines Corp.

Sample Point Name	Date	As (mg/l)	Be (mg/l)	Cd (mg/l)	Cr (mg/l)	Ni (mg/l)	Se (mg/l)
AL-1	3/26/2014	0.002	< 0.001	< 0.001	< 0.01	0.04	0.262
	6/6/2014	0.003	< 0.001	< 0.001	< 0.01	0.02	0.277
	9/5/2014	0.005	< 0.001	< 0.001	< 0.01	0.04	0.315
	10/17/2014	0.002	< 0.001	< 0.001	< 0.01	0.02	0.325
	3/24/2015	0.011	< 0.001	< 0.001	< 0.01	0.02	0.346
	6/16/2015	0.005	< 0.001	< 0.001	< 0.01	0.02	0.293
	8/11/2015	0.003	< 0.001	< 0.001	< 0.01	0.02	0.215
	10/16/2015	< 0.001	< 0.001	< 0.001	< 0.01	0.05	0.242
	1/22/2016	0.002	< 0.001	< 0.001	< 0.01	0.02	0.238
	6/28/2016	0.013	< 0.001	< 0.001	< 0.01	0.02	0.260
	8/26/2016	0.013	< 0.001	< 0.001	< 0.01	0.02	0.253
	10/21/2016	< 0.001	< 0.001	< 0.001	< 0.01	0.02	0.285
	1/20/2017	0.002	< 0.001	< 0.001	< 0.01	0.02	0.309
	5/25/2017	0.002	< 0.001	< 0.001	< 0.01	0.02	0.312
	8/18/2017	0.002	< 0.001	< 0.001	< 0.01	0.03	0.374
	10/20/2017	0.002	< 0.001	< 0.001	< 0.01	0.02	0.443
	12/15/2017	0.003	< 0.001	< 0.001	< 0.01	0.03	0.465
AL-6	3/26/2014	0.008	0.001	< 0.001	< 0.01	0.01	0.135
	6/6/2014	0.006	< 0.001	< 0.001	< 0.01	0.01	0.153
	9/5/2014	0.009	< 0.001	< 0.001	< 0.01	0.01	0.149
	10/17/2014	0.005	< 0.001	< 0.001	< 0.01	0.01	0.157
	3/24/2015	0.006	< 0.001	< 0.001	< 0.01	< 0.01	0.142
	6/16/2015	0.011	< 0.001	0.003	< 0.01	0.01	0.139
	8/11/2015	0.007	< 0.001	< 0.001	< 0.01	< 0.01	0.117
	10/16/2015	0.004	< 0.001	< 0.001	< 0.01	0.04	0.141
	1/22/2016	0.009	< 0.001	< 0.001	< 0.01	< 0.01	0.144
	6/28/2016	0.013	< 0.001	< 0.001	< 0.01	< 0.01	0.141
	8/26/2016	0.012	< 0.001	< 0.001	< 0.01	< 0.01	0.123
	10/21/2016	0.002	< 0.001	< 0.001	< 0.01	< 0.01	0.157
	1/20/2017	0.007	< 0.001	< 0.001	< 0.01	< 0.01	0.134
	5/25/2017	0.007	< 0.001	< 0.001	< 0.01	< 0.01	0.125
	8/18/2017	0.003	< 0.001	< 0.001	< 0.01	0.01	0.007
	10/20/2017	< 0.001	< 0.001	< 0.001	< 0.01	< 0.01	0.067
AL-7	3/26/2014	0.001	0.001	< 0.001	< 0.01	0.02	0.066
	6/6/2014	0.001	< 0.001	< 0.001	< 0.01	0.02	0.059
	9/5/2014	0.002	< 0.001	< 0.001	< 0.01	0.02	0.054
	10/17/2014	< 0.001	< 0.001	< 0.001	< 0.01	0.01	0.069
	3/24/2015	0.003	< 0.001	< 0.001	< 0.01	0.02	0.045
	6/16/2015	0.002	< 0.001	< 0.001	< 0.01	0.02	0.057
	8/11/2015	< 0.001	< 0.001	< 0.001	< 0.01	0.02	0.061
	10/16/2015	0.002	< 0.001	< 0.001	< 0.01	0.04	0.066
	1/22/2016	0.001	< 0.001	< 0.001	< 0.01	0.01	0.051
	6/28/2016	0.001	< 0.001	< 0.001	< 0.01	0.02	0.034
	8/26/2016	0.002	< 0.001	< 0.001	< 0.01	0.01	0.051

TABLE 1. WATER-LEVEL AND WATER-QUALITY DATA. (cont'd)

Lucky MC Mine - Pathfinder Mines Corp.

Sample Point Name	Date	As (mg/l)	Be (mg/l)	Cd (mg/l)	Cr (mg/l)	Ni (mg/l)	Se (mg/l)
AL-7	10/21/2016	< 0.001	< 0.001	< 0.001	< 0.01	0.01	0.069
	1/20/2017	< 0.001	< 0.001	< 0.001	< 0.01	0.01	0.052
	5/25/2017	< 0.001	< 0.001	< 0.001	< 0.01	0.01	0.039
	8/18/2017	< 0.001	< 0.001	< 0.001	< 0.01	0.01	0.051
	10/20/2017	0.008	< 0.001	< 0.001	< 0.01	< 0.01	0.128
T1-6	3/26/2014	< 0.001	< 0.001	< 0.001	< 0.01	0.02	0.021
	5/29/2014	< 0.001	---	< 0.005	< 0.05	< 0.05	0.023
	6/6/2014	< 0.001	< 0.001	< 0.001	< 0.01	0.02	0.022
	9/5/2014	< 0.001	< 0.001	< 0.001	< 0.01	0.02	0.024
	10/17/2014	< 0.001	< 0.001	< 0.001	< 0.01	0.01	0.027
	10/29/2014	< 0.001	---	< 0.005	< 0.05	< 0.05	0.029
	3/24/2015	0.001	< 0.001	< 0.001	< 0.01	0.02	0.029
	6/16/2015	< 0.001	< 0.001	< 0.001	< 0.01	0.02	0.034
	6/24/2015	< 0.001	---	< 0.005	< 0.05	< 0.05	0.037
	8/11/2015	< 0.001	< 0.001	< 0.001	< 0.01	0.03	0.035
	10/16/2015	< 0.001	< 0.001	< 0.001	< 0.01	0.01	0.008
	11/17/2015	< 0.001	---	< 0.005	< 0.05	< 0.05	0.036
	1/22/2016	< 0.001	< 0.001	< 0.001	< 0.01	0.01	0.061
	5/23/2016	0.002	---	< 0.005	< 0.05	< 0.05	0.055
	6/28/2016	0.001	< 0.001	< 0.001	< 0.01	0.01	0.059
	8/26/2016	0.003	< 0.001	< 0.001	< 0.01	0.01	0.063
	10/21/2016	< 0.001	< 0.001	< 0.001	< 0.01	0.01	0.104
	1/20/2017	< 0.001	< 0.001	< 0.001	< 0.01	0.02	0.126
	5/25/2017	< 0.001	< 0.001	< 0.001	< 0.01	0.02	0.124
	8/18/2017	< 0.001	< 0.001	< 0.001	< 0.01	0.01	0.091
	10/20/2017	< 0.001	< 0.001	< 0.001	< 0.01	< 0.01	0.103
T1-12	3/26/2014	0.002	< 0.001	< 0.001	< 0.01	0.25	0.226
	6/6/2014	< 0.001	< 0.001	< 0.001	< 0.01	0.26	0.235
	9/5/2014	0.003	< 0.001	< 0.001	< 0.01	0.29	0.204
	10/17/2014	< 0.001	< 0.001	< 0.001	< 0.01	0.26	0.220
	3/24/2015	0.005	< 0.001	< 0.001	0.01	0.27	0.176
	6/16/2015	0.004	< 0.001	< 0.001	< 0.01	0.25	0.176
	8/11/2015	< 0.001	< 0.001	< 0.001	< 0.01	0.24	0.156
	10/16/2015	< 0.001	< 0.001	< 0.001	< 0.01	0.27	0.151
	1/22/2016	0.002	< 0.001	< 0.001	< 0.01	0.27	0.173
	6/28/2016	< 0.001	< 0.001	< 0.001	< 0.01	0.14	0.149
	8/26/2016	0.007	< 0.001	< 0.001	< 0.01	0.24	0.160
	10/21/2016	< 0.001	< 0.001	< 0.001	< 0.01	0.23	0.164
	1/20/2017	0.001	< 0.001	< 0.001	< 0.01	0.26	0.164
	5/25/2017	< 0.001	< 0.001	< 0.001	< 0.01	0.26	0.163
	8/18/2017	< 0.001	< 0.001	0.002	< 0.01	0.27	0.221
	10/20/2017	< 0.001	< 0.001	0.001	< 0.01	0.24	0.129