



KAREN L. SMITH, MD, MPH
Director and State Public Health Officer

State of California—Health and Human Services Agency
California Department of Public Health



GAVIN NEWSOM
Governor

January 10, 2019

**NOTICE OF
2019 RECIPROCAL RECOGNITION OF LICENSE FOR USE IN CALIFORNIA**

Service

Chris Nostrand
Radiation Safety Officer
C&C Irradiator Service, LLC
1030 Evarts Street, NE
Washington, DC 20018

Dear Mr. Nostrand:

REFERENCE:

- a. Your Request Received January 2, 2019
- b. NRC Radioactive Materials License No. 08-35447-01/03039072
- c. Receipt of Reciprocity Fee, Per 17 CCR 30231(e)

In accordance with your request (Reference a.) and pursuant to Title 17, California Code of Regulations (17 CCR) 30225(a), you are hereby authorized to use radioactive materials at temporary job sites in areas not under exclusive Federal jurisdiction throughout the State of California. Such use shall be conducted in accordance with 17 CCR, your Radioactive Materials License (Reference b), and the special conditions stated in this letter. These documents must be available at California job sites when work is being performed under this authorization. An order form to obtain a copy of the regulations is enclosed.

Notification:

You are further required to provide written notification (via mail or fax) at least three working days prior to each use of radioactive material in California so that we may inspect such use should we choose to do so. We would appreciate earlier notification, 10 working days, if that is possible. If there is a change in the date of work, you must notify our office immediately.

Your written notification must be sent to Kim Sakata at the address on this letter, by fax to 916-636-6397 or by email to kim.sakata@cdph.ca.gov. You should also notify the

REC RG 1011819M0654



Chris Nostrand
January 10, 2019
Page 2


appropriate inspection office of work in their inspection area. Please see the enclosed map to determine the proper inspection office and fax number for that notification.

Special Conditions:

1. Your reciprocal authorization expires on **December 31, 2019**. If you intend to use radioactive materials within California after this date, you must reapply.
2. Radioactive material may not be used, stored, or possessed within California for more than **180** days during this authorization period.
3. A copy of this letter and the appropriate sections of 17 CCR must be carried at all times when radioactive material is used in California under this authorization.
4. All sealed sources, tools or devices coming into California must have the current leak test available for review.

If you have any questions, please contact us at the phone number shown above.

For the Department of Public Health



Gonzalo Perez, Chief
Radiologic Health Branch

Enclosures: Order Form for Regulations
Inspection Jurisdiction Map

cc: U.S. NRC Region I
2100 Renaissance Blvd., Suite 100
King of Prussia, PA 19406-2713

Reciprocity Issue No. 2019-16